



Option List

10/1/2024

Customer: Pierce Field Unit (original)
Representative: Sturm, Andrew
Organization: Pierce Manufacturing Inc
Requirements Manager: Peacock, Jamari
Description: Ford Mini Pumper
Body: Pumper, Initial Attack (Mini Pumper), Ford Chassis
Chassis: Ford, F550 Super Duty w/Aluminum Cab, 4x4

Bid Number: 2468
Job Number: 42667
Number of Units: 1
Bid Date: 03/28/2024
Stock Number: 42667
Price Level: 50 (Current: 50)
Lane:

| Line | Option | Type | Option Description | Qty |
|------|---------|------|--|-----|
| 1 | 0754470 | SP | INITIAL ATTACK (Mini Pumper), Weight Review Approved | 1 |
| 2 | 0010012 | | No Boiler Plates requested | 1 |
| 3 | 0018257 | | Commercial chassis & Snorkel products | 1 |
| 4 | 0584455 | | Manufacture Location, Bradenton, Florida | 1 |
| 5 | 0584453 | | RFP Location: Bradenton, Florida | 1 |
| 6 | 0588609 | | Vehicle Destination, US | 1 |
| 7 | 0629866 | SP | Comparison Report Required - PMFD | 1 |
| | | | Fill in Blank - 42593 | |
| 8 | 0816620 | | Comply NFPA 1900 Changes Effect Jan 1, 2024, With Exceptions, Commercial Chassis | 1 |
| 9 | 0821271 | | Initial Attack (1900) Fire Apparatus, PMFD | 1 |
| 10 | 0588611 | | Vehicle Certification, Pumper | 1 |
| 11 | 0568412 | | Agency, Apparatus Certification, Pumper/Tanker, Third Party, PMFD | 1 |
| 12 | 0537375 | | Unit of Measure, US Gallons | 1 |
| 13 | 0030006 | | Bid Bond Not Requested | 1 |
| 14 | 0816569 | | Performance Bond, Not Requested, PPI Terms | 1 |
| 15 | 0000007 | | Approval Drawing | 1 |
| 16 | 0024466 | | Not Required, Electrical Diagrams | 1 |
| 17 | 0796672 | | Ford, F550 Super Duty w/Aluminum Cab, 4x4 | 1 |
| 18 | 0818421 | | Model Year 2026 Stock/BMP | 1 |
| 19 | 0810342 | | Base Price, Ford F550 Super Duty, 4x4, Alum Cab,Effective 05/05/2023 | 1 |
| 20 | 0812980 | | Not Required, Commercial Chassis Contingency Adjustment | 1 |
| 21 | 0796513 | | Wheelbase, 203.80", Ford F450/550, with 4-Dr Crew Cab, 84" Cab-to-Axle | 1 |
| 22 | 0695839 | | GVW Rating, 19,500 lbs, Ford F550 | 1 |
| 23 | 0695835 | | Frame, Chassis, Upgraded for 19.5K GVWR, Ford F550 Super Duty | 1 |
| 24 | 0584366 | | Frame Liner not Req'd, Commercial Chassis | 1 |
| 25 | 0795776 | | Axle, Front Driving, 7.5K w/7.5K Suspension Rating, Ford Super Duty 4x4 | 1 |
| 26 | 0795771 | | Suspension, 7.5K - Extra Heavy Service, Ford Super Duty | 1 |
| 27 | 0073051 | | Shock Absorbers, Front | 1 |
| 28 | 0083002 | | Brakes, Front Axle, Disc Type, Ford Super Duty | 1 |
| 29 | 0695534 | | Transfer Case, Electric Shift-On-the-Fly, Auto Hubs, FORD | 1 |
| 30 | 0796690 | | Tires (No Default Brand) w/ Ford Chassis | 1 |
| 31 | 0796153 | | Tires, Front, 225/70R19.50, BSW All Terrain Max Traction Tread, F450 F 550 | 1 |
| 32 | 0794114 | | Wheel, Polished Aluminum, 19.50" x 6.00", Ford F450/550, XLT Package | 1 |
| 33 | 0695675 | | Axle, Rear, 14,706 lb, Limited Slip - F 550, Ford | 1 |
| 34 | 0772016 | | Disc Brakes, Hydraulic, Rear Axle, Ford | 1 |
| 35 | 0040850 | | Top Speed of Vehicle, Ford F450/550 | 1 |
| 36 | 0649800 | | Suspension, Rear Spring, 15,000 lb, F-550 | 1 |
| 37 | 0635705 | | Tires, Rear, 225/70R19.50 All Terrain Traction Tread, F450/550 | 1 |
| 38 | 0794113 | | Wheel, Polished Aluminum Outer, Steel Inner 19.50" x 6.00", Ford F-450/550, XLT | 1 |
| 39 | 0620570 | | Tire Pressure Monitoring, RealWheels, AirSecure, Valve Cap, Single Axle | 1 |
| | | | Qty, Tire Pressure Ind - 6 | |
| 40 | 0012045 | | Mud Flap, Rear, Pierce Logo | 1 |
| 41 | 0818769 | | Chocks, Wheel, Initial Attack, Provided by Fire Department, NFPA/ULC 2024 | 1 |
| 42 | 0544690 | | Mounting Brackets, Chocks, Provided by Fire Department | 1 |
| 43 | 0796164 | | ABS, Anti-Lock Braking System, RSC ,Roll Stability Control Ford | 1 |
| 44 | 0010785 | | Not Required, Air Compressor, With Hyd Brakes | 1 |
| 45 | 0090788 | | Not Required, Air Dryer, Commercial w/Hydraulic Brakes | 1 |
| 46 | 0020851 | | Not Required, Air Inlet | 1 |
| 47 | 0816562 | | Engine, V8 Diesel, 6.7L, 330 hp, PowerStroke, Ford, 2024MY | 1 |
| 48 | 0657403 | | High Idle, w/Electronic Engine, w/Separate Switch, Ford F-Series, Pierce Install | 1 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|--|-----|
| 49 | 0754435 | | Auxiliary Brake, Exhaust Brake , VGT Style, Ford 6.7 Diesel | 1 |
| 50 | 0792955 | | Cruise Control, Ford, Super Duty, F450/550 | 1 |
| 51 | 0667889 | | Air Restriction Indicator, Ford F450/550 | 1 |
| 52 | 0078732 | | Air Intake, w/Ember Separator, Pierce Installed, Commercial Chassis | 1 |
| 53 | 0809098 | | Exhaust System, DEF/SCR, Horizontal Exhaust, Ford, 2023MY | 1 |
| 54 | 0788918 | | Exhaust Modification,Ford Super Duty,Horizontal Exhst,Initial Attack,Mini Pumper | 1 |
| 55 | 0071090 | | Coolant Hoses, Rubber - Commercial Chassis | 1 |
| 56 | 0821922 | | Fuel Tank, 40 Gallon, w/aux fuel tap, Ford, Non-NFPA 2024 Compliant | 1 |
| 57 | 0788919 | | DEF Tank, Ford F-Series, Initial Attack Mini Pumper | 1 |
| 58 | 0696186 | | Cooler, Chassis Fuel, Commercial, Provided by Chassis OEM | 1 |
| 59 | 0745582 | | Transmission, TorqShift 10-Speed Automatic, Ford Super Duty | 1 |
| 60 | 0061477 | | Not Required, Transmission Shifter Type | 1 |
| 61 | 0011475 | | Transmission Oil Cooler, Internal, Commercial | 1 |
| 62 | 0809095 | | PTO Provision Included, Ford Automatic Transmission, Ford, 2023MY | 1 |
| 63 | 0011372 | | Driveline, Ford Super Duty Chassis | 1 |
| 64 | 0779535 | SP | WEIGHT REVIEW Completed and APPROVED | 1 |
| 65 | 0595893 | | Steering, Power Assist w/Tilt Telescoping, F450/550 | 1 |
| 66 | 0809105 | | Package, High Capacity Trailer Tow, Ford, 2023MY | 1 |
| 67 | 0776323 | | Bumper Extension, 15", Ford Super Duty, F450/F550 | 1 |
| 68 | 0755766 | | Tray, Hose, Center, 15" Extd Bumper, Ford | 1 |
| | | | Grating, Bumper extension - Grating, Rubber | |
| | | | Capacity, Bumper Tray - 19) 100' of 1.75" | |
| 69 | 0633479 | | Hose Restraint, Bumper Tray, Velcro Straps, Pair | 1 |
| | | | Qty, Pair - 01 | |
| 70 | 0013223 | | Tow Eyes/Hooks, Painted Black - Ford Super Duty | 1 |
| 71 | 0795729 | | Cab, 4-door Crew Cab, Aluminum, 4x4, Ford F-Series | 1 |
| 72 | 0809815 | | Cab Trim, XLT Package, 4-Door Crew Cab, Ford, 2023MY | 1 |
| 73 | 0795033 | | Cab, Interior Trim Level, XLT, Earth Gray, DELETE CARPET, Ford F-Series | 1 |
| 74 | 0815888 | | Grille, Ford | 1 |
| 75 | 0796132 | | Mirrors,Telescopic,w/Power Equip Group,w/Signal/Clearance Lamps,Ford Super Duty | 1 |
| 76 | 0008974 | | Step/Running Board Pkg, Alm 4-way, F550, 4-Dr, (Pierce Built) | 1 |
| 77 | 0782894 | | Lights, Cab & Crw Cab Acs Stps, P25, LED, 6Lts, Ford, F450/550 | 1 |
| 78 | 0695517 | | Daytime Running Lts, Ford F450/550 | 1 |
| 79 | 0773943 | | Air Conditioning, Commercial | 1 |
| 80 | 0510713 | | Light, Engine Compt, Commercial Chassis | 1 |
| 81 | 0795720 | | Console, Ford Super Duty, Switches, Radio/Siren, Map Storage | 1 |
| 82 | 0791034 | | Seating Capacity, Cab, 4-Door, Commercial, Ford Super Duty | 5 |
| | | | Qty, - 05 | |
| 83 | 0795138 | | Seats, Cab, 40-20-40 Cloth Bench, Ford XLT Package, PRIMARY | 1 |
| 84 | 0821343 | | Seat, Flx-Fld Flt 60/40 Bench, Cloth, Ford XLTCrew Cab, Non-NFPA 2024 | 1 |
| 85 | 0821318 | | Seat Belt Web Length, Commercial Chassis, Non-NFPA 2024 Compliant | 1 |
| 86 | 0821366 | | Seat Belts, Supplied by Chassis Mfgr, Ford, Non-NFPA 2024 | 1 |
| 87 | 0817557 | | Helmet Storage, Provided by Fire Department, NFPA/ULC 2024 | 1 |
| 88 | 0816997 | | Portable Hand Light, Provided by Fire Dept, NFPA/ULC 2024 | 1 |
| 89 | 0809743 | | Cab Instrumentation, Ford Chassis, 2023MY | 1 |
| 90 | 0038471 | | Emergency Switches on Console, Ford | 1 |
| 91 | 0005937 | | Light, Do Not Move Apparatus, Commercial Chassis | 1 |
| | | | Alarm, Do Not Move Truck - No Alarm | |
| 92 | 0005926 | | Light, Open Door - Commercial Std | 1 |
| 93 | 0796134 | | Wiper control, Ford Super Duty | 1 |
| 94 | 0809106 | | Radio AM/FM w/MP3 Player, Sirius, SYNC Ford, 2023MY | 1 |
| 95 | 0669278 | | Vehicle Information Center, Weldon V-MUX, No Display | 1 |
| 96 | 0734854 | | Collision Mitigation, Not Requested | 1 |
| 97 | 0792422 | | Not Required, Vehicle Data Recorder and Seat Belt Monitor, Ford, Non-NFPA 2017 | 1 |
| 98 | 0808158 | | Camera, Pierce, 7" HD, R, Camera, Ford F-Series Chassis Specific, AHD | 1 |
| | | | Color - 1) black | |
| | | | Location, Camera Monitor - Centered Rearview Mirror Area | |
| 99 | 0814831 | | Not Required, Camera Switcher | 1 |
| 100 | 0794800 | | Weldon, V-MUX, Electrical System, Ford | 1 |
| 101 | 0809107 | | Electrical System, Initial Attack Mini Pumper, Ford, 2023MY | 1 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|---|-----|
| 102 | 0809097 | | Single Start, (2), 750 CCA each, AGM, Ford, 2023MY | 1 |
| 103 | 0583981 | | Battery Relocation NOT REQUIRED | 1 |
| 104 | 0897772 | | Battery Location as Provided by Chassis Manufacturer | 1 |
| 105 | 0794796 | | Selector, Single Start Battery System, Ford | 1 |
| 106 | 0814180 | | Charger, Sngl Sys, Kussmaul, 12 HO, 091-170-12, 20 Amp | 1 |
| 107 | 0814908 | | Location, Body, Charger, Over Wheel Compartment, Initial Attack, LS Location, Comp Body - High On Left Wall | 1 |
| 108 | 0814971 | | Not Required, Location Ind/Remote | 1 |
| 109 | 0016857 | | Shoreline, 20A 120V, Kussmaul Auto Eject, 091-55-20-120, Super Qty, - 01 Color, Kussmaul Cover - d) yellow Shoreline Connection - Battery Charger | 1 |
| 110 | 0785910 | | Shoreline Location, PMFD Pumper, Initial Attack Mini Pumper Location, Shoreline(s) - DS Front Bulkhead | 1 |
| 111 | 0809096 | | Alternators (Dual), 410 Amp Total, w/Diesel Engine, Ford, 2023MY | 1 |
| 112 | 0809746 | | Power Equipment and Safety Group, Ford, 2023MY | 1 |
| 113 | 0794795 | | Load Manager, Inc w/MUX Electrical System, Ford | 1 |
| 114 | 0745574 | | Cab Lighting, Halogen Headlights, Ford | 1 |
| 115 | 0627282 | | Lights, Clearance/Marker/ID, Rear, FRP LED Bar & P25 LED 4Lts | 1 |
| 116 | 0804514 | | Lights, Tail, Wln M62BTT* Red Stop/Tail & M62T* Amber Dir Arw For Hsg Color, Lens, LED's - Match Flash Pattern, Directional Lts - Steady On (Arrow) | 1 |
| 117 | 0806466 | | Lights, Backup, Wln M62BU, LED, For Tail Lt Housing | 1 |
| 118 | 0889577 | | Bracket, License Plate & Light, P25 LED, Stainless Brkt Color, Trim - Chrome Housing | 1 |
| 119 | 0556842 | | Bezels, Wln, (2) M6 Chrome Pierce, For mtg (4) Wln M6 lights | 1 |
| 120 | 0589905 | | Alarm, Back-up Warning, PRECO 1040 | 1 |
| 121 | 0769420 | | Lights, Perimeter Cab, Amdor AY-LB-12HW020 LED 4Dr | 1 |
| 122 | 0615850 | | Not Required, Lights Perimeter Pump House | 1 |
| 123 | 0768520 | | Lights, Perimeter Body, Amdor AY-LB-12HW020 LED 2lts, Rear Step, Comm Chassis Control, Perimeter Lts - Parking Brake Applied | 1 |
| 124 | 0556337 | | Lights, Step, P25 LED at Rear Tailboard, 2lts Perm Lts | 1 |
| 125 | 0763610 | | Lights, Wln, PCPSM2*, Pioneer, 12 VDC, 1st Location - centered above LS4 Qty, - 01 Color, Wln Lt Housing - Chrome Cover Control, Scene Lts - Cab Sw Panel DS | 1 |
| 126 | 0763608 | | Lights, Wln, PCPSM2*, Pioneer, 12 VDC, 2nd Location - centered above RS4 Qty, - 01 Color, Wln Lt Housing - Chrome Cover Control, Scene Lts - Cab Sw Panel DS | 1 |
| 127 | 0532358 | | Not Required, Deck Lights, Other Hose Bed & Rear Lighting | 1 |
| 128 | 0645877 | | Lights, Hose Bed, Sides, Dual LED Light Strips Control, Hose Bed Lts - Cup Switch At Rear | 1 |
| 129 | 0645639 | | Lights, Rear Scene, Wln, PEL*C LED, 45 Deg Flange Location, Lights - Up high on the rear bulkhead just below the upper rear warning lights Control, Rear Scene Lts - Cab Switch Panel DS | 1 |
| 130 | 0787447 | | Lights, Walk Surf, Dual LED Light Strips, Cargo Area, Bdy Stp Lt | 1 |
| 131 | 0793223 | | Pumper, Initial Attack (Mini Pumper), Ford Chassis | 1 |
| 132 | 0609872 | | Overflow, 4" Water Tank, Poly | 1 |
| 133 | 0790995 | | Water Tank, Poly, 250 Gallon, Initial Attack Pumper | 1 |
| 134 | 0028104 | | Foam Cell Required | 1 |
| 135 | 0553725 | | Restraint, Water Tank, Heavy Duty, Special Type Tank, 4x4, or Export | 1 |
| 136 | 0782514 | | Hose Bed, No Side Sheets, Standard Capacity, Initial Attack Mini Pumper | 1 |
| 137 | 0527522 | | Hose Bed Capacity,NFPA Minimum,(400/1.50" and 300/2.50") Initial Attack | 1 |
| 138 | 0059656 | | Divider, Hose Bed, .25" Unpainted, PMFD Qty, Hosebed Dividers - 1 | 1 |
| 139 | 0806306 | | Straps, Top of Hose Bed | 1 |
| 140 | 0807424 | | Hose Restraint, Hose Bed, Web, Rear, Separate From Top Fastener, Rear Restraint, Top - Velcro Straps/Footman Loops | 1 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|--|-----|
| 140 | | | Fastener, Rear Restraint, Bottom - Velcro Straps/Footman Loops | |
| 141 | 0013534 | | Not Required, Running Boards | 1 |
| 142 | 0787460 | | Tailboard/Rear Step, 12", Initial Attack Mini Pumper | 1 |
| 143 | 0738719 | | Wall, Rear, Body Material, Aluminum Treadplate Center, Mini Pumper | 1 |
| 144 | 0787865 | | Material, Rear Wall Inboard Facing Surfaces - Aluminum Diamondplate | |
| 145 | 0787859 | | Tow Eyes, (2) Under Bumper/Tailboard, Rescue/Mini w/Ford Chassis | 1 |
| 146 | 0793219 | | Construction, Compt, Alum, Initial Attack Mini Pumper | 1 |
| 147 | 0793218 | | LS, Initial Attack Mini Pumper, w/Roll-up Doors | 1 |
| 148 | 0792860 | | RS, Initial Attack Mini Pumper, w/Roll-up Doors | 1 |
| 149 | 0692771 | | Compt, Rear, Initial Attack Mini Pumper, Roll-up Door | 1 |
| | | | Doors, Gortite, Roll-up, Anodized or Painted Side and Rear Compartments | 7 |
| | | | Qty, Door Accessory - 07 | |
| | | | Color, Roll-up Door, Gortite - Painted to Match Lower Body | |
| 150 | 0616670 | | Lights, Compt, Pierce LED, Dual Light Strips, Each Side of Door, Pumper/Tanker | 7 |
| | | | Latch, Roll-up Door, Gortite - Non-Locking Liftbar | |
| | | | Qty, - 07 | |
| 151 | 0792847 | | Location, Compartment Lights - All Body Compts | |
| | | | 144.00" Hatch, 23.5" Width, Painted, w/ Rear Access Door Only, Mini Pumper | 2 |
| | | | Location, Hatch Compt - Both Sides | |
| | | | Qty, Hatch Compt - 2 | |
| | | | Door, Material & Finish, Storage - Brushed S/S | |
| | | | Latch, Door, Storage - Southco C2 Chrome Raised | |
| | | | Hinge Location - Outboard | |
| 152 | 0687135 | | Shelf Tracks, Unpainted | 4 |
| | | | Qty, Shelf Track - 04 | |
| | | | Location, Shelf Track - LS1, LS2, RS1 and RS2 | |
| 153 | 0784645 | | Shelves, Adjustable, 500 lb Capacity, Full Width/Depth, Painted, Mini Pumper | 5 |
| | | | Qty, Shelf - 05 | |
| | | | Location, Shelves/Trays, Predefined - RS1-Centered, RS2-Centered, LS1-Centered, LS2-Centered and B1-Centered | |
| 154 | 0004015 | | Trim, Alum Treadplate on Lower Body | 1 |
| 155 | 0004035 | | Fender Crowns, Rear, Rubber | 1 |
| 156 | 0816944 | | Hose, Hard Suction, Provided by Fire Department, NFPA/ULC 2024 | 2 |
| | | | Qty, Hard Suction Hose - 2 | |
| | | | Length, Hard Suction Hose, Predefined - 06 | |
| | | | Diameter, Hard Suction Hose - 6.00" | |
| | | | Type of Hose Ends, Coupling, HSH - Long Handle | |
| 157 | 0781018 | | Troughs, HSH, (2), U-shaped, Aluminum, in Hatch Compartment, Mini Pumper | 2 |
| | | | Qty, - 02 | |
| | | | Location, Hose Trough/Compartment - a) left side | |
| | | | Size - 6" x 10' | |
| 158 | 0791013 | | Not Required, Handrails, Side Pump Panels, Mini Pumper | 1 |
| 159 | 0791010 | | Handrail, Rear of Body - Mini Pumper | 1 |
| 160 | 0082756 | | Handrail, Rear, Below Hose Bed | 1 |
| 161 | 0792859 | | Compt, Storage Fender Panel, Mini Pumper, Light Rescue | 2 |
| | | | Qty, - 02 | |
| | | | Location, driver's/passenger's/center - Left & Right | |
| | | | Door, Material & Finish, Storage - Polished S/S | |
| | | | Latch, Air Bottle Compt - Southco C2 Chrome Raised | |
| 162 | 0069225 | | Ladder, 12' Duo-Safety 1000A 2-Sect | 1 |
| | | | Qty, - 1 | |
| 163 | 0074231 | | No Roof Ladder Required | 1 |
| 164 | 0786065 | | Ladder Storage, Banked, Inside Hatch Compt, Mini Pumper | 1 |
| | | | Location, driver's/passenger's/center - passenger's | |
| 165 | 0816918 | | Pike Pole, 6', Provided by Fire Department, NFPA/ULC 2024 | 1 |
| | | | Qty, - 01 | |
| | | | Pike Pole Make/Model - Duo-Safety 6' Pike Pole | |
| 166 | 0040506 | | Tubes, Alum, Pike Pole Storage, PMFD | 1 |
| | | | Qty, Pike Pole Tubes - 01 | |
| | | | Location, Pike Pole - Ladder Storage Compt | |
| 167 | 0064388 | | No Steps Front of Body | 1 |
| 168 | 0592994 | | Steps, Folding, Rear of Body, w/LED, Trident | 1 |
| | | | Coating, Step - black | |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|---|-----|
| 169 | 0792706 | | Pump House/Module, Initial Attack Mini Pumper | 1 |
| 170 | 0092531 | | Not Required, Pump House Structure | 1 |
| 171 | 0794745 | | Pump, Waterous, CX, 1500 GPM, Single Stage, Initial Attack Mini Pumper | 1 |
| 172 | 0004482 | | Seal, Mechanical, Waterous | 1 |
| 173 | 0816447 | | Trans, Pump, Waterous C22 Series | 1 |
| 174 | 0635600 | | Pumping Mode, Stationary Only | 1 |
| 175 | 0791087 | | Pump Shift, Air w/o Manual Override, MidShip, Interlocked, Mini Pumper | 1 |
| 176 | 0596171 | | Transmission Lock-up, Ford | 1 |
| 177 | 0004547 | | Auxiliary Cooling System | 1 |
| 178 | 0014486 | | Not Required, Transfer Valve, Single Stage Pump | 1 |
| 179 | 0746511 | | Valve, Relief Intake, TFT | 1 |
| | | | Pressure Setting - 125 psig | |
| 180 | 0564941 | | Controller, Pressure, FRC, Pump Boss, PBA200 | 1 |
| 181 | 0641743 | | Primer, Waterous, VPO Motor, (1) VAP Valve, (1) Push Button Control | 1 |
| 182 | 0780364 | | Manuals, Pump, (2) Total, Electronic Copies | 1 |
| 183 | 0602490 | | Plumbing, Stainless Steel and Hose, Single Stage Pump, Mini Pumper | 1 |
| 184 | 0795135 | | Plumbing, Stainless Steel, w/Foam System | 1 |
| 185 | 0004645 | | Inlets, 6.00" - 1250 GPM or Larger Pump | 1 |
| 186 | 0004646 | | Cap, Main Pump Inlet, Long Handle, NST, VLH | 1 |
| 187 | 0084610 | | Valves, Akron 8000 series- All | 1 |
| 188 | 0537164 | | Valve, Inlet(s) Recessed, Side Cntrl, PMFD Series | 1 |
| | | | Qty, Inlets - 1 | |
| 189 | 0004700 | | Control, Inlet, at Valve | 1 |
| 190 | 0004660 | | Inlet (1), Left Side, 2.50" | 1 |
| 191 | 0029147 | | Not Required, Inlet, Right Side | 1 |
| 192 | 0092569 | | No Rear Inlet (Large Dia) Requested | 1 |
| 193 | 0064116 | | No Rear Inlet Actuation Required | 1 |
| 194 | 0092696 | | Not Required, Cap, Rear Inlet | 1 |
| 195 | 0009648 | | No Rear Intake Relief Valve Required on Rear Inlet | 1 |
| 196 | 0092568 | | No Rear Auxiliary Inlet Requested | 1 |
| 197 | 0891933 | | Valve, .75" Bleeder, Aux. Side Inlet, FZM | 1 |
| 198 | 0774926 | | Tank to Pump, (1) 3.00" Valve, 3.00" Plumbing, Mini Pumper | 1 |
| 199 | 0034910 | | Tank Fill, 1.5" Initial Attack Pumper | 1 |
| 200 | 0787911 | | Control, Outlets, Swing Control, Vertical Actuation, Initial Attack Mini Pumper | 1 |
| 201 | 0755799 | | Outlet, Left Side, 2.50", Mini Pumper | 2 |
| | | | Qty, Discharges - 02 | |
| 202 | 0786146 | | Not Required, Elbow, Left Side Outlets, 2.50", Initial Attack Mini Pumper | 1 |
| 203 | 0092570 | | Not Required, Outlets, Left Side Additional | 1 |
| 204 | 0035094 | | Not Required, Elbow, Left Side Outlets, Additional | 1 |
| 205 | 0755792 | | Outlet, (1), Right Side, 2.50", Mini Pumper | 1 |
| | | | Qty, Discharges - 01 | |
| 206 | 0786143 | | Elbow, Right Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH, Mini Pumper | 1 |
| 207 | 0092571 | | Not Required, Outlets, Right Side Additional | 1 |
| 208 | 0089584 | | Not Required, Elbow, Right Side Outlets, Additional | 1 |
| 209 | 0755791 | | Outlet, 4" w/3" Akron Valve, Right, Mini Pumper | 1 |
| 210 | 0005097 | | Elbow, Large Dia Outlet, 30 Deg, 4.00" FNST x 5.00" Storz | 1 |
| | | | Qty, - 01 | |
| 211 | 0755788 | | Outlet, Front, 1.50" w/2" Plumbing, Mini Pumper | 1 |
| | | | Fitting, Outlet - 1.50" NST with 90 degree swivel | |
| | | | Drain, Front Outlet - Automatic | |
| | | | Location, Front, Single - in center bumper tray | |
| 212 | 0092575 | | Not Required, Outlet, Rear | 1 |
| 213 | 0045099 | | Not Required, Elbow, Rear Outlets | 1 |
| 214 | 0092574 | | Not Required, Outlet, Rear, Additional | 1 |
| 215 | 0085695 | | Not Required, Elbow, Rear Outlets, Large, Additional | 1 |
| 216 | 0621294 | | Outlet, Front of Hose Bed, 2.50", Initial Attack Mini Pumper | 1 |
| | | | Qty, Discharges - 01 | |
| | | | Location, Outlet - low | |
| | | | Location, driver's/passenger's/center - RS | |
| 217 | 0092573 | | Not Required, Outlet, Hose Bed/Running Board Tray | 1 |
| 218 | 0752097 | | Caps/Plugs for 1.00" to 3.00" Discharges/Inlets, Chain | 1 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|--|-----|
| 219 | 0891932 | | Valve, 0.75" Bleeder, Discharges, FZM | 1 |
| 220 | 0029106 | | Not Required, Deluge Outlet | 1 |
| 221 | 0029302 | | No Monitor Requested | 1 |
| 222 | 0029304 | | No Nozzle Req'd | 1 |
| 223 | 0029107 | | No Deluge Mount | 1 |
| 224 | 0784717 | | Crosslays Not Available, Initial Attack Mini Pumper | 1 |
| 225 | 0029196 | | Not Required, 2.50" Crosslay | 1 |
| 226 | 0500535 | | Not Required, Hose Restraint, Crosslay | 1 |
| 227 | 0776365 | | Speedlays, (2) 1.5" w/ Poly Trays, Side Control, Std Capacity, Initial Attack | 1 |
| 228 | 0745259 | | Hose Restraint, Speedlay, Not Required, Initial Attack Mini Pumper | 1 |
| 229 | 0587423 | | Foam Sys, Husky 3, Single Agent, Mini Pumper | 1 |
| 230 | 0012126 | | Not Required, CAF Compressor | 1 |
| 231 | 0592527 | | Refill, Foam Tank, Integral, Husky 3 | 1 |
| 232 | 0031896 | | Demonstration, Foam System, Dealer Provided | 1 |
| 233 | 0022539 | | Foam Cell, 20 Gallon, Reduce Water | 1 |
| | | | Type of Foam - Class "A" | |
| 234 | 0697589 | | Drain, 1.00", Foam Tank #1, Husky 3 Foam System, Quarter Turn | 1 |
| 235 | 0091079 | | Not Required, Foam Tank #2 | 1 |
| 236 | 0091112 | | Not Required, Foam Tank #2 Drain | 1 |
| 237 | 0738072 | | Approval Dwg, Pump Panel(s), Not Required | 1 |
| 238 | 0032476 | | Pump Panel Configuration, Mini Pumper | 1 |
| 239 | 0790986 | | Material, Pump Panels, Side Control, Brushed S/S, Mini Pumper | 1 |
| 240 | 0721765 | | Panel, Pump Access - Right Side Only, Side Control | 1 |
| | | | Latch, Pump Panel Access, Side Mount - Swell Latch, Black | |
| 241 | 0071130 | | Light, Pump Compt, PMFD | 1 |
| 242 | 0505599 | | Gauges, Engine - Pump Panel, Included with FRC Pump Boss Control | 1 |
| 243 | 0005601 | | Throttle, Engine, Incl'd w/Press Controller | 1 |
| 244 | 0739224 | | Indicator Light @ Pump Panel, Throttle Ready, Incl w/Pressure Gov/Throttle,Green | 1 |
| 245 | 0035630 | | [No engine indicator light @ Pump Panel] | 1 |
| 246 | 0745568 | | Indicator Light, Pump Panel, Ok To Pump, Green | 1 |
| 247 | 0510449 | | Gauges, 3.50" Master, Class 1, 30"-0-600psi | 1 |
| 248 | 0511100 | | Gauge, 2.00" Pressure, Class 1, 30"-0-400psi | 1 |
| 249 | 0062856 | | Gauge, Water Level, Class 1, Pierce Std. | 1 |
| 250 | 0062992 | | Gauge, Foam Level, (1) Tank, Class 1, GAAAR 5lt | 1 |
| 251 | 0791082 | | Pump Control Lighting, Mini Pumper | 1 |
| 252 | 0525667 | | Siren, Wln 295SLSA1, 100 or 200 Watt | 1 |
| 253 | 0065405 | | Location, Electronic Siren, With Console, Ford, PMFD | 1 |
| 254 | 0006145 | | Control, Elec Siren, Horn Ring, PS Foot Sw | 1 |
| 255 | 0774117 | | Speaker, Wln, SA315P, Mounted Behind Bumper, 100 watt, Ford Extended Bumper | 1 |
| | | | Qty, Speakers - 1 | |
| | | | Connection, Speaker - siren head | |
| 256 | 0774095 | | Location, Recessed in Extended OEM Bumper, Ford F-Series | 1 |
| | | | Location, - driver's side | |
| 257 | 0746353 | | Not Required, Warning Lights Intensity | 1 |
| 258 | 0606714 | | Lightbar, Wln, Freedom IV-Q, 60", RR_R_W__W_R_RR | 1 |
| | | | Filter, Whl Freedom Ltbrs - No Filters | |
| 259 | 0672541 | SP | Lights, Front Zone, Wln M4* LED, Clear Lens, Comm | 1 |
| | | | Color, Lens, LED's - c)clear | |
| | | | Color, Lt DS Front - Red | |
| | | | Color, Lt PS Front - Red | |
| 260 | 0540666 | | Lights, Side Zone Lower, Wln M4*C LED, Clear Lens 2pr | 1 |
| | | | Location, Lights Rear - (1) each side of the rear fender panel | |
| | | | Location, Lights Front Side - a)each side engine hood | |
| | | | Color, Lt Side Front - Red | |
| | | | Color, Lt Side Rear - Red | |
| 261 | 0564655 | | Lights, Rear Zn Lwr, Wln M6*C LED, Clear Lens, For Tail Lt Housing | 1 |
| | | | Color, Lt DS Rear - r) DS Rear Lt Red | |
| | | | Color, Lt PS Rear - r) PS Rear Lt Red | |
| 262 | 0541152 | | Lights, Rear/Side Up Zone, Wln M6*C LED, Clear Lens 4lts | 1 |
| | | | Flange Kit, 2pr - w/with a flange | |
| | | | Color, Lt, Side Rear Upper DS - Red | |
| | | | Color, Lt, Side Rear Upper PS - Red | |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|---|-----|
| 262 | | | Color, Lt, Rear Upper DS - Red | |
| | | | Color, Lt, Rear Upper PS - Red | |
| 263 | 0006551 | | Not Required, Lights, Rear Upper Zone Blocking | 1 |
| 264 | 0655365 | | Not Required, Rear Warning Lights Bracket | 1 |
| 265 | 0519934 | | Not Required, Brand, Hydraulic Tool System | 1 |
| 266 | 0649753 | | Not Required, PTO Driven Hydraulic Tool System | 1 |
| 267 | 0007150 | | Bag of Nuts and Bolts | 1 |
| | | | Qty, Bag Nuts and Bolts - 1 | |
| 268 | 0816515 | | NFPA Required Loose Equipment, Initial Attack, NFPA/ULC 2024, Prov by Fire Dept | 1 |
| 269 | 0816941 | | Soft Suction Hose, Provided by Fire Department, NFPA/ULC 2024 | 1 |
| 270 | 0821565 | | Strainer, Provided by Fire Department, Pumper NFPA/ULC 2024 Classification | 1 |
| 271 | 0816939 | | Extinguisher, Dry Chemical, NFPA 2024, Provided by Fire Department | 1 |
| 272 | 0816937 | | Extinguisher, 2.5 Gal. Pressurized Water, NFPA/ULC 2024, Provided by Fire Dept | 1 |
| 273 | 0817000 | | Axe, Pickhead, Provided by Fire Department | 1 |
| 274 | 0607712 | | Paint Process / Environmental Requirements, PMFD | 1 |
| 275 | 0614467 | | Paint, #516 Ford Race Red, w/ Ford Chassis | 1 |
| | | | Paint Color, Commercial, Std - #516 Ford Race Red | |
| 276 | 0614466 | | Chassis Cab Paint, Ford Race Red (Pierce #516) | 1 |
| | | | Paint Color, Commercial, Std - #516 Ford Race Red | |
| 277 | 0583915 | | No Two-Tone Paint Req'd | 1 |
| 278 | 0582663 | | Paint, Chassis Frame Assy, Black, by Commerical Chassis Manufacturer | 1 |
| 279 | 0651185 | | Paint, Wheels, NOT REQUIRED - ALUMINUM WHEELS, Commercial | 1 |
| 280 | 0651164 | | Wheels, Accent Stripe NOT REQUIRED | 1 |
| 281 | 0007230 | | Compartment, Painted, Spatter Gray | 1 |
| 282 | 0544074 | | Reflective Band, 4" | 1 |
| | | | Color, Reflect Band - A - a) white | |
| 283 | 0007357 | | Reflective on Front Bumper | 1 |
| 284 | 0544952 | | Stripe, Chevron, Rear, Diamond Grade, Hawk, Mini Pumper | 1 |
| | | | Color, Rear Chevron DG - fluorescent yellow green | |
| 285 | 0823059 | | Stripe, Reflective, Ford SD Cab Drs Interior, 4-Door, Non-NFPA Compliant | 1 |
| | | | Color, Reflective - c) ruby red | |
| 286 | 0027286 | | Not Required, Lettering Specs | 1 |
| 287 | 0007472 | | [Lettering not Requested] | 1 |
| 288 | 0766245 | | Manual, Fire Apparatus Parts, USB, Body Parts Only, Commercial Product | 1 |
| 289 | 0766243 | | Manual on USB Flash Drive, Service, Commercial | 1 |
| 290 | 0002902 | | Manual, Commercial Chassis Operation | 1 |
| 291 | 0080008 | | Warranty, Basic, 1 Year, Apparatus, Commercial Chassis, WA0008 | 1 |
| 292 | 0681677 | | Warranty, Basic Vehicle, 3 yr or 36,000 Mi/58,000 Km, Ford | 1 |
| 293 | 0595282 | | Warranty, Cab Paint, As Provided By Chassis Manufacturer, Commercial | 1 |
| 294 | 0695416 | | Warranty, Pierce Camera System, WA0188 | 1 |
| 295 | 0647720 | | Warranty, Pierce LED Strip Lights, WA0203 | 1 |
| 296 | 0060356 | | Warranty, Transmission, Standard Ford | 1 |
| 297 | 0596027 | | Warranty, Structure, 2 Year, Mini Pumper, WA0001 | 1 |
| 298 | 0693127 | | Warranty, Gortite, Roll-up Door, 6 Year, WA0190 | 1 |
| 299 | 0734463 | | Warranty, Pump, Waterous, 7 Year Parts, WA0382 | 1 |
| 300 | 0648675 | | Warranty, 10 Year S/S Pumbing, WA0035 | 1 |
| 301 | 0657990 | | Warranty, Foam System, Husky 3, WA0231 | 1 |
| 302 | 0688009 | | Warranty, Water Tank, Lifetime, UPF, Poly Tank, WA0195 | 1 |
| 303 | 0595820 | | Warranty, Paint, 10 Year, Body, Pro-Rate, WA0057 | 1 |
| 304 | 0593921 | | Not Required, Warranty, No Lettering | 1 |
| 305 | 0819254 | | Certification, Vehicle Stability, CD0196 | 1 |
| 306 | 0821317 | | Certification, Cab Integrity, Not Provided, Commercial Chassis, Non-NFPA 2024 | 1 |
| 307 | 0823238 | | Certification, Stepping, Standing & Walking Areas, Slip Resistance, CD0197 | 1 |
| 308 | 0545073 | | Amp Draw Report, NFPA Current Edition | 1 |
| 309 | 0002758 | | Amp Draw, NFPA/ULC Radio Allowance | 1 |
| 310 | 0000026 | | Mini Pumper | 1 |
| 311 | 0000015 | | FLORIDA DIVISION COMMERCIAL CHASSIS | 1 |
| 312 | 0004713 | | ENGINE, OTHER | 1 |
| 313 | 0020011 | | WATEROUS PUMP | 1 |
| 314 | 0020009 | | POLY TANK | 1 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|-------------------------|-----|
| 315 | 0028048 | | FOAM SYSTEM | 1 |
| 316 | 0020006 | | SIDE CONTROL | 1 |
| 317 | 0020007 | | AKRON VALVES | 1 |
| 318 | 0020909 | | ABS SYSTEMS, Commercial | 1 |
| 319 | 0658751 | | PUMPER BASE | 1 |