

## STAFF REPORT

DATE: February 21, 2014

**RE: 2412 Fogarty Ave (permit application # 6756)**

FROM: Karen DeMaria, Urban Forestry Manager,  
City of Key West

An application was received for the removal of **(1) Paradise tree**. A site inspection was done on February 21, 2014 and documented the following:

Tree Species: Paradise tree (*Simarouba glauca*)



Diameter: 10.5 ”

Location: 60% (canopy issues with new power lines to house, future issues with fence)

Species: 100 % (on protected tree list)

Condition: 60% (fair)

Total Average Value = 73%

Value x Diameter = **7.5 replacement caliper inches**





**Recommendations: Recommend approval of the removal of (1) Paradise tree located at 2412 Fogarty Avenue, to be replaced with 7.5 caliper inches of FL#1 native dicot or fruit tree.**

# Application



6756

City of Key West Tree Commission

Tree Permit Application

PO Box 1409  
Key West, FL 33040  
Phone: 305-809-3723  
Fax: 305-809-3978

RE#: \_\_\_\_\_

Alt Key: \_\_\_\_\_

Home/Property Owner: Steve Kibbe Date: 2/13/14

Mailing Address: 2412 Fogarty Ave Key West FL 33040

Owner Signature: [Signature] Owner Ph#: (305) 924-0644

Represented by: \_\_\_\_\_ Rep. Ph#: ( ) \_\_\_\_\_

Represented by mailing address: \_\_\_\_\_

Attendance at the Tree Commission meeting on the date when your request will be discussed is necessary in order to expedite the resolution of your application.

A letter of representation from the owner must accompany this application if the owner is unable to attend.

Letter of Representation ( )

Tree(s) Address: 2412 Fogarty Ave Cross/Corner Street: 7th St

Common Name(s): Paradise Tree Scientific Name(s): \_\_\_\_\_

Species Type(s) (check all that apply): ( ) Palm ( ) Flowering ( ) Fruit ( ) Shade

Reason(s) for Application (check all that apply):

- REMOVE ( ) TRANSPLANT ( ) HEAVY MAINTENANCE
- Tree Health ( ) New Location ( ) Branch Removal
- Safety ( ) Same Property ( ) Crown Cleaning/Thinning
- Other / Explain ( ) Other / Explain ( ) Crown Reduction


Reason(s) for request:

Tree is in direct line of New Power lines  
going into my Junction Box.

Replacement plant material must be Florida Grade #1. Replacement of a palm with a native palm is required. Replacement of a canopy tree with a native canopy tree is required. If you need assistance with replacements, please call 305-809-3723. If this process requires blocking of a city right-of-way, a separate ROW Permit is required. Please contact 305-809-3740.

<<<<< Sketch location of tree in this area including cross/corner Street >>>>>

Provide access for viewing tree(s) prior to meeting  
Identify tree(s) with colored tape



PLEASE DO NOT WRITE BELOW THIS LINE - FOR OFFICE USE ONLY

2-26-14

Tree Species Paradise

Circumference 2' 9"  $\div 3.14 =$  diameter 10.5

Location 60 % Species 100 % Condition 60 % Total Average Value 73 %  
*utility lines - closets sealed* Fair

Avg. value .73 X 10.5" Diameter = 7.5"

Replacement Inches

LOCATION: OLD CITY HALL, 510 GREENE STREET, 5:00 p.m.

FOR TREE COMMISSION USE ONLY.

( ) TABLED ( ) APPROVED ( ) DENIED ( ) FURTHER ACTION

COMMENTS:

---



---



---



---



