

Pink Shower Tree
Cassia bakeriana



Height: 20' to 30' Spread: 20' to 30' Growth Rate: Fast

Light Requirement: Full sun

Flower Color: Deep pink to white

Bloom time: Late March to mid-May

Intense Blooming Days:* Maybe 35 to 42 days

Roots: Not a problem

Zone: 10–12

This is a recent introduction, so we are still learning about it. Available at Miami and Homestead nurseries. Perfect medium sized tree for homeowners and a great substitute for Live Oaks.

A native of the Mandalay, Burma area.

Pink Shower Tree (*Cassia bakeriana*)

Posted on [March 17, 2013](#) by [Steve Turner](#) August 5, 2016

An alternative to the more widely planted *Cassia javanica* (Apple Blossom Shower Tree), *C. bakeriana*, is smaller in stature, attaining a height of 20-30', with a 10-15' canopy spread. However, what it lacks in overall height, it more than makes up for in bloom size and quantity of flowers. Its long arching branches are completely covered in pink blossoms from mid-March to April, shedding older leaves prior to blooming. The blossoms attract bees as well as butterflies, and the flexible branches resist breaking in heavy winds, which is highly desirable in south Florida.

This fast growing tree native to Thailand and SE Asia, is gaining in popularity as it becomes more readily available in the nursery trade.



Cassia bakeriana (Pink Shower Tree)



Cassia bakeriana (Pink Shower Tree)



Cassia bakeriana (Pink Shower Tree)

Topics: [Friedman, Melissa H](#) | [School of Forest Resources and Conservation](#) | [Andreu, Michael G](#) | [Northrop, Robert J](#)

Cassia grandis, Pink Shower¹



Michael G. Andreu, Melissa H. Friedman, and Robert J. Northrop²

Family

Fabaceae or Leguminosae, bean family

Genus

Cassia comes from the ancient Hebrew word “quetsi’oth” and was first used by Dioscorides, a physician in Ancient Greece (40–90 AD). Linnaeus, also known as the father of taxonomy, was the first to use *Cassia* to signify members of this genus.

Species

The species name *grandis* is the Latin word for “large, powerful, showy, or big” and is in reference to the height of this tree, as pink shower is one of the tallest *Cassia* species.

Common Name

Belize bukut tree, carao, coral shower, pink shower, stinking toe

The name “pink shower” comes from the bright pink blossoms that this tree produces. It is sometimes called “stinking tree” because the pulp in its pods has a very strong smell.



Figure 1. Detail of *Cassia grandis* L.f. blossoms and buds.

Credit: Mauricio Mercadante, [CC BY-NC-SA 2.0](#), <http://flic.kr/p/bm1tXN>

[Click thumbnail to enlarge.]

Description

Pink shower is a medium-sized deciduous tree whose native range spans from Mexico to Brazil, with documented presence also on the western edge of South America, as well as some islands of the Caribbean including Cuba, Hispaniola, and Puerto Rico. It is thought to have originated in the Amazon basin. In its native range, pink shower commonly occurs in drier forest types, along river banks, and in areas that are prone to periodic flooding. Capable of reaching heights upward of 60 feet, the trunk is sturdy and the umbrella-shaped crown is widely spread. Leaves are pinnately compound, 6–15 inches in length, and alternately arranged. Leaflets occur in pairs of 10–18 opposite one another. Each narrow leaflet is 1–2¼ inches long and has an elliptical shape. The topsides of leaflets are green and the undersides are reddish. Flowers are produced on 4- to 8-inch-long spikes that emerge along branches between March and April. Flowers are usually pink but can also be purple, with all colors fading to an orange hue as the flowers age. In June, fruits appear as hanging, green cylindrical pods. Pods turn brown and woody as they mature in early fall, reach lengths of almost 20 inches, and are indehiscent or remain closed at maturity. Each pod has a single spine-like structure that occurs vertically along its side, with this structure doubling on the opposite side. Each pod produces multiple seeds that are separated by cross walls or indentions in the pod. Seeds are encased in a thick, dark-colored pulp or honey-like substance that has been described as having an odor that ranges from being sweet to unpleasant.

Allergen

Members of the *Cassia* genus are moderately allergenic. Oil from the pods may cause skin irritation to some individuals.

Applications

Commercial/Practical

The wood of pink shower is strong and has been used for constructing homes, sheds, and cabinetry.

Horticultural

The large stature and wide spreading crown of this tree can make pink shower a contender as a useful shade tree. Its showy pink flowers are most numerous when the tree is grown in full sun. Flowers generally cover the tree prior to new leaves emerging, which adds a colorful accent to a yard, street, or park. Caution should be used when planting this tree near areas where there is regular foot traffic, however, since ripened pods can be messy as they accumulate on the ground, in addition to emitting a strong odor that some consider to be notably unpleasant.

Medicinal

The pulp or honey in the pod is edible and has been used as a laxative as well as to increase iron levels. In addition, the roots and leaves have been used in the making of antiseptics.

Wildlife

It is thought that Pleistocene megafauna were the main seed dispersers of this tree, as few animals have been observed utilizing the fruit, and trees rarely grow anywhere but next to their parent trees.

Additional References

Gilman, E. F. (1997). *Trees for Urban and Suburban Landscapes*. Albany, NY: Delmar Publishers.

National Tropical Botanical Gardens (2012). *Cassia grandis*. Retrieved from http://ntbg.org/plants/plant_details.php?plantid=2433.

Footnotes

1. This document is FOR294, one of a series of the School of Forest Resources and Conservation Department, UF/IFAS Extension. Original publication date July 2012. Reviewed October 2015. Visit the EDIS website at <http://edis.ifas.ufl.edu>.

2. Michael G. Andreu, associate professor; Melissa H. Friedman, research scientist; School of Forest Resources and Conservation; and Robert J. Northrop, Extension forester, UF/IFAS Extension Hillsborough County; UF/IFAS Extension, Gainesville, FL 32611.

The Institute of Food and Agricultural Sciences (IFAS) is an Equal Opportunity Institution authorized to provide research, educational information and other services only to individuals and institutions that function with non-discrimination with respect to race, creed, color, religion, age, disability, sex, sexual orientation, marital status, national origin, political opinions or affiliations. For more information on obtaining other UF/IFAS Extension publications, contact your county's UF/IFAS Extension office.

U.S. Department of Agriculture, UF/IFAS Extension Service, University of Florida, IFAS, Florida A & M University Cooperative Extension Program, and Boards of County Commissioners Cooperating. Nick T. Place, dean for UF/IFAS Extension.