

# Historic Architectural Review Commission Staff Report for Item 10

To: Chairman Haven Burkee and Historic Architectural Review

**Commission Members** 

From: Enid Torregrosa-Silva, MSHP

Historic Preservation Planner

Meeting Date: September 12, 2022

Applicant: MTM Building and Roofing

Application Number: H2022-0038

Address: 1101 Simonton Street


# **Description of Work:**

Partial demolition of second floor south elevation wall and non-historic rear stairs.

# **Site Facts:**

The site under review is a corner lot situated in the southeast intersection of Simonton and Virginia Streets. Although the principal two-story building is historic it is not listed as a contributing resource. Mario Sanchez depicted the structure in one of his carvings.

According to the Sanborn maps the corner building was built as a mix use structure with commercial use on the first floor. To the south side the existing one story attached structure is non-historic and was built in the 1970's as a replacement of a one-story structure that was demolished most probably after a fire. Photographs from the Property Appraisers green card and annotations are proof that the current one-story structure is not historic. The annotations include a note that the structure was built for storage. In the 1970's the main building was used as laundry on the first floor. The second floor of the building has always been used as residence. The building has undergone several changes, particularly on the rear. Front and street side walls have been altered with stucco and brick veneer.



Overlay of current Survey and 1962 Sanborn map



Mario Sanchez carving piece of 1101 Simonton Street.


The addition will have wood lap siding to match existing, impact windows and membrane roofing system. A new door will be facing the east or rear side of the addition. The plans also include the replacement of an existing non-historic wood staircase with a new one. The existing rear porch will remain.

# **Ordinance Cited on Review:**

• Section 102-217 (2), demolition for non-contributing or non-historic structures of the Land Development Regulations.

# **Staff Analysis:**

The Certificate of Appropriateness under review proposes the partial demolition of the secondfloor south wall. The application also includes the demolition a non-historic rear wood stair. Staff has verified that there are no historic fabric or windows in the portion of wall to be demolished. The submitted plans include a new one-story structure that will be attached to the south wall and new stairs on the rear of the building.



Proposed demolition for non-historic portions of the house is highlighted in red.

The Historic Architectural Review Commission shall not issue a certificate of appropriateness that would result in:

- (1) Removing buildings or structures that are important in defining the overall historic character of a district or neighborhood so that the character is diminished.
  - It is staff's opinion that the non-historic elements under review do not define the character of the district or neighborhood. The elements are on secondary elevations.
- (2) Removing historic buildings or structures and thus destroying the historic relationship between buildings or structures and open space.
  - The structures under review are not historic.
- (3) Removing an historic building or structure in a complex; or removing a building facade; or removing a significant later addition that is important in defining the historic character of a site or the surrounding district or neighborhood.
  - It is staff's opinion that the structures in question are not significant additions that are important in defining the historic character of the site and surrounding buildings.
- (4) Removing buildings or structures that would otherwise qualify as contributing, as set forth in section 102-62(3).
  - It is staff's opinion that the structures under review will not qualify to be contributing to the building or site in a near future.

Staff finds that the requested demolition of non-historic elements are in accordance with current ordinance for demolitions under the LDR's. If approved, this will be the only required reading.

# APPLICATION

# HARC MAJOR PROJECTS CERTIFICATE OF APPROPRIATENESS

\$441 NON-REFUNDABLE BASE APPLICATION FEE - OTHER FEES MAY BE APPLICABLE Rev 09/27/2021 ET



# City of Key West 1300 White Street Key West, Florida 33040

REVISION #	INITIAL & DATE
ZONING DISTRICT	BLDG PERMIT#

## A PRE-APPLICATION MEETING WITH HARC STAFF IS REQUIRED PRIOR TO SUBMITTAL

ADDRESS OF PROPOSED PROJECT:	1101 Simonton Street	
NAME ON DEED:	5441 Moss Side Lane	PHONE NUMBER 225-278-4615
OWNER'S MAILING ADDRESS:	Baton Rouge, LA 70808	EMAIL Jnredhead@aol.com
APPLICANT NAME:	Max Heller/ MTM Building & Roofing	PHONE NUMBER 305-393-2417
APPLICANT'S ADDRESS:	2117 Fogarty Ave	MATM. MAXH@gmail.com
APPLICANT'S SIGNATURE:	Key, West	DATE 8/8/22
ANY PERSON THAT MAKES CHANGES 1	O AN APPROVED CERTIFICATE OF APPROPRIATENT	ESS MUST SUBMIT A NEW APPLICATION.
PROJECT INCLUDES: REPLACEMENT OF PROJECT INVOLVES A CONTRIBUTING S	MENTIONED DESCRIPTION OF WORK SHALL BE CONT  OF WINDOWS RELOCATION OF A STRUCTURE.  TRUCTURE: YES NO INVOLVES A H  T IS INDIVIDUALLY LISTED ON THE NATIONAL REGIS	ELEVATION OF A STRUCTURE
DETAILED PROJECT DESCRIPTIO	N INCLUDING MATERIALS, HEIGHT, DIMENSIONS, SO	QUARE FOOTAGE, LOCATION, ETC.
GENERAL: Approx. 196 sf addit	ion to second floor side elevation. Appro	oximately 13.5' of exterior
siding to be removed along wit	th two non-historic windows. Addition to	be above a non-contributing
non-historic one story addition	and located on the rear portion of the s	ide elevation.
MAIN BUILDING: The structure ha	as undergone many alterations to the ex	cterior including a change in
siding on the second floor and	masonry/brick added to the first floor. O	Original front facade has
changed signifantly as well as	the original fenestration along the side	elevation where the addition is
proposed.  DEMOLITION (PLEASE FILL OUT AND A	TTACH DEMOLITION APPENDIX):	
Proposal is to remove 13.5' of	siding and two non-historic windows.	

# APPLICATIONS MUST BE SUBMITTED IN PERSON WITH HARD COPIES BY 3PM ON THE SCHEDULED DEADLINE PLEASE SEND AN ELECTRONIC COPY OF ALL DOCUMENTS CITY\_HARC@CITYOFKEYWEST-FL.GOV

ACCESSORY STRUCTURE	E(S): NA		
PAVERS: NA		FENCES: NA	
DECKS: NA	· · · · · · · · · · · · · · · · · · ·	PAINTING:	
SITE (INCLUDING GRADIN	IG, FILL, TREES, ETC):	POOLS (INCLUDING EQUIPMENT):	
NA		NA	
ACCESSORY EQUIPMENT	(GAS, A/C, VENTS, ETC):	OTHER:	
NA			
OFFICIAL USE ONLY:	HARC COM	MISSION REVIEW	EXPIRES ON:
MEETING DATE:	APPROVED NOT APPROVED _	_ DEFERRED FOR FUTURE CONSIDERATION	INITIAL:
MEETING DATE:	APPROVED NOT APPROVED _	_ DEFERRED FOR FUTURE CONSIDERATION	INITIAL:
MEETING DATE:	APPROVED NOT APPROVED	_ DEFERRED FOR FUTURE CONSIDERATION	INITIAL:
REASONS OR CONDITIONS:			<u> </u>
STAFF REVIEW COMMENTS:			
	·		
FIRST READING FOR DEMO:		SECOND READING FOR DEMO:	
HARC STAFF SIGNATURE AND D	ATE:	HARC CHAIRPERSON SIGNATURE AND DATE:	

THIS APPLICATION MAY BE REVIEWED BY PLANNING DEPARTMENT STAFF.

# COMBINATION APPLICATION: FLOODPLAIN, CONSTRUCTION AND HARC \$50.00 APPLICATION FEE NON-REFUNDABLE



# City of Key West

1300 WHITE STREET KEY WEST, FLORIDA 33040

Phone: 305.809.3956

HARC PERMIT I	0038	BUILDING PER	RMIT NUMBER	INITIAL & DA	ATE
FLOODPLAIN P	ERMIT			REVISION #	
FLOOD ZONE	PANEL#	ELEV L. FL	SUBSTANTIA	L IMPROVEMEN	Ť
			YES	NO	%

www.cityof	keywest-fl.gov	YESNO%		
ADDRESS OF PROPOSED PROJECT:	1101 Simonton Street, Key West, I	FL 33040 #0FUNITS		
RE # OR ALTERNATE KEY:	RE#: 00027480-000000 AK: 1028266			
NAME ON DEED:	Nordy and Tamara Redhead Family LLC	PHONE NUMBER 225-278-4615		
OWNER'S MAILING ADDRESS:	5441 Moss Side Lane	EMAIL Jnredhead@aol.com		
	Baton Rouge, LA 70808	Gin durica a @ a or. com		
CONTRACTOR COMPANY NAME:	MTM Brilding & Roofing	PHONE NUMBER 393 2417		
CONTRACTOR'S CONTACT PERSON:	Max Holler	EMAIL + m. max had amuit.		
ARCHITECT / ENGINEER'S NAME:	Stephen Markey	PHONE NUMBER 305-509-2647		
ARCHITECT / ENGINEER'S ADDRESS:	SLiM Engineering	EMAIL steve.markey@SlimEngineering.com		
	33 7th Avenue, Stock Island/Key West, FL	33040		
PERFORMANCE OF HIS OR HER OFFICIAL DUTY	Y MAKES A FALSE STATEMENT IN WRITING AND WITH THE IN SHALL BE GUILTY OF A MISDEMEANOR OF THE SECOND DEG	ITENT TO MISLEAD A PUBLIC SERVANT IN THE REE PUNISHABLE PER SECTION 775 082 OR 775 083.		
PROJECT TYPE: ONE OR TWO FAI CHANGE OF USE /		NEW REMODEL WITHIN FLOOD ZONE AFTER-THE-FACT		
	LUDING QUANTITIES, SQUARE FOOTAGE ETC., on-contributing/non-historic one-story			
space.	on-contributing/non-ristoric one-story	structure for additional kitchen		
I'VE OBTAINED ALL NECESSARY APPROVALS EE	OM ASSOCIATIONS CONT. ACENOICS AND OTHER DARRESS.			
See NEXT	OM ASSOCIATIONS, GOV'T AGENCIES AND OTHER PARTIES A  QUALIFIER PRINT NAME	AS APPLICABLE TO COMPLETE THE DESCRIBED PROJECT		
OWNER SIGNATURE	QUALIFIER SIGNATURE			
Notary Signature as to owner	Notary Signature as to qu	alifier		
STATE OF FLORIDA, COUNTROF MONROE, SWO THIS DAY OF		OUNTY OF MONROE, SWORN TO AND SCRIBED BEFORE ME		
Personally known or produced	as identification. Personally known or produce	an ideality at		
	and a second of bloodoor	RECEIVED as identification		

# COMBINATION APPLICATION: FLOODPLAIN, CONSTRUCTION AND HARC

\$50.00 APPLICATION FFF NON-REFUNDABLE

# City of Key West

1300 WHITE STREET KEY WEST, FLORIDA 33040

Phone: 305.809.3956

HARC PERMIT NUMBER		BUILDING PE	RMIT NUMBER	INITIAL & D	ATE
FLOODPLAIN P	ERMIT			REVISION #	f
ELOOD ZONE	DANEL #	ELEA T ET	SUBSTANTIA	LIMPPOVEMEN	IT.
			YES	NO	%

	E		1 NO 7
ADDRESS OF PROPOSED PROJECT:	1101 Simonton Street I	Cay Meet Ft 33040	PLOF OMIS
RE# OR ALTERNATE KEY:	RE#, 00027480-00000	O AK-1028266	
NAME ON DEED.	Nordy and Tamara Redhead	Family LLG PHONE NUMB	TYPE BOOK I
OWNERS MAILING ADDRESS	5441 Minss Sige Lane	TEMAL	-100-11:us
	Baton Nouge, LA 70606		
COMPONITION COMPANY NAME		PHONE NUMB	ER
CONTRACTOR'S CONTACT PERSON:		FLANI	
APOINTED TO COLLEGE TO COME.	oregans filency	TOWN NEWS	cn va-2847
ARCHITECT / ENGINEER'S ADDRESS:	SLiM Engineering	IEMAIL.	key@SlimEngineering.com
	33 7m Avenue, Stock Island/k		3.55
HARC: PROJECT LOCATED IN HISTORI	C DISTRICT OR IS CONTRIBUTING:	YES ONO (SEE PART C F	OR HARC APPLICATION.)
CONTRACT POICE I'VE ROCKET LEST			
FLORIDA STATUTE 837,06: WHOEVER KNOWING PERFORMANCE OF HIS OR HER DEFICIAL DUTY	LY MAKES A PALSE STATEMENT IN WHITING	AND WITH THE WIEN TO WHOLEAD?	PUDLIC SERVARY IN THE
	MILY MULTIFAMILY MOO FOCCUPANCY   TADDITION   TENT WORK   DATERIOR	MMERCIAL DNEW DE ISIGNAGE DWITHINGLO LEGIERON DAFTERCHE	EMODEL OD ZONE
Second floor addition above in space.	UIT-COMMUNICHEMISTERNI	one-story structure to	Caddigonal killshon
OWNER PRINT NAME Tamara Santiago F	Redhead	OTHER PARTIES AS AFFLICABLE TO U IFIER PRINT NAME IFIER SIGNATURIC:	COMPLETE THE DESCRIBED PROJECT
State of Laursiana Panish of E STATE OF PLOCIDE CONTROL OF MONITOR SINC THIS 3 DAY OF ANGUST	ast But in Rouge  STAD  20.23  THIS	Camadaro no la quadifica.  F OF ALCEDON, COLINTY OF ALCADROL.  DAY OF	
C.K. WL:	LYOF LOTTON	OFFICIAL SEAL ASSANDRA R. ALLAIN NOTARY ID # 137528 STATE OF LOUISIANA by Commission is for Life	20_
LA DViver's	lianx L	received the between the rest files	dis address als

# CITY OF KEY WEST CERTIFICATE OF APPROPRIATENESS APENDIX FOR DEMOLITIONS



APPLICATION NUMBER H- - -

This document applies only to those properties located within the City of Key West Historic Zoning Districts, properties outside the historic zoning districts which are listed as contributing in the Historic Architectural Survey and or properties listed in the National Register of Historic Places.

Applications must meet or exceed the requirements outlined by the Secretary of the Interior's Standards for Rehabilitation and Guidelines for Rehabilitation and the Key West's Historic Architectural Guidelines. Once submitted, the application shall be reviewed by staff for completeness and scheduled for presentation to the Historic Architectural Review Commission for the next available meeting, unless the demolition request is for a *bona fide* Code Compliance case, in which case staff may review and approve the demolition request. The applicant must be present at this meeting. Any person that makes changes to an approved Certificate of Appropriateness must submit a new application with such modifications.

The filing of this application does not ensure approval as submitted. Applications that do not possess the required submittals or documentation will be considered incomplete and will not be reviewed for approval.

## CRITERIA FOR DEMOLITIONS

Before any Certificate of Appropriateness may be issued for a demolition request, the Historic Architectural Review Commission must find that the following requirements are met (please review and comment on each criterion that applies);

- (1) If the subject of the application is a contributing or historic building or structure, then it should not be demolished unless its condition is irrevocably compromised by extreme deterioration or it does not meet any of the following criteria:
  - (a) The existing condition of the building or structure is irrevocably compromised by extreme deterioration.

Due to past deterioration, the structure has been renovated over the years and gone through exterior changes, altering its appearance.

## OR THAT THE BUILDING OR STRUCTURE:

(a) Embodies no distinctive characteristics of a type, period, or method of construction of aesthetic or historic significance in the city and is not a significant and distinguishable building entity whose components may lack individual distinction.

The original structure embodied the historic architectural style typical of early development, however, the many changes over the years have impacted the distinctive characteristics that previously existed.

(b) Is not specifically associated with events that have made a significant contribution to local, state, or national history.

Not associated with any significant local, state or national event.

(c)	Has no significant character, interest, or value as part of the development, heritage, or cultural
	characteristics of the city, state or nation, and is not associated with the life of a person
	significant in the past.

The portion of the structure that is proposed for demolition does not portray any significant character or value due to the alterations over the years.

(d) Is not the site of a historic event with a significant effect upon society.

Structure is not the site of a historic event.

(e) Does not exemplify the cultural, political, economic, social, or historic heritage of the city.

The proposed demolition portion does not exemplify the cultural, political, economic, social or historic heritage of the city nor significantly impact the structure.

(f) Does not portray the environment in an era of history characterized by a distinctive architectural style.

The previous alterations to the structure have diminished the distinctive architectural style of the building.

(g) If a part of or related to a square, park, or other distinctive area, nevertheless should not be developed or preserved according to a plan based on the area's historic, cultural, natural, or architectural motif.

The structure is not a part of or related to a square, park, or other distinctive area.

(h) Does not have a unique location or singular physical characteristic which represents an established and familiar visual feature of its neighborhood or of the city, and does not exemplify the best remaining architectural type in a neighborhood.

A unique location or physical characteristic is not applicable to this request.

(i) Has not yielded, and is not likely to yield, information important in history.

The structure is not likely to yield information important in history.

# CITY OF KEY WEST CERTIFICATE OF APPROPRIATENESS APENDIX FOR DEMOLITIONS APPLICATION NUMBER H-\_\_-



	(2) For a contributing historic or noncontributing building or structure, a complete construction plan for the site is approved by the Historic Architectural Review Commission.
	(a) A complete construction plan for the site is included in this application
	Yes Number of pages and date on plans 10 pages 7-14-72
	No Reason
	No Reason
Commission	g criteria will also be reviewed by the Historic Architectural Review Commission for proposed demolitions. The shall not issue a Certificate of Appropriateness that would result in the following conditions (please review at on each criterion that applies);
	(1) Removing buildings or structures that are important in defining the overall historic character of a district or neighborhood so that the character is diminished.
	No building or structure will be removed. A small portion of an exterior wall and two windows (not original) are proposed to be removed for a second floor addition.
	(2) Removing historic buildings or structures and thus destroying the historic relationship between buildings or structures and open space; and
	Not applicable.
AND	(3) Removing an historic building or structure in a complex; or removing a building facade; or removing a significant later addition that is important in defining the historic character of a site or the surrounding district or neighborhood.
	Not applicable.
	(4) Removing buildings or structures that would otherwise qualify as contributing.
	Not applicable.

SANTIAGO, IGNACIO & ELIANA FIDI SIMONTON ST. KEY WEST, FL. 33040

1500 3000

PC-12

KW
SUB 1
PT LOT 2 SOR 4 TR 11
COUNTY JUDGE SERIES 3-D4
COUNTY JUDGE DOCKET 9-92-A1
OR 488-458 OR 488-459

LAND COMPUTATIONS						
QUAN TYPE-DESC.	SIZE - AREA	UNIT PRICE	D.F.	C.F.	PRICE PER FRONT FOOT	VALUE
	42×87	150	,95		14250	5990
1/2/	42 X 87	187,50	.95	10	178,13	7481
					TOTAL	7481









REAL PROPERTY RECORD CARD
MONROE COUNTY, FLORIDA

VALUATION TOTALS LAND 1966 IMPROVEMENTS TOTAL 10650 LAND 5990 19\_76 IMPROVEMENTS 3664 TOTAL 9650 7481 LAND IMPROVEMENTS 4035 21,500 TOTAL LAND IMPROVEMENTS TOTAL 7500 LAND 18344 IMPROVEMENTS 25.850 TOTAL LAND IMPROVEMENTS TOTAL LAND 19\_\_ IMPROVEMENTS TOTAL - NOTES -

TOTAL


-NOTES
1583-12/13/68

denotish Part Boilding

NC V for 1977

\$16.79

\$2.2748



SANTIAGO, IGNACIO & ELIANA 1101 SIMÓNTON ST. CITY

KW SUB 1 PT LOT 2

SQR 4 TR 11

LAND COMPUTATIONS						
QUAN - TYPE-DESC.	SIZE - AREA	UNIT PRICE	D.F.	C.F.	PRICE PER FRONT FOOT	VALUE
		MATERIAL			H-TOTAL F	
		PER ALITA	TI			
					TOTAL	



PHOTO IMP ⊕ 3

PHOTO IMP, #2

PHOTO IMP #4 REAL PROPERTY RECORD CARD

MONROE COUNTY, FLORIDA


COSTA LA CONTRA DE COUNTY, FLORIDA

00027480.000	000
VALUATION TOTALS	
LAND	
1968 IMPROVEMENTS	
TOTAL	
LAND	
19 IMPROVEMENTS	
TOTAL	TELEPIS .
LAND	
19 IMPROVEMENTS	
TOTAL	
LAND	REPART
19 IMPROVEMENTS	
TOTAL	
LAND	
19 IMPROVEMENTS	
TOTAL	
LAND	
19 IMPROVEMENTS	
TOTAL	
LAND	
19 IMPROVEMENTS	
TOTAL	
— NOTES —	
CHARLES SHEET SHEET	
CONTRACTOR STATE	
Kelengan dan Selatah Bandaran	


		П	T				5	2	,		0							
米		$\Box$			1	1	1	V	t	1	1	5		ā				
_N_				/	4		V.	4	5	#	E	R	5					
					2		V	1. L										
					2		L	A	V.		W	10	el		4	16		
9 137	17																	
Third +	ta	K		m	-100	10	T	-	#	00		00	15	1				
125 25	ME	E	70		13	H												
		-	++															
		H																-
20226	DE		3 2						H					1				
									1									
													V					
			$\Box$						-					,				
		Н					80	2				00	12					
			+											-4				
	- 0	190																
		2.2																
		+			4	-	12										À	2
		EN.			5	3 4			3							1		
	01	+1	<b>V</b>						ii						3			
		$\Box$				+2							80	5	ā			
											7		1	61				
				4	44	10	14					/	5	4				
	8					10	9		29					0.5				
						7												
							22			10								
					7			1										
									1	4	P							
									1		42							
										1	ליט							
											of.							
										-	0.0							
COLE .W. LAND																		
PLOTTED		FLOWK BY							USE CODE DATE									
RANDOM CLASSED BY							DATE											
	Tel.		*										7			9		

. .


					TION DATA	1	2		_
IMPROVEMENT	1	2	3	4	IMPROVEMENT	1	3	4	
	4.00	STGE. BLDG.	STAE.			INTER	OR FINISH		
TYPE	APT. 4	81 16	PIDE		Unfinished		40	40	
	1	0200.	DLOG		Wd. or Ceil. Bds.	V18			
OF	LAUNDRO- MAT				Wallboard		and the same of		
STRUCTURE	MAI				Plaster, No Furring				-
					Plaster, Furring				
YEAR BUILT				0.0	Drywall			-	-
			استنسا		Wood Panel			24 5	-
	R	OOMS							
Total Rooms						FI	LOORS		
Eff. Apts.					None				
Rm. Apts.					Single Pine	15	15		
Rm. Apts.					Concrete			46	
No. of Baths					Conc., Asph. Tile				
No. of Rest Rms.					Conc., Terrazzo				
Fixt. R. Rms.					Double Pine				-
Fixt. R. Rms.					Double Hardwood				
Total Fixtures	Acres and	124-21-21			Precast Conc.				
	FOU	NDATION			Parquet				
Continuous Wall	Control of	THE PARTY	The Tree of the	Contract of	Conc. Q. Tile				
Piers		NEW YORK		THE RESERVE	Conc. Cer. Tile		( ) ( ) ( ) ( ) ( ) ( )	THE PERSON NAMED IN	
Piling	1				Marble				
	45.11	CTMENTS			MUIDIE				
	AUJU	STMENTS							
Frame									
Height	-		Co Bertinell			PLL	MBING		
Front & Interior				170	None		40	40	
Apt. Equiv.					Poor		AL DESIGN		
Partitions			Marketon Company	11	Good, Plain	V8			
Special Use		THE RESERVE	and the same	1	Good, Tile	CONTRACTOR	No. of Concession, Name of Street, or other party of the Concession, Name of Street, or other pa		
					7000, 110	UE	ATING	The same of the sa	-
	EVTER	RIOR WALLS			Nana	The ne			II
	EXTER	TOR WALLS			None				
Valiboard					Unit Heat		Art Design		
Corr. Metal					Cntrl. Heating				
Corr. Asbestos					Cntrl. Cooling				
Wd. Fr. Stucco					Cintri. Cool & Heat				
Nd. Fr. Asbestos			IN FIRST	1	Part of the same o	ELEC	TRICITY		
C.B. Plain			na lessaces		None		40	40	
C.B. Stucco	4 37	ALC: NAME OF STREET	CA COLUMN	IN CHEST	Poor				20 10 10
Wd. Fr. Siding	1		×30		Average	13			
	-		7 00			1 2			
Tile Stucco					Good	11111	111	111	1//
Brick					CLASS & SCALE	HIE	1/8	LE	11/1
Reinf. Conc.						11/10/	1111	115	10
Panel, Glass, Mtl.					CONST. UNITS	181	74	75	18
PLYWOOD		×30			CLASS UNITS	1101	-12	-10	-11
	(C) (C) (C) (C)	THE PERSON NAMED IN	TO CHARLES		SEASS SHITS	170		-12	10
	ROO	FTYPE	THE PARTY NAMED IN	The same of	TOTAL UNITS	X /	32	33	66
lat Shed	1100	42	47		March Street	19.			
lat, Shed	48		1.		BASE RATE	15,15	13.20	13.20	15.1
lip, Gable	170				ADJ. RATE		Name and Address of the Owner, where the Owner, which the	421	10
Bar Joist					ADU. RAIL	10,00	4.22	4.36	10.0
Wood Truss	THE REAL PROPERTY.	E LETTER		M. D. C. C.	AREA	2011	96	9/	1111
Prestressed						TOW !	-		0.01
Steel Truss				OF TELESCOPE	E.F. FIXS.		Assess March	1 - 1	1210
The state of the s		A COUNTY	Control of	Company of the last	E.F.			(mtt	100
		100	111 3 1 3 3 6	A COLOR				A A STATE OF	
	POOF	MATERIAL			REP. COST NEW	201XA	405	419	1111
Sha Mai Dall	ROOF	42	42			11/10	AND RESIDENCE OF THE PERSON NAMED IN	The second second	700
Sht. Mtl. Roll		47	10		CONDITION	180	70	70	8
r. B. G., B.U.	1				DED DED VALUE	11/100	0011	000	170
Shing., Wd., Etc.	4			all second	DEP. REP. VALUE	16000	009	275.	1/10
Shing., Asbestos					Market Market	DEPRECIATI	ON ADJUSTME	NT	11 - 13 -
Tile, Cement				A STREET					
Tile, Clay		AL PRINCIPLE	TO POST DOOR		NO. PHY.	AD	JUSTMENT		% C
Bermuda	-	THE LET				A TENEDO		1000	14 Years 10
Slate					2	Sand Sandy		to the second	
	The second second second			THE RESERVE TO SHARE	STREET, SQUARE, SQUARE		the state of the s		The second second
Sypsum					3				,



1926 Sanborn Map



1948 Sanborn Map



1962 Sanborn Map

# PROJECT PHOTOS



1101 Simonton Street circa 1965. Monroe County Library.



1101 Simonton Street in 1976. Monroe County Library.

# 1101 Simonton Street Street View – Location of proposed addition



# 1101 Simonton Street Side Elevation – Location of proposed addition



# 1101 Simonton Street Virginia Street Elevation



# 1101 Simonton Street Simonton Street - Looking Northwest



# 1101 Simonton Street Street View -Adjacent Property (Welding Shop/RV rental)



1101 Simonton Street

and

# 1017 Simonton – Southernmost Cabana Townhomes



# Boundary Survey Report of part of Lot 2, Square 4, Tract 11, LEGEND Island of Key West, Florida Found 1/2" Iron Rod (No ID) Found Nail & Disc (PTS) Set Nail & Disc (6298) (R) Record Measured & Record Concrete Block Structure RIW Right of Way CLF Chain Link Fence 8 Centerline Wood Utility Pole Concrete Utility Pole Overhead Utility Lines -R/W Line -Virginia S tPoint of Found 0.1' SW'/ 87.00' (m/ rR/W Line St. Simonton Two Story 50' (R\W) Concreté Block and Frame Structure Lot 1 Sauare 4 One Story ropane Tank on Concrete Slab

NOTES:

1. The legal description shown hereon was furnished by the client or their agent.

2. Underground foundations and utilities were not located.

3. All angles are 90° (Measured & Record) unless otherwise noted.

4. Street address: 1101 Simonton Street, Key West, FL.

5. This survey is not valid without the signature and the original raised seal of a Florida licensed surveyor and mapper.

6. Lands shown hereon were not abstracted for rights-of-way, easements, ownership, or other instruments of record.

7. North Arrow is assumed and based on the legal description.

8. Date of field work: March 11, 2011.

9. Ownership of fences is undeterminable, unless otherwise noted.

10. Adjoiners are not furnished.

BOUNDARY SURVEY OF: On the Island of Key West and being a part of Tract 11, according to William A. Whitehead's map of said Island, but better described as part of Lot 2, Square 4, of said Tract 11, according to C.W. Tift's map or plan of the Island of Key West, delineated July 1874, said part of Lot 2, comprising Subdivisions numbered 12, more fully described by metes and bounds as follows: BEGINNING at the corner of Simonton and Virginia Streets and running thence along the line of Simonton Street in a Southeasterly direction 42 feet and 1 inch; thence at right angles in a Northeasterly direction 87 feet; thence at right angles in a Northwesterly direction 42 feet and 1 inch to Virginia Street; thence at right angles in a Southwesterly direction along the line of Virginia Street 87 feet to the Point of Beginning.


BOUNDARY SURVEY FOR: Tamara Santiago;

J. LYNN O'FLYNN, INC.

J. Lynn O'Flynn, PSM Florida Reg. #6298

March 18, 2011


THIS SURVEY IS NOT ASSIGNABLE



Professional Surveyor & Mapper

3430 Duck Ave., Key West, FL 33040

# PROPOSED DESIGN



# CITY OF KEY WEST STBACKS (TYP) CITY OF KEY WEST STBACKS (TYP) LOCATION OF REPLACEMENT STAIRWAY LOCATION OF PROPOSED ADDITION PROPERTY LINE (TYP)

## **GENERAL REQUIREMENTS**

- CONTRACTOR SHALL VISIT THE SITE TO VERIFY ALL SITE CONDITIONS, DIMENSIONS, AND DETAILS AND SHALL NOTIFY ENGINEER IMMEDIATELY OF ANY ERRORS, OMISSIONS OR DISCREPANCIES, PERCEIVED OR REAL, PRIOR TO COMMENCEMENT OF WORK.
- ANY ISSUES OR QUESTIONS PERTAINING TO THE CONSTRUCTION DRAWINGS RELATED TO SITE WORK IMPROVEMENTS SHALL BE DIRECTED TO THE ENGINEER.
- ALL MATERIALS, EQUIPMENT, CONNECTORS, AND WORK SHALL MEET OR EXCEED THE DESIGN DATA AND COMPLIANCE CODE CITED.
- FUCINEER IS NOT RESPONSIBLE FOR ANY SUPERVISION DURING CONSTRUCTION
- 5. THE CONTRACTOR MAINTAINS THE RESPONSIBILITY FOR ALL CONSTRUCTION MEANS, METHODS, AND TECHNIQUES REQUIRED TO PERFORM THE WORK AS OUTLINED IN THE CONSTRUCTION PLANS. ALL WORK SHALL BE REDECOMED IN A WORKMAN IN THE MANNED
- . THE STRUCTURAL INTEGRITY OF THE WORK SHOWN ON THESE PLANS IS DEPENDENT UPON COMPLETION ACCORDING TO PLANS AND SPECIFICATIONS. STRUCTURAL MEMBERS ARE NOT SELF SUPPORTING DURING CONSTRUCTION AND REQUIRE TEMPORARY BRACING UNTIL PERMANENTLY APPLIED TO STRUCTURE AS DIRECTED. THE ENGINEER ASSUMES NO LIABILITY FOR THE STRUCTURE DURING CONSTRUCTION UNLESS THE CONSTRUCTION METHOD AND BRACING ARE INCLUDED IN THE PLANS AND SPECIFICATIONS, OR ARE SUPERVISED BY THE STRUCTURAL ENGINEER DURING CONSTRUCTION.
- 7. ANY CHANGES OR SUBSTITUTIONS SHALL BE APPROVED BY THE ENGINEER.
- 8. DISSIMILAR METALS SHALL BE ISOLATED TO PREVENT GALVANIC ACTION.
- ALL DEBRIS AND FILL MATERIAL EXCAVATED FROM THE SITE SHALL BE HANDLED IN COMPLIANCE WITH APPLICABLE LOCAL, STATE, AND FEDERAL REGULATIONS AND SHALL BE HAULED TO AN APPROVED DISPOSAL SITE.
- 10. UPON COMPLETION OF WORK, LEAVE SITE IN CLEAN CONDITION SATISFACTORY TO OWNER. CLEAN-UP SHALL INCLUDE DISPOSAL OF ALL ITEMS AND MATERIALS NOT REQUIRED FOR NEW CONSTRUCTION AS WELL AS ALL DEBRIS AND RUBBISH.

## **DESIGN DATA**

- THE WORK DEPICTED HEREIN WAS DESIGNED TO MEET THE REQUIREMENTS OF THE 2020 FLORIDA RESIDENTIAL
  BUILDING CODE, THE CITY OF KEY WEST HISTORIC ARCHITECTURAL GUIDELINES, AND THE LATEST EDITIONS OF
  THE FLORIDA ENERGY CODE, FIRE CODE, AND LIFE SAFETY CODE.
- 2. FLOOR AND DECK LOADS: DEAD=20 PSF / LIVE=40 PSF
- ROOF LOADS: DEAD=15 PSF / LIVE=20 PSF
- 4. INTERIOR PARTITIONS: DEAD=6 PSF
- 5. EXTERIOR 2x6 WALLS: DEAD=10 PSF
- 6. CEILING (MINIMAL ATTIC STORAGE): DEAD=5 PSF / LIVE=10 PSF
- 7. WIND SPEED = 180 MPH
- 8. EXPOSURE "D"
- . ASCE 7-16 USED FOR ALL WIND PRESSURE CALCULATIONS

## **HURRICANE ANCHORS**

- 1. ALL HURRICANE ANCHORS TO BE FBC TESTED AND APPROVED, AND SIZED FOR LOADS REQUIRED.
- SEE DRAWING PLANS AND DETAILS FOR SPECIFIC TYPE OF ANCHORS TO BE USED FOR EACH INDIVIDUAL APPLICATION.
- ALL SIMPSON STRONG-TIE OR OTHER APPROVED WOOD CONNECTORS TO BE ZMAX GALVANIZED COATED UNLESS NOTED OTHERWISE.

## SCOPE OF WORK

REPLACE EXISTING ENTRY STAIRWAY, RENOVATE RESIDENCE INTERIOR, AND CONSTRUCT 2nd FLOOR ADDITION ON EXISTING RESIDENTIAL STRUCTURE

# INDEX OF DRAWINGS

SHEET G-1.0 - SITE LOCATION AND NOTES

SHEET S-1.0 - SITE PLAN EXISTING CONDITIONS

SHEET S-1.1 - PROPOSED DEMOLITION PLAN

SHEET S-2.0 - PROPOSED SITE PLAN

SHEET S-3.0 - PROPOSED FLOOR & WALL FRAMING PLAN

SHEET S-4.0 - PROPOSED ROOF FRAMING PLAN

SHEET S-5.0 - CONSTRUCTION DETAILS

SHEET S-6.0 - PROPOSED ELECTRICAL PLAN

**SHEET S-7.0 - ELEVATIONS** 

SHEET S-7.1 - ELEVATIONS (CONT'D)

## LUMBER

July 14, 2022

- PRESSURE TREATMENT SHALL BE PROVIDED TO MEET OR EXCEED THE COMPLIANCE CODE CITED AND, WHERE NOTED, P.T. MEANS PRESSURE TREATMENT. FIELD CUTS AND HOLES SHALL BE PRESERVATIVE TREATED.
- . SEE RELATED NOTES ON ROOF TRUSSES AND ON HURRICANE ANCHORS.
- WALL STUDS MIN. Fb = 1100 P.S.I. ALL 2x4 INTERIOR BEARING WALLS SHALL BE FRAMED 12" O.C., ALL 2x6
  EXTERIOR WALLS AND 2x4 INTERIOR NON-BEARING WALLS SHALL BE FRAMED 16" O.C.
- 4. WOOD HEADERS MIN. Fb = 975 P.S.I. WHERE NOT NOTED SHALL BE (2) 2" x 12".
- BEAM STRESSES: 2x8 Fb = 1610 P.S.L. E = 1.700.000
- MIN <sup>2</sup>½2" CDX PLYWOOD ROOF SHEATHING, WHERE NOT NOTED OTHERWISE, SHALL BE NAILED WITH 8d RING OR SCREW SHANK (0.131" x 2½") NAILS AT 4" O.C. ALONG PANEL ENDS AND AT 6" O.C. IN THE FIELD ALONG INTERMEDIATE FRAMING SUPPORTS. USE PLYWOOD CLIPS AT ALL LOCATIONS.
- ALL STRUCTURAL LUMBER SHALL CONFORM TO THE LATEST EDITION OF THE NFPA "NATIONAL DESIGN SPECIFICATIONS FOR STRESS GRADE LUMBER AND ITS FASTENINGS" AND SUPPLEMENT, "DESIGN VALUES FOR WOOD CONSTRUCTION".
   PROVIDE BLOCKING BETWEEN ALL JOISTS 2x6 OR GREATER AT INTERVALS NOT TO EXCEED 8 FEET AND AT ALL
- SUPPORTS.

  9. ALL FLUSH CONNECTIONS SHALL HAVE BEAM OR JOIST HANGERS CAPABLE OF SUPPORTING THE MAXIMUM
- 9. ALL FLUSH CONNECTIONS SHALL HAVE BEAM OR JOIST HANGERS CAPABLE OF SUPPORTING THE MAXIMUM REACTION OF THE MEMBER.
- ALL NAILING SHALL BE IN ACCORDANCE WITH FBC 2020 AND SHALL BE COMMON NAILS U.N.O.
- 11. ALL CONNECTIONS SHALL CONFORM TO THE CURRENT EDITION OF THE NATIONAL DESIGN SPECIFICATIONS FOR WOOD CONSTRUCTION AND THE CONTRACT DOCUMENTS.
- 12. ALL STRUCTURAL LUMBER SHALL BE STAMPED IN ACCORDANCE WITH THE AMERICAN INSTITUTE OF TIMBER CONSTRUCTION'S "CONSTRUCTION MANUAL."
- ALL WOOD FRAMING SHALL BE SOUTHERN PINE NO. 2 OR BETTER, KILN DRIED TO 15% MOISTURE CONTENT, UNLESS OTHERWISE NOTED, AND SHALL HAVE A MINIMUM ALLOWABLE BENDING STRESS OF 1100 PSI, MODULUS OF ELASTICITY OF 1,400,000 PSI AND HORIZONTAL SHEAR STRESS OF 90 PSI.
- 14. HANGERS, FRAMING ANCHORS, AND FASTENERS: PROVIDE AND INSTALL STAMPED AND FABRICATED STEEL OF THE TYPE INDICATED AS REQUIRED IN THE CONSTRUCTION DOCUMENTS OR CONNECTION SHOP DRAWINGS. NAILS TO BE THOSE FURNISHED BY THE MANUFACTURER FOR THIS SPECIFIC USE. NAILS SHALL BE FULLY DRIVEN IN ALL HOLES IN THE ANCHOR. "SIMPSON STRONG-TIE" OR OTHER APPROVED HANGERS SHALL BE PROVIDED CONFORMING TO THE REQUIREMENTS INDICATED. ALL HANGERS AND ANCHORS SHALL BE ZMAX GALVANIZED UNLESS NOTED OTHERWISE.
- 15. BOLTS AND EXPANSION ANCHORS SHALL BE ASTM A325, GALV., UNLESS NOTED OTHERWISE.

# FOUNDATION & CONCRETE NOTES

- 1. CONTRACTOR SHALL VERIFY DIMENSIONS OF MODULAR STRUCTURE PRIOR TO BEGINNING ANY WORK.
- . ALL FOOTINGS ARE TO BE PLACED ON FIRM, UNDISTURBED, NATURAL ROCK UNLESS OTHERWISE NOTED.
- 3. AUGER PILE DIAMETERS AND EMBEDMENT INTO ROCK SHALL BE NO LESS THAN 16" DIAMETER NOR LESS THAN 3" INTO ROCK UNLESS OTHERWISE NOTED. CONCRETE SHALL NOT BE MIXED IN PLACE IN A WET AUGER HOLE.
- CENTER ALL FOOTINGS UNDER WALLS, COLUMNS, OR GRID LINES UNLESS OTHERWISE NOTED.
   CONTRACTOR SHALL FURNISH FIELD DENSITY TESTS ON COMPACTED FILL UNDER FOOTINGS AND SLABS PRIOR
- TO PLACING CONCRETE. A MINIMUM OF 3 REPRESENTATIVE TESTS SHALL BE TAKEN FOR EACH FOOTING AND SLAB POUR.

  6. ALL CAST-IN-PLACE CONCRETE SHALL BE MADE WITH TYPE I PORTLAND CEMENT. STONE AGGREGATE AND SHAL
- 6. ALL CAST-IN-PLACE CONCRETE SHALL BE MADE WITH TYPE TPORTLAND CEMENT, STONE AGGREGATE AND SHALL DEVELOP AT LEAST 4000 PSI COMPRESSIVE STRENGTH IN 28 DAYS. (UNLESS OTHERWISE NOTED.)
- SLABS, TOPPING, FOOTINGS, BEAMS AND WALLS SHALL NOT HAVE JOINTS IN THE HORIZONTAL PLANE. ANY STOP
  IN CONCRETE WORK MUST BE MADE AT THE CENTER OF SPAN WITH VERTICAL BULKHEADS AND SHEAR KEYS,
  UNLESS OTHERWISE NOTED.
- 8. CONSTRUCTION JOINTS FOR SLABS ON GRADE SHALL BE INSTALLED TO MINIMIZE RANDOM CRACKING PER ACI 224.3R-95(R2013), AS DETAILED IN THE PLANS, OR AS OTHERWISE APPROVED BY THE ENGINEER.
- ALL CONCRETE WORK AND REINFORCING DETAILS SHALL BE CONSTRUCTED IN ACCORDANCE WITH ACI 318.
   EXPOSED EDGES OF CONCRETE SHALL HAVE ½" CHAMFER. USE STANDARD HOOKS ON DOWELS UNLESS
   OTHERWISE NOTED.
- 10. CONCRETE FORMS SHALL BE WETTED IMMEDIATELY PRIOR TO PLACING CONCRETE
- 11. MIXING, PLACING AND CURING OF ALL CONCRETE MUST BE IN ACCORDANCE WITH ACI 305R, HOT WEATHER CONCRETING. NEW CONCRETE EXPOSED TO DIRECT SUNLIGHT SHALL BE SPRAYED OR MOPPED WITH A CURING COMPOUND TO SEAL IN MOISTURE AFTER THE FINISH HAS SET, OR THE CONCRETE COVERED AND SPRAYED.
- 2. ALL REINFORCING SHALL BE HIGH STRENGTH DEFORMED BARS CONFORMING TO ASTM A-615, GRADE 60.
- WELDED WIRE FABRIC SHALL CONFORM TO ASTM A-185 AND SHALL BE LAPPED ONE FULL MESH AND AT SIDE ANI END SPLICES AND WIRED TOGETHER.
- 14. REINFORCEMENT COVERAGE SHALL BE 2" MINIMUM WHEN FORMS ARE USED AND 3" MINIMUM WHEN POURED AGAINST THE EARTH, UNLESS OTHERWISE NOTED.
- $15. \quad LAP \ SPLICES \ SHALL \ BE \ A \ MINIMUM \ OF \ 48 \ BAR \ DIAMETERS. \ MAKE \ ALL \ BARS \ CONTINUOUS \ AROUND \ CORNERS.$
- PROVIDE ALL ACCESSORIES NECESSARY TO SECURE REINFORCING IN PROPER POSITION AS INDICATED ON THE DRAWINGS AND IN ACCORDANCE WITH ACI 318. ALL ACCESSORIES TO BE GALVANIZED.
- 17. ANCHOR BOLTS, NUTS, AND WASHERS SHALL BE MINIMUM ¾" GALVANIZED STEEL AND EMBEDDED MINIMUM 7"
  INTO CONCRETE AND SPACED MAXIMUM 4' OC. ALL FASTENERS SHALL BE LOCATED A MINIMUM OF 6 TIMES THE
  FASTENER DIAMETER AWAY FROM CONCRETE EDGES.
- 18. MANUFACTURED STRAPS AND ANCHORS SHALL BE GALVANIZED AND SHALL BE FASTENED PER THE MANUFACTURER RECOMMENDATIONS. IN NO EVENT SHALL A STRUCTURAL MEMBER SUCH AS PIER, SILL, JOIST, PLATE, RAFTER OR TRUSS BE WITHOUT ANCHORAGE DEVICES FOR HURRICANE PROTECTION, UNLESS SPECIFICALLY NOTED AND ADDRESSED BY OTHER MEANS.

PLANS NOT VALID
FOR
CONSTRUCTION
UNLESS SIGNED
AND SEALED IN

THIS BLOCK

PLANS NOT VALID FOR CONSTRUCTION
UNLESS SIGNED AND SEALED IN THIS BLOC

STEPHEN L. MARKEY

STEPHEN L. MARKEY PROFESSIONAL ENGINEEI LICENSA EN 74560 STATE OF FLORIDA

ENGINEERING
SNGINEERING
KEY WEST, FL
(305) 509-2647

KEY WES (305) 509

N.

1101 SIMONTON ST. RENOVATION PROJECT


SHEET TITLE:


SITE LOCATION AND NOTES

EET NUMBER:


SHEET 1 OF 10

TE: JULY 13, 2022





FOR CONSTRUCTION UNLESS SIGNED



PLANS NOT VALID FOR CONSTRUCTION UNLESS SIGNED AND SEALED IN THIS BLOCK

PLANS NOT VALID FOR CONSTRUCTION
UNLESS SIGNED AND SEALED IN THIS BLOCK
STEPHEN L. MARKEY
PROFESSIONAL ENGINEER
LICENSE NO. 74560
STATE OF FLORIDA

TATE OF FLORID

SLIM ENGINEERING
CIVIL ENGINEERING SERVICES
KEY WEST EI

AM AS NOTED

monton Renovation

p. 2.2.5.4

M AS NOTED

monton Renovation

p. 2.2.5.days

1101 SIMONTON ST. RENOVATION PROJECT


SHEET TITLE:


PROPOSED SITE PLAN

S=2.0

SHEET 4 OF 10

TE: JULY 13, 2022





- 1. Pressures shown are applied normal to the surface, for exposure B, at h=30 ft (9.1m). Adjust to other conditions using ASCE 7-16 Equation 30.4-1.
- 2. Plus and minus signs signify pressures acting toward and away from the surfaces, respectively.
- 3. For hiproofs with 25°, Zone 3 shall be treated as Zone 2e and 2:
- 4. For effective wind areas between those given, value may be interpolated, otherwise use the value associated with the lower effective wind area.
- a: 10 percent of least horizontal dimension or 0.4h, whichever is smaller, but not less than either 4% of least horizontal dimension or 3 ft (0.9 m). If an overhang exists, the edge distance shall be measured from the outside edge of the overhang. The horizontal dimensions used to compute the edge distance shall not include any overhang distances.
- Horizontal dimension of building measured normal to wind direction, in feet (meters).
- Mean roof height, in feet (meters), except that eave height shall be used for <10°. Angle of plane of roof from horizontal, in degrees.
- L: Horizontal dimension of building, measured in along-wind direction, in feet (meters).

# ASCE 7-16 WINDLOAD DIAGRAMS

CONSTRUCTION **UNLESS SIGNED** AND SEALED IN THIS BLOCK

PLANS NOT VALID FOR

PLANS NOT VALID FOR CONSTRUCTION
INLESS SIGNED AND SEALED IN THIS BLOC
STEPHEN L. MARKEY
PROFESSIONAL ENGINEEL
LICENSE NO. 74560
STATE OF FLORIDA

SLIM ENGINEERING

ASCE 7-16 WINDLOAD PRESSURE REQUIREMENTS ARE SHOWN IN THE PLAN CALLOUTS AND TABLE AS "MAX POSITIVE PRESSURE (+) / MAX NEGATIVE PRESSURE (-)"; ALL PRESSURES

WIND PRESSURE CALCULATIONS AND IMPACT RATINGS ARE BASED ON ASCE 7-16 / ASTM E 1996-17, ZONE 4 U.N.O., 180 MPH

ROOF WIND PRESSURE CALCULATIONS

**FLAT ROOF** 

139.4 (180 ult)

FLAT

II

С

25 ft

10 sf

4.1 ft

18.3 PSF

-71.9 PSF

18.3 PSF

-41.3 PSF

18.3 PSF

-94.8 PSF

18.3 PSF

-129.2 PSF

ARE IN PSF.

(3-SEC GUST), EXPOSURE D.

BASIC WIND SPEED

ROOF SLOPE

OCCUPANCY

EXPOSURE CATEGORY

MEAN ROOF HEIGHT

EFFECTIVE WIND AREA

DIMENSION "a"

ROOF ZONE 1

ROOF ZONE 1'

**ROOF ZONE 2** 

ROOF ZONE 3

RENOVATION PROJECT 1101 SIMONTON ST

FRAMING PLAN

S-4.0SHEET 6 OF 10

# ROOF CONSTRUCTION NOTES

DIMENSIONS SHOWN HEREIN ARE APPROXIMATE; CONTRACTOR TO MEASURE AND VERIFY PROPER DIMENSIONS PRIOR TO

PROPOSED ROOF FRAMING PLAN

ROOF SHEATHING SHALL BE FASTENED WITH MINIMUM 8d RING OR SCREW SHANK (0.131" x 2½") NAILS AS FOLLOWS:

ROOF ZONE 1 (FIELD) - AT 4" O.C. ALONG PANEL ENDS, AND AT 6" O.C. IN THE FIELD ALONG INTERMEDIATE FRAMING

ROOF ZONES 2 & 3 (PERIMETER ZONES & CORNER ZONES) - AT 3" O.C. ALONG PANEL ENDS, AND AT 3" O.C. IN THE FIELD ALONG INTERMEDIATE FRAMING SUPPORTS.

HURRICANE STRAPS, TIES, AND CONNECTORS ARE BY SIMPSON STRONG-TIE, U.N.O., AND MAY BE SUBSTITUTED WITH


ALL PRODUCTS SPECIFIED IN THESE PLANS SHALL BE INSTALLED OR APPLIED ACCORDING TO MANUFACTURER'S SPECIFICATIONS, UNLESS NOTED OTHERWISE. ANY EXISTING ROOF PANELS OR PANEL SECTIONS REMOVED SHALL NOT BE REUSED. NEW PANELING SHALL BE USED AND

FASTENED ACCORDING TO FASTENER SCHEDULE FOR NEW CONSTRUCTION. ROOF OVERHANGS MUST BE SUPPORTED BY CONTINUOUS SHEATHING FASTENED TO COMMON RAFTERS/TRUSSES.

ALL NAILS FOR BUILT-UP MEMBERS SHALL BE 12d HARDENED ANNULARLY OR HELICALLY THREADED, ZINC OR CEMENT COATED FOR GREATER GRIPPING STRENGTH.

### TYPICAL DOOR OPENING DETAIL

SCALE: 1/4" = 1'-0"



TYPICAL WINDOW OPENING DETAIL


SCALE: 1/4" = 1'-0"

EXISTING HEADER 2x6 SYP BLOCKING (TYP) SIMPSON LSTA18 INSTALL R19 INSULATION, ON EVERY STUD, SHEATHING, WEATHER BARRIER, & SIDING TO OR EQUAL MATCH EXISTING. NAIL SHEATHING @ 3" EDGES & 6" NEW 2x6 PT WOOD STUDS 2x6 PT STUD 16" O.C

- LUMBER WIDTHS SHALL BE SIZED TO MATCH EXISTING WALL THICKNESS, CONTRACTOR TO VERIFY.
   DETAIL SHOWN IS TYPICAL INSTALLATION, OPENING SIZE MAY VARY.

# TYPICAL WINDOW INFILL DETAIL

SCALE: 1/4" = 1'-0"



TYPICAL HEADER DETAIL SCALE: N.T.S.

S-3.0

# TYPICAL WOOD-FRAME WINDOW & DOOR DETAILS

- 1. THE PROPOSED IMPROVEMENTS TO THIS STRUCTURE DO NOT SUBJECT THE ELEVATED PORTION OF THE STRUCTURE TO INCREASED FLOOD RISK OR STRUCTURAL DAMAGE.
- DIMENSIONS SHOWN HEREIN ARE APPROXIMATE; CONTRACTOR TO MEASURE AND VERIFY PROPER DIMENSIONS PRIOR TO
- HURRICANE STRAPS, TIES, AND CONNECTORS ARE BY SIMPSON STRONG-TIE, U.N.O. EQUAL SUBSTITUTES ARE ACCEPTABLE WITH ENGINEER'S APPROVAL.
- ALL PRODUCTS SPECIFIED IN THESE PLANS SHALL BE INSTALLED OR APPLIED ACCORDING TO MANUFACTURER'S SPECIFICATIONS, UNLESS NOTED OTHERWISE.
- WINDOWS AND DOORS SHALL HAVE MIAMI-DADE COUNTY NOA OR FLORIDA PRODUCT APPROVAL NUMBER.
- DIMENSIONS OF ALL OPENINGS SHALL BE COORDINATED WITH MANUFACTURER'S SHOP DRAWINGS PRIOR TO CONSTRUCTION.

HEADER SCHEDULE					
OPENING SIZE	ВЕАМ				
< OR = 6'-0"	(3) 2"X8" W/ (2) $\frac{1}{2}$ " PLYWOOD FLITCH				
6'-0" - 8'-0"	(3) 2"X10" W/ (2) $\frac{1}{2}$ " PLYWOOD FLITCH				
8'-0" - 10'-0"	(3) 2"X12" W/ (2) ½" PLYWOOD FLITCH				

STUD SCHEDULE AT HEADERS				
< OR = 3'-0" OPENING	1 JACK STUD/1 KING STUD			
3'-0" - 6'-0" OPENING	2 JACK STUDS/1 KING STUD			
6'-0" - 8'-0" OPENING	2 JACK STUDS/2 KING STUDS			
8'-0" - 10'-0" OPENING	2 JACK STUDS/3 KING STUDS			
10'-0" - 12'-0" OPENING	3 JACK STUDS/3 KING STUDS			

PLANS NOT VALID FOR CONSTRUCTION **UNLESS SIGNED** AND SEALED IN THIS BLOCK


PLANS NOT VALID FOR CONSTRUCTION
JULESS SIGNED AND SEALED IN THIS BLOC
STEPHEN L. MARKEY
PROFESSIONAL ENGINEER
LICENSE NO. 74560
STATE OF FLORIDA

SLIM ENGINEERING CIVIL ENGINEERING SERVICES

RENOVATION PROJECT 1101 SIMONTON ST.

> CONSTRUCTION DETAILS

S-5.0sheet 7 of 10



# **ELECTRICAL LEGEND**

 $\Rightarrow$ WALL DUPLEX RECEPTACLE WALL DUPLEX GFI RECEPTACLE WALL SWITCH 3-WAY WALL SWITCH CEILING MOUNTED LIGHT FIXTURE  $\odot$ SMOKE DETECTOR

SLIM ENGINEERING

CIVIL ENGINEERING SERVICES

FOR CONSTRUCTION **UNLESS SIGNED** AND SEALED IN THIS BLOCK

PLANS NOT VALID FOR CONSTRUCTION
JULESS SIGNED AND SEALED IN THIS BLOC
STEPHEN L. MARKEY
PROFESSIONAL ENGINEER
LICENSE NO. 74560
STATE OF FLORIDA

RENOVATION PROJECT 1101 SIMONTON ST

& LIGHTING PLAN

S-6.0

SHEET 8 OF 10

PROPOSED ELECTRICAL PLAN SCALE: 1/4" = 1'-0"


### **ELECTRICAL NOTES**

- THE CONTRACTOR SHALL PROVIDE ALL MATERIAL, LABOR, EQUIPMENT AND SUPERVISION NECESSARY TO PROVIDE THE WORK COMPLETE AND READY TO USE.
- ALL WORK SHALL BE INSTALLED IN ACCORDANCE WITH THE LATEST NATIONAL ELECTRICAL CODE (NEC) AND ALL OTHER APPLICABLE CODES AND STANDARDS.
- NO PIPE, CONDUIT OR JUNCTION BOX SHALL BE INSTALLED IN STRUCTURAL SLABS, COLUMNS OR BEAMS UNLESS SPECIFICALLY SHOWN ON STRUCTURAL DRAWINGS.
- THE CONTRACTOR IS RESPONSIBLE FOR EVALUATING EXISTING CONDITIONS AT THE SITE AND WITHIN THE BUILDING PRIOR TO BID
- THE CONTRACTOR SHALL COORDINATE WITH THE LOCAL UTILITY COMPANY FOR NEW SERVICE AND ANY SPECIAL REQUIREMENTS.
- ELECTRICAL DRAWINGS (PLANS, DIAGRAMS, ETC.) ARE DIAGRAMMATIC AND SHOULD NOT BE SCALED. THE DRAWINGS DO NOT SHOW EVERY BEND, OFFSET, ELBOW AND OTHER FITTINGS WHICH MAY BE REQUIRED FOR PROPER INSTALLATION IN THE SPACE ALLOCATED OR AS REQUIRED TO COORDINATE WORK WITH THAT OF OTHER TRADES. ANY WORK NOT SHOWN BUT CONSIDERED NECESSARY FOR PROPER COMPLETION OF THE WORK SHALL BE PROVIDED WITHOUT ADDITIONAL CHARGES TO THE OWNER.
- ALL WORK SHALL BE INSTALLED IN A NEAT AND WORKMANLIKE MANNER.
- THE CONTRACTOR SHALL SATISFACTORILY REPAIR AND/OR REPLACE EXISTING WORK, FEATURES AND

- ALL CUTTING AND NOTCHING REQUIRED FOR THE INSTALLATION OF ELECTRICAL WORK SHALL BE ACCOMPLISHED IN AN APPROVED MANNER. APPROVAL SHALL BE OBTAINED FROM THE ENGINEER PRIOR TO CUTTING OR DRILLING STRUCTURAL MEMBERS UNLESS SPECIFICALLY ADDRESSED HEREIN
- 10. EXISTING ELECTRICAL WORK, FEATURES AND EQUIPMENT INDICATED AND/OR REQUIRED TO BE REMOVED SHALL BE PROPERLY DISPOSED BY THE CONTRACTOR INCLUDING ABANDONED RACEWAYS, WIRING, BOXES, SWITCHES AND OTHER ELECTRICAL ITEMS NOT PLANNED TO REMAIN IN USE.
- 11. ALL DEVICE BOXES SHALL BE INSTALLED FLUSH AND CONDUITS RUN CONCEALED IN FINISHED AREAS EXCEPT AS SPECIFICALLY SHOWN OR NOTED OTHERWISE.
- 12. ALL WIRE SIZE SHALL BE #12 THHN/THWN UNLESS OTHERWISE NOTED ON DRAWINGS. CONDUCTORS #6 AND LARGER SHALL BE THW.
- 13. ALL CONDUCTORS SHALL BE COPPER.
- 14. ALL MATERIAL SHALL BE UL APPROVED.
- 15. A TYPEWRITEN PANEL TALLY SHALL BE AFFIXED TO THE PANEL DOOR AFTER COMPLETION OF WORK THAT REFLECTS ALL CHANGES AND ADDITIONS.
- ALL BRANCH CIRCUITS SHALL BE PROPERLY PHASE BALANCED.
   ALL FLOOR PENETRATIONS SHALL BE SEALED WITH A FIRE SEAL SIMILAR TO 'OZ' FLAMESEAL
- 18. ALL NON-POWER RELATED WIRING IN CEILING A/C PLENUM RUNNING WITHOUT CONDUIT SHALL BE TEFLON COATED CLASSIFIED FOR USE IN PLENUMS
- ALL OUTLETS, SWITCHES AND COVER PLATES SHALL HAVE WHITE FINISH OR OTHER COLOR SELECTED BY OWNER AND LEVITON 5350/5252 SERIES OR EQUAL.
- 21. ALL BRANCH CIRCUITS SHALL BE EQUIPPED WITH A GREEN EQUIPMENT GROUNDING CONDUCTOR SIZED IN

- 22. ALL EMPTY CONDUITS SHALL BE PROVIDED WITH NYLON PULL STRINGS
- FUSES SHALL BE DUAL ELEMENT, TIME DELAY UNLESS OTHERWISE NOTED. ALL LUMINARIES SHALL BE PROPERLY SUPPORTED IN ACCORDANCE WITH CEILING MANUFACTURER
- RECOMMENDATIONS IF APPLICABLE AND LOCAL REQUIREMENTS. MOUNTING DEVICES MUST BE CAPABLE OF
- ALL CABLES SHALL BE RUN WITHOUT SPLICES UNLESS OTHERWISE NOTED.
- CIRCUIT BREAKERS SHALL BE BOLT-ON TYPE. PLUG-IN TYPE CIRCUIT BREAKERS WILL NOT BE ACCEPTED.
- RECEPTACLE SPACING SHALL COMPLY WITH NEC 210.52 NO POINT MEASURED HORIZONTALLY ALONG THE FLOOR LINE OF ANY WALL SPACE SHALL BE MORE THAN 6 FT FROM A RECEPTACLE OUTLET.
- ALL BATHROOM, GARAGE AND EXTERIOR RECEPTACLE OUTLETS AND KITCHEN RECEPTACLE OUTLETS WITHIN 6' OF WATER SOURCE SHALL BE GFI PROTECTED. ALL EXTERIOR RECEPTACLE OUTLETS SHALL BE WATER-PROOF PROTECTED. ALL BEDROOM RECEPTACLE OUTLETS SHALL BE ARC FAULT PROTECTED IN ACCORDANCE WITH
- THE CONTRACTOR SHALL MAINTAIN ONE COMPLETE SET OF DRAWINGS TO INDICATE ALL CHANGES MADE TO THE ELECTRICAL DESIGN. THE AS-BUILT DRAWINGS SHALL BE DELIVERED TO THE OWNER AFTER COMPLETION





The Historic Architectural Review Commission will hold a special public meeting at <u>5:00 p.m.</u>, <u>September 12</u>, <u>2022</u>, <u>at City Hall</u>, <u>1300 White Street</u>, Key West, Florida. To view the live feed of the meeting, you can tune in to Comcast channel 77, AT&T Uverse channel 99. If you wish to participate virtually, please contact HARC staff at 305-809-3973. The purpose of the hearing will be to consider a request for:

NEW ADDITION OVER NON-HISTORIC PORTION OF BUILDING.
PARTIAL DEMOLITION OF SECOND FLOOR SOUTH ELEVATION
WALL AND NON-HISTORIC REAR STAIRS.

# 1101 SIMONTON STREET

Applicant – MTM Building and Roofing Application #H2022-0038

If you wish to see the application or have any questions, you may visit the Planning Department during regular office hours at 1300 White Street, call 305-809-3973 or visit our website at <a href="www.cityofkeywest-fl.gov">www.cityofkeywest-fl.gov</a>.

THIS NOTICE CAN NOT BE REMOVED FROM THE SITE UNTIL HARC FINAL DETERMINATION

ADA ASSISTANCE: It is the policy of the City of Key West to comply with all requirements of the Americans with Disabilities Act (ADA). Please call the TTY number at 800-955-8771 or 800-955-8770 (Voice) or the ADA Coordinator at 305-809-3811 at least five business days in advance for sign language interpreters, assistive listening devices, or materials in accessible format.

# PROPERTY APPRAISER INFORMATION



### Disclaimer

The Monroe County Property Appraiser's office maintains data on property within the County solely for the purpose of fulfilling its responsibility to secure a just valuation for ad valorem tax purposes of all property within the County. The Monroe County Property Appraiser's office cannot guarantee its accuracy for any other purpose. Likewise, data provided regarding one tax year may not be applicable in prior or subsequent years. By requesting such data, you hereby understand and agree that the data is intended for ad valorem tax purposes only and should not be relied on for any other purpose.

By continuing into this site you assert that you have read and agree to the above statement.

### Summary

Parcel ID 00027480-000000
Account# 1028266
Property ID 1028266
Millage Group 10KW

Location 1101 SIMONTON St, KEY WEST

Address
Legal KW SUB 1 PT LOT 2 SQR 4 TR 11 OR488-458 OR488-459 OR1417-1557 OR1560Description 1407/09 OR1560-1410/12 OR1560-1413/16 OR2491-2334 OR2499-1343 OR2499-

1350/51 OR2499-1352/54 OR2611-251 OR2601-1684/85

(Note: Not to be used on legal documents.)

Neighborhood 32080

Property STORE COMBO (1200)

Class Subdivision

Sec/Twp/Rng 06/68/25 Affordable No

Housing



### Owner

NORDY AND TAMARA REDHEAD FAMILY LLC 5441 Moss Side Ln Baton Rouge LA 70808

### Valuation

	2022 Working Values	2021 Certified Values	2020 Certified Values	2019 Certified Values
+ Market Improvement Value	\$356,434	\$376,802	\$376,802	\$392,078
+ Market Misc Value	\$1,961	\$1,961	\$1,961	\$1,961
+ Market Land Value	\$538,625	\$495,535	\$495,535	\$568,004
= Just Market Value	\$897,020	\$874,298	\$874,298	\$962,043
= Total Assessed Value	\$594,779	\$540,709	\$491,554	\$446,868
- School Exempt Value	\$0	\$0	\$0	\$0
= School Taxable Value	\$897,020	\$874,298	\$874,298	\$962,043

### Land

Land Use	Number of Units	Unit Type	Frontage	Depth
(1200)	3,661.00	Square Foot	42.1	87

### **Buildings**

Building ID **Exterior Walls** REIN CONCRETE with 40% C.B.S. 39924 Style Year Built 1958 **Building Type** OFF BLDG 1 STY-A / 17A **EffectiveYearBuilt** 1999 Gross Sq Ft Foundation 3284 Finished Sq Ft 2725 Roof Type 4 Floor Roof Coverage Stories **EXCELLENT** Condition Flooring Type **Heating Type** Perimeter 388 **Functional Obs** 0 Bedrooms 0 Economic Obs **Full Bathrooms** Depreciation % **Half Bathrooms** 0 Interior Walls Grade 450 Number of Fire Pl

Code	Description	Sketch Area	Finished Area	Perimeter
OPX	EXC OPEN PORCH	267	0	0
FLA	FLOOR LIV AREA	2,725	2,725	0
OPF	OP PRCH FIN LL	80	0	0
OUF	OP PRCH FIN UL	212	0	0
TOTAL		3,284	2,725	0

### Yard Items

Description	Year Built	Roll Year	Quantity	Units	Grade
CH LINK FENCE	1957	1958	1	2208 SF	1

### Sales

Sale Date	Sale Price	Instrument	Instrument Number	Deed Book	Deed Page	Sale Qualification	Vacant or Improved
11/21/2012	\$100	Warranty Deed		2601	1684	11 - Unqualified	Improved
12/22/2010	\$100	Warranty Deed		2499	1352	11 - Unqualified	Improved
12/22/2010	\$100	Quit Claim Deed		2499	1350	11 - Unqualified	Improved


### **Permits**

Number	Date Issued	Date Completed \$	Amount	Permit Type <b>≑</b>	Notes <b>♦</b>
16- 00003539	2/20/2019	4/16/2017	\$6,750	Commercial	REMOVE APPROX. 8 SQUARE EXISTING MOD BITUMEN ROOF, BRING NAIL PATTERN UP TO CODE, INSTALL 1 PLY BASE SHEET, INSTALL 1 PLY MODIFIELD BITUMEN SMOOTH PLY INSTALL 1 PLY MODIFIELD BITUMEN CAP SHEET, INSTALL WALL TIE IN, INSTALL NEW EAVE METAL AND INSTALL NEW LEAD BOOT AT PENETRATIONS. NOC REQUIRED. **HARC INSPECTION REQUIRED**
15-2103	6/5/2015	9/21/2015	\$2,100	Commercial	APPROX. 40 LF. OF CRACKED BLOCK WALL AND DEMO FOR EXPLORATION ONLY.
12-2964	10/17/2012	10/17/2012	\$0	Commercial	AFTER THE FACT RECOGNITION OF DETACHED HABITABLE SPACE: BEDROOM AND BATHROOM ONLY (NOT AN INDEPENDENT DWELLING UNIT) INCLUDING ELECTRIC, PLUMBING AND ROOFING.
12-3107	9/25/2012		\$1,000	Commercial	AFTER THE FACT: FINAL FOR WORK COMPLETED BY OTHERS. INSPECT WIRING, ETC. PRIOR TO CALLING FOR FINAL INSEPCTION.
12-3172	9/18/2012		\$4,000	Commercial	INSTALL V-CRIMP ROOFING OVER LB FELT OVER NEW CONSTRUCTION
12-2964	9/13/2012		\$34,000	Commercial	AFTER THE FACT FINES AND IMPACT FEES CHARGED SEPERATELY
12-2964	9/13/2012		\$34,000	Commercial	BUILD 12X20 BUILDING AS 2ND BEDROOM.
04-3789	12/20/2004	12/8/2005	\$2,400		INSTALL HANDRAIL DOWNSTAIRS
04-3395	12/2/2004	12/31/2005	\$9,000		44 FIRE SPRINKLERS
03-3359	9/19/2003	12/8/2005	\$24,500		REPLACE SIDING & WINDOWS, & PAINTNEW WOOD DECK
03-0968	3/20/2003	12/29/2003	\$2,500		REPAIR & PAINT
0103267	9/27/2001	10/31/2001	\$1,023		3 SQS V-CRIMP
0000640	3/14/2000	12/1/2000	\$3,300		ROOF REPAIRS
9903935	12/2/1999	12/23/1999	\$4,614		10 SQS S.B.S OVER HOT ASP
9800670	3/13/1998	11/23/1998	\$2,200	Commercial	NEW STAIRS
9603723	9/1/1996	11/1/1996	\$1		PAINTING
	1/1/1900		\$0		

### **View Tax Info**

View Taxes for this Parcel

Sketches (click to enlarge)



## **Photos**





### Map



### **TRIM Notice**

2022 TRIM Notice (PDF)

### 2022 Notices Only

The Monroe County Property Appraiser's office maintains data on property within the County solely for the purpose of fulfilling its responsibility to secure a just valuation for ad valorem tax purposes of all property within the County. The Monroe County Property Appraiser's office cannot guarantee its accuracy for any other purpose. Likewise, data provided regarding one tax year may not be applicable in prior or subsequent years. By requesting such data, you hereby understand and agree that the



User Privacy Policy GDPR Privacy Notice

Last Data Upload: 8/18/2022, 6:23:09 AM

Version 2.3.213