THE CITY OF KEY WEST PLANNING BOARD Staff Report



To: Chairman and Planning Board Members

Through: Thaddeus Cohen, Planning Director

From: Patrick Wright, Planner II

Meeting Date: July 16, 2015

Agenda Item: Variance - 111 Whitehead Street (RE # 00000660-000000; AK #

1000671) - A request for a variance approval to the minimum side yard setback requirement in order to reconstruct and raise a roof on an existing commercial building on property located within Historic Residential Commercial Core — Duval Street Gulfside (HRCC-1) Zoning District pursuant to Sections 90-395 and 122-690 of the Land Development Regulations of the Code of Ordinances of the City of Key West, Florida..

Request: To reconstruct and raise a roof on an existing commercial building. The


proposed side yard setback is 0 feet from the 2.5 feet minimum required.

Applicant: Moshe Gvili

Property Owner: William R. Rupp Trust

Location: 111 Whitehead Street (RE # 00000660-000000; AK # 1000671)

Zoning: Historic Residential Commercial Core- Duval Street Gulfside (HRCC-1)



Background:

The property at 111 Whitehead Street is located at the northeast corner of Whitehead Street and Greene Street and is one lot of record. There are three existing commercial structures on the property that is bound by Whitehead Street, Greene Street and Fitzpatrick Street. A single-story portion of the building fronting Whitehead Street in the westernmost corner has a lower slanted roof that houses a commercial tour rental sales booth.

The applicant is now requesting a variance to the side yard setback requirement in order to reconstruct and raise the roof expanding the three-dimensional envelope of the current non-conforming side setback. No other changes to the property are proposed.

Relevant HRCC-1 Zoning District Dimensional Requirements: Code Section 122-690						
Dimensional Requirement	Required/ Allowed	Existing	Proposed	Change / Variance Required?		
Minimum lot size	4,000 SF	5,822 SF	5,822 SF	Conforming		
Maximum height	35 feet	31 feet	30 feet	Conforming		
Maximum building coverage	50%	85.7% (4,989 sf)	85.7% (4,989 sf)	No change, existing nonconforming		
Maximum impervious surface	70%	85.7% (4,989 sf)	85.7% (4,989 sf)	No change, existing nonconforming		
Minimum front setback	0 feet	0 feet	0 feet	Conforming		
Minimum West side setback	2.5 feet	0 feet	0 feet	No change/Variance Required 2.5 feet due to the increase in 3d envelope		
Minimum Street side setback	0 feet	0 feet	0 feet	Conforming		
Minimum rear setback	10 feet	0 feet	0 feet	No change, existing nonconforming		

Process:

Planning Board Meeting: July 16, 2015

HARC: TBD
Local Appeal Period: 30 days
DEO Review Period: up to 45 days

Analysis – Evaluation for Compliance with the Land Development Regulations:

The criteria for evaluating a variance are listed in Section 90-395 of the City Code. The Planning Board before granting a variance must find all of the following:

1. Existence of special conditions or circumstances. That special conditions and circumstances exist which are peculiar to the land, structure or building involved and which are not applicable to other land, structures or buildings in the same zoning district.

The expansion of the three-dimensional envelope of the building inside an existing non-conforming setback is not the result of a circumstance that is peculiar to the land, structure or building involved. The roof could be replaced without expanding the existing non-conformity. Therefore, special conditions or circumstances do not exist.

NOT IN COMPLIANCE.

2. Conditions not created by applicant. That the special conditions and circumstances do not result from the action or negligence of the applicant.

The request to expand the three-dimensional building envelope within the existing side setback is generated from specific actions initiated by the applicant and is not a special condition or circumstance.

NOT IN COMPLIANCE.

3. Special privileges not conferred. That granting the variance requested will not confer upon the applicant any special privileges denied by the land development regulations to other lands, buildings or structures in the same zoning district.

Section 122-27 of the Land Development Regulations discourages the expansion of site nonconformities. The roof could be replaced or reconstructed within the existing 3d building envelope. Therefore, allowing the expansion of the building envelope would confer special privileges upon the applicant.

NOT IN COMPLIANCE.

4. Hardship conditions exist. That literal interpretation of the provisions of the land development regulations would deprive the applicant of rights commonly enjoyed by other properties in this same zoning district under the terms of this ordinance and would work unnecessary and undue hardship on the applicant.

Maintaining the existing 3d building envelope or complying with the side setback would not deprive the applicant of rights commonly enjoyed by other properties in HRCC-1 zoning district. The applicant is proposing expanding an existing non-conformity. Therefore, hardship conditions do not exist.

NOT IN COMPLIANCE.

5. Only minimum variance granted. That the variance granted is the minimum variance that will make possible the reasonable use of the land, building, or structure.

The variance requested is not the minimum required that will make possible the reasonable use of the land, building, or structure. The roof can be repaired and replaced in the existing three-dimensional building envelope.

NOT IN COMPLIANCE.

6. Not injurious to the public welfare. That the granting of the variance will be in harmony with the general intent and purpose of the land development regulations and that such variance will not be injurious to the area involved or otherwise detrimental to the public interest or welfare.

Due to not being in compliance with all of the standards for considering variances, the granting of the requested variance would be injurious to the area involved and otherwise detrimental to the public interest.

NOT IN COMPLIANCE.

7. Existing nonconforming uses of other property not the basis for approval. No nonconforming use of neighboring lands, structures, or buildings in the same district, and no permitted use of lands, structures or buildings in other districts shall be considered grounds for the issuance of a variance.

Existing non-conforming uses of other properties, use of neighboring lands, structures, or buildings in the same district, or other zoning districts, are not the basis for this request.

IN COMPLIANCE.

Concurrency Facilities and Other Utilities or Service (Section 108-233):

It does not appear that the requested variance would trigger any public facility capacity issues.

The Planning Board shall make factual findings regarding the following:

That the standards established by Section 90-395 of the City Code have been met by the applicant for a variance.

The standards established by Section 90-395 of the City Code have not been fully met by the applicant for the variances requested.

That the applicant has demonstrated a "good neighbor policy" by contacting or attempting to contact all noticed property owners who have objected to the variance application, and by addressing the objections expressed by these neighbors.

The Planning Department has received no comments regarding this variance request. Pursuant to Code Section 90-392, in granting such application the Planning Board must make specific affirmative findings respecting each of the matters specified in Code Section 90-394.

The planning board shall not grant a variance to permit a use not permitted by right or as a conditional use in the zoning district involved or any use expressly or by implication prohibited by the terms of the ordinance in the zoning district.

No use not permitted by right or as a conditional use in the zoning district involved or any use expressly or by implication prohibited by the terms of the ordinance in the zoning district would be permitted.

No nonconforming use of neighboring lands, structures, or buildings in the same zoning district and no permitted use of lands, structures, or buildings in other zoning districts shall be considered grounds for the authorization of a variance.


No such grounds were considered.

No variance shall be granted that increases or has the effect of increasing density or intensity of a use beyond that permitted by the comprehensive plan or these LDRs.

No density or intensity of a use would be increased beyond that permitted by the comprehensive plan or these LDRs.

RECOMMENDATION:

Based on the criteria established by the Comprehensive Plan and the Land Development Regulations, the Planning Department recommends the request for variance be **denied.**



PLANNING BOARD RESOLUTION NO. 2015-

A RESOLUTION OF THE CITY OF KEY WEST PLANNING BOARD GRANTING A VARIANCE TO MINIMUM SIDE YARD SETBACK REQUIREMENTS ON PROPERTY LOCATED AT 111 WHITHEAD STREET (RE # 00000660-000000 AK # 1000671) IN THE HISTORIC RESIDENITAL COMMERCIAL CORE – DUVAL STEET GULFSIDE (HRCC-1) ZONING DISTRICT PURSUANT TO SECTIONS 90-395 AND 122-690 OF THE LAND DEVELOPMENT REGULATIONS OF THE CODE OF ORDINANCES OF THE CITY OF KEY WEST, FLORIDA.

WHEREAS, the applicant proposes to reconstruct and raise a roof on an existing commercial building on property located at 111 Whitehead Street (RE # 00000660-000000; AK # 1000671); and

WHEREAS, Section 122-420 of the Land Development Regulations (the "LDRs") of the Code of Ordinances (the "Code") of the City of Key West, Florida (the "City") provides that the minimum side yard setback is two and a half feet (2.5) feet; and

WHEREAS, the proposed west side yard setback is 0 feet from the 2.5 feet minimum required; and

WHEREAS, the applicant requests a variance to the minimum side yard setback; and WHEREAS, this matter came before the Planning Board at a duly noticed public hearing on July 16, 2015; and

WHEREAS, the Planning Board finds that special conditions and circumstances exist which are peculiar to the land, structure, or building involved and which are not applicable to other land, structures or buildings in the same district; and

Page 1 of 5 Resolution No. 2015-____

Chairm	ıan
Planning Direc	tor

WHEREAS, the Planning Board finds that the special conditions do not result from the

action or negligence of the applicant; and

WHEREAS, the Planning Board finds that granting the variance requested will not confer

upon the applicant any special privileges denied by the land development regulations to other lands,

buildings or structures in the same zoning district; and

WHEREAS, the Planning Board finds that literal interpretation of the provisions of the land

development regulations would deprive the applicant of rights commonly enjoyed by other

properties in this same zoning district under the terms of this ordinance and would work unnecessary

and undue hardship on the applicant; and

WHEREAS, the Planning Board finds that the variance granted is the minimum variance

that will make possible the reasonable use of the land, building or structure; and

WHEREAS, the Planning Board finds that the granting of the variance will be in harmony

with the general intent and purpose of the land development regulations and that such variance will

not be injurious to the area involved or otherwise detrimental to the public interest or welfare; and

WHEREAS, the Planning Board finds that no nonconforming use of neighboring lands,

structures, or buildings in the same district, and no permitted use of lands, structures or buildings in

other districts are grounds for the issuance of the requested variance; and

WHEREAS, the Planning Board finds that the applicant has demonstrated a "good neighbor

policy" by contacting or attempting to contact all noticed property owners who have objected to the

variance application, and by addressing the objections expressed by these neighbors.

NOW, THEREFORE, BE IT RESOLVED by the Planning Board of the City of Key West,

Florida:

Page 2 of 5 Resolution No. 2015-____

Chairmar
 Planning Director

Section 1. That the above recitals are incorporated by reference as if fully set forth

herein.

Section 2. An approval by Resolution of the Key West Planning Board for minimum side

yard setback in order to reconstruct and raise a roof on an existing commercial building on property

located within Historic Residential Commercial Core – Duval Street Gulfside (HRCC-1) Zoning

District pursuant to Sections 90-395 and 122-690 of the Land Development Regulations of the Code

of Ordinances of the City of Key West, Florida.

Section 3. It is a condition of this variance that full, complete and final application for all

conditions of this approval for any use and occupancy for which this variance is wholly or partly

necessary, shall be submitted in their entirety within two years after the date hereof; and further, that

no application shall be made after expiration of the two-year period without the applicant obtaining

an extension from the Planning Board and demonstrating that no change of circumstances to the

property or its underlying zoning has occurred.

Section 4. The failure to fully and completely apply the conditions of approval for

permits for use and occupancy pursuant to this variance in accordance with the terms of the approval

as described in Section 3 hereof, shall immediately operate to terminate this variance, which

variance shall be of no force or effect.

Section 5. This variance does not constitute a finding as to ownership or right to

possession of the property, and assumes, without finding, the correctness of applicant's assertion of

legal authority respecting the property.

Section 6. This Resolution shall go into effect immediately upon its passage and

Page 3 of 5 Resolution No. 2015-____

Chairmar
 Planning Director

adoption and authentication by the signatures of the presiding officer and the Clerk of the

Commission.

Section 7. This Resolution is subject to appeal periods as provided by the City of Key

West Code of Ordinances (including the Land Development Regulations). After the City appeal

period has expired, this permit or development order will be rendered to the Florida Department of

Economic Opportunity. Pursuant to Chapter 73C-44, F.A.C., this permit or development order is not

effective for forty five (45) days after it has been properly rendered to the DEO with all exhibits and

applications attached to or incorporated by reference in this approval; that within the forty five (45)

day review period, the DEO can appeal the permit or development order to the Florida Land and

Water Adjudicatory Commission; and that such an appeal stays the effectiveness of the permit until

the appeal is resolved by agreement or order.

Read and passed on first reading at a regularly scheduled meeting held this 16th day of July

2015.

Authenticated by the Chairman of the Planning Board and the Planning Director;

Richard Klitenick, Planning Board Chairman

Date

Attest:

Thaddeus Cohen, Planning Director

Date


Page 4 of 5 Resolution No. 2015-____

_____ Chairman

_____ Planning Director

Filed with the Clerk:		
Cheryl Smith, City Clerk	Da	ate
Page 5 of 5		
Page 5 of 5 Resolution No. 2015	_	

_____Planning Director



Application Fee: \$1,150.00 / After-the-Fact: \$2,150.00

(includes \$100.00 advertising/noticing fee and \$50.00 fire review fee)

Please complete this application and attach all required documents. This will help staff process your request quickly and obtain necessary information without delay. If you have any questions, please call 305-809-3720.

PROPERTY DESCRIPTION: Site Address: 111 Whitehead Street				
Zoning District: HRCC-1	Real Estate (RE)	#: 0000660-000	0000	
Property located within the Historic District?	ĭ Yes □ No			
Name: Moshe Gvili	ized Representati	ve		
Mailing Address: 111 Whitehead Street				
City: Key West	State	: Florida	_Zip: <u>3304</u>	0
Home/Mobile Phone: <u>305-304-1582</u> O				
Email: mgvili@aol.com				
PROPERTY OWNER: (if different than above) Name: Tracey Rupp				
Mailing Address: 811 Truman Avenue				40
City: Key West				
Home/Mobile Phone: O	·	Fax:		
Email:				
Description of Proposed Construction, Development	, and Use: Repla	acement of existin	g structurally	unsafe
roof located in the side-yard setback. At the time, the roof w	ould be elevated to	match the attach	ed retail spac	e.
List and describe the specific variance(s) being reque Side Yard setback variance to reconstruct roof in current		try reconfigured.		
Are there any easements, deed restrictions or other ends of the second o			•	
if yes, please describe and attach relevant documents.				

City	~£	I/ ov	West	_	A monali	+:-	- for	1/-	wio.	
CILV	OI	rev	vvest	•	Appii	catio	n ior	Vc	ırıaı	nce

Will any work be within the dripline (canopy) of any tree on or off the property? If yes, provide date of landscape approval, and attach a copy of such approval.	□ Yes	🗵 No
Is this variance request for habitable space pursuant to Section 122-1078?	□ Yes	🗵 No

Please fill out the relevant Site Data in the table below. For Building Coverage, Impervious Surface, Open Space and F.A.R. provide square footages and percentages.

Site Data Table						
	Code Requirement	Existing	Proposed	Variance Request		
Zoning	HRCC-1					
Flood Zone	AE 6					
Size of Site	1648 SQ FT					
Height	35'	31'-0"	31'-0"			
Front Setback	0'-0"	0'-0"	0'-0"			
Side Setback	2'-6"	0'-0"	0'-0"	2'-6"		
Side Setback	2'-6"	NA	NA			
Street Side Setback	0'-0"	0'-0"	0'-0"			
Rear Setback	10'-0"	0'-0"	0'-0"			
F.A.R						
Building Coverage	50%	85.7%	85.7%			
Impervious Surface	70%	85.7%	85.7%			
Parking						
Handicap Parking						
Bicycle Parking						
Open Space/ Landscaping						
Number and type of units						
Consumption Area or Number of seats						

This application is reviewed pursuant to Section 90-391 through 90-397 of the City of Key West Land Development Regulations (LDRs). The City's LDRs can be found in the Code of Ordinances online at http://www.municode.com/Library/FL/Key_West under Subpart B.

^{*}Please note, variances are reviewed as quasi-judicial hearings, and it is improper for the owner or applicant to speak to a Planning Board member or City Commissioner about the hearing.


Standards for Considering Variances

Before any variance may be granted, the Planning Board and/or Board of Adjustment must find all of the following requirements are met:

1.	Existence of special conditions or circumstances. That special conditions and circumstances exist which are peculiar to the land, structure or building involved and which are not applicable to other land, structures or buildings in the same zoning district.				
	The condition of the roof structure is a life safety issue due to the deterioration of structural				
	members and poor construction.				
2.	Conditions not created by applicant. That the special conditions and circumstances do not result from the action or negligence of the applicant.				
	The applicant is making the deteriorated structure safe and improving the value of the				
	structure, in turn improving the value of the surrounding properties.				
3.	Special privileges not conferred. That granting the variance(s) requested will not confer upon the applicant any special privileges denied by the land development regulations to other lands, buildings or structures in the same zoning district.				
	Denial of reconstruction would be a life safety concern, as the adjacent property owners have				
	the privilege of occupying a safe structure and working environment.				
4.	Hardship conditions exist. That literal interpretation of the provisions of the land development regulations would deprive the applicant of rights commonly enjoyed by other properties in this same zoning district under the terms of this ordinance and would work unnecessary and undue hardship on the applicant.				
	As a life safety concern, the denial of reconstruction of the roof structure will be a hardship, as				
	the structure will not be habitable due to continued deterioration from roof leaks caused by poor				
	construction.				
5.	Only minimum variance(s) granted. That the variance(s) granted is/are the minimum variance(s) that will make possible the reasonable use of the land, building or structure.				
	The building footprint will not be increased by the alteration of the roof structure				

City of Key West • Application for Variance

6.	Not injurious to the public welfare. That granting of the variance(s) will be in harmony with the general intent and purpose of the land development regulations and that such variances will not be injurious to the area involved or otherwise detrimental to the public interest or welfare. The vertical expansion of the roof structure will not harm public welfare. The reconstruction will make the deteriorated structure safer for occupants and neighbors.
7.	Existing nonconforming uses of other property shall not be considered as the basis for approval. That no other nonconforming use of neighboring lands, structures, or buildings in the same district, and that no other permitted use of lands, structures or buildings in other districts shall be considered grounds for the
	The reconstruction of the roof is expanding the nonconforming structure minimally in a vertical direction to match the existing attached retail space.
Th	That the standards established in Section 90-395 have been met by the applicant for a variance. That the applicant has demonstrated a "good neighbor policy" by contacting or attempting to contact all noticed property owners who have objected to the variance application, and by addressing the objections expressed by these neighbors. Please describe how you have addressed the "good neighbor policy."
	EQUIRED SUBMITTALS: All of the following must be submitted in order to have a complete plication. Please submit one paper copy and one electronic copy of all materials.
	Correct application fee. Check may be payable to "City of Key West." Notarized verification form signed by property owner or the authorized representative. Notarized authorization form signed by property owner, if applicant is not the owner. Copy of recorded warranty deed Property record card Signed and sealed survey Site plan (plans MUST be signed and sealed by an Engineer or Architect) Floor plans Stormwater management plan



City of Key West Planning Department




Authorization Form

(Individual or Joint Owner)

Please complete this form if someone other than the owner is representing the property owner in this matter.

_	Tracus Du		
I,	Tracy Ru Please Print Name(s) of Own	audioi 12	ze
	Flease Print Name(s) of Own	er(s) as appears on the deed	
	Moshe G		
	Please Print Name	of Representative	
to be the representat	tive for this application and act on	my/our behalf before the City of Key West.	
May	a Kupo		
Signdture	of Owner	Signature of Joint/Co-owner if applicable	
Subscribed and swo	orn to (or affirmed) before me on the	nis 4/30/2015	
by	TRACEY A. Rupy	Date /	
Sh	~ } }	New York Driver License as identification	n.
Notary's Sigi	nature and Seal		
Lisam	. De Carthy		
Name of Acknowledg	er typed, printed or stamped		
EE #106	.776		
Commission	Number, if any		
Notary My Col	LISA M. MCCARTHY y Public - State of Florida mm. Expires Jun 27, 2015 mmission # EE 106776 I Through National Notary Assn.		



SE 1294 MEO362 825140

OUIT CLAIM DEED

THIS INDENTURE

Wherever used herein, the term "party" shall include the heirs, personal representatives, successors and/or essigns of the respective parties hereto; the use of the singular numbers shall include the plural, and the plural, the singular, the use of any gender; and, if used, the term "note" shall include all the hotes herein described if more than one.

day of Anglist Made this A.D. 1993

Between WILLIAM R. RUPP, a single man, party of the first part, and WILLIAM R. RUPP, AS TRUSTED OF THE W.R. RUPP TRUST, DATED OCTOBER 3, 1991 whose address is 407 Front Street, Key West, Monroe County, Florida 33040, party of the second part.

Florida, to wit:

SEE ATTACHED EXHIBIT "A" INCORPORATED HEREIN BY REFERENCE.

Property Appraiser I.D. Number, a-pertion of 00000/60-0000d

TO HAVE AND TO HOLD the same, together with all and singular the appurtenances thereunto belonging or in anywise appertaining, and all the estate, right, title, interest and claim whatsoever of the said party of the first part, either in law or equity, to the only proper use, benefit and behoof of the said party of the saedhd

IN WITNESS WHEREOF, the said party of the first part has hereunto set his hand and seal the day and year first; above

Signed, Sealed & Delivered In Our Presence: STATE OF Florida COUNTY OF MONKOC I

I HEREBY CERTIFY that on this day of 1993, personally appeared before me, an officer duly authorized to administer caths and take acknowledgments, NILLIAM R. RUPP, to me well known and known to me to be the individuals described in and who executed the foregoing deed, and they acknowledged before me that they executed the same freely and voluntarily for the purposes.

Therein expressed. WILLIAM R. RUPP IS PERSONALLY KNOWN BY HE OR HE PRODUCED THE PRODUCED TO THE PRODUCE

WITNESS my signature and official seal at Key WeST, in the County

The and State of Thomas, the day and your last aforesaid.

NOTARY PUBLIC KURLEEN A GRAKST

MOTALLY PUBLICA STATE OF FLORIDA.


MY Carlingaria - and a facilities, 1994.

MOTALLY THAN INCIDENT PUBLIC UNDERSTREAM.

MONROE PO POPP Langue Change This Instrument Prepared By: Karleen A. Grant, Esquire Return to: Karleen A. Grant, Esq. MORGAN & HENDRICK 317 Whitehead Street

Key West, Florida 33040

648 mag 855



PIPE

SURVEY OF:

PARCEL NO. 1

On the island of Key West, Monroe County, Florida and being a part of Lot 2, Square 9 of William A. Whitehead's Map of said city delinented in February 1829 and more particularly described by metes and bounds as follows: COMMENCING at the point of intersection of the Easterly right of way line of Whitehead Street with the Northerly right of way line of Greene Street, said point being the point of beginning of the parcel of land herein being described; thence Northeasterly along the said Northerly right-of-way line of Greene Street 40.20 feet to a point; thence Northwesterly at right angles 41 feet to a point; thence

Sheet Lof 3

9年 別底日36年

Southwesterly at right angles 40.20 feet to a point on the Easterly right of way line of said Whitehead Street; thence Scuthcasterly along the said Easterly line of Whitehead Street 41 feet back to the Point of Beginning.

PARCEL NO. 2

On the Island of Key West, Monroe County, Florida and being a part of lot 2, Square 9 of William A. Whitehead's Map of said city delineated in February 1829 and more particularly described by zetes and bounds as follows: COMMENCING at the point of intersection of the Easterly right of way line of Whitehead Street with the Northerly right-of-way line of Greene Street and thence Northeasterly along the Northerly right-of-way line of Greene Street aC.20 feet to the Point of Beginning of the parcel of land herein being described; thence continue Northeasterly along the said Northerly right-of-way line of Greene Street 61.58 feet to a point; thence Northeasterly at right angles 41 feet to a point; thence Southwesterly at right angles 61.58 feet to a point; thence Southwesterly at right angles 61.58 feet to a point; thence Southwesterly at right angles 41 feet back to the Point of Beginning.

PARCEL NO. 3

on the Island of Key West, Monroe County, Florida and being a part of Lot 2, Square 9 of William A. Whitehead's Nap of said city delinested in February 1829 and more particularly described by meter and bounds as follows: CCMMERCING at the point of intersection of the Esterly right-of-way line of Whitehead Street with the Northerly right-of-way line of Greene Street and thence Northeasterly along the said Northerly right-of-way line of Greene Street 101.78' feet to the point of beginning of the Parcel of land herein being described; thence continue Northeasterly along the said Northerly right-of-way line of Greene Street 40.22' feet to the point of intersection with the Westerly right-of-way line of Fitzpatrick Street; thence North-westerly at right angles along the said Westerly right-of-way line 41' feet to a point; thence Southwesterly at right angles 40.22 feet to a point; thence Southwesterly at right angles 41' feet back to

Sheet 2 of 3

ME 648 MGE 857

the Point of Beginning.

SURVEY FOR:

WILLIAM RUPP

1 HEREBY CERTIFY that the survey represented hereon meets the minimum requirements adopted by the Florida Society of Professional Land Surveyors and the Florida Land Title association.

PHILLIPS & TRICE SURVEYING, INC.

Key West, Florida February 26, 1976 Joo M. Trice, Professional Land Surveyor

HECCRDED IN OFF THE PECORD BOOK
MOLLICE COUNTY FLURIDA
KALPI W. WHITE
GLERK OF CINCUIT COURT
RECORD VALUE 100

Provided to Office Redends Report Reserved Report Reserved Reserved Reserved Report Reserved Reserve

W.R. RUPP TRUST Revocation of Designation of Substitute Trustee and Resignation of Trustee

- A. I, DONOVAN MANNATO, with an address c/o Moses S. Rosengarten, Attorney-at-Law, 220 East 42nd Street, Suite 435, New York, NY 10017 (hereinaster "DONOVAN"), as Administrative Trustee, Trustee of the SERBAN DUTULESCU Trust Share and Trustee of the TRACEY ANNE RUPP Trust Share under the W.R. RUPP TRUST Restatement of Living Trust dated November 13, 2006 (hereinaster the "Restatement of Trust"), do hereby revoke my designation of JOSEPH P. CALLAGHAN, C.P.A., with an address c/o Prager and Fenton LLP, 675 Third Avenue, New York, NY 10017, as substitute Administrative Trustee, substitute Trustee of the SERBAN DUTULESCU Trust Share and substitute Trustee of the TRACEY ANNE RUPP Trust Share, pursuant to Section 7 of Article Twelve of the Restatement of Trust.
- B. I, DONOVAN, as Administrative Trustee, Trustee of the SERBAN DUTULESCU Trust Share and Trustee of the TRACEY ANNE RUPP Trust Share under the Restatement of Trust, do hereby resign from all of the aforesaid positions pursuant to Section 1 of Article Eleven of the Restatement of Trust, effective upon delivery as provided below (assuming thirty days' written notice is not required or is waived). The only beneficiaries of any Trust or Trust share created under the Restatement of Trust entitled to receive any distribution (whether mandatory or discretionary) of income are TRACEY ANNE RUPP and SERBAN DUTULESCU, and the person named as successor Trustee of the aforesaid Trusts under the Restatement of Trust is TRACEY ANNE RUPP. Accordingly, this written notice of resignation is to be delivered to TRACEY ANNE RUPP and to SERBAN DUTULESCU and will be immediately effective upon such delivery.


Dated: New York, New York September 11, 2007


Onovan Mannato

RECEIPT ACKNOWLEDGED AND THIRTY DAYS' NOTICE WAIVED BY:

TRACEY ANNE RUPP

SERBAN DUTULESCU





Boundary Survey Report of part of Lot 2, Square 9, Island of Key West

NOTES:

- 1. The legal description shown hereon was furnished by the client or their agent. This survey does not determine or imply ownership.
- 2. Underground foundations and utilities were not located.
- 3. All angles are 90° (Measured & Record) unless otherwise noted.
- 4. Street address: 111 Whitehead Street, Key West, FL.
- 5. This survey is not valid without the signature and the original raised seal of a Florida licensed surveyor and mapper.
- 6. Lands shown hereon were not abstracted for rights-of-way, easements, ownership, or other instruments of record.
- 7. North Arrow is assumed and based on the legal description.
- 8. Date of field work: April 24, 2015
- 9. Ownership of fences is undeterminable, unless otherwise noted.
- 10. Adjoiners are not furnished.
- 11. The Survey Report is not full and complete without the attached Survey Map.

BOUNDARY SURVEY OF: On the Island of Key West, Monroe County, Florida and being a part of Lot 2, Square 9 of William A. Whitehead's Map of said city delineated in February 1829 and more particularly described by metes and bounds as follows: COMMENCING at the point of intersection of the Easterly right of way line of Whitehead Street with the Northerly right of way line of Greene Street, said point being the point of beginning of the parcel of land herein being described; thence Northeasterly along the said right-of-way line of Greene Street 40.20 feet to a point; thence Northwesterly at right angles 41 feet to a point; thence Southwesterly at right angles 40.20 feet to a point on the Easterly right of way line of said Whitehead Street; thence Southeasterly along the said Easterly line of Whitehead Street 41 feet back to the Point of Beginning.


BOUNDARY SURVEY FOR: Moshe Gvili;


I HEREBY CERTIFY that this survey was made under my responsible charge and meets the Standard of Practice as set forth by the Florida Board of Professional Surveyors & Mappers in Chapter 5J-17, Florida Administrative Code, pursuant to Section 472.027, Florida Statutes.

J. LYNN O'FLYNN, INC.	
J. Lynn O'Flynn, PSM Florida Reg. #6298	THIS SURVEY IS NOT ASSIGNABLE

April 27, 2015

Sheet Two of Two Sheets





SITE DATA

ZONING DISTRICT: HRCC-1

FLOOD ZONE: AE-6

F.I.R.M. - COMMUNITY #120168; PANEL #1516; SUFFIX "K"; DATED: 02-18-2005

LEGAL DESCRIPTION: KW PT LOT 2, SQUARE 9

DESIGN DATA

THE WORK DEPICTED HEREIN WAS DESIGNED TO MEET THE REQUIREMENTS OF THE 2010 FLORIDA BUILDING CODE AND THE LATEST EDITIONS OF THE FLORIDA MODEL ENERGY CODE, FIRE CODE, LIFE SAFETY CODE AND THE NATIONAL ELECTRIC CODE.

THE WORK DEPICTED HEREIN WILL NOT YIELD ADDITIONAL IMPERVIOUS COVERAGE

OCCUPANCY CLASSIFICATION: M/ R-3 CONSTRUCTION TYPE: V

THE FOLLOWING LOADINGS WERE USED: WIND LOAD: 180 MPH (ASCE 7-10) EXPOSURE D FLOOR LIVE LOAD: 40 PSF


INDEX OF DRAWINGS

- T-1 SITE DATA
- A-1 EXISTING FLOOR PLAN
- A-2 PROPOSED FLOOR PLANS
- A-3 EXISTING ELEVATIONS

A-4 - PROPOSED ELEVATIONS

RENOVATIONS


111 WHITEHEAD ST. KEY WEST, FL 33040






GENERAL NOTES

- 1. THESE PLANS ARE FOR THE WORK AT THE LOCATION SO DESIGNATED HEREIN.
- 2. THE CONTRACTOR SHALL PROVIDE ALL MATERIAL, LABOR, EQUIPMENT AND SUPERVISION NECESSARY TO PROVIDE THE WORK COMPLETE AND READY FOR USE.
- 3. THERE SHALL BE NO DEVIATION FROM THESE PLANS WITHOUT PRIOR APPROVAL FROM THE ENGINEER OF RECORD. 4. THE CONTRACTOR SHALL VISIT THE SITE AND BECOME FAMILIAR WITH EXISTING CONDITIONS BEFORE BID. CHECK AND VERIFY ALL DIMENSIONS AND CONDITIONS OF THE WORK SITE AND REPORT ANY DISCREPANCIES, DIFFERENCES OR
- CONDITIONS THAT ARE UNSATISFACTORY OR UNSAFE. 5. NOTIFY THE ENGINEER OF RECORD IMMEDIATELY OF ANY DISCREPANCIES, DIFFERENCES, UNSATISFACTORY OR UNSAFE CONDITIONS. ANY MODIFICATIONS OR CHANGES MADE WITHOUT PRIOR WRITTEN APPROVAL FROM THE OWNER AND ENGINEER OF RECORD SHALL NOT BE ALLOWED. ANY REWORK, RESTORATION OR OTHER IMPACT AS A RESULT OF
- NOT OBTAINING SUCH PRIOR APPROVAL WILL BE MADE BY THE CONTRACTOR WITHOUT ADDITIONAL COST OR COMPENSATION FROM THE OWNER. 6. THE CONTRACTOR SHALL PROVIDE FOR THE SAFETY, PREVENTION OF INJURY OR OTHER LOSS AT THE JOB TO ALL PERSONS EMPLOYED IN THE WORK, PERSONS VISITING THE WORK AND THE GENERAL PUBLIC. THE CONTRACTOR SHALL
- ALSO BE RESPONSIBLE FOR THE PREVENTION OF DAMAGE, DUE TO THE WORK, TO MATERIALS OR EQUIPMENT AND OTHER PROPERTY AT THE SITE OR ADJACENT THERETO. 7. NO RESEARCH AS TO THE PRESENCE OF UNDERGROUND UTILITIES HAS BEEN INCLUDED ON OR PERFORMED FOR THIS
- PROJECT. CONTRACTOR SHALL BE RESPONSIBLE FOR CALLING SUNSHINE UTILITY LOCATE SERVICE PRIOR TO ANY CONSTRUCTION WITHIN ANY PUBLIC RIGHT-OF-WAY OR OTHER AREAS WHERE UNDERGROUND UTILITIES MAY BE PRESENT (I.E. IN AND AROUND UTILITY EASEMENTS, ETC.)
- 8. THE GENERAL CONTRACTOR SHALL PROVIDE AN ON-SITE DUMPSTER IN A LOCATION COORDINATED WITH THE OWNER FOR THE DISPOSAL OF REMOVED MATERIAL AND CONSTRUCTION DEBRIS. THE DUMPSTER SHALL BE EMPTIED AT APPROPRIATE INTERVALS TO PREVENT OVERFLOW AND UNSIGHTLY CONDITIONS.
- 9. THE CONTRACTOR SHALL PERFORM ALL WORK IN STRICT CONFORMANCE WITH THE PLANS, 2010 FLORIDA BUILDING CODE, LOCAL CODES AND ORDINANCES, MANUFACTURER RECOMMENDATIONS AND ACCEPTABLE TRADE PRACTICES. ANY CONFLICT BETWEEN THESE REQUIREMENTS AND THE MOST STRINGENT REQUIREMENTS SHALL GOVERN THE WORK. 10. SHOP DRAWINGS OF ALL PREFABRICATED STRUCTURAL FLOOR AND ROOF SYSTEMS AND MECHANICAL SYSTEMS SHALL BEAR THE SEAL OF A FLORIDA PROFESSIONAL ENGINEER AS REQUIRED BY THE 2010 FLORIDA BUILDING CODE AND SHALL BE SUBMITTED TO THE ENGINEER OF RECORD BY THE CONTRACTOR FOR APPROVAL PRIOR TO FABRICATION AND
- 11. THE CONTRACTOR SHALL NOT SCALE DRAWINGS. ANY INFORMATION THAT THE CONTRACTOR CANNOT OBTAIN FROM DIMENSIONS, DETAIL OR SCHEDULE SHALL BE OBTAINED FROM THE ENGINEER OF RECORD. 12. THE CONTRACTOR SHALL COORDINATE THE WORK OF ALL TRADES TO PREVENT ANY CONFLICTS.
- 13. THE CONTRACTOR SHALL FURNISH ALL SUBCONTRACTORS WITH A COMPLETE SET OF PLANS. ALL CHANGES SHALL BE NOTED ON THE DRAWINGS AND (2) COMPLETE AS-BUILT SETS SHALL BE DELIVERED TO THE OWNER AFTER COMPLETION OF WORK.



SCALE:1"=10'-0"



SITE DATA TABLE								
EXISTING CONDITIONS ALLOWABLE CONDITIONS CONDITIONS COMMENTS								
DISTRICT	HRCC-1	HRCC-1	HRCC-1	NO CHANGE				
LOT SIZE	1648 SF	1648 SF	1648 SF	NO CHANGE				
BUILDING AREA	1412 SF	824 SF	1412 SF	NO CHANGE				
BUILDING COVERAGE %	85.7%	50%	85.7%	NO CHANGE				
IMPERVIOUS COVERAGE	1412 SF	1153 SF	1412 SF	NO CHANGE				
IMPERVIOUS COVERAGE %	85.7%	70%	85.7%	NO CHANGE				
BUILDING HEIGHT	<35'-0"	35'-0"	<35'-0"	NO CHANGE				
FRONT SETBACK	0'-0"	0'-0"	0'-0"	NO CHANGE				
SIDE SETBACK	0'-0"	2'-6"	0'-0"	NO CHANGE				
STREET SIDE SETBACK	0'-0"	0'-0"	0'-0"	NO CHANGE				
REAR SETBACK	0'-0"	10'-0"	0'-0"	NO CHANGE				

W E	SITE PLAN	
S		

111 WHITEHEAD ST	KEY WEST, FL 33	
NO	14109	1
WN	BGO	
GNED	PRS	
CKED	PRS	

RF 1 2 2 4 4 5 5 5 6

DEMOLITION NOTES

1. PRIOR TO SUBMITTING A BID, VERIFY ALL EXISTING CONDITIONS AND DIMENSIONS ON THE JOB SITE, AND ALSO AFTER AWARD, BUT PRIOR TO THE START OF CONSTRUCTION.

2. ALL DEMOLISHED MATERIAL SHALL BECOME THE PROPERTY OF THE CONTRACTOR, UNLESS SPECIFICALLY NOTED OTHERWISE, AND SHALL BE PROPERLY REMOVED FROM THE SITE. COMPLY WITH ALL APPLICABLE LAWS, CODES AND

REGULATIONS OF GOVERNMENTAL AGENCIES HAVING JURISDICTION OVER THE PROJECT.

3. ALL COST OF DEMOLITION INCLUDING PERMIT FEES, DISPOSAL FEES, ETC. ARE THE RESPONSIBILITY OF THE


4. IT IS THE CONTRACTOR'S RESPONSIBILITY TO BE AWARE OF AND TO CONFORM WITH ALL APPLICABLE DEMOLITION AND DISPOSAL CODES, SAFETY REQUIREMENT, AND ENVIRONMENTAL PROTECTION REGULATIONS OF ANY GOVERNMENTAL

BODY HAVING JURISDICTION OVER THE WORK. 5. PROVIDE SAFETY BARRICADES AS REQUIRED TO PROTECT THE SAFETY OF THE GENERAL PUBLIC AND WORKERS

ASSOCIATED WITH THE PROJECT. 6. PROVIDE BRACING AND SHORING AS REQUIRED TO TEMPORARILY SUPPORT STRUCTURAL MEMBERS DURING CONSTRUCTION. BRACING & SHORING OF STRUCTURAL MEMBERS SHALL BE DESIGNED AND/OR APPROVED BY A

7. DEMOLISHED MATERIAL CLASSIFIED AS CLEAN FILL MAY BE DISTRIBUTED ONSITE WHEN SPECIFICALLY APPROVED BY THE ENGINEER.

> <u>STORAGE</u> RETAIL SPACE WALLS & DOORS TO BE REMOVED (TYP) 6"X6" COLUMN TO REMAIN DESK - A/C TO BE RELOCATED 4"X4" COLUMN TO REMAIN - 12"X12" COLUMN 4"X4" COLUMN TO BE REMOVED TO REMAIN RETAIL SPACE 30" CASE 12"X12" COLUMN RETAIL SPACE TO BE REMOVED - EXISTING WINDOW (COVERED) INFORMATION CENTER



EXISTING FIRST FLOOR PLAN

SCALE:1/4"=1'-0"

EXISTING SECOND FLOOR PLAN

SCALE:1/4"=1'-0"

INDICATES DOOR LOCATED IN (5) ZONE / CORNER ZONE SEE DOOR SCHEDULE FOR WINDLOAD REQUIREMENTS

INDICATES WINDOW LOCATED IN (5) ZONE / CORNER ZONE SEE WINDOW SCHEDULE FOR WINDLOAD REQUIREMENTS

13	l	1 1	
	JOB NO	141091	
	DRAWN	BGO	
	DESIGNED	PRS	
	CHECKED	PRS	
	QC		

A-1

WOOD AND FRAMING NOTES

- 1. EXCEPT WHERE NOTED OTHERWISE, ALL FRAMING LUMBER SHALL BE SOUTHERN PINE, MC 19%, NO. 2 DENSE, AS GRADED BY THE SOUTHERN PINE INSPECTION BUREAU. 2. ALL TIMBER CONSTRUCTION SHALL CONFORM TO THE LATEST EDITION AFTC.
- 3. ALL WOOD SHALL BE PRESSURE TREATED WITH CHEMICALS TO PROTECT FROM INSECTS AND DECAY AS REQUIRED. ALLOW TO DRY AFTER TREATMENT. PROVIDE CONNECTORS AND FASTENERS COMPATIBLE WITH PRESSURE TREATED WOOD FRAMING. PROVIDE SEPARATION BARRIER SUCH AS BUILDING PAPER FOR NON-COMPATIBLE COMPONENTS SUCH AS ALUMINUM WINDOW FRAMES.
- 4. ALL WOOD CONNECTIONS SHALL HAVE SIMPSON STRONG-TIE CO. OR EQUAL CONNECTORS. ALL CONNECTORS SHALL BE INSTALLED WITH MANUFACTURER RECOMMENDED FASTENERS BEFORE LOADING. 5. CUTTING AND NOTCHING OF FLOOR JOISTS SHALL CONFORM TO THE FOLLOWING:
- A. NOTCH DEPTH IN THE TOP OR BOTTOM OF THE JOISTS AND BEAMS SHALL NOT EXCEED ONE-SIXTH OF THE DEPTH OF THE MEMBER AND SHALL NOT BE LOCATED IN THE MIDDLE ONE-THIRD OF THE SPAN. (INCLUDING
- B. NOTCH DEPTH AT THE ENDS OF THE MEMBER SHALL NOT EXCEED ONE-FOURTH THE DEPTH OF THE
- C. THE TENSION SIDE OF BEAMS, JOISTS AND RAFTERS OF FOUR INCHES OR GREATER NOMINAL THICKNESS SHALL NOT BE NOTCHED, EXCEPT AT ENDS OF MEMBERS. D. HOLES BORED OR CUT INTO JOISTS SHALL NOT BE CLOSER THAN TWO INCHES TO THE TOP OF BOTTOM OF THE JOISTS. THE DIAMETER OF THE HOLE SHALL NOT EXCEED ONE-THIRD THE MEMBER DEPTH.
- 6. PROVIDE SECOND FLOOR JOIST MEMBER, SAME SIZE, UNDER ALL WALLS. 7. HOLES BORED IN BEARING WALL STUDS SHALL NOT EXCEED ONE-THIRD OF STUD.
- 8. PROVIDE 1X4 PRESSURE TREATED FURRING AT 16" CC FOR ALL TRUSSES THAT WILL HAVE A FINISHED CEILING BELOW UNLESS NOTED OTHERWISE.
- 9. PROVIDE BLOCKING BETWEEN ALL JOISTS 2 X 6 OR GREATER AT INTERVALS NOT TO EXCEED 8 FEET AND AT
- 10. PROVIDE SOLID BLOCKING AT MID HEIGHT ON CENTER BETWEEN STUDS. (MINIMUM) .
- 11. ALL WALL STUDS SHALL BE SPF NO. 2 DENSE GRADE OR BETTER. 12. SEE PLANS FOR WALL STUD SIZE AND SPACING.
- 13. ALL STUD BEARING WALLS SHALL BE PROVIDED WITH 2 CONTINUOUS TOP PLATES AND CONTINUOUS BOTTOM PLATES WITH A MINIMUM OF ONE ROW OF HORIZONTAL BRIDGING AT MID-HEIGHT OF WALL UNLESS NOTED OTHERWISE. SPLICES OF TOP PLATE SHALL OCCUR OVER STUD. SPLICES SHALL BE STAGGERED A MINIMUM OF
- 14. HEADER BEAMS OVER ALL FRAMED OPENINGS SHALL BE AS SHOWN BELOW, UNLESS NOTED OTHERWISE. (2) - 2 X 6 FOR INTERIOR OPENINGS UP TO 4'-0", (3) 2 X 6 FOR EXTERIOR OPENINGS UP TO 4'-0"
- (2) 2 X 8 FOR INTERIOR OPENINGS UP TO 6'-0", (3) 2 X 8 FOR EXTERIOR OPENINGS UP TO 6'-0" (2) - 2 X 10 FOR INTERIOR OPENINGS UP TO 8'-0", (3) 2 X 10 FOR EXTERIOR OPENINGS UP TO 8'-0"
- (2) 2 X 12 FOR INTERIOR OPENINGS UP TO 10'-0", (3) 2 X 12 FOR EXTERIOR OPENINGS UP TO 10'-0" 15. EXTERIOR WALL STUDS SHALL BE STRAPPED TO ROOF TRUSSES OR RAFTERS WITH SIMPSON CONNECTORS
- OR EQUAL. PROVIDE 3 STUDS (MIN.) FOR GIRDER TRUSS AND BEAM BEARING POINTS.
- 16. WHERE WOOD JOISTS/BEAMS ETC. FRAME INTO OTHER MEMBERS INSTALL SIMPSON "LUS" SERIES GALVANIZED JOIST HANGERS.
- 17. FIRESTOPPING SHALL BE PROVIDED IN ALL WALLS AND PARTITIONS TO SEAL ALL CONCEALED DRAFT OPENINGS BOTH HORIZONTAL AND VERTICAL AND TO FORM A FIRE BARRIER BETWEEN FLOORS AND BETWEEN THE UPPER FLOOR AND THE ROOF SPACE.
- 18. FIRESTOPPING SHALL BE INSTALLED IN WOOD FRAME CONSTRUCTION IN THE FOLLOWING LOCATIONS: A. IN CONCEALED SPACE OF STUD WALLS AND PARTITIONS INCLUDING FURRED SPACES AT CEILING AND
- FLOOR LEVELS. B. AT ALL INTERCONNECTIONS BETWEEN CONCEALED VERTICAL AND HORIZONTAL SPACES SUCH AS OCCUR AT SOFFITS, DROP CEILINGS, COVER CEILINGS, ETC.
- C. IN CONCEALED SPACES BETWEEN STAIR STRINGERS AT THE TOP AND BOTTOM OF THE RUN. D. IN CONCEALED SPACES CREATED BY AN ASSEMBLY OF FLOOR JOISTS, FIRESTOPPING SHALL BE PROVIDED
- OF THE FULL DEPTH OF THE JOISTS AT THE ENDS AND OVER THE SUPPORTS. 19. FIRESTOPPING SHALL CONSIST OF TWO (2) INCH NOMINAL LUMBER, OR TWO (2) THICKNESS OF ONE (1) INCH NOMINAL LUMBER WITH BROKEN LAP JOISTS, OR ONE (1) THICKNESS OF THREE-FOURTHS (3/4) INCH PLYWOOD WITH JOINTS BACKED BY THREE-FOURTHS (3/4) INCH PLYWOOD, OR OTHER APPROVED MATERIALS.
- 20. SOLID DECKING SHALL BE TONGUE & GROOVE, SOUTHERN PINE, SELECT GRADE OF 5/4 X 6", NOMINAL SIZE AND PLACED IN A CONTINUOUS RANDOM LAY-UP. THE 3/4 X 6's SHALL BE TOE-NAILED THROUGH THE TONGUE AND FACE-NAILED WITH TWO NAILS PER SUPPORT USING 16D COMMON NAILS. 21. PLYWOOD DECKING SHALL BE IN ACCORDANCE WITH RECOMMENDATIONS OF THE AMERICAN PLYWOOD
- ASSOCIATION (APA). PLYWOOD SHEATHING SHALL BE APA STRUCTURAL I, IDENTIFIED WITH APA GRADE-TRADEMARK AND SHALL MEET THE REQUIREMENTS OF US PRODUCT STANDARD PSI OR APA PRP-108. ALL PLYWOOD WITH AN EDGE EXPOSED TO THE EXTERIOR SHALL BE EXTERIOR GRADE. FLOOR DECKING SHALL BE 3/4" MINIMUM AND GLUED AND FASTENED TO FLOOR FRAMING. ROOF DECKING SHALL BE 🐉 MINIMUM AND NAILED WITH 8D NAILS @ 6" IN THE FIELD AND 4" ALONG THE EDGES.

DOOR & WINDOW NOTES

1. ALL DOORS AND WINDOWS SHALL BE RATED TO WITHSTAND PRESSURES ASSOCIATED WITH 150 MPH WINDS IN ACCORDANCE WITH ASCE 7-10. DOORS AND WINDOWS SHALL BE MANUFACTURED UNITS DESIGNED AND INSTALLED TO ALLOW A MAXIMUM OF 0.5 CFM INFILTRATION PER LINEAL FOOT OF OPERABLE SASH CRACK AND A MAXIMUM 0.5 CFM PER SF OF EXTERIOR DOOR AREA. UNITS SHALL BE GASKETED, WEATHER-STRIPPED OR OTHERWISE SEALED. 2. PROVIDE ONE EGRESS SIZED WINDOW IN EACH BEDROOM UNLESS THERE IS A SECOND EXIT SUCH AS A SLIDING GLASS

OR SIDE HINGED DOOR TO THE EXTERIOR. EGRESS WINDOWS SHALL HAVE A SILL HEIGHT OF NOT MORE THAN 44" ABOVE FLOOR LEVEL AND MUST HAVE A MINIMUM NET CLEAR OPENING OF 20" WIDTH AND A NET CLEAR OPENING AREA OF NO 3. ALL EXTERIOR DOORS SHALL BE SOLID CORE, 1- 3/4" THICK, WEATHER-PROOF TYPE. ALL INTERIOR DOORS SHALL BE 1- 3/8"


THICK. UNITS SHALL BE GLAZED OR RAISED PANEL BOTH SIDES. UNITS SHALL HAVE PATTERNS OR DIVIDED LITES UNLESS OTHERWISE NOTED. UNITS SHALL BE OF THE SIZE AND TYPE INDICATED ON THE DRAWINGS WITH SURFACES PREPARED TO ACCEPT PAINT OR OTHER FINISH AS SPECIFIED. DOORS SHALL MEET NWMA STANDARD TOLERANCES FOR EACH TYPE. 4. FURNISH AND INSTALL COMPLETE HARDWARE SETS; SCHLAGE, YALE OR EQUAL. ANSI GRADE 2 OR BETTER FOR HEAVY RESIDENTIAL/MEDIUM COMMERCIAL USE. FINISH AND STYLE TO BE SELECTED BY THE OWNER. ALL EXTERIOR HARDWARE TO BE SALT RESISTANT.


5. ALL SLIDING GLASS DOORS AND SHOWER ENCLOSURES SHALL HAVE TEMPERED GLASS. 6. WOOD OPERATING AND FIXED WINDOWS SHALL BE EQUIPPED WITH SALT RESISTANT HARDWARE AND REMOVABLE

SCREENS. ALL UNITS SHALL BE DOUBLE-GLAZED (UNLESS OTHERWISE NOTED ON THE DRAWINGS) WITH TRUE DIVIDED LITES OR PATTERN INDICATED ON THE DRAWINGS.

7. WINDOW UNITS SHALL DISPLAY LABELS INDICATING COMPLIANCE WITH THE STATE OF FLORIDA MODEL ENERGY CODE, SECTION 502.4. FIELD VERIFY ALL DIMENSIONS PRIOR TO FABRICATION. 8. PROVIDE CLEAR GLAZING, GASKETED OR OTHERWISE SEALED. PROVIDE SAFETY GLASS AS REQUIRED AND/OR SHOWN

9. FASTEN DOOR AND WINDOW FRAMES IN ACCORDANCE WITH MANUFACTURER'S INSTALLATION INSTRUCTIONS AND/OR PRODUCT APPROVAL DETAILS. PROVIDE SEPARATION BARRIER WITH DOOR AND WINDOW FRAMES THAT ARE INSTALLED AGAINST NON-COMPATIBLE PRESSURE-TREATED WOOD FRAMING.





PROPOSED FIRST FLOOR PLAN

SCALE:1/4"=1'-0"


PROPOSED SECOND FLOOR PLAN

SCALE:1/4"=1'-0"

INDICATES DOOR LOCATED IN (5) ZONE / CORNER ZONE SEE DOOR SCHEDULE FOR WINDLOAD REQUIREMENTS

INDICATES WINDOW LOCATED IN (5) ZONE / CORNER ZONE SEE WINDOW SCHEDULE FOR WINDLOAD REQUIREMENTS

	RENOVATIONS	REVISIONS:	ORIGINAL:
EET	111 WHITEHEAD STREET	23	
0	KEY WEST, FL 33040	2 4 3	
	PROPOSED FLOOR PLAN	9	







SOUTHWEST ELEVATION VIEW

SCALE:1/4"=1'-0"

NORTHWEST ELEVATION VIEW SCALE:1/4"=1'-0"






SOUTHEAST ELEVATION VIEW

SCALE:1/4"=1'-0"

NORTHEAST ELEVATION VIEW

SCALE:1/4"=1'-0"

CHECKED







PROPOSED SOUTHWEST ELEVATION VIEW

SCALE:1/4"=1'-0"

PROPOSED NORTHWEST ELEVATION VIEW SCALE:1/4"=1'-0"






PROPOSED SOUTHEAST ELEVATION VIEW

SCALE:1/4"=1'-0"

PROPOSED NORTHEAST ELEVATION VIEW

SCALE:1/4"=1'-0"

盟 - 2 2 4 3 0 111 WHITEHEAD STREET





Scott P. Russell, CFA Property Appraiser Monroe County, Florida

Key West (305) 292-3420 Marathon (305) 289-2550 Plantation Key (305) 852-7130

Property Record Card -

Maps are now launching the new map application version.

Alternate Key: 1000671 Parcel ID: 00000660-000000

Ownership Details

Mailing Address:

RUPP WILLIAM R TRUST 10/3/1991 C/O PRAGER AND FENTON LLD 675 3RD AVE FL 3 NEW YORK, NY 10017-5704

Property Details

PC Code: 12 - STORE/OFF/RES OR COMBINATION

Millage Group: 10KW Affordable Housing: No Section-Township-

Range:

Property Location: 111 WHITEHEAD ST KEY WEST

115 WHITEHEAD ST KEY WEST 116 FITZPATRICK ST KEY WEST 403 GREENE ST KEY WEST 407 GREENE ST KEY WEST 411 GREENE ST KEY WEST

Legal Description: KW PT LOT 2 SQR 9 OR214-583/586 OR434-37/38 OR648-854/857 OR651-891 OR1294-362/365Q/C OR2332-1770

PROB 44-07-CP-182-K OR2399-340/43PET OR2399-349ORD

Click Map Image to open interactive viewer



Land Details

Land Use Code	Frontage	Depth	Land Area
100D - COMMERCIAL DRY	41	142	5,822.00 SF

Building Summary

Number of Buildings: 1 **Number of Commercial Buildings: 1**

> **Total Living Area:** 7868 Year Built: 1934

5/1/2015 7:49 AM 1 of 6

Building 1 Details

Building Type	Condition A	Quality Grade 500
Effective Age 20	Perimeter 714	Depreciation % 23
Year Built 1934	Special Arch 0	Grnd Floor Area 7,868
Functional Obs 0	Economic Obs 0	

Inclusions:

Roof Type	Roof Cover	Foundation
Heat 1 FCD/AIR DUCTED	Heat 2	Bedrooms 0
Heat Src 1 ELECTRIC	Heat Src 2	

Extra Features:

2 Fix Bath	0	Vacuum	0
3 Fix Bath	6	Garbage Disposal	0
4 Fix Bath	0	Compactor	0
5 Fix Bath	0	Security	0
6 Fix Bath	0	Intercom	0
7 Fix Bath	0	Fireplaces	0
Extra Fix	30	Dishwasher	0



Sections:

N	br '	Туре	Ext Wall	# Stories	Year Built	Attic A/C	Basement %	Finished Basement %	Area
		OUU		1	1934				32
2		OUF		1	1934				70
(OUU		1	1934				9
4	4	FLA		1	1934				1,600
į	5	FLA		1	1934				1,018
(3	FLA		1	1934				270
7	7	FLA		1	1934				940
8	3	FLA	·	1	1934		·		2,440

9 FLA 1 1934	1,600
--------------	-------

Interior Finish:

Section Nbr	Interior Finish Nbr	Туре	Area %	Sprinkler	A/C
		1 STORY STORES	100	N	Υ
		1 STORY STORES	100	N	Υ
		APARTMENTS	100	N	Υ
	304	APTS-B	100	N	Υ
	4	1 STORY STORES	100	N	Υ
	5	1 STY STORE-B	100	N	Υ

Exterior Wall:

Interior Finish Nbr	Туре	Area %
105	AB AVE WOOD SIDING	100

Misc Improvement Details

Nbr	Туре	# Units	Length	Width	Year Built	Roll Year	Grade	Life
2	WD2:WOOD DECK	162 SF	0	0	1985	1986	2	40

Appraiser Notes

2006-12-19 REAR 2 STORY FLA IS 114 FITZPATRICK REHAB'D IN LATE 2006, SEE PICS.DKRAUSE

TPP 8985725 -TROPICAL CORNER

TPP 8871678 -ISLAND GIFTS UNIQUE

Building Permits

Bldg	Number	Date Issued	Date Completed	Amount	Description	Notes
1	11-3538	09/27/2011		2,435	Commercial	INSTALL CONDUIT AND BOXES NECESSARY FOR GOOSENECK SIGN, LIGHTING 6 NEW LIGHTS. REMOVE AND REPLACE DAMAGED FIXTURES ON EXTERIOR, ALSO ADD 6 CIRCUIT ON TRACK LIGHTS FOR INTERIOR 90 L.F.
1	11-3536	09/27/2011		2,390		REMOVE WALL UNIT & A/C, INSTALL APPROX 12 S.F. WOOD SIDING, REMOVE AND REPLACE WOOD DOOR, SLAB,TRIM & CASING. TOUCH UP PAINT ON TRIM & SIDING TO MATCH EXISTING.
1	11-3130	09/02/2011		1,171	Commercial	STEEL FRAMED CANVAS COVERED AWNING 15' WIDE BY 3' PROJECTION 45 SQ. FT.
1	11-3129	08/31/2011		2,459	Commercial	PLUMBING ADA BATHROOM PER DRAWINGS. RELOCATE EXISTING WC AND HAND SINK. ADD TANKLESS WATER HEATER
1	11-3126	08/31/2011		1,869	Commercial	WIRING ADA BATHROOM INSTALL WIRING FOR ONE LIGHT FAN EXHAUST. RELOCATE EXISTING LIGHT BAR AND GFI RECEPTACLES.
1	11-3125	08/31/2011		13,048	Commercial	INSTALL ADA BATHROOM PER PLANS. INSTALL WALL FRAMING APPROX. 20 L.F. INSTALL APPROX 100 SQ FT TILE. INSTALL APPROX 150 SQ. FT. DRY WALL. INSTALL 2- 36" DOORS. INSTALL 90 L.F. OF BASE BOARDS & CASING. INSTALL 2 CONCRETE ADA RAMPS (INTERIOR)

http://www.mcpafl.org/PropSearch.aspx

1	11-3127	09/06/2011		404	Commercial	INSTALL EXHAUST FAN KIT
1	12-1480	07/06/2012	12/31/2012	17,849	Commercial	INSTALL OF CONCRETE STEM WALL (12" HIGH). INSTALL OF STORE FRONT GLASS INCLUDING DOORS AND WINDOWS
1	12-3316	10/09/2012	12/31/2012	5,900	Commercial	REMOVE AND DISPOSE OF EXISTING PACKAGE UNIT. INSTALL ENW CURB AND PACKAGE UNIT ON ROOFTOP. ATTACHED TO EXT. DUCT. 5 TON RHEEM PACKAGE UNIT.
1	12-3577	10/10/2012	12/31/2012	700	Commercial	ROOFING A/C CURB REPAIRING ROOF IN OLD A/C LOCATION.
1	11-0027	09/20/2012		2,200	Commercial	REPLACE 4 FRONT DOORS SLABS AND INSTALL 4 NEW DOOR SLABS ON FRONT DOOR AND PAINT.
1	12-1485	05/11/2012		400	Commercial	INSTALL 2 SIGN LIGHTS
1	12-1483	05/11/2012		6,350	Commercial	INSTALL OF SIGN WALL FACADE WITH CRICKET BEHIND IT. TO HAVE CEMENT BOARD TRIM.
1	12-1481	05/11/2012		300	Commercial	INSTALL OF 45 MIL FIBERLITE SINGLE PLY MEMBRANE ROOFING OVER NEW CRICKETS
1	12-1484	05/11/2012		300	Commercial	INSTALL OF 45 MIL FIBERLITE SINGLE PLY MEMBRANE ROOFING OVER NEW CRICKETS. APRROX 35 S.F.
1	12-0697	05/11/2012		0	Commercial	INSTALLATION OF WALL FACADE & 2 GOOSENECK SIGN LIGHTS PER DRAWING. INSTALL 45MIL FIBERLITE SINGLE PLY ROOFING OVER CRICKET BEHIND PARAPET WALL, NOT VISIBLE FROM STREET. PAINT TO MATCH EXISTING
1	12-0698	05/11/2012		0	Commercial	INSTALLATION OF WALL FACADE W/CRICKET BEHIND. INSTALLATION OF 12" STEM WALL. INSTALL 45MIL FIBERLITE SINGLE PLY ROOFING OVER CRICKET. INSTALLATION OF STORE FRONT FLASS. PAINT WHITE. ALSO 2 GOOSENECK LIGHTS.
1	12-1480	05/11/2012		17,849	Commercial	INSTALL OF CONCRETE STEM WALL (12" HIGH). INSTALL OF STORE FRONT GLASS INCLUDING DOORS & WINDOWS. TOUCH UP PAINT USING EXISTING COLORS. INSTALL OF SIGN FACADE (PARAPET WALL)
1	12-1482	05/11/2012		600	Commercial	INSTALL 2 SIGN LIGHT FIXTURES & 2 RECESSED LIGHTS.
1	12-0056	01/12/2012		400	Commercial	INSTALL SIGN 30" X 10' "SIGHTSEEING" HOP ON AND OFF. FREE MUSEUM & MAPS VOTED FLORIDA'S BEST TOUR.
1	13-1574	04/22/2013		3,200	Commercial	REMOVE 6' ENTRY DOOR INSTALL NEW IMPACE STORE FRONT DOOR
1	96-2108	05/01/1996	08/01/1996	450	Commercial	AWNINGS
1	96-3847	09/01/1996	12/01/1996	500	Commercial	CANVAS AWNINGS
1	97-2016	07/01/1997	07/01/1997	1,300	Commercial	SIGN
1	00-3573	10/27/2000	12/13/2000	2,500	Commercial	REPLACE A/C
1	01-3487	10/23/2001	12/28/2001	5,000	Commercial	RENOVATE STORE FRONT
1	01-1605	04/18/2001	11/13/2001	4,000	Commercial	CANVAS AWNINGS
1	0103487	11/20/2001	10/11/2002	7,000	Commercial	DEMO/REPL FLOOR
1	03-3018	10/06/2003	11/24/2003	5,800	Commercial	ADD 3 WATER FIX.
1	03-3637	01/21/2004	09/27/2004	45,000	Commercial	RENOVATIONS / 5-TON A/C
1	03-4001	01/26/2004	10/30/2003	5,000	Commercial	EXTEND #1-3487 90DAYS
1	03-3018	08/28/2003	10/30/2003	2,400	Commercial	DEMO INTERIOR FINISH
1	03-4245	12/18/2003	01/07/2003	1,500	Commercial	REPLACED WIRING
1	03-2628	07/29/2003	10/30/2003	500	Commercial	INSTALL 2 SMOKE DETECTORS
1	05-0551	02/18/2005	12/31/2005	45,000	Commercial	
1	05-4233	09/26/2005	12/31/2005	1,100	Commercial	REPLACE 100AMP BREAKER PANEL
1	06-3294	05/30/2006	09/28/2006	2,200	Commercial	OPEN WALLS BETWEEN SHOPS WITH NEW HEADER
1	06-3489	06/08/2006	09/28/2006	2,400	Commercial	INSTALL 30 SHEETS OF SLOTWALL.

1	06-4782	08/14/2006	09/28/2006	6,000	Commercial	PATCH FLOORS, REPLACE CABINETS & VANITY, DOORS & WINDOWS.
1	06-4784	08/16/2006	12/11/2006	2,400	Commercial	INSTALL LAY IN FIXTURES 12
1	06-4770	08/11/2006	12/11/2006	5,000	Commercial	DEMO CARPET REPLACE W/CERAMIC TILE, NEW DROP CEILING
1	06-5353	09/25/2006	12/11/2006	12,300	Commercial	UPGRADE PERMIT 06-4784 CONNECT HVAC UNIT
1	06-5319	09/28/2006	12/11/2006	2,000	Commercial	INSTALL 200AMP SVC
1	06-5667 10/12/2006 12/11/2006 2,400		Commercial	PAINT ON 10 SQRS OF CONCH SHINGLES		
1	06-5821	10/20/2006	12/11/2006	1,400	Commercial	INSTALL 7 SUPPLY GRILLS
1	06-5018	10/20/2006	12/11/2006	2,300	Commercial	R & R 3 FIXTURES 1 W/C, 1 LAV
1	06-6343	02/05/2007		6,000	Commercial	REMOVE CEILING FOR NEW ATTIC ACCESS STAIRS
1	07-6345 04/13/2007 4,000 C		Commercial	INSTALL PLUMBING		
1	07-5780	04/13/2007		7,840	Commercial	REPLACE 5 EXISTING PLUMBING FIXTURES

Parcel Value History

Certified Roll Values.

View Taxes for this Parcel.

Roll Year	Total Bldg Value	Total Misc Improvement Value	Total Land Value	Total Just (Market) Value	Total Assessed Value	School Exempt Value	School Taxable Value
2014	794,542	842	816,049	1,611,433	1,611,433	0	1,611,433
2013	794,542	842	781,828	1,577,212	1,577,212	0	1,577,212
2012	753,267	1,422	781,828	1,536,517	1,536,517	0	1,536,517
2011	794,542	1,442	868,698	1,664,682	1,645,030	0	1,664,682
2010	794,542	1,462	699,478	1,495,482	1,495,482	0	1,495,482
2009	794,542	1,546	666,709	1,462,797	1,462,797	0	1,462,797
2008	794,542	1,608	1,542,830	2,338,980	2,338,980	0	2,338,980
2007	571,866	1,691	1,542,830	2,116,387	2,116,387	0	2,116,387
2006	575,266	1,753	640,420	2,636,896	2,636,896	0	2,636,896
2005	529,027	1,836	582,200	2,636,896	2,636,896	0	2,636,896
2004	529,020	1,898	582,200	2,636,896	2,636,896	0	2,636,896
2003	475,794	1,981	477,404	2,636,896	2,636,896	0	2,636,896
2002	470,788	2,044	477,404	2,636,896	2,636,896	0	2,636,896
2001	470,788	2,127	372,608	2,605,112	2,605,112	0	2,605,112
2000	472,047	821	314,388	2,537,845	2,537,845	0	2,537,845
1999	544,839	841	314,388	2,537,845	2,537,845	0	2,537,845
1998	363,961	854	314,388	1,596,413	1,596,413	0	1,596,413
1997	348,527	953	302,744	1,596,413	1,596,413	0	1,596,413
1996	258,815	966	302,744	679,210	679,210	0	679,210
1995	258,815	1,045	302,744	679,210	679,210	0	679,210
1994	258,815	1,118	302,744	679,210	679,210	0	679,210
1993	258,815	1,198	302,744	666,811	666,811	0	666,811
1992	258,815	1,271	302,744	666,811	666,811	0	666,811
1991	258,815	1,350	302,744	666,811	666,811	0	666,811

http://www.mcpafl.org/PropSearch.aspx

1990	55,880	0	133,906	208,731	208,731	0	208,731
1989	46,624	0	130,995	217,356	217,356	0	217,356
1988	43,147	0	114,257	158,318	158,318	0	158,318
1987	42,160	0	78,597	144,194	144,194	0	144,194
1986	42,436	0	78,597	137,089	137,089	0	137,089
1985	40,776	0	72,659	135,562	135,562	0	135,562
1984	40,057	0	34,932	112,698	112,698	0	112,698
1983	40,057	0	27,946	68,003	68,003	0	68,003
1982	33,164	0	27,946	61,110	61,110	0	61,110

Parcel Sales History

NOTE: Sales do not generally show up in our computer system until about two to three months after the date of sale. If a recent sale does not show up in this list, please allow more time for the sale record to be processed. Thank you for your patience and understanding.

There are no sales to display for this parcel.

This page has been visited 3,383 times.

Monroe County Property Appraiser Scott P. Russell, CFA P.O. Box 1176 Key West, FL 33041-1176