

### **Staff Report for Item 10b**

То:	Chairman Bryan Green and Historic Architectural Review Commission Members
From:	Kelly Perkins HARC Assistant Planner
Meeting Date:	September 29, 2015
Applicant:	FMH Builders, Inc.
Application Number:	H15-01-1313
Address:	#524 Elizabeth Street

### **Description of Work:**

Demolition of exterior wood staircase.

### Site Facts:

The two-story, frame structure is listed as a contributing resource in the survey and first appears on the 1912 Sanborn map. By 1926, an exterior staircase had been constructed on the south side of the building. The existing staircase is not a historic staircase and is in poor condition and needs to be replaced.

### **Ordinances Cited in Review:**

Sec. 102-217 (2): Demolition of non-historic or non-contributing buildings, Sec. 102-218: Criteria for demolitions, Sec. 102-125: Historic architectural review commission findings precedent to issuance in the Land Development Regulations.

### **Staff Analysis**

The Certificate of Appropriateness in review proposes the demolition of a non-historic staircase on the south side of a contributing structure. It is staff's opinion that the proposed demolition will not cover historic elements. In addition, the stairs are in poor condition and need to be replaced. The stairs do not meet any of the criteria listed in Sec. 102-125 (1) through (9), and therefore can be considered for demolition. If the demolition is approved this will constitute the only review for this request.

## APPLICATION

### COMBINATION APPLICATION: FLOODPLAIN, CONSTRUCTION AND HARC

\$50.00 APPLICATION FEE NON-REFUNDABLE

Contraction of the contraction o	3140 FLAG KEY WEST,	Key West Gler avenue FLORIDA 33040 3.809.3956	HARC PERMIT N	[-1313]	ELEV. L. FL.	SUBSTANTIAL		56 XX 4
ADDRESS OF PROPOSED	PROJECT:	524 ELIZABETH	ST				# OF UNITS	7 7
RE # OR ALTERNATE KEY:	L.	1009288						
NAME ON DEED:		KDC PROPERTIES	OF KEY V	VEST LLC	PHONE NUMBE	<sup>R</sup> 305-29	6-6265	- 2
OWNER'S MAILING ADDRE	ISS:	PO BOX 4125			EMAIL			1243
		KEY WEST FL			<u></u>			
CONTRACTOR COMPANY	NAME:	FMH BUILDERS, I	NC		PHONE NUMBE	<sup>R</sup> 305-797	-2002	
CONTRACTOR'S CONTACT	PERSON:	FRANK HERRAD	DA		EMAIL			
ARCHITECT / ENGINEER'S	NAME:		٨،٨	6	PHONE NUMBE	R		
ARCHITECT / ENGINEER'S	ADDRESS:		pill	WA !	EMAIL			
			2100	liir ,	-			
HARC: PROJECT LOCATED		DISTRICT OR IS CONTRIB		SNO (S	EE PART C FO	OR HARC APP	LICATION.)	<i>b</i>
CONTRACT PRICE FOR PR	OJECT OR ES	STIMATED TOTAL FOR MAT	T'L., LABOR &	PROFIT:	25,00	1.00	\$15,00	0 0
		Y MAKES A FALSE STATEMENT I SHALL BE GUILTY OF A MISDEME						
DETAILED PROJECT DESC		MILY MULTI-FAMILY OCCUPANCY ADDITI SITE WORK INTERIC LUDING QUANTITIES, SQUA		NAGE	WITHIN FLOO AFTER-THE-F.	ACT G ROTTED S		
AGREED STAIRS								
			N	oc n	IMP	0 -		
OWNER PRINT NAME:	Dete: KEYyyy Dete: 8/24/ PT 2015 Trens mumber	RN TO AND SCRIBED BEFORE ME	QUALIFIER P QUALIFIER S Notary Signati	RINT MARTE: F	RANK HE	WORN TO AND S atte of Florida Rogers FF 171751	SCRIBED BEFORE 1 2.20_15	MIE
Personally known or produced	10 10 10 10 10 10 10 10 10 10 10 10 10 1	as Identification.	Personally known	or produced			as identificati	on.
	ver: 1							

### PART B: SUPPLEMENTARY PROJECT DETAILS TO AVOID DELAYS / CALL-BACKS

FENCE STRUCTURES: 4 FT. 6 POOLS: INGROUND ABOVE ( PUBLIC POOLS REQUIRE BD. OF HEALTH LICEN PUBLIC POOLS REQUIRE BD. OF HEALTH LICEN ROOFING: NEW ROOF-OVE 5 V METAL ASP	AGE / CARPORT DECK FENCE 5 FT. SOLID 6 FT. / TOP 2 FT. 50% OF 3 GROUND SPA / HOT TUB PRIVA SE APPLICATION AT TIME OF CITY APPLICATION SE PRIOR TO RECEIVING THE CITY CERTIFICATE FR TEAR-OFF REPAIR AW "LT. SHGLS. METAL SHGLS. BI % OF PROJECT FUNDS INVESTED IN AC # OF DOUBLE FACE REPLAC PROJECTING AWNING HA	PEN ATE PUBLIC OF OCCUPANCY. /NING .T. UP TPO OTHER
ELECTRICAL: LIGHTING SERVICE: OVERHEAD PLUMBING: ONE SEWER LAT RESTROOMS: MEN'S	COMMERCIAL EXH. HOOD INT. STEM AIR HANDLER CONDEN RECEPTACLES HOOK-UP EQUIP UNDERGROUND 1 PHASE FERAL PER BLDG. INGROUND GREA WOMEN'S UNISEX ACCESS	MENT LOW VOLTAGE 3 PHASE AMPS ASE INTCPTRSLPG TANKS SIBLE
		OMMISSION REVIEW \$100
PLEASE SEND ELECTRONIC SUBMISSIONS TO: hard( INDICATE TYPE OF CERTIFICATE. OF APPROPRIATE) ADDITIONAL INFORMATION: REPALCE ROTTED	NESS: GENERAL DEMOLITION	
PROJECT SPECIFICATIONS: PLEASE PROVIDE PHOT ARCHITECTURAL FEATURES TO BE ALTERED:	OS OF EXISTING CONDITIONS, PLANS, PL ORIGINAL MATERIAL:	RODUCT SAMPLES, TECHNICAL DATA PROPOSED MATERIAL:
NONE	WOOD	WOOD
DEMOLITION: PLEASE FILL OUT THE HARC APPENDI	K FOR PROPOSED DEMOLITION.	
DEMOLITION OF HISTORIC STRUCTURES IS NO	T ENCOURAGED BY THE HISTORIC ARC	HITECTURAL REVIEW COMMISSION.

SIGNAGE: (SEE PART B) BUSINESS SIGN BRAND SIGN OTHER:

**BUSINESS LICENSE #** 

IF FAÇADE MOUNTED, SQ. FT. OF FAÇADE

	SIGN SPECIFICATIONS		
SIGN COPY:	PROPOSED MATERIALS:	SIGNS WITH ILLUMINATION:	
		TYPE OF LTG.:	
		LTG. LINEAL FTG.:	and the second
MAX. HGT. OF FONTS:		COLOR AND TOTAL LUMENS:	
IF USING LIGHT FIXTURES PLEASE INDICATE HO兴 MANY:	INCLUDE SPEC. SHEET WITH LO	L CATIONS AND COLORS	

OFFICIAL USE ONLY:	HARC STAFF OR COMMISSION REVIEW	TABLED FOR ADD'L. INFO.
HARC MEETING DATE:	HARC MEETING DATE:	HARC MEETING DATE:
REASONS OR CONDITIONS:		
STAFF REVIEW COMMENTS:		
HARC PLANNER SIGNATURE AND DATE:	HARC CHAIRPERSON SIGNAT	URE AND DATE:

### PART D: STATE OF FLORIDA OFFICIAL NOTIFICATIONS AND WARNINGS

FLORIDA STATUTE 713.135: WARNING TO OWNER: YOUR FAILURE TO RECORD A "NOTICE OF COMMENCEMENT" MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. A NOTICE OF COMMENCEMENT MUST BE RECORDED WITH THE COUNTY RECORDER AND A COPY POSTED ON THE JOB SITE BEFORE THE FIRST INSPECTION. IF YOU INTEND TO OBTAIN FINANCING CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING A NOTICE.

FLORIDA STATUTE 469: ABESTOS ABATEMENT. AS OWNER / CONTRACTOR / AGENT OF RECORD FOR THE CONSTRUCTION APPLIED FOR IN THIS APPLICATION, I AGREE THAT I WILL COMPLY WITH THE PROVISIONS F. S. 469.003 AND TO NOTIFY THE FLORIDA D. E. P. OF MY INTENT TO DEMOLISH / REMOVE ASBESTOS. IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT APPLICATION, THERE MAY BE DEED RESTRICTIONS AND / OR ADDITIONAL RESTRICTIONS APPLICABLE TO THIS


PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF MONROE COUNTY AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENT ENTITIES SUCH AS AQUADUCT ATHORITY, FLORIDA DEP OR OTHER STATE AGENCIES; ARMY CORPS OF ENGINEERS OR OTHER FEDERAL AGENCIES.


FEDERAL LAW REQUIRES LEAD PAINT ABATEMENT PER THE STANDARDS OF THE USDEP ON STRUCTURES BUILT PRIOR TO 1978.


OFFICIAL USE ONLY BY	PLANS EXAMINER OR CHIEF BL	JILDING OFFICIAL:		CBO OR PL	EXAM. APPI	ROVAL:
HARC FEES:	BLDG. FEES:	FIRE MARSHAL FEE:	IMPACT FEES:	DATE: _D /15 ::0	Type: BP Receipt no	Drawer: 1 3: 34654
Plan	ning			i.	NU PERMITS .00 3134 fime:	5-NEW \$100.00 3063623 \$150.00 16:26:26


Page 3 of 3

## SANBORN MAPS










## PROJECT PHOTOS



Property Appraiser's Photograph, c. 1965. Monroe County Public Library.



# **PROPOSED DESIGN**

### SITE DATA

ZONING DISTRICT: HHDR

FLOOD ZONE: X

F.I.R.M. - COMMUNITY #120168; PANEL #1516; SUFFIX "K"; DATED: 02-18-2005

LEGAL DESCRIPTION: PART OF LOT 1, SQUARE 49, ISLAND OF KEY WEST

### **DESIGN DATA**

THE WORK DEPICTED HEREIN WAS DESIGNED TO MEET THE REQUIREMENTS OF THE FLORIDA BUILDING CODE, 5TH EDITION (2014).

OCCUPANCY CLASSIFICATION: R2 CONSTRUCTION TYPE: V

THE FOLLOWING LOADINGS WERE USED: WIND LOAD: 180 MPH (ASCE 7-10) EXPOSURE D FLOOR LIVE LOAD: 60 PSF

### INDEX OF DRAWINGS

T-1 - SITE DATA A-1 - ELEVATIONS

S-1 - FOUNDATION PLAN / FRAMING PLANS / CONSTRUCTION DETAILS

### GENERAL NOTES

. THESE PLANS ARE FOR THE WORK AT THE LOCATION SO DESIGNATED HEREIN. 2. THE CONTRACTOR SHALL PROVIDE ALL MATERIAL, LABOR, EQUIPMENT AND SUPERVISION NECESSARY TO PROVIDE TH WORK COMPLETE AND READY FOR USE.

3. THERE SHALL BE NO DEVIATION FROM THESE PLANS WITHOUT PRIOR APPROVAL FROM THE ENGINEER OF RECORD. 4. THE CONTRACTOR SHALL VISIT THE SITE AND BECOME FAMILIAR WITH EXISTING CONDITIONS BEFORE BID. CHECK AND ERIFY ALL DIMENSIONS AND CONDITIONS OF THE WORK SITE AND REPORT ANY DISCREPANCIES, DIFFERENCES OR CONDITIONS THAT ARE UNSATISFACTORY OR UNSAFE.

5. NOTIFY THE ENGINEER OF RECORD IMMEDIATELY OF ANY DISCREPANCIES, DIFFERENCES, UNSATISFACTORY OR UNSAFE CONDITIONS. ANY MODIFICATIONS OR CHANGES MADE WITHOUT PRIOR WRITTEN APPROVAL FROM THE OWNER AND ENGINEER OF RECORD SHALL NOT BE ALLOWED. ANY REWORK, RESTORATION OR OTHER IMPACT AS A RESULT OF NOT OBTAINING SUCH PRIOR APPROVAL WILL BE MADE BY THE CONTRACTOR WITHOUT ADDITIONAL COST OR COMPENSATION FROM THE OWNER.

6. THE CONTRACTOR SHALL PROVIDE FOR THE SAFETY, PREVENTION OF INJURY OR OTHER LOSS AT THE JOB TO ALL PERSONS EMPLOYED IN THE WORK, PERSONS VISITING THE WORK AND THE GENERAL PUBLIC. THE CONTRACTOR SHALL ALSO BE RESPONSIBLE FOR THE PREVENTION OF DAMAGE, DUE TO THE WORK, TO MATERIALS OR EQUIPMENT AND OTHER PROPERTY AT THE SITE OR ADJACENT THERETO.

7. NO RESEARCH AS TO THE PRESENCE OF UNDERGROUND UTILITIES HAS BEEN INCLUDED ON OR PERFORMED FOR THIS PROJECT. CONTRACTOR SHALL BE RESPONSIBLE FOR CALLING SUNSHINE UTILITY LOCATE SERVICE PRIOR TO ANY CONSTRUCTION WITHIN ANY PUBLIC RIGHT-OF-WAY OR OTHER AREAS WHERE UNDERGROUND UTILITIES MAY BE PRESENT (I.E. IN AND AROUND UTILITY EASEMENTS, ETC.)

8. THE GENERAL CONTRACTOR SHALL PROVIDE AN ON-SITE DUMPSTER IN A LOCATION COORDINATED WITH THE OWNER FOR THE DISPOSAL OF REMOVED MATERIAL AND CONSTRUCTION DEBRIS. THE DUMPSTER SHALL BE EMPTIED AT APPROPRIATE INTERVALS TO PREVENT OVERFLOW AND UNSIGHTLY CONDITIONS.

9. THE CONTRACTOR SHALL PERFORM ALL WORK IN STRICT CONFORMANCE WITH THE PLANS, 2010 FLORIDA BUILDING CODE, LOCAL CODES AND ORDINANCES, MANUFACTURER RECOMMENDATIONS AND ACCEPTABLE TRADE PRACTICES. ANY CONFLICT BETWEEN THESE REQUIREMENTS AND THE MOST STRINGENT REQUIREMENTS SHALL GOVERN THE WORK. 10. SHOP DRAWINGS OF ALL PREFABRICATED STRUCTURAL FLOOR AND ROOF SYSTEMS AND MECHANICAL SYSTEMS SHALL BEAR THE SEAL OF A FLORIDA PROFESSIONAL ENGINEER AS REQUIRED BY THE 2010 FLORIDA BUILDING CODE AND SHALL BE SUBMITTED TO THE ENGINEER OF RECORD BY THE CONTRACTOR FOR APPROVAL PRIOR TO FABRICATION AND INSTALLATION.


11. THE CONTRACTOR SHALL NOT SCALE DRAWINGS. ANY INFORMATION THAT THE CONTRACTOR CANNOT OBTAIN FROM DIMENSIONS, DETAIL OR SCHEDULE SHALL BE OBTAINED FROM THE ENGINEER OF RECORD. 12. THE CONTRACTOR SHALL COORDINATE THE WORK OF ALL TRADES TO PREVENT ANY CONFLICTS.

13. THE CONTRACTOR SHALL FURNISH ALL SUBCONTRACTORS WITH A COMPLETE SET OF PLANS. ALL CHANGES SHALL BE NOTED ON THE DRAWINGS AND (2) COMPLETE AS-BUILT SETS SHALL BE DELIVERED TO THE OWNER AFTER COMPLETION OF WORK.






### BALCONY REPAIR 524 ELIZABETH STREET KEY WEST, FLORIDA





EXISTING SITE PLAN

SCALE:1"=10'-0"












### EXISTING SIDE ELEVATION



PROPOSED SIDE ELEVATION

SCALE:1/4"=1'-0"

SCALE:1/4"=1'-0"



### **DEMOLITION NOTES**

THE ENGINEER.

1. PRIOR TO SUBMITTING A BID, VERIFY ALL EXISTING CONDITIONS AND DIMENSIONS ON THE JOB SITE, AND ALSO AFTER AWARD, BUT PRIOR TO THE START OF CONSTRUCTION. 2. ALL DEMOLISHED MATERIAL SHALL BECOME THE PROPERTY OF THE CONTRACTOR, UNLESS SPECIFICALLY NOTED OTHERWISE, AND SHALL BE PROPERLY REMOVED FROM THE SITE. COMPLY WITH ALL APPLICABLE LAWS, CODES AND REGULATIONS OF GOVERNMENTAL AGENCIES HAVING JURISDICTION OVER THE PROJECT. 3. ALL COST OF DEMOLITION INCLUDING PERMIT FEES, DISPOSAL FEES, ETC. ARE THE RESPONSIBILITY OF THE

CONTRACTOR. 4. IT IS THE CONTRACTOR'S RESPONSIBILITY TO BE AWARE OF AND TO CONFORM WITH ALL APPLICABLE DEMOLITION AND DISPOSAL CODES, SAFETY REQUIREMENT, AND ENVIRONMENTAL PROTECTION REGULATIONS OF ANY GOVERNMENTAL BODY HAVING JURISDICTION OVER THE WORK.

5. PROVIDE SAFETY BARRICADES AS REQUIRED TO PROTECT THE SAFETY OF THE GENERAL PUBLIC AND WORKERS ASSOCIATED WITH THE PROJECT. 6. PROVIDE BRACING AND SHORING AS REQUIRED TO TEMPORARILY SUPPORT STRUCTURAL MEMBERS DURING

CONSTRUCTION. BRACING & SHORING OF STRUCTURAL MEMBERS SHALL BE DESIGNED AND/OR APPROVED BY A PROFESSIONAL ENGINEER 7. DEMOLISHED MATERIAL CLASSIFIED AS CLEAN FILL MAY BE DISTRIBUTED ONSITE WHEN SPECIFICALLY APPROVED BY

### WOOD AND FRAMING NOTES

1. EXCEPT WHERE NOTED OTHERWISE, ALL FRAMING LUMBER SHALL BE SOUTHERN PINE, MC 19%, NO. 2 DENSE, AS GRADED BY THE SOUTHERN PINE INSPECTION BUREAU.

2. ALL TIMBER CONSTRUCTION SHALL CONFORM TO THE LATEST EDITION AFTC. 3. ALL WOOD SHALL BE PRESSURE TREATED WITH CHEMICALS TO PROTECT FROM INSECTS AND DECAY AS REQUIRED. ALLOW TO DRY AFTER TREATMENT. PROVIDE CONNECTORS AND FASTENERS COMPATIBLE WITH PRESSURE TREATED WOOD FRAMING. PROVIDE SEPARATION BARRIER SUCH AS BUILDING PAPER FOR NON-COMPATIBLE COMPONENTS SUCH AS ALUMINUM WINDOW FRAMES.

4. ALL WOOD CONNECTIONS SHALL HAVE SIMPSON STRONG-TIE CO. OR EQUAL CONNECTORS. ALL CONNECTORS SHALL BE INSTALLED WITH MANUFACTURER RECOMMENDED FASTENERS BEFORE LOADING. 5. CUTTING AND NOTCHING OF FLOOR JOISTS SHALL CONFORM TO THE FOLLOWING:

A. NOTCH DEPTH IN THE TOP OR BOTTOM OF THE JOISTS AND BEAMS SHALL NOT EXCEED ONE-SIXTH OF THE DEPTH OF THE MEMBER AND SHALL NOT BE LOCATED IN THE MIDDLE ONE-THIRD OF THE SPAN. (INCLUDING BIRDS MOUTH CUTS). B. NOTCH DEPTH AT THE ENDS OF THE MEMBER SHALL NOT EXCEED ONE-FOURTH THE DEPTH OF THE MEMBER. C. THE TENSION SIDE OF BEAMS, JOISTS AND RAFTERS OF FOUR INCHES OR GREATER NOMINAL THICKNESS SHALL NOT

BE NOTCHED, EXCEPT AT ENDS OF MEMBERS. D. HOLES BORED OR CUT INTO JOISTS SHALL NOT BE CLOSER THAN TWO INCHES TO THE TOP OF BOTTOM OF THE JOISTS. THE DIAMETER OF THE HOLE SHALL NOT EXCEED ONE-THIRD THE MEMBER DEPTH. 6. PROVIDE BLOCKING BETWEEN ALL JOISTS 2 X 6 OR GREATER AT INTERVALS NOT TO EXCEED 8 FEET AND AT ALL

SUPPORTS. 7. SOLID DECKING SHALL BE TONGUE & GROOVE, SOUTHERN PINE, SELECT GRADE OF 5/4 X 6", NOMINAL SIZE AND PLACED IN A CONTINUOUS RANDOM LAY-UP. THE  $\frac{5}{2}$  X 6's shall be toe-nailed through the tongue and face-nailed with two NAILS PER SUPPORT USING 16D COMMON NAILS.

### FOUNDATION & CONCRETE NOTES


1. ALL FOOTINGS ARE TO BE PLACED ON FIRM, UNDISTURBED, NATURAL ROCK UNLESS OTHERWISE NOTED. 2. AUGER PILE DIAMETERS AND EMBEDMENT INTO ROCK SHALL BE NO LESS THAN 16" DIAMETER NOR LESS THAN 3' INTO ROCK WITH (4) 2'x4' #4 BENT BARS WITH SHORT LEG TIED TO #6'S AND LONG LEG EXTENDED INTO SLAB IN FOUR DIRECTIONS UNLESS OTHERWISE NOTED. CONCRETE SHALL NOT BE MIXED IN PLACE IN A WET AUGER HOLE. 3. CENTER ALL FOOTINGS UNDER WALLS, COLUMNS OR GRID LINES UNLESS OTHERWISE NOTED. 4. CONTRACTOR SHALL FURNISH FIELD DENSITY TESTS ON COMPACTED FILL UNDER FOOTINGS AND SLABS PRIOR TO PLACING CONCRETE. A MINIMUM OF 3 REPRESENTATIVE TESTS SHALL BE TAKEN FOR EACH FOOTING AND SLAB POUR

5. ALL CAST-IN-PLACE CONCRETE SHALL BE MADE WITH TYPE I PORTLAND CEMENT, STONE AGGREGATE AND SHALL DEVELOP AT LEAST 4000 PSI COMPRESSIVE STRENGTH IN 28 DAYS. (UNLESS OTHERWISE NOTED.) 6. SLABS, TOPPING, FOOTINGS, BEAMS AND WALLS SHALL NOT HAVE JOINTS IN THE HORIZONTAL PLANE. ANY STOP IN CONCRETE WORK MUST BE MADE AT THE CENTER OF SPAN WITH VERTICAL BULKHEADS AND SHEAR KEYS, UNLESS OTHERWISE NOTED. ALL CONSTRUCTION JOINTS SHALL BE AS DETAILED OR OTHERWISE APPROVED BY THE ENGINEER.

7. ALL CONCRETE WORK AND REINFORCING DETAILS SHALL BE CONSTRUCTED IN ACCORDANCE WITH ACI 318. EXPOSED EDGES OF CONCRETE SHALL HAVE ½" CHAMFER. USE STANDARD HOOKS ON DOWELS UNLESS OTHERWISE NOTED 8. CONCRETE FORMS SHALL BE WETTED IMMEDIATELY PRIOR TO PLACING CONCRETE. 9. MIXING, PLACING AND CURING OF ALL CONCRETE MUST BE IN ACCORDANCE WITH ACI 305R, HOT WEATHER CONCRETING. NEW CONCRETE EXPOSED TO DIRECT SUNLIGHT SHALL BE SPRAYED OR MOPPED WITH A CURING COMPOUND TO SEAL IN MOISTURE AFTER THE FINISH HAS SET, OR THE CONCRETE COVERED AND SPRAYED. 10. PROVIDE PLASTIC SLEEVES IN MASONRY PARTITIONS AND CONCRETE FOUNDATIONS AS INDICATED AND REQUIRED FOR UTILITY SERVICES. NO OTHER PIPE, CONDUIT OR ACCESSORY SHALL BE PLACED IN STRUCTURAL SLABS, COLUMNS OR BEAMS UNLESS SPECIFICALLY SHOWN ON STRUCTURAL DRAWINGS.

11. PROVIDE MASONRY FILLED CELL OR CONCRETE COLUMN WITH (1) #6 REBAR FROM BEAM TO BEAM ON BOTH SIDES OF ALL EXTERIOR OPENINGS. 12. ALL REINFORCING SHALL BE HIGH STRENGTH DEFORMED BARS CONFORMING TO ASTM A-615, GRADE 60. 13. WELDED WIRE FABRIC SHALL CONFORM TO ASTM A-185 AND SHALL BE LAPPED ONE FULL MESH AND AT SIDE AND END SPLICES AND WIRED TOGETHER. 14. REINFORCEMENT COVERAGE SHALL BE 2" MINIMUM WHEN FORMS ARE USED AND 3" MINIMUM WHEN POURED AGAINST THE EARTH, UNLESS OTHERWISE NOTED. 15. LAP SPLICES SHALL BE A MINIMUM OF 48 BAR DIAMETERS. MAKE ALL BARS CONTINUOUS AROUND CORNERS.


INTO CONCRETE AND SPACED MAXIMUM 4' CC




16. PROVIDE ALL ACCESSORIES NECESSARY TO SECURE REINFORCING IN PROPER POSITION AS INDICATED ON THE DRAWINGS AND IN ACCORDANCE WITH ACI 318. ALL ACCESSORIES TO BE GALVANIZED. 17. ALL UNIT MASONRY CONSTRUCTION AND DETAILS SHALL BE IN ACCORDANCE WITH ACI 530.

18. CONCRETE BLOCK SHALL CONFORM WITH ASTM C90. MORTAR SHALL BE TYPE S, ASTM C270. 19. ANCHOR BOLTS, NUTS AND WASHERS SHALL BE MINIMUM 🕺 GALVANIZED STEEL AND EMBEDDED MINIMUM 7"

20. MANUFACTURED STRAPS AND ANCHORS SHALL BE GALVANIZED AND SHALL BE FASTENED PER THE MANUFACTURER RECOMMENDATIONS. IN NO EVENT SHALL A STRUCTURAL MEMBER SUCH AS PIER, SILL, JOIST, PLATE, RAFTER OR TRUSS BE WITHOUT ANCHORAGE DEVICES FOR HURRICANE PROTECTION, UNLESS SPECIFICALLY NOTED AND ADDRESSED BY OTHER MEANS.







SCALE:1/4"=1'-0'

### NOTICING

The Historic Architectural Review Commission will hold a public hearing <u>at 5:30 p.m., September 29, 2015 at Old</u> <u>City Hall, 510 Greene Street</u>, Key West, Florida. The purpose of the hearing will be to consider a request for:

### NEW WOOD EXTERIOR STAIRCASE. DEMOLITION OF EXTERIOR WOOD STAIRCASE.

### FOR- #524 ELIZABETH STREET

**Applicant – FMH Builders Inc.** 

Application #H15-01-1313

If you wish to see the application or have any questions, you may visit the Planning Department during regular office hours at 3140 Flagler Avenue, call 305-809-3975 or visit our website at <u>www.cityofkeywest-fl.gov</u>.

### THIS NOTICE CAN NOT BE REMOVED FROM THE SITE UNTIL HARC FINAL DETERMINATION

**ADA ASSISTANCE:** It is the policy of the City of Key West to comply with all requirements of the Americans with Disabilities Act (ADA). Please call the TTY number at 800-955-8771 or 800-955-8770 (Voice) or the ADA Coordinator at 305-809-3731 at least five business days in advance for sign language interpreters, assistive listening devices, or materials in accessible format.

# PROPERTY APPRAISER INFORMATION



Key West (305) 292-3420 Marathon (305) 289-2550 Plantation Key (305) 852-7130

### Property Record Card -Maps are now launching the new map application version.

Alternate Key: 1009288 Parcel ID: 00009020-000000

wnership Details
iling Address:
DC PROPERTIES OF KEY WEST LLC
D BOX 4125
EY WEST, FL 33041-4125
roperty Details
PC Code: 08 - MULTI FAMILY LESS THAN 10UNITS
Millage Group: 10KW
Affordable Housing: No
Section-Township- Bange: 06-68-25
Property Location: 524 ELIZABETH ST KEY WEST
Legal Description: KW PT LOT 1 SQR 49 COC 63 TT-365 COUNTY JUDGE'S DOCKET 11-206 OR783-1394Q OR1036-2036 OR1042-1845 OR2557-1719/24
lick Map Image to open interactive viewer
and Details

### Land Details

Land Use Code	Frontage	Depth	Land Area
010D - RESIDENTIAL DRY	33	101	3,548.00 SF

### **Building Summary**

Number of Buildings: 1 Number of Commercial Buildings: 0 Total Living Area: 2184 Year Built: 1933

### **Building 1 Details**

Building Type R4 Effective Age 25 Year Built 1933 Functional Obs 0 Condition P Perimeter 292 Special Arch 0 Economic Obs 0 Quality Grade 550 Depreciation % 32 Grnd Floor Area 2,184

216 SF

0

0

1939

1940

1

UB3:LC UTIL BLDG

Life

30

1

2	2	RW2:RETAINING WALL	48 SF	0	0	1949	1950	3	50
:	3	PT3:PATIO	45 SF	0	0	1959	1960	1	50
4	4	WD2:WOOD DECK	384 SF	0	0	1990	1991	1	40

### **Appraiser Notes**

TPP AK-8765843.

HURRICANE DAMAGES

### **Building Permits**

Bldg	Number	Date Issued	Date Completed	Amount Description		Notes
1	96-1107	03/01/1996	08/01/1996	400 Residential		ELECTRICAL
2	96-2223	05/01/1996	08/01/1996	750	Residential	RENOVATIONS
3	97-3070	10/07/1997	01/01/1999	1,100 Residential		REPLACE DECK & PORCH
4	97-4203	12/15/1997	01/01/1999	6,800	Residential	EXTERIOR PAINTING
5	06-3889	06/27/2006	07/24/2006	20,000	Residential	REPLACE 20 SQS OF CONCH SHINGLES
6	08-0061	01/10/2008	01/30/2008	1,800	Residential	REMOVE 140 SF OF BATHROOM & KITCHEN FLOORS TO FIND WATER LEAK
7	08-0244	02/06/2008	02/29/2008	9,500	Residential	TO ROUGH IN AND SET ONE TUB, ONE LAVATORY, ONE TOILET, ONE WATER HEATER, ONE KITCHEN SINK

### **Parcel Value History**

Certified Roll Values.

### View Taxes for this Parcel.

Roll Year	Total Bldg Value	Total Misc Improvement Value	Total Land Value	Total Just (Market) Value	Total Assessed Value	School Exempt Value	School Taxable Value
2015	227,111	1,878	365,228	594,217	468,213	0	594,217
2014	229,020	1,785	233,240	464,045	425,649	0	464,045
2013	232,339	1,836	216,967	451,142	386,954	0	451,142
2012	232,339	1,914	117,524	351,777	351,777	0	351,777
2011	235,658	1,966	162,725	400,349	392,410	0	400,349
2010	238,977	2,044	115,716	356,737	356,737	0	356,737
2009	266,259	2,096	311,200	579,555	579,555	0	579,555
2008	248,686	2,173	354,800	605,659	605,659	0	605,659
2007	264,114	2,225	585,420	851,759	851,759	0	851,759
2006	409,476	2,303	337,060	707,891	707,891	0	707,891
2005	362,679	2,355	301,580	666,614	666,614	0	666,614
2004	255,008	2,433	248,360	505,801	505,801	0	505,801
2003	284,151	2,484	124,180	410,815	410,815	0	410,815
2002	263,441	2,562	124,180	390,183	390,183	0	390,183
2001	233,771	2,614	124,180	360,565	360,565	0	360,565

1999 2   1998 2   1997	205,516 121,676 111,811	2,413 2,339 1,948 1,897	67,412 67,412 67,412 60,316	285,664 275,267 191,036	285,664 275,267 191,036	0 0 0	285,664 275,267 191,036
1998 1997	121,676 111,811	1,948 1,897	67,412	191,036			
1997	111,811	1,897	,	,	191,036	0	191,036
	,	,	60,316				
1996	84,563	1 5 4 6		174,024	174,024	0	174,024
		1,546	60,316	146,424	146,424	0	146,424
1995	81,431	1,513	60,316	143,260	143,260	0	143,260
1994	68,903	1,312	60,316	130,531	130,531	0	130,531
1993	76,040	0	60,316	136,356	136,356	0	136,356
1992	92,768	0	60,316	153,085	153,085	0	153,085
1991	92,768	0	63,864	156,633	156,633	0	156,633
1990	90,971	0	57,655	148,626	148,626	0	148,626
1989	82,701	0	56,768	139,469	139,469	0	139,469
1988	70,338	0	46,124	116,462	116,462	0	116,462
1987	69,403	0	26,433	95,836	95,836	0	95,836
1986	69,783	0	25,546	95,329	95,329	0	95,329
1985	67,541	0	14,475	82,016	82,016	0	82,016
1984	62,943	0	14,475	77,418	77,418	0	77,418
1983	62,943	0	14,475	77,418	77,418	0	77,418
1982	64,251	0	14,475	78,726	78,726	0	78,726

### **Parcel Sales History**

NOTE: Sales do not generally show up in our computer system until about two to three months after the date of sale. If a recent sale does not show up in this list, please allow more time for the sale record to be processed. Thank you for your patience and understanding.

Official Records Book/Page	Price	Instrument	Qualification
2557 / 1719	100	QC	11
			2557 / 1719 100 QC

This page has been visited 256,862 times.

Monroe County Property Appraiser Scott P. Russell, CFA P.O. Box 1176 Key West, FL 33041-1176