GUSC 2015 BID TAB MATRIX

| # | Item | Unit | Per Unit \$ CTS | Per Unit \$ DNH |
|---|---|------|-----------------|-------------------|
| π | Ttem | Omi | Ter omt \$ C15 | Tel Cint \$ Divil |
| 1 | Performance and Payment Bonds | | | |
| a | For First \$500,000 Worth of Construction Per/\$1,000 of Construction | ea | \$20.00 | \$18.00 |
| b | Next \$500,000 to \$2,000,000 Worth of Construction Per/\$1,000 of Construction | ea | \$19.00 | \$14.00 |
| 2 | Mob/Demob | | | |
| a | Mobilization and Demobilization, % of Work Order (includes M.O.T., General & Supplementary Conditions, Certified AutoCAD As-builts) | % | \$5.00 | \$5.00 |
| 3 | Personnel | | | |
| a | Superintendent | hr | \$98.00 | \$95.00 |
| b | Foreman | hr | \$80.00 | \$88.00 |
| С | Operator | hr | \$60.00 | \$69.00 |
| d | Laborer | hr | \$42.00 | \$52.00 |
| e | Mason | hr | \$70.00 | \$69.00 |
| f | Licensed Surveyor | hr | \$300.00 | \$240.00 |
| 4 | Equipment | | | |
| a | Backhoe, with Rock Bucket, without Operator, Cat 426, or Equal | hr | \$60.00 | \$65.00 |
| b | Backhoe, with Rock Bucket, without Operator, Cat 320, or Equal | hr | \$80.00 | \$85.00 |

| # | Item | Unit | Per Unit \$ CTS | Per Unit \$ DNH |
|---|--|------|-----------------|-----------------|
| c | Wheel Front End Loader, without Operator, Cat 950, or Equal | hr | \$65.00 | \$85.00 |
| d | Air Compressor, 165 C.F.M. | hr | \$30.00 | \$35.00 |
| e | Dump Truck, 15 CY, without Operator | hr | \$60.00 | \$70.00 |
| f | Flatbed Dump Truck, without Operator | hr | \$55.00 | \$60.00 |
| g | Backhoe, Rubber Tire, Various Attachments, without Operator, Ackerman H7MC, or equal | hr | \$100.00 | \$120.00 |
| h | Trailer, Scow, off-road sand truck, without Operator, 24 CY minimum | hr | \$70.00 | \$80.00 |
| i | Pavement Saw | hr | \$20.00 | \$24.00 |
| j | 3-inch Trash Pump | hr | \$20.00 | \$24.00 |
| k | 4-inch Trash Pump | hr | \$25.00 | \$40.00 |
| 1 | 6-inch Hydraulic Pump | hr | \$100.00 | \$95.00 |
| m | 1000 Gallon Sediment Box | hr | \$60.00 | \$40.00 |
| n | Jet Truck (Cleaning) | hr | \$500.00 | \$210.00 |
| О | Laser | hr | \$10.00 | \$10.00 |
| p | Vibratory Roller | hr | \$55.00 | \$85.00 |
| q | Plate Compactor | hr | \$15.00 | \$12.00 |
| r | Dozer | hr | \$65.00 | \$80.00 |

| # | Item | Unit | Per Unit \$ CTS | Per Unit \$ DNH |
|---|---|------|-----------------|-----------------|
| S | Road Grader | hr | \$90.00 | \$120.00 |
| t | Bob Cat or equivalent | hr | \$40.00 | \$55.00 |
| u | Water Truck | hr | \$40.00 | \$50.00 |
| v | Huber Grader | hr | \$60.00 | \$80.00 |
| w | 18" Auger Truck | hr | \$400.00 | \$300.00 |
| 5 | Materials | | | |
| a | Crushed Lime rock | ton | \$44.00 | \$62.00 |
| b | No. 57 Rock | ton | \$40.00 | \$64.00 |
| c | No. 89 Rock | ton | \$40.00 | \$69.00 |
| d | Screening Sand | ton | \$41.50 | \$64.00 |
| e | Beach Sand (0.35 - 0.65 grain size) | ton | \$65.00 | \$99.00 |
| f | Coral Sand | ton | \$58.00 | \$94.00 |
| g | No. 4 Rock | ton | \$41.00 | \$64.00 |
| h | Sod | sf | \$1.95 | \$2.00 |
| | Trench Excavation and Backfill Per Detail | | | |
| 6 | Pipe 12 inches and Under | | | |

| # | Item | Unit | Per Unit \$ CTS | Per Unit \$ DNH |
|---|----------------------------------|------|-----------------|-----------------|
| a | 0 - 6 feet Deep | 1f | \$60.00 | \$84.00 |
| b | 6 - 8 feet Deep | 1f | \$65.00 | \$92.00 |
| С | 8 - 10 feet Deep | 1f | \$70.00 | \$116.00 |
| d | 10 - 12 feet Deep | lf | \$80.00 | \$155.00 |
| 7 | Pipe 15 inches through 24 inches | | | |
| a | 0 - 6 feet Deep | 1f | \$70.00 | \$96.00 |
| b | 6 - 8 feet Deep | 1f | \$75.00 | \$107.00 |
| С | 8 - 10 feet Deep | 1f | \$90.00 | \$128.00 |
| d | 10 - 12 feet Deep | 1f | \$128.00 | \$172.00 |
| 8 | Pipe 30 inches through 36 inches | | | |
| a | 0 - 6 feet Deep | lf | \$100.00 | \$114.00 |
| b | 6 - 8 feet Deep | lf | \$105.00 | \$128.00 |
| c | 8 - 10 feet Deep | lf | \$110.00 | \$178.00 |
| d | 10 - 12 feet Deep | lf | \$120.00 | \$290.00 |
| 9 | Pipe 42 inches through 48 inches | | | |
| a | 0 - 6 feet Deep | lf | \$120.00 | \$155.00 |

| # | Item | Unit | Per Unit \$ CTS | Per Unit \$ DNH |
|----|---|------|-----------------|-----------------|
| b | 6 - 8 feet Deep | lf | \$130.00 | \$175.00 |
| c | 8 - 10 feet Deep | lf | \$160.00 | \$230.00 |
| d | 10 - 12 feet Deep | lf | \$200.00 | \$310.00 |
| 10 | Pipe 6 inches - During Sewer Service Lateral Installation, Not Part of Sewer Main Installation | | | |
| a | 0 - 6 feet Deep | lf | \$62.00 | \$65.00 |
| b | 6 - 8 feet Deep | lf | \$72.00 | \$80.00 |
| с | 8 - 10 feet Deep | lf | \$82.00 | \$110.00 |
| d | 10 - 12 feet Deep | lf | \$99.00 | \$140.00 |
| 11 | Pipe Base Stabilization | | | |
| a | Foundation Stabilization | cy | \$70.00 | \$70.00 |
| 12 | Surface Restoration | | | |
| a | Lime Rock Base | lf | \$32.00 | \$40.00 |
| b | Asphalt Surface repair | sy | \$39.50 | \$65.00 |
| С | Flowable Fill (500 psi) | cy | \$133.00 | \$190.00 |
| 13 | Pavement | | | |
| a | Removal of Bitumious Surface | sy | \$3.00 | \$10.00 |

| # | Item | Unit | Per Unit \$ CTS | Per Unit \$ DNH |
|----|---|------|-----------------|-----------------|
| b | Raise Manholes Lids | ea | \$600.00 | \$600.00 |
| c | Raise Water Valve | ea | \$400.00 | \$350.00 |
| d | Raise Stormwater Inlet Grates | ea | \$500.00 | \$600.00 |
| e | Asphalt Concrete Overlay | ton | \$250.00 | \$240.00 |
| f | Rework Existing Base | sy | \$4.75 | \$8.00 |
| g | Asphalt Concrete Leveling Course | ton | \$270.00 | \$270.00 |
| h | Asphalt Milling, (angle milling machine) for small patchwork (less than 400 SF patches) | sy | \$7.00 | \$30.00 |
| i | Asphalt Milling, (road or curbside or large sections) | sy | \$6.50 | \$9.00 |
| j | Saw Cut Asphalt 0"-6" | lf | \$3.00 | \$4.00 |
| k | Saw Cut Asphalt >6" | lf | \$4.00 | \$6.00 |
| 1 | Saw Cut Concrete 0"-6" | lf | \$4.00 | \$5.00 |
| m | Saw Cut Concrete >6" | lf | \$5.00 | \$8.00 |
| 14 | Sidewalk Installation | | | |
| a | 4 inches depth | sf | \$9.00 | \$11.00 |
| b | 6 inches depth | sf | \$10.00 | \$12.00 |
| c | Rebar # 4 | lb | \$2.35 | \$3.00 |

| # | Item | Unit | Per Unit \$ CTS | Per Unit \$ DNH |
|----|---|------|-----------------|-----------------|
| d | Concrete sidewalk and curb repairs | cy | \$500.00 | \$400.00 |
| e | Thickened Edge | lf | \$22.00 | \$19.00 |
| 15 | Curb Installation | | | |
| a | FDOT Type D | lf | \$38.00 | \$45.00 |
| b | FDOT Type F | lf | \$42.50 | \$54.00 |
| c | FDOT Drop Curb | 1f | \$41.00 | \$50.00 |
| 16 | Formed Concrete, placed | | | |
| a | Misc. Formed Concrete, placed (i.e.: small retaining walls, etc.) | cy | \$895.00 | \$1,400.00 |
| b | Concrete Band (12" x 18" with steel) | cy | \$900.00 | \$1,200.00 |
| 17 | Detectable Warning Paver | | | |
| a | 2-1/4 X 3-5/8 X 7-5/8 Brick Pavers with ADAAG Detectable Warning System - Endicott or | sf | \$28.00 | \$55.00 |
| b | 2-1/4 X 4 X 8 Brick Pavers with ADAAG Detectable Warning System - Endicott or equal | sf | \$31.00 | \$55.00 |
| 18 | Pavement Markings | | | |
| a | STOP | ea | \$300.00 | \$400.00 |
| b | Arrow | ea | \$300.00 | \$300.00 |
| c | Separation of Lanes | lf | \$4.00 | \$5.00 |

| # | Item | Unit | Per Unit \$ CTS | Per Unit \$ DNH |
|----|--|------|-----------------|-----------------|
| d | White line | 1f | \$3.50 | \$5.00 |
| 19 | Brick | | | |
| a | Brick Installed (ASTM Specification Heavy Vehicular Paving Brick Type II) | sf | \$20.00 | \$25.00 |
| b | Brick Installed (ASTM Specification Pedestrian Paving Brick Type I) | sf | \$25.00 | \$22.00 |
| 20 | Catch Basin and Inlets | | | |
| a | Type 1 Top, Type P Bottom with 4 foot Diameter Alternate A, 0 6-foot Depth | ea | \$5,850.00 | \$5,800.00 |
| b | Type 2 Top, Type P Bottom with 4 foot Diameter Alternate A, 0 6-foot Depth | ea | \$5,850.00 | \$6,000.00 |
| c | Type 9 Top, Type P Bottom with 4 foot Diameter Alternate A, 0 6-foot Depth | ea | \$5,850.00 | \$4,200.00 |
| d | Type F-3, Type P Bottom with 4 foot Diameter Alternate A, 0 6-foot Depth | ea | \$6,000.00 | \$5,700.00 |
| e | Additional Depth over 6 foot for Type 1, Type 2 or Type 9 Curb Inlet, Type P Bottom with 4 foot Diameter Alternate A | vf | \$450.00 | \$500.00 |
| 21 | Ditch Bottom Inlet | | | |
| a | Type C, 0 6 foot Depth | ea | \$5,900.00 | \$4,000.00 |
| b | Additional Depth over 6 foot Depth for Ditch Bottom Inlet, Type C | vf | \$450.00 | \$500.00 |
| С | Type J, 0 6 foot Depth | ea | \$5,900.00 | \$4,800.00 |
| d | Additional Depth over 6 foot Depth for Ditch Bottom Inlet, Type J | vf | \$450.00 | \$500.00 |
| e | Removal of Existing Inlets or Storm Manholes Structures, Unclassified Depth | ea | \$2,000.00 | \$1,800.00 |

| # | Item | Unit | Per Unit \$ CTS | Per Unit \$ DNH |
|----|-----------------------------------|------|-----------------|-----------------|
| 22 | ADS Polyethylene Pipe | | | |
| a | 12 inches | 1f | \$20.00 | \$26.00 |
| b | 15 inches | 1f | \$22.00 | \$29.00 |
| с | 18 inches | lf | \$24.00 | \$35.00 |
| d | 24 inches | lf | \$26.00 | \$42.00 |
| e | 36 inches | lf | \$52.00 | \$60.00 |
| f | 42 inches | lf | \$59.50 | \$110.00 |
| 23 | Reinforced Concrete Pipe | | | |
| a | 15 inches | 1f | \$26.00 | \$48.00 |
| b | 18 inches | lf | \$30.00 | \$54.00 |
| с | 24 inches | lf | \$51.00 | \$75.00 |
| 24 | Reinforced Concrete Pipe Class IV | | | |
| a | 24 inches | 1f | \$60.00 | \$82.00 |
| b | 30 inches | 1f | \$65.00 | \$105.00 |
| с | 36 inches | lf | \$70.00 | \$118.00 |
| d | 48 inches | lf | \$150.00 | \$190.00 |

| # | Item | Unit | Per Unit \$ CTS | Per Unit \$ DNH |
|----|-------------------|------|-----------------|-----------------|
| 25 | PVC Sch 40 | | | |
| a | 1/2 inch | lf | \$2.00 | \$2.00 |
| b | 3/4 inch | lf | \$3.00 | \$3.00 |
| С | 1 inch | lf | \$3.50 | \$4.00 |
| d | 2 inch | lf | \$4.00 | \$5.00 |
| e | 4 inch | lf | \$12.00 | \$8.00 |
| f | 6 inch | lf | \$15.00 | \$10.00 |
| 26 | PVC Sch 80 | | | |
| a | 1/2 inch | lf | \$2.50 | \$3.00 |
| b | 3/4 inch | lf | \$3.51 | \$4.00 |
| С | 1 inch | lf | \$5.08 | \$5.00 |
| d | 2 inch | lf | \$10.75 | \$6.00 |
| e | 4 inch | lf | \$11.00 | \$10.00 |
| f | 6 inch | lf | \$13.00 | \$15.00 |
| 27 | C - 900 Pipe DR18 | | | |
| a | 4 inch | lf | \$4.00 | \$7.00 |

| # | Item | Unit | Per Unit \$ CTS | Per Unit \$ DNH |
|----|-------------------|------|-----------------|-----------------|
| b | 6 inch | lf | \$7.00 | \$11.00 |
| c | 8 inch | lf | \$12.00 | \$16.00 |
| d | 10 inch | lf | \$18.00 | \$24.00 |
| e | 12 inch | lf | \$25.30 | \$31.00 |
| 28 | C - 900 Pipe DR25 | | | |
| a | 4 inch | lf | \$3.00 | \$6.00 |
| b | 6 inch | lf | \$5.80 | \$10.00 |
| c | 8 inch | lf | \$10.00 | \$13.00 |
| d | 10 inch | lf | \$15.00 | \$17.00 |
| e | 12 inch | lf | \$22.00 | \$23.00 |
| 29 | C - 905 Pipe DR25 | | | |
| a | 14 inch | lf | \$28.00 | \$60.00 |
| b | 16 inch | lf | \$34.00 | \$70.00 |
| с | 18 inch | lf | \$42.00 | \$80.00 |
| d | 20 inch | lf | \$53.00 | \$90.00 |
| e | 24 inch | lf | \$77.00 | \$110.00 |

| # | Item | Unit | Per Unit \$ CTS | Per Unit \$ DNH |
|----|--|------|-----------------|-----------------|
| f | 30 inch | 1f | \$118.00 | \$150.00 |
| g | 36 inch | 1f | \$173.00 | \$200.00 |
| h | 42 inch | lf | \$400.00 | \$360.00 |
| i | 48 inch | lf | \$400.00 | \$480.00 |
| 30 | C - 905 Pipe DR41 | | | |
| a | 14 inch | lf | \$21.00 | \$55.00 |
| b | 16 inch | 1f | \$21.00 | \$62.00 |
| c | 18 inch | lf | \$27.00 | \$73.00 |
| d | 20 inch | lf | \$33.00 | \$83.00 |
| e | 24 inch | 1f | \$48.00 | \$90.00 |
| f | 30 inch | 1f | \$73.00 | \$115.00 |
| g | 36 inch | 1f | \$173.00 | \$150.00 |
| h | 42 inch | lf | \$400.00 | \$265.00 |
| i | 48 inch | lf | \$400.00 | \$370.00 |
| 31 | Joints | | | |
| a | Mechanically Restrained Joints for PVC Pipe 4" | ea | \$225.00 | \$80.00 |

| # | Item | Unit | Per Unit \$ CTS | Per Unit \$ DNH |
|----|---|------|-----------------|-----------------|
| b | Mechanically Restrained Joints for PVC Pipe 6" | ea | \$365.00 | \$90.00 |
| c | Mechanically Restrained Joints for PVC Pipe 8" | ea | \$405.00 | \$120.00 |
| d | Mechanically Restrained Joints for PVC Pipe 10" | ea | \$500.00 | \$190.00 |
| e | Mechanically Restrained Joints for PVC Pipe 12" | ea | \$572.00 | \$220.00 |
| f | Mechanically Restrained Joints for PVC Pipe 16" | ea | \$860.00 | \$500.00 |
| g | Mechanically Restrained Joints for PVC Pipe 18" | ea | \$1,135.00 | \$550.00 |
| h | Mechanically Restrained Joints for PVC Pipe 20" | ea | \$1,256.00 | \$900.00 |
| i | Mechanically Restrained Joints for PVC Pipe 24" | ea | \$1,476.00 | \$1,000.00 |
| j | Mechanically Restrained Joints for PVC Pipe 30" | ea | \$3,500.00 | \$1,700.00 |
| k | Mechanically Restrained Joints for PVC Pipe 36" | ea | \$4,250.00 | \$2,300.00 |
| 1 | Mechanically Restrained Joints for PVC Pipe 42" | ea | \$6,850.00 | \$2,500.00 |
| m | Mechanically Restrained Joints for PVC Pipe 48" | ea | \$9,150.00 | \$3,300.00 |
| 32 | Other | | | |
| a | Removal of Existing Storm Drain Pipe, Unclassified Depth and Diameter | lf | \$55.00 | \$60.00 |
| b | Exfiltration Trench | lf | \$190.00 | \$195.00 |
| c | Seepage Trench | 1f | \$115.00 | \$200.00 |

| # | Item | Unit | Per Unit \$ CTS | Per Unit \$ DNH |
|----|---|------|-----------------|-----------------|
| d | French Drain | lf | \$183.00 | \$210.00 |
| 33 | Manholes | | | |
| a | Standard 4 foot Diameter Manholes, 0-6-foot Depth | ea | \$5,500.00 | \$6,000.00 |
| b | Standard 4 foot Diameter Manholes, over 6 foot Depth | vf | \$450.00 | \$500.00 |
| c | Drop Manhole Assemblies | vf | \$400.00 | \$300.00 |
| d | Additional Cost to Provide Watertight Manhole Frame and Cover in Lieu of Standard Frame and Cover | ea | \$2,900.00 | \$400.00 |
| e | Conflict Manholes (6-foot Diameter), 0-6 foot Depth | ea | \$7,000.00 | \$8,000.00 |
| f | Conflict Manholes (6 foot Diameter), Over 6 foot Depth | vf | \$500.00 | \$1,200.00 |
| 34 | Service Connection Pipe Stub outs | | | |
| a | 6 inches | ea | \$500.00 | \$480.00 |
| b | Connections to Existing Manholes | ea | \$3,000.00 | \$2,000.00 |
| С | Removal of Existing Manholes, Unclassified Depth | ea | \$2,000.00 | \$2,400.00 |
| d | Adjusting Existing Manholes | ea | \$1,000.00 | \$800.00 |
| 35 | Sewer Connection Services | | | |
| a | Sewer Service Connection Pipe | lf | \$2,500.00 | \$100.00 |
| b | Connection at Trench Wall | ea | \$1,500.00 | \$800.00 |

| # | Item | Unit | Per Unit \$ CTS | Per Unit \$ DNH |
|----|--|------|-----------------|-----------------|
| С | Cleanouts | ea | \$500.00 | \$440.00 |
| d | Cleanout Box | ea | \$500.00 | \$440.00 |
| 36 | Cleaning | | | |
| a | 6-10 inch Diameter Pipe | 1f | \$15.00 | \$15.00 |
| b | 12 - 15 inch Diameter Pipe | 1f | \$20.00 | \$20.00 |
| с | 18-24 inch Diameter Pipe | 1f | \$25.00 | \$28.00 |
| d | 36-42 inch Diameter Pipe | 1f | \$35.00 | \$40.00 |
| e | Manholes, Any Diameter | ea | \$500.00 | \$800.00 |
| 37 | PVC Wye Fittings or Connections | | | |
| a | 6 x 6 | ea | \$275.00 | \$200.00 |
| b | 8 x 6 | ea | \$350.00 | \$230.00 |
| c | 10 x 6 | ea | \$377.00 | \$270.00 |
| d | 12 x 6 | ea | \$441.00 | \$340.00 |
| e | 15 x 6 | ea | \$607.00 | \$540.00 |
| f | Ductile Iron or Cast Iron Fittings, Complete with Cement Mortar Lining and Thrust Blocks | lb | \$35.00 | \$12.00 |
| 38 | Connections to Dissimilar Gravity Pipe | | | |

| # | Item | Unit | Per Unit \$ CTS | Per Unit \$ DNH |
|----|---|------|-----------------|-----------------|
| a | 8 inches | ea | \$200.00 | \$180.00 |
| b | 10 inches | ea | \$275.00 | \$230.00 |
| с | 12 inches | ea | \$332.50 | \$330.00 |
| d | 15 inches | ea | \$580.00 | \$430.00 |
| e | Removal of Existing Sanitary Sewer lines, Unclassified Depth and Diameter | 1f | \$55.00 | \$60.00 |
| f | Concrete Encasement with steel | су | \$800.00 | \$540.00 |
| 39 | Installation of Plug Valves and Valve Boxes | | | |
| a | 4 inches | ea | \$898.00 | \$1,000.00 |
| b | 6 inches | ea | \$2,950.00 | \$1,200.00 |
| с | 8 inches | ea | \$3,080.00 | \$1,600.00 |
| d | 10 inches | ea | \$3,989.00 | \$2,700.00 |
| e | 12 inches | ea | \$4,881.50 | \$3,300.00 |
| f | 18 inches | ea | \$11,450.00 | \$7,500.00 |
| 40 | Environmental Protection | | | |
| a | Turbidity Screen | 1f | \$15.00 | \$18.00 |
| b | Silt Barrier | lf | \$4.00 | \$5.00 |

| # | Item | Unit | Per Unit \$ CTS | Per Unit \$ DNH |
|----|--------------------------------|------|-----------------|-----------------|
| c | Concrete Encasement with steel | су | \$1,000.00 | \$2,000.00 |
| d | Dewatering Trench 4 ft deep | LS | \$2,000.00 | \$1,500.00 |
| e | Dewatering Trench 6 ft deep | LS | \$2,500.00 | \$2,000.00 |
| f | Dewatering Trench 8 ft deep | LS | \$3,000.00 | \$3,000.00 |
| g | Dewatering Trench 10 ft deep | LS | \$3,500.00 | \$5,000.00 |
| h | Dewatering Trench 12 ft deep | LS | \$4,000.00 | \$8,000.00 |
| i | Dewatering Pit Excavation | LS | \$7,000.00 | \$8,000.00 |
| 41 | Waterline Relocation | | | |
| a | 4 inch | 1f | \$80.00 | \$80.00 |
| b | 6 inch | 1f | \$85.00 | \$90.00 |
| c | 8 inch | lf | \$90.00 | \$110.00 |
| d | 10 inch | lf | \$110.00 | \$130.00 |
| e | 12 inch | 1f | \$120.00 | \$150.00 |
| f | 14 inch | 1f | \$130.00 | \$180.00 |
| g | 16 inch | 1f | \$140.00 | \$240.00 |
| h | 18 inch | lf | \$180.00 | \$350.00 |

| # | Item | Unit | Per Unit \$ CTS | Per Unit \$ DNH |
|----|--|------|-----------------|-----------------|
| 42 | Testing | | | |
| a | Bacterial Test-waterline | ea | \$4,000.00 | \$3,000.00 |
| b | Compaction Testing for soil | ea | \$310.00 | \$300.00 |
| с | Gravity Sewerline Pressure Test | ea | \$800.00 | \$2,000.00 |
| d | Forcemain Sewerline Pressure Test | ea | \$3,000.00 | \$2,000.00 |
| e | Infiltration Test for manholes | ea | \$800.00 | \$1,500.00 |
| f | Waterline Pressure Test | ea | \$3,000.00 | \$2,000.00 |
| 43 | Landscaping | | | |
| a | Transplant Existing Tree (0-10" in diameter) includes all labor, materials, equipment & maintenance | ea | \$1,000.00 | \$1,300.00 |
| b | Plant New Tree (0-10" diameter) includes all labor, materials, equipment & maintenance | ea | \$2,000.00 | \$2,400.00 |
| с | Transplant Existing Tree (over 10" in diameter) includes all labor, materials, equipment & maintenance | ea | \$2,000.00 | \$2,400.00 |
| d | Plant New Tree (over 10" in diameter) includes all labor, materials, equipment & maintenance | ea | \$3,500.00 | \$4,200.00 |
| e | Sod Removal | sf | \$0.50 | \$1.00 |
| f | Sod Placement | sf | \$1.80 | \$1.50 |
| g | Seeding | sf | \$1.00 | \$1.00 |
| h | Debris Removal and hauling to an acceptable certified landfill | ton | \$94.00 | \$120.00 |

| # | Item | Unit | Per Unit \$ CTS | Per Unit \$ DNH |
|----|--|------|-----------------|-----------------|
| 44 | Roadway Signs | | | |
| a | F.D.O.T Sign Installation (includes sign, post and installation) | ea | \$475.00 | \$600.00 |
| 45 | Other | | | |
| a | Markup Allowed -materials, equipment, testing, etc. not listed above | % | \$15.00 | \$15.00 |
| b | Markup Allowed on Approved Subcontractor Work | % | \$5.00 | \$5.00 |