

MAY 21 2015

Application Fee: \$2,150.00

CITY OF KEY WEST


(includes \$100.00 advertising/noticing fee and \$50.00 fire review fee) NING DIPT. (\$400 for each additional easement for same parcel)

Please complete this application and attach all required documents. This will help staff process your request quickly and obtain necessary information without delay. If you have any questions, please call 305-809-3720.

PROPERTY DESCRIPTION:
Site Address: 809 Eaton Street, Key West Florida, 33040 HMDR - Historic Medium
Zoning District: Density Residential Real Estate (RE) #: Alternate Key: 1003468
Property located within the Historic District? \(\text{\texts} \) Yes \(\text{\texts} \) No Parcel ID: 00003330-000000
APPLICANT: Owner Name: Juan C. Contin
Mailing Address: 826 South Federal Highway
City: Lake Worth State: Florida Zip: 33460
Home/Mobile Phone: 305-778-2082 Office: 561-249-4007 Fax: 305-704-3878
Email: cdgplans@gmail.com
PROPERTY OWNER: (if different than above) Name: Jon R. Lewis, Managing member of The Henry Lowe House, LLC
Mailing Address: PO Box 1224
City: Barnstable State: Mass Zip: 02630
Home/Mobile Phone:508-362-9259
Email: jonrobertlewis@yahoo.com
Description of requested easement and use: Request use of property which encroaches onto Caraballo Lane. Caraballo Lane was planned well after the house was built as an extension to the City of Key West's street planning scheme.
The primary reason for this request is to perform historic preservation
onto the area that is in conflict with the expansion of Caraballo Lane.
ENCROACHMENTS AND: THE NORTH SIDE PORCH, AN EXISTING FENCE EXISTING PANEUS AND A POWER PANEL.
Are there any easements, deed restrictions or other encumbrances attached to the property? Yes No
If yes, please describe and attach relevant documents: No

REQUIRED SUBMITTALS: All of the following must be submitted in order to have a complete application. Please submit one paper copy and one electronic copy of all materials.

- 🕅 Correct application fee. Check may be payable to "City of Key West."
- ☑ Notarized verification form signed by property owner or the authorized representative.
- Notarized authorization form signed by property owner, if applicant is not the owner.
- Property record card
- 🗵 Signed and sealed Specific Purpose Surveys with a legal description of the easement area requested
- Photographs showing the proposed easement area




City of Key West Planning Department



Verification Form

(Where Authorized Representative is an individual)

809 BATON ST. Street ad	Kap ANY	T Pro	KIDA	33040
Street ad	ldress of subject p	roperty	_	
All of the answers to the above questions, dra application, are true and correct to the best Planning Department relies on any representation action or approval based on said representation	of my knowled tation herein w	ge and belief. hich proves t	In the evenue of be untrue	nt the City or the
Signature of Authorized Representative				
Subscribed and sworn to (or affirmed) before	me on this	5/21/15	by	,
Name of Authorized Representative		aute		
He She is personally known to me or has prese	ented Fl C53	5-423-67-1	as iden	tification.
Clantie				
Notary's Signature and Seal		CARLENE SM otary Public - State r Comm. Expires Fe Commission # EE Ided Through National	of Florida b 22, 2017 861013	
Name of Acknowledger typed, printed or stamped		, reasily	wall wast	



City of Key West Planning Department




Authorization Form

(Where Owner is a Business Entity)

Jon R. Lewis		
Please Print Name of person with authority to execute	cute documents on behalf of entity	– as
Managing Member of	Henry Lowe House LLC	
Name of office (President, Managing Member)	Name of owner from deed	
authorize Juan C. Contin	C t	
Please Print Name of Repr	resentative	
to be the representative for this application and act on my/ou	r behalf before the City of Key West.	
nut lins		
Signature of person with authority to execute doct	uments on behalf on entity owner	_
Subscribed and sworn to (or affirmed) before me on this	Dec 9, 2015	
	Date	
I lan D. Lauria, Managina Manakan	<u> </u>	
by Jon R. Lewis, Managing Member		
Name of person with authority to execute docum	nents on behalf on entity owner	
Name of person with authority to execute docun	nents on behalf on entity owner	
	nents on behalf on entity owner as identificati	on.

Commission Number, if any



Prepared by and return to: F. Joseph McMackin III, Esq. Bond, Schoeneck & King, PLLC 4001 Tamlami Trail North Suite 250 Naples, FL 34103 239-659-3800

File Number: 973881

Parcel Identification No. 00003330-000000

[Space Above This Line For Recording Data]

Warranty Deed (STATUTORY FORM - SECTION 689.02, E.S.)

This Indenture made this day of February, 2015 between Capital Bank, National Association, a national banking association whose post office address is 6435 Naples Boulevard, Naples, FL 34109 of the County of Collier, State of Florida, grantor*, and The Henry Lowe House, LLC, a Florida limited liability company whose post office address is P.O. Box 1224, Barnstable, MA 02630 of the County of Barnstable, State of Massachusetts, grantee*,

Witnesseth that said grantor, for and in consideration of the sum of TEN AND NO/100 DOLLARS (\$10.00) and other good and valuable considerations to said grantor in hand paid by said grantee, the receipt whereof is hereby acknowledged, has granted, bargained, and sold to the said grantee, and grantee's heirs and assigns forever, the following described land, situate, lying and being in Monroe County, Florida, to-wit:

See Exhibit A attached hereto.

Subject to (a) comprehensive land use plans, zoning, and other land restrictions, prohibitions and requirements imposed by governmental authority; (b) restrictions and matters appearing on the plat or otherwise common to the subdivision; (c) outstanding oil, gas and mineral rights of record without right of entry; (d) unplatted public utility easements of record (located contiguous to real property lines and not more than 10 feet in width as to rear or front lines and 7 1/2 feet in width as to side lines); and (e) taxes for year of closing and subsequent years.

and said grantor does hereby fully warrant the title to said land, and will defend the same against lawful claims of all persons whomsoever.

* "Grantor" and "Grantee" are used for singular or plural, as context requires.

In Witness Whereof, grantor has hereunto set grantor's hand and seal the day and year first above written.

Capital Bank, National Association a national banking association By: Michael P. Rinaldi, Vice President	
his day of February, 2015 by Michael P. Rinaldi, banking association, on behalf of said firm. He his person driver's license as identification.	Vic ual
Una M. Sheridan	
Notary Public	
Printed Name: anne M. Sharidan	
My Commission Expires:	
	association By: Michael P. Rinaldi, Vice Fresident Michael P. Rinaldi, Vice Fresident Description on behalf of said firm. He Wis person driver's license as identification. Notary Public Printed Name: MANUAL M. Shandan

EXHIBIT "A" LEGAL DESCRIPTION

PARCEL A

On the Island of Key West, Monroe County, Florida, and known on WILLIAM A. WHITEHEAD'S MAP of said City of Key West, delineated in February, 1829, as part of Lot 4, Square 21 and being more particularly described as follows: Commence at the intersection of the Northwesterly right of way line of Eaton Street and the Northeasterly right of way line of William Street; thence in a Northeasterly direction along the said Northwesterly right of way line of Eaton Street for 71.00 feet to the POINT OF BEGINNING; thence continue in a Northeasterly direction along the said Northwesterly right of way line of Eaton Street for 57.00 feet; thence at a right angle and in a Northwesterly direction for 125.00 feet; thence at a right angle and in a Northwesterly direction for 33.28 feet; thence at an angle of 90 degrees 07 minutes 00 seconds to the left and in a Southeasterly direction for 1.08 feet; thence at an angle of 90 degrees 07 minutes 00 seconds to the left and in a Northeasterly direction for 1.08 feet; thence at an angle of 90 degrees 07 minutes 00 seconds to the left and in a Southeasterly direction for 1.08 feet; thence at an angle of 90 degrees 07 minutes 00 seconds to the left and in a Southeasterly direction for 1.08 feet; thence at an angle of 90 degrees 07 minutes 00 seconds to the left and in a Southeasterly direction for 40.14 feet to the said Northeasterly right of way line of Eaton Street, and the POINT OF BEGINNING.

LESS-PARCEL C

On the island of Key West, Monroe County, Florida, and known on WILLIAM A. WHITEHEAD'S MAP of said City of Key West, delineated in February, 1829, as part of Lot 4, Square 21, and being more particularly described as follows: Commence at the intersection for the Northwesterly right of way line of Eaton Street and the Northeasterly right of way line of William Street; thence in a Northeasterly direction along the said Northwesterly right of way line of Eaton Street for 128 feet; thence at a right angle and in a Northwesterly direction for 125,00 feet; thence at a right angle and in a Southwesterly direction for 30.00 feet to the POINT OF BEGINNING; thence at right angle and in a Northwesterly direction for 14,00 feet; thence at a right angle and in a Southwesterly direction for 22.87 feet; thence at an angle of 90 degrees 07 minutes 00 seconds teft and in a Southeasterly direction for 22.87 feet; thence at a right angle and in a Northwesterly direction for 8.30 feet; thence at an angle of 93 degrees 02 minutes 34 seconds to the right and in a Northwesterly direction for 13.20 feet; thence at an angle of 93 degrees 16 minutes 19 seconds to the left and in a Northwesterly direction for 1.29 feet to the POINT OF BEGINNING.

Bill of Sale

This Bill of Sale, made on February 10, 2015, between Capital Bank, National Association, a national banking association ("Seller"), and The Henry Lowe House, LLC, a Florida limited liability company ("Buyer").

Witnesseth, that Seller, in consideration of the sum of TEN DOLLARS (\$10.00) and other good and valuable consideration paid to Seller by Buyer, receipt and sufficiency of which is hereby acknowledged, delivers, grants, bargains, sells and transfers forever to Buyer the following goods and chattels, to wit:

Range(s)/oven(s), refrigerator(s), dishwasher(s), disposal, ceiling fan(s), intercom, light fixtures, drapery rods and draperies, blinds, window treatments, smoke detector(s), garage door opener(s), security gate and other access devices, and storm shutters/panels, and all appliances, electronics, shutters owned by seller located at the property.

Said property being located at:

See Exhibit A attached hereto.

Also known as \$09 Eaton Street, Key West, FL 33040

Seller covenants to Buyer that Seller is the lawful owner of the said goods and chattels; that they are free from all encumbrances; that Seller has good right to sell that property, and that Seller will warrant and defend the sale of said property, goods and chattels unto the Buyer against the lawful claims and demands of all persons whomsoever,

"Seller" and "Buyer" shall be used for singular or plural, natural or artificial, which terms shall include the heirs, legal representatives, successors and assigns of Seller and Buyer whenever the context so requires or admits.

Capital Bank, National Association, a national banking association

By: Michael P. Rinaldil Vice President

State of Florida County of Collier

The foregoing instrument was acknowledged before me the	his day of Febru	ary, 2015 by Michael P Rinaldi Vice
President of Capital Bank, National Association, a national	banking association on l	relials of said firm. He to is normally
known or [_] has produced a	driver's license as identif	fication.
	alri	neH Sheudan
ACRE M. SHERIDAN	Notary Public	A
My Comm. Expires Jul 20, 2017	Printed Name:	Unhe M Sheriday
Commission # FF 032310	My Commission Evai	Trops

ıΛ

EXHIBIT "A" LEGAL DESCRIPTION

PARCEL A

On the Island of Key West, Monroe County, Florida, and known on WILLIAM A. WHITEHEAD'S MAP of sald City of Key West, delineated in February, 1829, as part of Lot 4, Square 21 and being more particularly described as foliows: Commence at the intersection of the Northwesterly right of way line of Eaton Street and the Northeasterly right of way line of William Street; thence in a Northeasterly direction along the said Northwesterly right of way line of Eaton Street for 71,00 feet to the POINT OF BEGINNING; thence continue in a Northeasterly direction along the said Northwesterly right of way line of Eaton Street for 57.00 feet; thence at a right angle and in a Northwesterly direction for 125.00 feet; thence at a right angle and in a Northwesterly direction for 33.28 feet; thence at an angle of 90 degrees 07 minutes 00 seconds to the left and in a Southeasterly direction for 22.87 feet; thence at a right angle and in a Northeasterly direction for 5.00 feet; thence at a right angle and in a Southeasterly direction for 1.08 feet; thence at an angle of 90 degrees 07 minutes 00 seconds to the left and in a Southeasterly direction for 1.08 feet; thence at an angle of 90 degrees 07 minutes 00 seconds to the left and in a Southeasterly direction for 1.08 feet; thence at an angle of 90 degrees 07 minutes 00 seconds to the left and in a Southeasterly direction for 40.14 feet to the said Northeasterly right of way line of Eaton Street, and the POINT OF BEGINNING.

LESS-PARCEL C

On the Island of Key West, Monroe County, Florida, and known on WILLIAM A. WHITEHEAD'S MAP of said City of Key West, delineated in February, 1829, as part of Lot 4, Square 21, and being more particularly described as follows: Commence at the intersection for the Northwesterly right of way line of Eaton Street and the Northwesterly right of way line of William Street; thence in a Northeasterly direction along the said Northwesterly right of way line of Eaton Street for 128 feet; thence at a right angle and in a Northwesterly direction 30.00 feet to the POINT OF BEGINNING; thence at right angle and in a Northwesterly direction for 14.00 feet; thence at a right angle and in a Southwesterly direction for 33.28 feet; thence at an angle of 90 degrees 07 minutes 00 seconds left and in a Southwesterly direction for 22.87 feet; thence at a right angle and in a Northwesterly direction for 8.30 feet; thence at an angle of 93 degrees 02 minutes 34 seconds to the right and in a Northwesterly direction for 13.20 feet; thence at an angle of 93 degrees 16 minutes 19 seconds to the left and in a Northwesterly direction for 1.29 feet to the POINT OF BEGINNING.

Closing Affidavit (Seller)

Before me, the undersigned authority, personally appeared the undersigned ("Affiant"), who being by me first duly sworn, on oath, depose(s) and say(s) that:

1. Capital Bank, National Association, a national banking association ("Seller"), is the owner of and is seiling the following described property to The Henry Lowe House, LLC, a Florida limited liability company ("Buyer"), to wit:

See Exhibit A attached hereto.

- 2. The above described property is free and clear of all liens, taxes, encumbrances and claims of every kind, nature and description of record whatsoever, except for mortgage or mortgages, if any, described in the Deed and except for real estate and personal property taxes for the year 2015, which are not yet due and payable.
- 3. There have been no improvements, alterations, or repairs since acquisition by the for which the costs thereof remain unpaid, that there are no claims for labor or material furnished for repairing or improving the same, which remain unpaid since the acquisition by Seller, and that or laborer's liens since acquisition by Seller against the above described property.
- 4. There have been no documents recorded in the Public Records of Monroe County, Florida subsequent to, which affect title to the Property and Seller has not entered into any contracts for the sale, disposition or leasing of the Property since said date except as may have been disclosed to Stewart Title Guaranty Company in writing, and Seller has no knowledge of any matter affecting title to the Property.
- 5. The personal property contained in the building on said property, or on the said premises, and which, if any, is being sold free and clear of all liens, encumbrances, claims and demands whatsoever. The Seller knows of no violations of Municipal or County Ordinances pertaining to the above described property. No judgment or decree has been entered in any court in this State or the United States against said Seller which remains unsatisfied. There are no persons other than Seller in possession of the above described property.
- 6. Seller agrees that in the event the current real estate or personal property taxes vary in amount from the figures used in making the prorations used in closing the transfer and conveyance of the above described property to said buyers, then a new proration and a correct and proper adjustment will be made upon demand.
- 7. There are no matters pending against the Seller that could give rise to a lien that would attach to the property between the effective date of commitment and the recording of the interest to be insured. Seller has not and will not execute any instruments that would adversely affect the interest to be insured.
- 8. Seller's title to, and possession and enjoyment of, the property have been open, notorious, peaceable and undisturbed, and have never been disputed nor questioned.
- 9. There are no disputes concerning the boundary lines of the property, and the operation of any buildings on said property has been in compliance with the applicable building codes, ordinances and statutes.
- 10. Affiant has received no notice of any public hearing regarding assessment for improvements or changes in applicable zoning laws concerning said property within the past ninety (90) days.
- 11. There are no actions or proceedings now pending in any State or Federal Court to which the Seiler is a party, including but not limited to, proceedings in bankruptcy, receivership or insolvency, nor are there any judgments, bankruptcies, liens or executions of any nature which constitute or could constitute a charge or lien upon said property.
- 12. There are no unrecorded easements, claims of easement or rights-of-way affecting all or any portion of the property.
- 13. Seller understands that Section 1445 of the Internal Revenue Code provides that a Buyer of a United States real property interest must withhold tax if the Seller is a foreign person. To inform the Buyer that withholding of tax is not required upon purchase of the above described property, Seller certifies the following:

File Number: 973881

- a. Seller is not a nonresident alien individual, foreign corporation, foreign partnership, foreign trust or foreign estate for purposes of United States federal income taxation.
- b. Seller's U.S. Taxpayer Identification Number is 80-0623883.
- c. Seller's address is: 6435 Naples Boulevard, Naples, FL 34109.
- d. No other persons or entities have an ownership interest in the above described property,

Seller understands the Buyer of the described property intends to rely on the foregoing representations in connection with the United States Foreign Investment in Real Property Tax Act. (FIRPTA). Seller understands this certification may be disclosed to the Internal Revenue Service by the Buyer and that any false statements contained in this certification may be punished by fine, imprisonment or both. Seller has the authority to sign this affidavit as either individual Seller or on behalf of an entity Seller. Under penalties of perjury, Seller states that this declaration was carefully read and is true and correct.

14. This affidavit is given for the purpose of clearing any possible question or objection to the title to the above referenced property and, for the purpose of inducing Stewart Title Guaranty Company to issue title insurance on the subject property, with the knowledge that said title companies are relying upon the statements set forth herein. Seller hereby holds Stewart Title Guaranty Company harmless and fully indemnifies same (including but not limited to attorneys' fees, whether suit be brought or not, and at trial and all appellate levels, and court costs and other litigation expenses) with respect to the matters set forth herein. "Affiant", "Seller" and "Buyer" include singular or plural as context so requires or admits. Seller further states that he/she is familiar with the nature of an oath and with the penalties as provided by the laws of the United States and the State of Florida for falsely swearing to statements made in an instrument of this nature. Seller further certifies that he/she has read, or heard read, the full facts of this Affidavit and understands its context.

Under penalties of perjury, I declare that I have read the foregoing Affidavit and that the facts stated in it are true.

Capital Bank, National Association, a national banking

	By: Www. Www. W. Wichael P. Rinaldi, Vice President	
State of Florida County of Collier		
The foregoing instrument was sworn to, subscribed and a Michael P. Rinaldi, Vice President of Capital Bank, Natio firm. He Mis personally known or has produced a	acknowledged before me this day of February, 2015 by the description and description day of February, 2015 by the description day of February d	
	auxe M. Shevidan	
	Notary Public	
ANNE M. SHERIDAN Notary Public - State of Florida My Comm. Expires Jul 20, 2017	Printed Name: Unne M Shewdar	1
Commission # FF 032310	My Commission Expires:	

EXHIBIT "A" LEGAL DESCRIPTION

PARCEL A

On the Island of Key West, Monroe County, Florida, and known on WILLIAM A. WHITEHEAD'S MAP of said City of Key West, delineated in February, 1829, as part of Lot 4, Square 21 and being more particularly described as follows: Commence at the intersection of the Northwesterly right of way line of Eaton Street and the Northeasterly right of way line of William Street; thence in a Northeasterly direction along the said Northwesterly right of way line of Eaton Street for 71.00 feet to the POINT OF BEGINNING; thence continue in a Northeasterly direction along the said Northwesterly right of way line of Eaton Street for 57.00 feet; thence at a right angle and in a Northwesterly direction for 125,00 feet; thence at a right angle and in a Southwesterly direction for 30 feet; thence at a right angle and in a Northwesterly direction for 33.28 feet; thence at an angle of 90 degrees 07 minutes 00 seconds to the left and in a Southeasterly direction for 1.08 feet; thence at an angle of 90 degrees 07 minutes 00 seconds to the left and in a Southeasterly direction for 1.08 feet; thence at an angle of 90 degrees 07 minutes 00 seconds to the left and in a Southeasterly direction for 40.14 feet to the said Northeasterly right of way line of Eaton Street, and the POINT OF BEGINNING.

LESS-PARCEL C

On the Island of Key West, Monroe County, Florida, and known on WILLIAM A. WHITEHEAD'S MAP of said City of Key West, delineated in February, 1829, as part of Lot 4, Square 21, and being more particularly described as follows: Commence at the intersection for the Northwesterly right of way line of Eaton Street; thence in a Northwesterly direction along the said Northwesterly right of way line of Eaton Street for 128 feet; thence at a right angle and in a Northwesterly direction for 125.00 feet; thence at a right angle and in a Southwesterly direction for 14.00 feet; thence at a right angle and in a Northwesterly direction for 14.00 feet; thence at a right angle and in a Southwesterly direction for 33.28 feet; thence at an angle of 90 degrees 07 minutes 00 seconds left and in a Southwesterly direction for 22.87 feet; thence at a right angle and in a Northwesterly direction for 8.30 feet; thence at an angle of 93 degrees 02 minutes 34 seconds to the right and in a Northwesterly direction for 13.20 feet; thence at an angle of 93 degrees 16 minutes 19 seconds to the left and in a Northwesterly direction for 13.20 feet; thence at an angle of 98 degrees 16 minutes 19 seconds to the left and in a Northwesterly direction for 1.29 feet to the POLIT OF BEGINNING.



LEGAL DESCRIPTION -

LEGAL DESCRIPTION -- PARCEL A

On the Island of Key West, Monroe County, Florida, and known on William A. Whitehead's map of said City of Key West, delineated in February, 1829, as part at Lot 4, Square 21, and being more particularly described as follows:

COMMENCE at the intersection for the Northwesterly right of way line of Eaton Street and the Northeasterly right of way line of William Street;

thence in a Northeasterly direction along the said Northwesterly right of way line of Eaton Street for 71.00 feet to the Point of Beginning;

thence continue in a Northeasterly direction along the said Northwesterly right of way line of Eaton Street for 57.00 feet;

thence at a right angle and in a Northwesterly direction for 125.00 feet;

thence at a right angle and in a Southwesterly direction 30.00 feet;

thence at right angle and in a Northwesterly direction for 14.00 feet;

thence at a right angle and in a Southwesterly direction for 33.28 feet;

thence at an angle of 90 degrees 07'00" to the left and in a Southeasterly direction for 22.87 feet;

thence at a right angle and in a Northeasterly direction for 5.00 feet;

thence at a right angle and in a Southeasterly direction for 76.00 feet;

thence at a right angle and in a Northeasterly direction for 1.08 feet;

thence at an angle of 90°07'00" to the left and in a Southeasterly direction for a distance of 40.14 feet to the said Northwesterly Right of Way line of Eaton Street, and the Point of Beginning.

LESS-- PARCEL C

On the Island of Key West, Monroe County, Florida, and known on William A. Whitehead's map of said City of Key West, delineated in February, 1829, as part at Lot 4, Square 21, and being more particularly described as follows:

COMMENCE at the intersection for the Northwesterly right of way line of Eaton Street and the Northeasterly right of way line of William Street, thence in a Northeasterly direction along the said Northwesterly right of way line of Eaton Street for 128 feet;

thence at a right angle and in a Northwesterly direction for 125.00 feet;

thence at a right angle and in a Southwesterly direction 30.00 feet to the Point of Beginning;


thence at right angle and in a Northwesterly direction for 14.00 feet;

thence at a right angle and in a Southwesterly direction for 33.28 feet;

thence at an angle of 90 degrees 07'00" to the left and in a Southeasterly direction for 22.87 feet;

thence at a right angle and in a Northeasterly direction for 20.02 feet;

thence at an angle of 89 degrees 39'15" to the left and in a Northwesterly direction for 8.30 feet; thence at an angle of 93 degrees 02'34" to the right and in a Northeasterly direction for 13.20 feet; thence at an angle of 93 degrees 16'19" to the left and in a Northwesterly direction for 1.29 feet back to the Point of Beginning.



LEGAL DESCRIPTION -

SEE ABOVE

CERTIFIED TO -THE SMITH LAW FIRM ATTONEYS' TITLE INSURANCE FUND, INC. DARIN LOCKWOOD VIRTUALBANK, A DIVISION OF LYDIAN PRIVATE BANK, its successors and/or assigns

TIB BANK, it's successor's and/or assigns, ATIMA

FIELD WORK 01/09/06 --/--/--I OF GF DRAWN BY: HECKED BY: RR VOICE NO .: 6010508

I HEREBY CERTIFY THAT THIS SURVEY WAS MADE LINDER MY RESPONSIBLE CHARGE AND MEETS THE IINIMUM TECHNICAL STANDARDS AS SET FORTH BY THE FLORIDA BOARD OF PROFESSIONAL SURVEYORS AND MAPPERS IN CHAPTER GLG L7-G. FLORIDA ADMINISTRATIVE CODE. PORSUANT O SECTION 472.027, FLORIDA STATUTES. THIS SURVEY, WHEN SCHEDULE BRIAS BEEN PROVIDED MEETS THE PROVISIONS OF FLORIDA ENDORSEMENT FORM 9, SUSPARAGRAPH 1(B) (SETBACKS), I(B)3(ENCROACHMENTS), \$ I(B)4(EASEMENTS),

NOT VALID WITHOUT THE SIGNATURE AND THE RAISED SEAL OF A FLORIDA SURVEYOR AND MAPPER

AR.E. REECE, P.A. PROFESSIONAL SURVEYOR AND MAPPER

> #5 SHIPS WAY, BIG PINE KEY, FL 33043 OFFICE (305) 872 - 1348 FAX (305) 872 - 5622

MAP OF BOUNDARY SURVEY PART OF LOT 4, SQUARE 21 WILLIAM A. WHITEHEAD'S MAP OF KEY WEST

NOTE: LEGAL DESCRIPTIONS HAVE BEEN FURNISHED BY THE CLIENT OR HIS/HER REPRESENTATIVE, PUBLIC RECORDS HAVE NOT BEEN RESEARCHED BY THE SURVEYOR TO DETERMINE THE ACCURACY OF THESE DESCRIPTIONS NOR HAVE ADJOINING PROPERTIES BEEN RESEARCHED TO DETERMINE

FOUNDATIONS BENEATH THE SURFACE ARE NOT SHOWN. MEASURED DIMENSIONS EQUAL PLATTED OR DESCRIBED DIMENSIONS LINIESS INDICATED OTHERWISE

THE FOLLOWING IS A LIST OF ABBREVIATIONS THAT MAY BE FOUND ON THIS SHEET.

DELTA = CENTRAL ANGLE A = ARC LENGTH CBWOL = CONC BLOCK WALL ON LINE CBWI = CONC BLOCK WALL INSIDE CBWO = CONC BLOCK WALL OUTSIDE CM = CONCRETE MONUMENT

FI = FENCE INSIDE

CONC = CONCRETE CVRD = COVERED DEASE = DRAINAGE EASEMENT EL = ELEVATION ENCL = ENCLOGURE ENCR = ENCROACHMEN EOP = EDGE OF PAVEMENT FF = FINISHED FLOOR


IR = IRON ROD MEAS = MEASURED NGVD = NATIONAL GEODETIC VERTICAL DATUM (1929) NTS = NOT TO SCALE PC = POINT OF CURVE PCC = POINT OF COMPOUND CURVE PCP = PERMANENT CONTROL POINT PK = PARKER KALON NAIL POB = POINT OF BEGINNING PI = POINT OF INTERSECTION POC = POINT OF COMMENCEMENT

FOL = FENCE ON LINE

PRC = POINT OF REVERSE CURVE

PRC = POINT OF REVERSE CURV PRM = PERMANENT REFERENCE MONUMENT PT = POINT OF TANGENT R = RADIUS RES = RESIDENCE ROL = ROOF OVERHANG LINE ROW = RIGHT OF WAY ROWL = RIGHT OF WAY LINE TYP = TYPICAL UPASE = UTILITY EASEMENT UP = UTILITY POLE WM = WATER METER

S	pecific Pur	pose Sketo	ch	



NEWLY AUTHORED BY THE UNDERSIGNED:

On the Island of Key West, Monroe County, Florida, and known on William A. Whitehead's map of said City of Key West, delineated in February, 1829, as part at Lot 4, Square 21, and being more particularly described as follows: COMMENCE at the intersection for the Northwesterly right of way line of Eaton Street and the Northeasterly right of way line of William Street; thence in a Northeasterly direction along the said Northwesterly right of way line of Eaton Street for 128.00 feet to the Southeast corner of lands described in Official Records Book 2726, page 1774; thence at a right angle and in a Northwesterly direction along the Northeasterly boundary of said lands for 4.91 feet to the face of a 1 & 2 story porch, said point being the Point of Beginning; thence continue through said $1\ \&\ 2$ story porch, along said Northeasterly boundary in a Northwesterly direction, 109.68 feet to an existing wood fence; thence at a right angle and in a Northeasterly direction along said fence for 2.90 feet to the Northeasterly fence corner; thence at a right angle and in a Southeasterly direction for a distance of 42.00 feet along existing brick pavers to the face of an existing wood fence; thence at right angles and in a Southwesterly direction along the face of said fence for 1.19 feet; thence at a right angle and in a Southeasterly direction along said existing wood fence, 28.29 feet; thence deflecting to the left 8°24'12" in a Southeasterly direction along said wood fence for 8.00 feet to the face of said 1 & 2 story porch; thence deflecting to the right, 8°24'12" in a Southeastlery direction for 31.48 feet along said face of 1 & 2 story porch; thence at right angles and in a Southwesterly direction along said face of 1 & 2 story porch for 2.15 feet back to the Point of Beginning. Lands described herein contain 238 square feet, more or less.

LEGEND FOR ABBREVIATIONS

DENOTES NEWLY DESCRIBED LEGAL

SIGNED

PREPARED FOR: THE HENRY LOWE HOUSE LLC & CONTIN **DEVELOPMENT GROUP**

POC = POINT OF COMMENCEMENT
POB = POINT OF BEGINNING
O.R.B. = OFFICIAL RECORDS OF MONROE COUNTY, FLORIDA
ROL = ROOF OVERHANG LINE

ROWL = RIGHT OF WAY LINE R/W = RIGHT OF WAY

DATE: 05/21/15

REV: REMOVE POWER PANEL FROM DESCRIPTION - KK

1. LEGAL DESCRIPTIONS THAT HAVE BEEN FURNISHED BY THE CLIENT OR HIS/HER REPRESENTATIVE HAVE NOT BEEN RESEARCHED BY THE SURVEYOR TO DETERMINE THE ACCURACY OF THESE DESCRIPTIONS NOR HAVE ADJOINING PROPERTIES BEEN RESEARCHED TO DETERMINE OVERLAPS OR HIATUS,

2. THIS IS NOT A SURVEY.


SCALE:	1"=30'
F/W DATE:	-/-/-
REV. DATE:	11/18/15
SHEET:	1 OF 1
DRAWN BY:	KK
CHECKED BY	: RER
INVOICE #:	15050705

THE PURPOSE OF THIS SKETCH IS TO ILLUSTRATE THE LEGAL DESCRIPTION NEWLY CREATED ON THIS DATE BY THE UNDERSIGNED AND SHOWN ON SHEET 1 OF 1. IT IS <u>NOT A SURVEY</u> OF THE LANDS BEING DESCRIBED HEREIN! (See chap. 53-17 Florida Adm. Code and Chap. 472.027 Florida statutes).





127 INDUSTRIAL ROAD, STE. B, BIG PINE KEY, FL 33043 OFFICE (305) 872 - 1348 FAX (305) 872 - 5622



CONTIN

Architecture and Design
826 South Federal Highway
Lake Worth, Florida 33460
© +1-561-249-4007 F +1-305-704-3878


Mr. and Ms. Jon Lewis 809 Eaton Street Key West, Florida 33040


March 9, 2015

Easement Application: Picture of Area

Property: 809 Eaton Street Key West, Florida 33040

Dear Sirs:





Should you have any questions on this project please contact me as soon as possible.

Regards,

Juan C. Contin, AIA

CONTIN

Architecture and Design 826 South Federal Highway Lake Worth, Florida 33460

O +1-561-249-4007 F +1-305-704-3878

Oct 13, 2015

Mr. Patrick Wright City of Key West Planning Department 3140 Flagler Drive Key West, Florida 33040

RE: Additional Alleyway pictures for easement for 809 Eaton Street

Dear Mr. Wright:

We are attaching additional pictures of the alleyway that you requested at the August Planning Board meeting.










It has been a pleasure to work for you and your organization. Should you have any questions please contact me as soon as possible.

Best Regards,

Juan C. Contin, AIA



*U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENCY National Flood Insurance Program

ELEVATION CERTIFICATE

Important: Read the instructions on pages 1–9.

OMB No. 1660-0008

Expiration Date: July 31, 2015

			SEC	TION A	- PROPE	RTY INFORM	MATION	FOR INS	URANCE COMPANY USE
A1.	Building Owner's Nam	e The Henry Lo	we House LLC					Policy Nu	ımber
	Building Street Addres Eaton Street	s (including Apt.	Unit, Suite, and/or	Bldg. N	o.) or P.O. R	oute and Box l	No.	Company	/ NAIC Number
	City Key West				State FL	ZIP Code	33040		
A3. KW	Property Description (I PT LT 4, SQR 21; RE#	Lot and Block Nu f 00003330-0000	mbers, Tax Parcel	Number	, Legal Desc	ription, etc.)	-		796-1
A5. A6. A7.	Building Use (e.g., Ret Latitude/Longitude: La Attach at least 2 photo Building Diagram Num For a building with a co a) Square footage of b) Number of perman or enclosure(s) with c) Total net area of fix d) Engineered flood o	t. N 24 33 36.2 graphs of the butber 5 rawlspace or encircawlspace or entitle of the butber 100 opening hin 1.0 foot above od openings?	Long. ilding if the Certificationsure(s): iclosure(s) gs in the crawlspace adjacent grade A8.b Yes No	W 081 4 ate is bei NA e NA NA NA	47 55.4 ing used to o sq ft sq in	A9. For a a) S b) N w c) T d) E	urance. building with an att quare footage of att	ached gara ached gara t flood ope adjacent gi d openings enings?	ge <u>NA</u> sq ft nings in the attached garage rade <u>NA</u>
B1	NFIP Community Name				ounty Name				
City	of Key West 120168	S & Community S		Monro	•	<u> </u>	··	B3. State Florida	
B4	. Map/Panel Number 12087C1516	B5. Suffix K	B6. FIRM Index 02/18/2005		Effective/F	RM Panel Revised Date 8/2005	B8. Flood Zone(s) AE	B9 B	ase Flood Elevation(s) (Zone O, use base flood depth) 6
	Indicate elevation datu Is the building located Designation Date: N/A	m used for BFE in a Coastal Barı	rier Resources Sys	VD 1929 tem (CBI	RS) area or (☐ OPA	Other/Source		☐ Yes
		SECTIO	N C - BUILDING	ELEV	ATION INFO	DRMATION	(SURVEY REQUI	RED)	
2. I I I I	Building elevations are to the Amew Elevation Certification Elevations – Zones A1—below according to the total Benchmark Utilized: PIE Indicate elevation daturn Datum used for building	cate will be requi A30, AE, AH, A (building diagram DAA0008 Elevat n used for the ele	(with BFE), VE, V1, specified in Item A ion 14.32' evations in items a)	ion of the -V30, V 7. In Pue Vert through	e building is o (with BFE), A erto Rico only ical Datum: h) below. ⊠	complete. kR, AR/A, AR// , enter meters NGVD-1929	□ NAVD 1988 □ (VAH, AR/A	
	a) Top of bottom floor (in	ncludina haseme	nt crawlenace or	enclosur	e floor)	7.8	Æ)	ik tne meas ⊠ feet	surement used. ☐ meters
	Top of the next higher		nt, oramapace, or t	31 QIQGUI	s noory	7.0 NA	•	☐ feet	☐ meters
c) Bottom of the lowest	horizontal structu	ıral member (V Zor	es only)		NA	-	feet	 ☐ meters
	d) Attached garage (top			a da de la Maria	_	<u>NA</u>		∏feet	meters
6	 Lowest elevation of m (Describe type of equ 				9	<u>6.2</u>		✓ feet	☐ meters
) Lowest adjacent (finis					4.6		⊠ feet	☐ meters
_	Highest adjacent (finis Lowest adjacent grad		• • •	rs, includ	ding structure	<u>5.9</u> Isupport <u>NA</u>		⊠ feet ☐ feet	☐ meters ☐ meters
		SECTIO	ON D - SURVEY	OR, EN	GINEER, O	R ARCHITE	CT CERTIFICATI	ON	
infor	certification is to be sig mation. I certify that the derstand that any false Check here if commen Check here if attachme	e information on t statement may b ts are provided o	his Certificate repre e punishable by fin	esents m e or impi Were	ny best effort: risonment un	s <i>to interpret ti</i> <i>der 18 U.S. C</i> o ongitude in Se	ne data available. ode, Section 1001. ection A <u>pr</u> ovided by		Ar Din
Cert	ifier's Name Robert E.	Reece			Lic	ense Number	5632		
Title	Professional Survey	or & Manper	Company Name	Reece	& White Lan	d Surveying,	Inc.		LS # 5632
	ress Tastrial Ro	oad, Skrite B	City Big Pine Ke		Sta	ate FL ZIP	Code 33043		05-19-2015
Sigr	factor	-col	Date 05/19/2015	5	Te	lephone 305-	-872-1348		

Building Photographs See Instructions for Item A6.

IMPORTANT: In these spaces, copy the corresponding information from Section A.

FOR INSURANCE COMPANY USE

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 809 Eaton Street

Policy Number:


City Key West

State FL

ZIP Code 33040

Company NAIC Number

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page,





Rear View



Left Side View



U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENCY National Flood Insurance Program

ELEVATION CERTIFICATE

Important: Read the instructions on pages 1-9.

OMB No. 1660-0008

Evoirotion	Data	Lidge	24	2015
Expiration	Dale.	JUIY	Ο1,	2010

SEC	TION A - PROPERTY	INFORMATION	FOR INSU	PANCE COMPANY USE						
A1. Building Owner's Name The Henry Lowe House LLC			Policy Nur	nber						
A2. Building Street Address (including Apt., Unit, Suite, and/or 809 Eaton Street	Bldg. No.) or P.O. Route	and Box No.	Company	NAIC Number						
City Key West	State FL 2	ZIP Code 33040								
A3. Property Description (Lot and Block Numbers, Tax Parcel KW PT LT 4, SQR 21; RE# 00003330-000000	Number, Legal Description	on, etc.)								
 A4. Building Use (e.g., Residential, Non-Residential, Addition, A5. Latitude/Longitude: Lat. N 24 33 36.2 Long. A6. Attach at least 2 photographs of the building if the Certification. A7. Building Diagram Number 5 A8. For a building with a crawlspace or enclosure(s): a) Square footage of crawlspace or enclosure(s) b) Number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade c) Total net area of flood openings in A8.b d) Engineered flood openings?	W 081 47 55.4 ate is being used to obtain NA sq ft	Horizontal Datu n flood insurance. A9. For a building with an at a) Square footage of at	tached garag ttached garag nt flood open adjacent gra od openings i	ge <u>NA</u> sq ft ings in the attached garage ade <u>NA</u>						
SECTION B - FLOOD	INSURANCE RATE	MAP (FIRM) INFORMATI	ON							
B1. NFIP Community Name & Community Number City of Key West 120168	B2. County Name Monroe		B3. State Florida							
B4. Map/Panel Number B5. Suffix B6. FIRM Index 12087C1516 K 02/18/2005		sed Date Zone(s)		se Flood Elevation(s) (Zone), use base flood depth) 6						
☐ FIS Profile ☑ FIRM ☐ Community De B11. Indicate elevation datum used for BFE in Item B9: ☑ NG B12. Is the building located in a Coastal Barrier Resources Sys Designation Date: N/A	to 1929 NAV tem (CBRS) area or Othe CBRS	rwise Protected Area (OPA)? OPA	,] Yes ⊠ No						
SECTION C – BUILDING	ELEVATION INFORM	MATION (SURVEY REQU	IRED)							
"A new Elevation Certificate will be required when construct C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1- below according to the building diagram specified in Item A Benchmark Utilized: PIDAA0008 Elevation 14.32' Indicate elevation datum used for the elevations in items a)	tion of the building is com –V30, V (with BFE), AR, A 7. In Puerto Rico only, en Vertical Datum: <u>NG\</u> through h) below. ⊠ NG	plete. AR/A, AR/AE, AR/A1A30, Al ter meters. <u>/D-1929</u> VD 1929 □ NAVD 1988 □	 Building elevations are based on:							
a) Top of bottom floor (including basement, crawlspace, or	enclosure floor)		ck the measu	urement used.						
, ,		ii)		ırement used. ☐ meters						
b) Top of the next higher floor	on o .ooo	<u>7.8</u>	ck the measu	urement used. meters meters						
b) Top of the next higher floorc) Bottom of the lowest horizontal structural member (V Zor	,	ii)	⊠ feet	☐ meters						
, ,	,	7.8 <u>NA</u>		☐ meters ☐ meters						
 c) Bottom of the lowest horizontal structural member (V Zord) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the (Describe type of equipment and location in Comments) 	nes only) e building	7.8 NA NA NA 6.2	☐ feet☐ feet☐ feet☐ feet☑ feet	meters meters meters meters meters meters						
 c) Bottom of the lowest horizontal structural member (V Zord) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) 	nes only) e building	7.8 NA NA NA 6.2 4.6	☐ feet☐ feet☐ feet☐ feet☐ feet☐ feet☐ feet☐ feet☐ feet☐ ☐ fee	meters meters meters meters meters meters						
 c) Bottom of the lowest horizontal structural member (V Zord) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the (Describe type of equipment and location in Comments) 	nes only) e building	7.8 NA NA NA 6.2 4.6 5.9	☐ feet☐ feet☐ feet☐ feet☑ feet	meters meters meters meters meters meters						
c) Bottom of the lowest horizontal structural member (V Zord) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent (finished) grade next to building (HAG) h) Lowest adjacent grade at lowest elevation of deck or stail	nes only) e building · irs, including structural su	7.8 NA NA NA 6.2 4.6 5.9	│ feet	meters meters meters meters meters meters meters meters meters						
c) Bottom of the lowest horizontal structural member (V Zord) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent (finished) grade next to building (HAG) h) Lowest adjacent grade at lowest elevation of deck or stail	nes only) e building irs, including structural su OR, ENGINEER, OR A engineer, or architect au esents my best efforts to the or imprisonment under	7.8 NA NA NA 6.2 4.6 5.9 pport NA ARCHITECT CERTIFICAT thorized by law to certify elevinterpret the data available.	feet feet feet feet feet feet feet feet	meters meters meters meters meters meters meters meters meters						
c) Bottom of the lowest horizontal structural member (V Zord) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent (finished) grade next to building (HAG) h) Lowest adjacent grade at lowest elevation of deck or stail SECTION D — SURVEYOR This certification is to be signed and sealed by a land surveyor information. I certify that the information on this Certificate repril understand that any false statement may be punishable by finite.	nes only) e building irs, including structural su OR, ENGINEER, OR A engineer, or architect au esents my best efforts to the or imprisonment under	7.8 NA NA NA 6.2 4.6 5.9 pport NA ARCHITECT CERTIFICAT thorized by law to certify elevinterpret the data available. 18 U.S. Code, Section 1001. itude in Section A provided by	feet feet feet feet feet feet feet feet	meters meters meters meters meters meters meters meters meters						
c) Bottom of the lowest horizontal structural member (V Zord) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent (finished) grade next to building (HAG) h) Lowest adjacent grade at lowest elevation of deck or stail SECTION D – SURVEY This certification is to be signed and sealed by a land surveyor information. I certify that the information on this Certificate report I understand that any false statement may be punishable by fine Check here if comments are provided on back of form. Check here if attachments. Certifier's Name Robert E. Reece	nes only) e building irs, including structural su OR, ENGINEER, OR A engineer, or architect au esents my best efforts to be or imprisonment under Were latitude and longi	7.8 NA NA NA 6.2 4.6 5.9 pport NA ARCHITECT CERTIFICAT thorized by law to certify elevinterpret the data available. 18 U.S. Code, Section 1001. itude in Section A provided by	feet feet feet feet feet feet feet feet	meters meters meters meters meters meters meters meters meters						
c) Bottom of the lowest horizontal structural member (V Zord) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent (finished) grade next fo building (HAG) h) Lowest adjacent grade at lowest elevation of deck or state SECTION D – SURVEY This certification is to be signed and sealed by a land surveyor information. I certify that the information on this Certificate reprint understand that any false statement may be punishable by finition. Check here if comments are provided on back of form. Check here if attachments. Certifier's Name Robert E. Reece Title Professional Surveyor & Marper Company Name	nes only) e building irs, including structural sures, including structural sures, or architect au esents my best efforts to be or imprisonment under Were latitude and longical licensed land surveyor. License Reece & White Land Structural surveyor.	7.8 NA NA NA 6.2 4.6 5.9 pport NA ARCHITECT CERTIFICAT thorized by law to certify elevinterpret the data available. 18 U.S. Code, Section 1001. itude in Section A provided by Yes No e Number 5632	feet feet feet feet feet feet feet feet	meters meters meters meters meters meters meters meters meters						
c) Bottom of the lowest horizontal structural member (V Zord) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent (finished) grade next to building (HAG) h) Lowest adjacent grade at lowest elevation of deck or stail SECTION D – SURVEY This certification is to be signed and sealed by a land surveyor information. I certify that the information on this Certificate report I understand that any false statement may be punishable by fine Check here if comments are provided on back of form. Check here if attachments. Certifier's Name Robert E. Reece	nes only) e building irs, including structural sur OR, ENGINEER, OR A engineer, or architect au esents my best efforts to a ee or imprisonment under Were latitude and longi licensed land surveyor License Reece & White Land Se	7.8 NA NA NA 6.2 4.6 5.9 pport NA ARCHITECT CERTIFICAT thorized by law to certify elevinterpret the data available. 18 U.S. Code, Section 1001. itude in Section A provided by Yes No e Number 5632 urveying, Inc.	feet feet feet feet feet feet feet feet	meters meters meters meters meters meters meters meters meters AALLuu						

ELEVATION CERTIFICATE, page 3

Building Photographs

See Instructions for Item A6.

IMPORTANT: In these spaces, copy the corresponding information from Section A.

FOR INSURANCE COMPANY USE

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 809 Eaton Street

Policy Number


City Key West

State FL

ZIP Code 33040

Company NAIC Number

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.






Rear View



Left Side View







Key West (305) 292-3420 Marathon (305) 289-2550 Plantation Key (305) 852-

Property Record Card -

Website tested on IE8,

Maps are now launching the new map application version file loss.

10.3 or higher

Alternate Key: 1003468 Parcel ID: 00003330-000000

Ownership Details

Mailing Address:

THE HENRY LOWE HOUSE LLC PO BOX 1224

BARNSTABLE, MA 02630-2224

Property Details

PC Code: 01 - SINGLE FAMILY

Millage Group: 10KW


Affordable Housing: No


Section-Township-Range:

Property Location: 809 EATON ST KEY WEST

Legal KW PT LT 4 SQR 21 D3-364 OR599-686 OR1291-352/53 OR1650-441/44 OR1973-1786/88R/S OR1989-Description: 2317/18 OR2116-1044/46C OR2146-1668/1671F/J OR2180-1298/1300 OR2599-774/76 OR2719-1745/47C/T

OR2726-1744/45 OR2726-1746/48





			# Stories	Year Built			Basement %	Finished Basement	
0	OPF		1	2013					120
1	FLG	12:ABOVE AVERAGE WOOD	1	2004		Υ	-		368
2	FLA	12:ABOVE AVERAGE WOOD	1	1993	Y	Υ	0.00	0.00	1,700
3	OPX		1	1993	N	N	0.00	0.00	440
4	FLA	12:ABOVE AVERAGE WOOD	1	1993	N	Υ	0.00	0.00	825
5	OPX		1	1993	N	N	0.00	0.00	446
6	FAT	12:ABOVE AVERAGE WOOD	1	1993	N	Υ	0.00	0.00	1,271
7	OPF		1	2004			····		280
8	OPU		1	2004					42
10	OPU		1	2004		-			84
12	PTO		1	2005					1,329
14	FLA	12:ABOVE AVERAGE WOOD	1	2004		Υ			476

Misc Improvement Details

Nbr	Type	# Units	Length	Width	Year Built	Roll Year	Grade	Life
0	PT2:BRICK PATIO	299 SF	23	13	2005	2006	2	50
1	FN2:FENCES	126 SF	18	7	1981	1982	2	30
2	FN2:FENCES	96 SF	48	2	1981	1982	5	30
3	PT2:BRICK PATIO	98 SF	14	7	1981	1982	4	50
4	PO4:RES POOL	319 SF	29	11	2005	2006	4	50
5	FN2:FENCES	468 SF	78	6	1981	1982	4	30
6	WF2:WATER FEATURE	1 UT	0	0	2005	2006	2	20
7	HT2:HOT TUB	1 UT	0	0	2005	2006	3	50

Appraiser Notes

2005-09-14 THE CO#302 WAS FOR RENOVATION FOR THE EXISTING SFR AND BUILD NEW ADDITION NO NEW BEDROOMS.

2005-12-02 BEING OFFERED FOR \$3,495,000. FROM THE MLS REPORT 6BDS/5.5 BATHS-SKI

2012-03-02 NATIONAL REGISTER OF HISTORIC PLACES.DKRAUSE

Building Permits

	Bidg Number	Date Issued	Date Completed	Amount Description	Notes
i	10- 3280	10/08/2010	0 05/04/2011 3,200 INSTALL 4 SQRS OF NEW		INSTALL 4 SQRS OF NEW VCRIMP TO MATCH EXISTING
	15- 0526	02/13/2015	03/26/2015	100	INSTALL TRASFER SWITCH FOR GENERATOR
		02/13/2015	03/26/2015	100	POUR CONCRETE PAD FOR GENERATOR

	15- 0527					
	15- 0528	02/13/2015	03/26/2015	100		EXTEND PERMIT # 11-2283. INSTALL UNDERGROUND TANE FOR GENERATOR AND INSTALL ON SLAB WITH SHUTOFF VALVE
1	03- 3576	10/08/2003	11/19/2004	5, 00 0		INSTALL HURRICANE PANELS
2	04- 1553	05/28/2004	03/23/2005	323,799		TOTAL RENOVATION
3	04- 0139	02/09/2004	09/14/2005	25,000		DEMO INTERIOR
4	04- 0455	02/19/2004	09/14/2005	2,400	-	DEMO BLOCK WALL & DECK
5	04- 0629	03/05/2004	09/14/2005	25,000	Residential	REDO ALL FOOTERS
6	04- 0831	03/18/2004	09/14/2005	1,500	Residential	ELEC - TEMP PANEL
7	04- 2653	09/22/2004	06/06/2005	206,512	Residential	ADDITION
8	04- 2677	11/01/2004	06/06/2005	114,000	Residential	ROOFING
9	04- 2553	11/08/2004	09/14/2005	41,000	Residential	POOL
10	04- 3472	11/09/2004	09/14/2005	3,900	Residential	ROOF OVER DECK
11	05- 0148	01/21/2005	09/14/2005	5,000	Residential	BRICK PAVERS
12	05- 0215	02/01/2005	09/14/2005	2,300	Residential	NEW SEWER LINE
13	04- 3823	01/05/2005	09/14/2005	2,200	Residential	FENCE
14	05- 1406	05/05/2005	06/06/2005	5,000	Residential	INSTALL HURRICANE SHUTTERS
15	05- 4210	09/26/2005	10/31/2005	2,200	Residential	REPLACE 8SQS V-CRIMP ROOFING
	05- 4419	10/04/2005	10/31/2005	1,100		REVISION - REMOVE CEDAR SHAKES & APPLY 5/8 PLYWOOD

Parcel Value History

Certified Roll Values.

View Taxes for this Parcel.

Roll Year	Total Bidg Value	Total Misc Improvement Value	Total Land Value	Total Just (Market) Value	Total Assessed Value	School Exempt Value	School Taxable Value
2014	510,900	38,957	958,246	1,508,103	1,382,975	25,000	1,357,975
2013	522,921	40,170	799,446	1,362,537	1,362,537	25,000	1,337,537
2012	528,932	41,383	786,628	1,356,943	1,356,943	25,000	1,331,943
2011	534,891	42,616	872,782	1,450,289	1,450,289	25,000	1,425,289
2010	584,832	43,850	468,294	1,096,976	1,096,976	0	1,096,976
2009	657,114	45,083	711,806	1,414,003	1,414,003	0	1,414,003
2008	610,506	46,317	1,075,026	1,731,849	1,731,849	0	1,731,849

2007	987,313	40,438	1,353,450	2,381,201	2,381,201	0	2,381,201
2006	1,763,037	41,526	734,730	2,451,141	2,451,141	0	2,451,141
2005	765,665	4,532	657,390	1,427,587	1,427,587	0	1,427,587
2004	332,007	4,636	541,380	878,023	414,582	25,000	389,582
2003	319,710	4,713	262,812	587,235	406,852	25,000	381,852
2002	311,451	4,817	262,812	579,080	397,317	25,000	372,317
2001	246,748	4,347	262,812	513,908	391,051	25,000	366,061
2000	231,783	3,772	165,547	401,102	379,671	25,000	354,671
1999	233,233	3,721	165,547	402,501	369,690	25,000	344,690
1998	204,826	3,287	165,547	373,661	348,117	25,000	323,117
1997	188,219	3,121	148,121	339,461	322,731	25,000	297,731
1996	142,351	2,573	148,121	293,045	287,761	25,000	262,761
1995	137,079	2,564	148,121	287,763	282,049	25,000	257,049
1994	111,286	2,247	148,121	261,654	261,654	25,000	236,654
1993	109,028	2,219	148,121	259,367	259,367	25,000	234,367
1992	109,028	1,103	148,121	258,252	258,252	25,000	233,252
1991	109,028	1,142	148,121	258,290	258,290	25,000	233,290
1990	47,595	282	115,447	163,323	163,323	25,000	138,323
1989	43,268	266	113,269	156,803	156,803	25,000	131,803
1988	35,029	238	95,843	131,110	131,110	25,000	106,110
1987	34,599	246	74,954	109,799	109,799	25,000	84,799
1986	34,787	252	72,928	107,967	107,967	25,000	82,967
1985	33,701	260	36,769	70,730	70,730	25,000	45,730
1984	31,294	266	36,769	68,329	68,329	25,000	43,329
1983	31,294	274	36,769	68,337	68,337	25,000	43,337
1982	24,537	0	36,769	61,306	61,306	25,000	36,306

Parcel Sales History

NOTE: Sales do not generally show up in our computer system until about two to three months after the date of sale. If a recent sale does not show up in this list, please allow more time for the sale record to be processed. Thank you for your patience and understanding.

Sale Date	Official Records Book/Page	Price	Instrument	Qualification
2/10/2015	2726 / 1744	100	QC	11
2/10/2015	2726 / 1746	2,000,000	WD	12
1/8/2015	2719 / 1745	234,000	CT	12
7/30/2012	2599 / 774	100	WD	11
1/13/2006	2180 / 1298	3,060,000	WD	Q
2/6/2004	1973 / 1786	1,125,000	WD	<u>Z</u>
2/1/1974	599 / 686	23,000	00	Q

This page has been visited 18,599 times.