

### Historic Architectural Review Commission Staff Report for Item 6

**To:** Chairman Bryan Green and Historic Architectural Review

**Commission Members** 

**From:** Enid Torregrosa, MSHP

Historic Preservation Planner

**Meeting Date:** May 24, 2016

**Applicant:** Perez Engineering

**Application Number:** H16-03-0002

Address: #1310 Royal Street

### **Description of Work**

Replace rear shed roof with gable roof. Replace exterior board and batten siding with lap siding. Change of window configurations. Replacement of sliding doors.

### **Site Facts**

The building in review is not listed in the current survey. The historic house is a one-story frame vernacular structure that was build circa 1948. The back portion of the house has been altered by a one-story attached addition that extends towards the south as well as an addition at the front of the house. The addition has a shed roof and has board and batten siding.

### **Guidelines Cited on Review**

- Windows (pages 7-8), specifically guideline 6.
- Additions, alterations and new construction (pages 36-38a), specifically guidelines 2, 3, 4, and 5 of page 37. Guidelines for new construction, specifically scale and massing.

### **Staff Analysis**

The Certificate of Appropriateness in review is for the replacement of an existing non-historic shed roof gable roof. The roof replacement is for a non-historic portion rear

addition. The exterior walls of the non-historic addition need to be raise in order to accommodate the new roof. The proposed roof will be lower in height than the main house roof. All materials for the new roof will be wood. The new roof will have metal v-crimp panels. The plans also include the relocation of windows on the rear additions and new sliding doors to be located on the rear façade of the addition. The plans also include the replacement of board and batten siding on the addition with wood lop siding.

### **Consistency with Guidelines**

The proposed changes to the rear of the historic house are consistent with the cited guidelines. The change of a shed roof to a side gable roof is an appropriate design to the house. The proposed changes are to a secondary elevation and the scale, massing, and proportions will not detract from the main house or from the neighboring structures. The proposed change to the existing addition will not overpower any structure adjacent to the site. The proposed changes on fenestrations and siding will be for non-historic portions of the building.

## APPLICATION

### COMBINATION APPLICATION: FLOODPLAIN, CONSTRUCTION AND HARC \$50.00 APPLICATION FEE NON-REFUNDABLE



### City of Key West

3140 FLAGLER AVENUE KEY WEST, FLORIDA 33040

Phone: 305.809.3956

•	1101	ic.	J	v.		0	17		7	20	,	
ú	ww	/·ci	tv	o	fle	PI	14	100	: 1:	-FI	no	V

HARC PERMIT	0600 Z	BUILDING PER	RMIT NUMBER	INITIAL & DA	TE
FLOODPLAIN F	ERMIT			REVISION #	
FLOOD ZONE	PANEL#	ELEV. L. FL.	SUBSTANTIAL	IMPROVEMENT	_
			YES	NO	%

www.cityot	fkeywest-fl.gov		YESNO9
ADDRESS OF PROPOSED PROJECT:	1310 Royal Street		# OF UNITS
RE # OR ALTERNATE KEY:	00036970-000000		
NAME ON DEED:	John Dessauer		PHONE NUMBER 219-226-9450
OWNER'S MAILING ADDRESS:	PO Box 35		EMAIL john@thedessauergroup.com
	Cedar Lake, IN 4630	3-0035	الاستادات الا
CONTRACTOR COMPANY NAME:			PHONE NUMBER
CONTRACTOR'S CONTACT PERSON:			EMAIL AND FEB 11 2016
ARCHITECT / ENGINEER'S NAME:	Perez Engineering & I	Development	PHONE NUMBER 305-293-9440
ARCHITECT / ENGINEER'S ADDRESS:	1010 Kennedy Drive,	Suite 201	EMAIL aperez@perezeng.com
	Key West, FL 33040		
HARC: PROJECT LOCATED IN HISTORIC	DISTRICT OR IS CONTRIB	JTING:YESNO (	SEE PART C FOR HARC APPLICATION.)
CONTRACT PRICE FOR PROJECT OR ES	STIMATED TOTAL FOR MAT	I LABOR & PROFIT-	
CHANGE OF USE /  × DEMOLITION  DETAILED PROJECT DESCRIPTION INCL	SITE WORKINTERIO	R × EXTERIOR	WITHIN FLOOD ZONEAFTER-THE-FACT
Demolition of roof of non-contribut	ting structure. Replace e	xisting asphalt monosl	ope roof with metal v-crimp gable roof.
			windows. Replace two sliding doors.
JOHN DESTATES		IES AND OTHER PARTIES AS A QUALIFIER PRINT NAME:	PPLICABLE TO COMPLETE THE DESCRIBED PROJECT:
OWNER SIGNATURE: WWW.	yur mgs	QUALIFIER SIGNATURE:	
Notary Signature as To owner:	1	Notary Signature as to qualifier	
STATE OF FLORIDA; COUNTY OF MONROE, SWOR	20 16	STATE OF FLORIDA; COUNT THIS DAY OF	Y OF MONROE, SWORN TO AND SCRIBED BEFORE ME
Amber McCrory Notary Public - State of F Commission #EE200 My Commission Expir May 20, 2016	lorida 1051 es		Oper: KEYWBLD Type: BP Drawer: Date: Z/01/16 50 Receipt no: 903 2016 900002
Personally known or produced IN DL 5940	as identification. F	Personally known or produced	PT * BUILDING PERMITS-NEW as Identification
			CK CHECK 245 \$100.0 Total tendered \$100.0 Total payment \$100.0

Total payment Trans date: 2/01/16

Page 1 of 3

33324-4369-01c

PART B: SUPPLEMENTARY PROJECT DETAILS TO AVOID DELAYS / CALL-BACKS

PROPERTY STRUCTURES AFFECTED F	V PROJECT: X MAIN STRUCTURE	ACCESSORY STRUCTURESITE
		KFENCE OUTBUILDING / SHED
	_4 FT 6 FT. SOLID 6 FT. / TOP	
PUBLIC POOLS PEOLIPE BD OF	ABOVE GROUND SPA / HOT TU HEALTH LICENSE APPLICATION AT TIME OF CIT	JBPRIVATEPUBLIC
PUBLIC POOLS REQUIRE BD. OF	HEALTH LICENSE APPLICATION AT TIME OF CIT	Y APPLICATION.
ROOFING: _x_NEW _	_ROOF-OVERTEAR-OFFREI	PAIR AWNING
5 V MET	ALASPLT. SHGLS. METAL SH	IGLSBLT. UPTPO OTHER
FLORIDA ACCESSIBILITY C	ODE: 20% OF PROJECT FUNDS INV	ESTED IN ACCESSIBILITY FEATURES.
SIGNAGE: # OF SIN	GLE FACE # OF DOUBLE FACE _	REPLACE SKIN ONLY BOULEVARD ZONE
POLE	WALL PROJECTING AWN	NING HANGING WINDOW
A SA STATE OF THE SAME OF THE	ACH SIGN FACE:	
	RACTORS SUPPLEMENTARY INFORMAT	
MECHANICAL:	DUCTWORKCOMMERCIAL EXH, HO	DOD INTAKE / EXH. FANS LPG TANKS
A/C:C	OMPLETE SYSTEM AIR HANDLER	CONDENSER MINI-SPLIT
ELECTRICAL:L	IGHTINGRECEPTACLES HOO	K-UP EQUIPMENTLOW VOLTAGE
SERVICE:	OVERHEAD UNDERGROUND	1 PHASE 3 PHASE AMPS
PLUMBING: ONE	SEWER LATERAL PER BLDG INGF	ROUND GREASE INTCPTRS LPG TANKS
RESTROOMS	MEN'S WOMEN'S UNISEX	ACCESSIBLE
		ATE OF APPROPRIATENESS
LEASE ATTACH APPROPRIATE VARIANO TTENTION: NO BUILDING PERMITS WIL	CES / RESOLUTIONS FROM HARC, PLANN L BE ISSUED PRIOR TO HARC APPROVA	\$50 COMMISSION REVIEW \$100 NING BOARD OR TREE COMMISSION. LL.
LEASE SEND ELECTRONIC SUBMISSION	5 TO: narc@cityofkeywest-fl.gov	Andrea sur comment star
	ROPRIATENESS: X GENERALDE	EMOLITIONSIGNPAINTINGOTHER
DDITIONAL INFORMATION:		
ROJECT SPECIFICATIONS: PLEASE PRO CHITECTURAL FEATURES TO BE ALTERED:	VIDE PHOTOS OF EXISTING CONDITION	IS, PLANS, PRODUCT SAMPLES, TECHNICAL DATA
CHITECTURAL PEATURES TO BE ALTERED:	ORIGINAL MATERIAL:	PROPOSED MATERIAL:
MOLITION: PLEASE FILL OUT THE HAR	C APPENDIX FOR PROPOSED DEMOLITI	ION
DEMOLITION OF HISTORIC STRUCT	JRES IS NOT ENCOURAGED BY THE HIS	STORIC ARCHITECTURAL REVIEW COMMISSION.
GNAGE: (SEE PART B) BUSINESS S	IGN BRAND SIGN OTHER	
	V. V. Santa Park	Nobres along
JSINESS LICENSE#	IF FACADE MOUNTED, SQ. FT	T. OF FACADE

PION CORY		SIGN SPECIFIC		
SIGN COPY:		PROPOSED MATER	RIALS:	SIGNS WITH ILLUMINATION:
				TYPE OF LTG.:
				LTG. LINEAL FTG.:
MAX. HGT. OF FONTS:				
7.5.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.				COLOR AND TOTAL LUMENS:
USING LIGHT FIXTURES PLI	EASE INDICATE HOW MA	ANY: INCLUDE SPEC	SHEET WITH LOCATION	S AND COLORS.
OFFICIAL USE ONLY:  APPROVED  I  ARC MEETING DATE:  EASONS OR CONDITIONS:	NOT APPROVED	HARC STAFF OR COMMISDEFERRED FOR FUTUE HARC MEETING DAT	RE CONSIDERATION	TABLED FOR ADD'L. INFO.  HARC MEETING DATE:
	Not wisted			
1176	ID DATE:	HARO	C CHAIRPERSON SIGNAT	
PROVEMENTS TO YOUR PROP FORE THE FIRST INSPECTION PRIDA STATUTE 469: ABESTO FREE THAT I WILL COMPLY W ADDITION TO THE REQUIREME PERTY THAT MAY BE FOUND ITIES SUCH AS AQUADUCT A	TATE OF FLOF RNING TO OWNER: YOU PERTY, A NOTICE OF CO I. IF YOU INTEND TO OB OS ABATEMENT, AS OWN ITH THE PROVISIONS F. ENTS OF THIS PERMIT A O IN THE PUBLIC RECOR	HARCE  RIDA OFFICIAL NOTE  OF FAILURE TO RECORD A 'NOTE  OF MANUST BE RECORD  TAIN FINANCING CONSULT WITH  NER / CONTRACTOR / AGENT OF  S. 469.003 AND TO NOTIFY THE  RDS OF MONROE COUNTY AND TO	TIFICATIONS A ICE OF COMMENCEMENT REDED WITH THE COUNTY H YOUR LENDER OR AN A RECORD FOR THE CON: FLORIDA D. E. P. OF MY EED RESTRICTIONS AND THERE MAY BE ADDITION ARMY CORPS OF ENGINE	ND WARNINGS  MAY RESULT IN YOUR PAYING TWICE FOR RECORDER AND A COPY POSTED ON THE JOB SITE ATTORNEY BEFORE RECORDING A NOTICE.  STRUCTION APPLIED FOR IN THIS APPLICATION, INTENT TO DEMOLISH / REMOVE ASBESTOS. OR ADDITIONAL RESTRICTIONS APPLICABLE TO THE IAL PERMITS REQUIRED FROM OTHER GOVERNMENT EERS OR OTHER FEDERAL AGENCIES.
ART D: ST PRIDA STATUTE 713.135: WA PROVEMENTS TO YOUR PROP FORE THE FIRST INSPECTION PRIDA STATUTE 469: ABESTO PREE THAT I WILL COMPLY W DDITION TO THE REQUIREME PERTY THAT MAY BE FOUND ITIES SUCH AS AQUADUCT A ERAL LAW REQUIRES LEAD I	TATE OF FLOF RNING TO OWNER: YOU PERTY. A NOTICE OF CO I. IF YOU INTEND TO OB IS ABATEMENT. AS OWN ITH THE PROVISIONS F. ENTS OF THIS PERMIT A D IN THE PUBLIC RECOR ITHORITY, FLORIDA DEF	PARCE THE STANDARDS OF THE USDE	TIFICATIONS A ICE OF COMMENCEMENT REDED WITH THE COUNTY H YOUR LENDER OR AN A RECORD FOR THE CON: FLORIDA D. E. P. OF MY EED RESTRICTIONS AND THERE MAY BE ADDITION ARMY CORPS OF ENGINE	ND WARNINGS  MAY RESULT IN YOUR PAYING TWICE FOR RECORDER AND A COPY POSTED ON THE JOB SITE ATTORNEY BEFORE RECORDING A NOTICE.  STRUCTION APPLIED FOR IN THIS APPLICATION, INTENT TO DEMOLISH / REMOVE ASBESTOS. OR ADDITIONAL RESTRICTIONS APPLICABLE TO THE IAL PERMITS REQUIRED FROM OTHER GOVERNMENT EERS OR OTHER FEDERAL AGENCIES.
ART D: ST PRIDA STATUTE 713.135: WA PROVEMENTS TO YOUR PROF FORE THE FIRST INSPECTION PRIDA STATUTE 469: ABESTO PRIDA STAT	TATE OF FLOF RNING TO OWNER: YOU PERTY. A NOTICE OF CO I. IF YOU INTEND TO OB IS ABATEMENT. AS OWN ITH THE PROVISIONS F. ENTS OF THIS PERMIT A D IN THE PUBLIC RECOR ITHORITY, FLORIDA DEF	PARCE THE STANDARDS OF THE USDE	TIFICATIONS A ICE OF COMMENCEMENT REDED WITH THE COUNTY H YOUR LENDER OR AN A RECORD FOR THE CON: FLORIDA D. E. P. OF MY EED RESTRICTIONS AND THERE MAY BE ADDITION ARMY CORPS OF ENGINE	ND WARNINGS  MAY RESULT IN YOUR PAYING TWICE FOR RECORDER AND A COPY POSTED ON THE JOB SITE ATTORNEY BEFORE RECORDING A NOTICE.  STRUCTION APPLIED FOR IN THIS APPLICATION, INTENT TO DEMOLISH / REMOVE ASBESTOS. OR ADDITIONAL RESTRICTIONS APPLICABLE TO THE IAL PERMITS REQUIRED FROM OTHER GOVERNMENT EERS OR OTHER FEDERAL AGENCIES.  LT PRIOR TO 1978.
ART D: ST PRIDA STATUTE 713.135: WA PROVEMENTS TO YOUR PROF FORE THE FIRST INSPECTION PRIDA STATUTE 469: ABESTO PRIDA STAT	TATE OF FLOF RNING TO OWNER: YOU PERTY, A NOTICE OF CO I. IF YOU INTEND TO OB IS ABATEMENT, AS OWN ITH THE PROVISIONS F, ENTS OF THIS PERMIT A IN THE PUBLIC RECOR ITHORITY, FLORIDA DEF PAINT ABATEMENT PER IXAMINER OR CHIEF BUI	HARCE  RIDA OFFICIAL NOTE  OF FAILURE TO RECORD A 'NOTE  OF MMENCEMENT MUST BE RECORD  TAIN FINANCING CONSULT WITH  NER / CONTRACTOR / AGENT OF  S. 469.003 AND TO NOTIFY THE  PPLICATION, THERE MAY BE DE  RIDS OF MONROE COUNTY AND TO  OR OTHER STATE AGENCIES;  R THE STANDARDS OF THE USDE	TIFICATIONS A ICE OF COMMENCEMENT RDED WITH THE COUNTY H YOUR LENDER OR AN A FRECORD FOR THE CONS FLORIDA D. E, P. OF MY EED RESTRICTIONS AND THERE MAY BE ADDITION ARMY CORPS OF ENGINE	ND WARNINGS  MAY RESULT IN YOUR PAYING TWICE FOR RECORDER AND A COPY POSTED ON THE JOB SITE ATTORNEY BEFORE RECORDING A NOTICE.  STRUCTION APPLIED FOR IN THIS APPLICATION, INTENT TO DEMOLISH / REMOVE ASBESTOS. OR ADDITIONAL RESTRICTIONS APPLICABLE TO THE IAL PERMITS REQUIRED FROM OTHER GOVERNMENT EERS OR OTHER FEDERAL AGENCIES.  LT PRIOR TO 1978.
ART D: ST DRIDA STATUTE 713,135: WA PROVEMENTS TO YOUR PROP FORE THE FIRST INSPECTION DRIDA STATUTE 469: ABESTO GREE THAT I WILL COMPLY W ADDITION TO THE REQUIREMED OPERTY THAT MAY BE FOUND ITIES SUCH AS AQUADUCT A ERAL LAW REQUIRES LEAD I	TATE OF FLOF RNING TO OWNER: YOU PERTY, A NOTICE OF CO I. IF YOU INTEND TO OB IS ABATEMENT, AS OWN ITH THE PROVISIONS F, ENTS OF THIS PERMIT A IN THE PUBLIC RECOR ITHORITY, FLORIDA DEF PAINT ABATEMENT PER IXAMINER OR CHIEF BUI	HARCE  RIDA OFFICIAL NOTE  OF FAILURE TO RECORD A 'NOTE  OF MMENCEMENT MUST BE RECORD  TAIN FINANCING CONSULT WITH  NER / CONTRACTOR / AGENT OF  S. 469.003 AND TO NOTIFY THE  PPLICATION, THERE MAY BE DE  RIDS OF MONROE COUNTY AND TO  OR OTHER STATE AGENCIES;  R THE STANDARDS OF THE USDE	TIFICATIONS A ICE OF COMMENCEMENT RDED WITH THE COUNTY H YOUR LENDER OR AN A FRECORD FOR THE CONS FLORIDA D. E, P. OF MY EED RESTRICTIONS AND THERE MAY BE ADDITION ARMY CORPS OF ENGINE	ND WARNINGS  MAY RESULT IN YOUR PAYING TWICE FOR RECORDER AND A COPY POSTED ON THE JOB SITE ATTORNEY BEFORE RECORDING A NOTICE.  STRUCTION APPLIED FOR IN THIS APPLICATION, INTENT TO DEMOLISH / REMOVE ASBESTOS. OR ADDITIONAL RESTRICTIONS APPLICABLE TO THE IAL PERMITS REQUIRED FROM OTHER GOVERNMENT EERS OR OTHER FEDERAL AGENCIES.  LT PRIOR TO 1978.

### CITY OF KEY WEST CERTIFICATE OF APPROPRIATENESS APENDIX FOR DEMOLITIONS APPLICATION NUMBER H. 14-03.0002



This document applies only to those properties located within the City of Key West Historic Zoning Districts, properties outside the historic zoning districts which are listed as contributing in the Historic Architectural Survey and or properties listed in the National Register of Historic Places.

Applications must meet or exceed the requirements outlined by the Secretary of the Interior's Standards for Rehabilitation and Guidelines for Rehabilitation and the Key West's Historic Architectural Guidelines. Once submitted, the application shall be reviewed by staff for completeness and scheduled for presentation to the Historic Architectural Review Commission for the next available meeting, unless the demolition request is for a bona fide Code Compliance case, in which case staff may review and approve the demolition request. The applicant must be present at this meeting. Any person that makes changes to an approved Certificate of Appropriateness must submit a new application with such modifications.

The filing of this application does not ensure approval as submitted. Applications that do not possess the required submittals or documentation will be considered incomplete and will not be reviewed for approval.

### CRITERIA FOR DEMOLITIONS

Before any Certificate of Appropriateness may be issued for a demolition request, the Historic Architectural Review Commission must find that the following requirements are met (please review and comment on each criterion that applies);

(1) If the subject of the application is a contributing or historic building or structure, then it should not be demolished unless its condition is irrevocably compromised by extreme deterioration or it does not meet

any of	the following criteria:
(a)	The existing condition of the building or structure is irrevocably compromised by extreme deterioration.  Rear addition roof line to be modified is not historic.
OR THAT THE BU	JILDING OR STRUCTURE;
(a)	Embodies no distinctive characteristics of a type, period, or method of construction of aesthetic or historic significance in the city and is not a significant and distinguishable building entity whose components may lack individual distinction.  Rear addition not historic in nature. Faux board and batten finish to be replaced with lap siding to match remainder of the home.
(b)	Is not specifically associated with events that have made a significant contribution to local, state, or national history.  Not applicable.

(c)	Has no significant character, interest, or value as part of the development, heritage, or cultural characteristics of the city, state or nation, and is not associated with the life of a person significant in the past.  Not Applicable.
(d)	Is not the site of a historic event with a significant effect upon society.  Not Applicable.
(e)	Does not exemplify the cultural, political, economic, social, or historic heritage of the city.  Not Applicable.
f)	Does not portray the environment in an era of history characterized by a distinctive architectural style.  Creation of a sawtooth instead of a shed roof is more appropriate for this structure.
g)	If a part of or related to a square, park, or other distinctive area, nevertheless should not be developed or preserved according to a plan based on the area's historic, cultural, natural, or architectural motif.  Not Applicable.
)	Does not have a unique location or singular physical characteristic which represents an established and familiar visual feature of its neighborhood or of the city, and does not exemplify the best remaining architectural type in a neighborhood.  Not Applicable.
i)	Has not yielded, and is not likely to yield, information important in history.  Not Applicable.

## CITY OF KEY WEST CERTIFICATE OF APPROPRIATENESS APENDIX FOR DEMOLITIONS APPLICATION NUMBER H-# 14-03-0002



	(2) For a contributing historic or noncontributing building or structure, a complete construction plan for the site is approved by the Historic Architectural Review Commission.
	(a) A complete construction plan for the site is included in this application
	_x _Yes Number of pages and date on plans _4 Pages; February 1, 2016
	No Reason
Commission	ng criteria will also be reviewed by the Historic Architectural Review Commission for proposed demolitions. The shall not issue a Certificate of Appropriateness that would result in the following conditions (please reviewent on each criterion that applies);
	(1) Removing buildings or structures that are important in defining the overall historic character of a district or neighborhood so that the character is diminished. Proposed roof line is more appealing to the eye than the wall face for the shed roof and is not out of mass and scale for the structure.
	(2) Removing historic buildings or structures and thus destroying the historic relationship between buildings or structures and open space; and  No modification to open space and no impact on nearby buildings.
AND	(3) Removing an historic building or structure in a complex; or removing a building facade; or removing a significant later addition that is important in defining the historic character of a site or the surrounding district or neighborhood.  Not Applicable.
	(4) Removing buildings or structures that would otherwise qualify as contributing.  Rear addition is not historic.

Nothing in this application is intended to alter the authority of the Building Official to condemn for demolition dangerous buildings, as provided in Section 102-218 of the Land Development Regulations and Chapter 14 of the Code of Ordinances.

receiving a Certificate of Appropriatenes proceeding with the work outlined above	ss, I realize the e and that ther	work shall conform to all applicable laws of this jurisdiction. By at this project will require a Building Permit, approval <b>PRIOR to</b> re will be a final inspection required under this application. I also the of Appropriateness must be submitted for review.
PROPERTY OWNER'S SIGNATURE:	4	2/3/16 John Dessauler DATE AND PRINT NAME:
		EE USE ONLY
	BUILDIN	G DESCRIPTION:
Contributing Year built Not listed Year built	StyleComments	Listed in the NRHP Year
Reviewed by Staff on Notice of hearing posted First reading meeting date Second Reading meeting date TWO YEAR EXPIRATION DATE	Sta	aff Comments

# AUTHORIZATION LETTER

### **Enid Torregrosa**

From: john@thedessauergroup.com on behalf of John Dessauer <john@antonassetmgt.com>

Sent: Wednesday, April 27, 2016 7:12 PM

To: Enid Torregrosa
Cc: Michael Lepine

Subject: 1310 Royal Street, Key West, Florida

### Enid,

I am the owner of 130 Royal Street, Key West, Florida(Lost Weekend, LLC). We were on the agenda for the HARC meeting last night. Perez Engineering, my engineering company was not present for the meeting. My apologies. I would like to have Mike Lepine of Lepine Builders represent me at he upcoming May HARC meeting. Please let me know if you need anything else in place for him to represent me regarding this process.

### Thanks,




### John Dessauer


Chief Creative Officer/Managing Broker, Anton Agency/Anton Asset Management

Phone: 219-226-9450 Mobile: 219-808-5311

Email: john@antonassetmgt.com Website: www.antonassetmgt.com


Address: Charlotte - Chicago - Indianapolis - NW Indiana - South Florida





#1310 Royal Street Sanborn Map 1962

## PROJECT PHOTOS



#1310 Royal Street circa 1965. Monroe County Library






















### Boundary Survey Map of part of Lot 32 and all of Lot 34 Square 4, Tract 17, Pierce and White's Diagram, Island of Key West



### NOTES:

The legal description shown hereon was furnished by the client or their agent. This survey does not determine or imply ownership.

Underground foundations and utilities were not located.

All angles are 90° (Measured & Record) unless otherwise noted.

4. Street address: 1310 Royal Street, Key West, FL.

5. This survey is not valid without the signature and the original raised seal of a Florida licensed surveyor and mapper.
6. Lands shown hereon were not abstracted for rights-of-way, easements, ownership,

or other instruments of record.

North Arrow is assumed and based on the legal description.

Date of field work: January 8, 2015

Ownership of fences is undeterminable, unless otherwise noted.

10. Adjoiners are not furnished.

BOUNDARY SURVEY OF: In the City of Key West and known as Lot 34 and part of Lot 32 in Square 4 of Tract 17, according to Pierce & White diagram of Square 4, Tract 17, recorded in Deed Book "N" Page 613, Records of Monroe County, Florida, and more particularly described by metes and bounds as follows: COMMENCING at the Northwest corner of South and Royal Streets, run in a Northwesterly direction on the Southwest side of Royal Street One Hundred ninety-nine (199) feet to a point, said Point being the Point of Beginning, continue Northwesterly along the Southwest side of Royal Street for a distance of Fifty-three (53) feet to a point; thence run at right angles in a Southwesterly direction parallel with South Street a distance of One Hundred (100) feet to a point; thence run at right angles in a Southeasterly direction parallel with Royal Street a distance of Fifty-three (53) feet to a point; thence at right angles in a Northeasterly direction parallel with South Street a distance of One Hundred (100) feet back to the Point of Beginning.

BOUNDARY SURVEY FOR: Lost Weekend LLC;

I HEREBY CERTIFY that this survey was made under my responsible charge and meets the Standard of Practice as set forth by the Florida Board of Professional Surveyors & Mappers in Chapter 5J-17, Florida Administrative Code, pursuant to Section 472.027, Florida Statutes.

LYNN O'FLYNN, INC. O'Flynn, PSM Florida Reg. #6298

January 9, 2015

THIS SURVEY IS NOT *ASSIGNABLE* 



# PROPOSED DESIGN

### SITE DATA

ZONING DISTRICT: HMDR

FLOOD ZONE: X

F.I.R.M. - COMMUNITY #120168; PANEL #1516; SUFFIX "K"; DATED: 02-18-2005

LEGAL DESCRIPTION: PART OF LOT 32 & ALL OF LOT 34, SQUARE 4, WHITE & PIERCE DIAGRAM

### **DESIGN DATA**

THE WORK DEPICTED HEREIN WAS DESIGNED TO MEET THE REQUIREMENTS OF THE FLORIDA BUILDING CODE, FIFTH EDITION (2014).

THE WORK DEPICTED HEREIN WILL NOT YIELD ADDITIONAL IMPERVIOUS COVERAGE

OCCUPANCY CLASSIFICATION: R3
CONSTRUCTION TYPE: V

FLOOR LIVE LOAD: 40 PSF

THE FOLLOWING LOADINGS WERE USED: WIND LOAD: 180 MPH (ASCE 7-10) EXPOSURE D

### INDEX OF DRAWINGS

T-1 - SITE DATA

A-1 - FLOOR PLANS

A-2 - EXISTING ELEVATIONS A-3 - PROPOSED ELEVATIONS

### **GENERAL NOTES**

I. THESE PLANS ARE FOR THE WORK AT THE LOCATION SO DESIGNATED HEREIN.

2. THE CONTRACTOR SHALL PROVIDE ALL MATERIAL, LABOR, EQUIPMENT AND SUPERVISION NECESSARY TO PROVIDE THE WORK COMPLETE AND READY FOR USE.

3. THERE SHALL BE NO DEVIATION FROM THESE PLANS WITHOUT PRIOR APPROVAL FROM THE ENGINEER OF RECORD.
4. THE CONTRACTOR SHALL VISIT THE SITE AND BECOME FAMILIAR WITH EXISTING CONDITIONS BEFORE BID. CHECK AND VERIFY ALL DIMENSIONS AND CONDITIONS OF THE WORK SITE AND REPORT ANY DISCREPANCIES, DIFFERENCES OR

5. NOTIFY THE ENGINEER OF RECORD IMMEDIATELY OF ANY DISCREPANCIES, DIFFERENCES, UNSATISFACTORY OR UNSAFE CONDITIONS. ANY MODIFICATIONS OR CHANGES MADE WITHOUT PRIOR WRITTEN APPROVAL FROM THE OWNER AND ENGINEER OF RECORD SHALL NOT BE ALLOWED. ANY REWORK, RESTORATION OR OTHER IMPACT AS A RESULT OF NOT OBTAINING SUCH PRIOR APPROVAL WILL BE MADE BY THE CONTRACTOR WITHOUT ADDITIONAL COST OR COMPENSATION FROM THE OWNER.

6. THE CONTRACTOR SHALL PROVIDE FOR THE SAFETY, PREVENTION OF INJURY OR OTHER LOSS AT THE JOB TO ALL PERSONS EMPLOYED IN THE WORK, PERSONS VISITING THE WORK AND THE GENERAL PUBLIC. THE CONTRACTOR SHALL ALSO BE RESPONSIBLE FOR THE PREVENTION OF DAMAGE, DUE TO THE WORK, TO MATERIALS OR EQUIPMENT AND OTHER PROPERTY AT THE SITE OR ADJACENT THERETO.
7. NO RESEARCH AS TO THE PRESENCE OF UNDERGROUND UTILITIES HAS BEEN INCLUDED ON OR PERFORMED FOR THIS

PROJECT. CONTRACTOR SHALL BE RESPONSIBLE FOR CALLING SUNSHINE UTILITY LOCATE SERVICE PRIOR TO ANY CONSTRUCTION WITHIN ANY PUBLIC RIGHT-OF-WAY OR OTHER AREAS WHERE UNDERGROUND UTILITIES MAY BE PRESENT (I.E. IN AND AROUND UTILITY EASEMENTS, ETC.)

8. THE GENERAL CONTRACTOR SHALL PROVIDE AN ON-SITE DUMPSTER IN A LOCATION COORDINATED WITH THE OWNER FOR THE DISPOSAL OF REMOVED MATERIAL AND CONSTRUCTION DEBRIS. THE DUMPSTER SHALL BE EMPTIED AT APPROPRIATE INTERVALS TO PREVENT OVERFLOW AND UNSIGHTLY CONDITIONS.

9. THE CONTRACTOR SHALL PERFORM ALL WORK IN STRICT CONFORMANCE WITH THE PLANS, THE FLORIDA BUILDING CODE, FIFTH EDITION (2014), LOCAL CODES AND ORDINANCES, MANUFACTURER RECOMMENDATIONS AND ACCEPTABLE TRADE PRACTICES. ANY CONFLICT BETWEEN THESE REQUIREMENTS AND THE MOST STRINGENT REQUIREMENTS SHALL GOVERN THE WORK

10. SHOP DRAWINGS OF ALL PREFABRICATED STRUCTURAL FLOOR AND ROOF SYSTEMS AND MECHANICAL SYSTEMS SHALL BEAR THE SEAL OF A FLORIDA PROFESSIONAL ENGINEER AS REQUIRED BY THE FLORIDA BUILDING CODE, FIFTH EDITION (2014) AND SHALL BE SUBMITTED TO THE ENGINEER OF RECORD BY THE CONTRACTOR FOR APPROVAL PRIOR TO FABRICATION AND INSTALLATION.

11. THE CONTRACTOR SHALL NOT SCALE DRAWINGS. ANY INFORMATION THAT THE CONTRACTOR CANNOT OBTAIN FROM DIMENSIONS, DETAIL OR SCHEDULE SHALL BE OBTAINED FROM THE ENGINEER OF RECORD.


12. THE CONTRACTOR SHALL COORDINATE THE WORK OF ALL TRADES TO PREVENT ANY CONFLICTS.

13. THE CONTRACTOR SHALL FURNISH ALL SUBCONTRACTORS WITH A COMPLETE SET OF PLANS. ALL CHANGES SHALL BE NOTED ON THE DRAWINGS AND (2) COMPLETE AS-BUILT SETS SHALL BE DELIVERED TO THE OWNER AFTER COMPLETION OF WORK.

	EXISTING CONDITIONS	ALLOWABLE CONDITIONS	PROPOSED CONDITIONS	COMMENTS
DISTRICT	HMDR	HMDR	HMDR	
LOT SIZE	5300		5300	
BUILDING AREA	1600	2120	1564	REDUCED / COMPLIES
BUILDING COVERAGE	30.2%	40.0%	29.5%	REDUCED / COMPLIES
IMPERVIOUS COVERAGE	2970	3180	2934	REDUCED / COMPLIES
IMPERVIOUS COVERAGE (%)	56.0%	60.0%	55.4%	REDUCED / COMPLIES
OPEN SPACE	1992	1855	1992	NO CHANGE
OPEN SPACE (%)	37.6%	35.0%	37.6%	NO CHANGE
BUILDING HEIGHT	+/- 21'-0"	<30'-0"	+/- 21'-0"	NO CHANGE
FRONT SETBACK	16'-6"	10'-0"	16'-6"	NO CHANGE
RIGHT SIDE SETBACK	0'-0''	5'-0"	0'-0"	NO CHANGE
LEFT SIDE SETBACK	11'-3"	5'-0"	11'-3"	NO CHANGE
STREET SIDE SETBACK	NA	7'-6"	NA	N/A
REAR SETBACK	29'-0"	15'-0"	30'-6"	COMPLIES

## DESSAUER RESIDENCE


1310 ROYAL STREET KEY WEST, FLORIDA




SCALE:1"=10'-0"











JOB NO. 141050

DRAWN EPM

DESIGNED PRS

CHECKED PRS

QC SHEET

x - 2 5 4 5 9

SCALE:1"=10'-0"

### WOOD AND FRAMING NOTES

1. EXCEPT WHERE NOTED OTHERWISE, ALL FRAMING LUMBER SHALL BE SOUTHERN PINE, MC 19%, NO. 2 DENSE,

AS GRADED BY THE SOUTHERN PINE INSPECTION BUREAU.

2. ALL TIMBER CONSTRUCTION SHALL CONFORM TO THE LATEST EDITION AFTC.

3. ALL WOOD SHALL BE PRESSURE TREATED WITH CHEMICALS TO PROTECT FROM INSECTS AND DECAY AS REQUIRED. ALLOW TO DRY AFTER TREATMENT. PROVIDE CONNECTORS AND FASTENERS COMPATIBLE WITH PRESSURE TREATED WOOD FRAMING. PROVIDE SEPARATION BARRIER SUCH AS BUILDING PAPER FOR NON-COMPATIBLE COMPONENTS SUCH AS ALUMINUM WINDOW FRAMES.

4. ALL WOOD CONNECTIONS SHALL HAVE SIMPSON STRONG-TIE CO. OR EQUAL CONNECTORS. ALL CONNECTORS SHALL BE INSTALLED WITH MANUFACTURER RECOMMENDED FASTENERS BEFORE LOADING.
5. CUTTING AND NOTCHING OF FLOOR JOISTS SHALL CONFORM TO THE FOLLOWING:

A. NOTCH DEPTH IN THE TOP OR BOTTOM OF THE JOISTS AND BEAMS SHALL NOT EXCEED ONE-SIXTH OF THE DEPTH OF THE MEMBER AND SHALL NOT BE LOCATED IN THE MIDDLE ONE-THIRD OF THE SPAN. (INCLUDING BIRDS MOUTH CUTS).

B. NOTCH DEPTH AT THE ENDS OF THE MEMBER SHALL NOT EXCEED ONE-FOURTH THE DEPTH OF THE MEMBER.

C. THE TENSION SIDE OF BEAMS, JOISTS AND RAFTERS OF FOUR INCHES OR GREATER NOMINAL THICKNESS SHALL NOT BE NOTCHED, EXCEPT AT ENDS OF MEMBERS.

D. HOLES BORED OR CUT INTO JOISTS SHALL NOT BE CLOSER THAN TWO INCHES TO THE TOP OF BOTTOM OF

THE JOISTS. THE DIAMETER OF THE HOLE SHALL NOT EXCEED ONE-THIRD THE MEMBER DEPTH.
6. PROVIDE SECOND FLOOR JOIST MEMBER, SAME SIZE, UNDER ALL WALLS.

7. HOLES BORED IN BEARING WALL STUDS SHALL NOT EXCEED ONE-THIRD OF STUD.

8. PROVIDE 1X4 PRESSURE TREATED FURRING AT 16" CC FOR ALL TRUSSES THAT WILL HAVE A FINISHED CEILING

BELOW UNLESS NOTED OTHERWISE.

9. PROVIDE BLOCKING BETWEEN ALL JOISTS 2 X 6 OR GREATER AT INTERVALS NOT TO EXCEED 8 FEET AND AT

ALL SUPPORTS.

10. PROVIDE SOLID BLOCKING AT MID HEIGHT ON CENTER BETWEEN STUDS. (MINIMUM).

11. ALL WALL STUDS SHALL BE SPF NO. 2 DENSE GRADE OR BETTER.

12. SEE PLANS FOR WALL STUD SIZE AND SPACING.
13. ALL STUD BEARING WALLS SHALL BE PROVIDED WITH 2 CONTINUOUS TOP PLATES AND CONTINUOUS BOTTOM PLATES WITH A MINIMUM OF ONE ROW OF HORIZONTAL BRIDGING AT MID-HEIGHT OF WALL UNLESS NOTED OTHERWISE. SPLICES OF TOP PLATE SHALL OCCUR OVER STUD. SPLICES SHALL BE STAGGERED A MINIMUM OF FOUR FEET.

14. HEADER BEAMS OVER ALL FRAMED OPENINGS SHALL BE AS SHOWN BELOW, UNLESS NOTED OTHERWISE.

(2) - 2 X 6 FOR INTERIOR OPENINGS UP TO 4'-0", (3) 2 X 6 FOR EXTERIOR OPENINGS UP TO 4'-0" (2) - 2 X 8 FOR INTERIOR OPENINGS UP TO 6'-0", (3) 2 X 8 FOR EXTERIOR OPENINGS UP TO 6'-0"

(2) - 2 X 10 FOR INTERIOR OPENINGS UP TO 8'-0", (3) 2 X 10 FOR EXTERIOR OPENINGS UP TO 8'-0"

(2) - 2 X 12 FOR INTERIOR OPENINGS UP TO 10'-0", (3) 2 X 12 FOR EXTERIOR OPENINGS UP TO 10'-0"
15. EXTERIOR WALL STUDS SHALL BE STRAPPED TO ROOF TRUSSES OR RAFTERS WITH SIMPSON CONNECTORS

OR EQUAL. PROVIDE 3 STUDS (MIN.) FOR GIRDER TRUSS AND BEAM BEARING POINTS.

16. WHERE WOOD JOISTS/BEAMS ETC. FRAME INTO OTHER MEMBERS INSTALL SIMPSON "LUS" SERIES

16. WHERE WOOD JOISTS/BEAMS ETC. FRAME INTO OTHER MEMBERS INSTALL SIMPSON "LUS" SERIES GALVANIZED JOIST HANGERS.

17. FIRESTOPPING SHALL BE PROVIDED IN ALL WALLS AND PARTITIONS TO SEAL ALL CONCEALED DRAFT

OPENINGS BOTH HORIZONTAL AND VERTICAL AND TO FORM A FIRE BARRIER BETWEEN FLOORS AND BETWEEN THE UPPER FLOOR AND THE ROOF SPACE.

18. FIRESTOPPING SHALL BE INSTALLED IN WOOD FRAME CONSTRUCTION IN THE FOLLOWING LOCATIONS:

A. IN CONCEALED SPACE OF STUD WALLS AND PARTITIONS INCLUDING FURRED SPACES AT CEILING AND

B. AT ALL INTERCONNECTIONS BETWEEN CONCEALED VERTICAL AND HORIZONTAL SPACES SUCH AS OCCUR

AT SOFFITS, DROP CEILINGS, COVER CEILINGS, ETC.
C. IN CONCEALED SPACES BETWEEN STAIR STRINGERS AT THE TOP AND BOTTOM OF THE RUN.

D. IN CONCEALED SPACES CREATED BY AN ASSEMBLY OF FLOOR JOISTS, FIRESTOPPING SHALL BE PROVIDED OF THE FULL DEPTH OF THE JOISTS AT THE ENDS AND OVER THE SUPPORTS.

19. FIRESTOPPING SHALL CONSIST OF TWO (2) INCH NOMINAL LUMBER, OR TWO (2) THICKNESS OF ONE (1) INCH NOMINAL LUMBER WITH BROKEN LAP JOISTS, OR ONE (1) THICKNESS OF THREE-FOURTHS (3/4) INCH PLYWOOD ON OTHER APPROVED MATERIALS.

WITH JOINTS BACKED BY THREE-FOURTHS (3/4) INCH PLYWOOD, OR OTHER APPROVED MATERIALS.

20. SOLID DECKING SHALL BE TONGUE & GROOVE, SOUTHERN PINE, SELECT GRADE OF ½ X 6", NOMINAL SIZE AND PLACED IN A CONTINUOUS RANDOM LAY-UP. THE ½ X 6'S SHALL BE TOE-NAILED THROUGH THE TONGUE AND FACE-NAILED WITH TWO NAILS PER SUPPORT USING 16D COMMON NAILS.

21. PLYWOOD DECKING SHALL BE IN ACCORDANCE WITH RECOMMENDATIONS OF THE AMERICAN PLYWOOD ASSOCIATION (APA). PLYWOOD SHEATHING SHALL BE APA STRUCTURAL I, IDENTIFIED WITH APA GRADE-TRADEMARK AND SHALL MEET THE REQUIREMENTS OF US PRODUCT STANDARD PSI OR APA PRP-108. ALL PLYWOOD WITH AN EDGE EXPOSED TO THE EXTERIOR SHALL BE EXTERIOR GRADE. FLOOR DECKING SHALL BE ¾" MINIMUM AND GLUED AND FASTENED TO FLOOR FRAMING. ROOF DECKING SHALL BE ½" MINIMUM AND NAILED WITH 8D NAILS @ 6" IN THE FIELD AND 4" ALONG THE EDGES.

### DOOR & WINDOW NOTES

1. ALL DOORS AND WINDOWS SHALL BE RATED TO WITHSTAND PRESSURES ASSOCIATED WITH 150 MPH WINDS IN ACCORDANCE WITH ASCE 7-10. DOORS AND WINDOWS SHALL BE MANUFACTURED UNITS DESIGNED AND INSTALLED TO ALLOW A MAXIMUM OF 0.5 CFM INFILTRATION PER LINEAL FOOT OF OPERABLE SASH CRACK AND A MAXIMUM 0.5 CFM PER SF OF EXTERIOR DOOR AREA. UNITS SHALL BE GASKETED, WEATHER-STRIPPED OR OTHERWISE SEALED.
2. PROVIDE ONE EGRESS SIZED WINDOW IN EACH BEDROOM UNLESS THERE IS A SECOND EXIT SUCH AS A SLIDING GLASS OR SIDE HINGED DOOR TO THE EXTERIOR. EGRESS WINDOWS SHALL HAVE A SILL HEIGHT OF NOT MORE THAN 44" ABOVE FLOOR LEVEL AND MUST HAVE A MINIMUM NET CLEAR OPENING OF 20" WIDTH AND A NET CLEAR OPENING AREA OF NO

3. ALL EXTERIOR DOORS SHALL BE SOLID CORE,  $1-\frac{3}{4}$ " THICK, WEATHER-PROOF TYPE. ALL INTERIOR DOORS SHALL BE  $1-\frac{3}{8}$ " THICK. UNITS SHALL BE GLAZED OR RAISED PANEL BOTH SIDES. UNITS SHALL HAVE PATTERNS OR DIVIDED LITES UNLESS OTHERWISE NOTED. UNITS SHALL BE OF THE SIZE AND TYPE INDICATED ON THE DRAWINGS WITH SURFACES PREPARED TO ACCEPT PAINT OR OTHER FINISH AS SPECIFIED. DOORS SHALL MEET NWMA STANDARD TOLERANCES FOR EACH TYPE. 4. FURNISH AND INSTALL COMPLETE HARDWARE SETS; SCHLAGE, YALE OR EQUAL. ANSI GRADE 2 OR BETTER FOR HEAVY RESIDENTIAL/MEDIUM COMMERCIAL USE. FINISH AND STYLE TO BE SELECTED BY THE OWNER. ALL EXTERIOR HARDWARE TO BE SALT RESISTANT.

5. ALL SLIDING GLASS DOORS AND SHOWER ENCLOSURES SHALL HAVE TEMPERED GLASS.
6. WOOD OPERATING AND FIXED WINDOWS SHALL BE EQUIPPED WITH SALT RESISTANT HARDWARE AND REMOVABLE SCREENS. ALL UNITS SHALL BE DOUBLE-GLAZED (UNLESS OTHERWISE NOTED ON THE DRAWINGS) WITH TRUE DIVIDED

LITES OR PATTERN INDICATED ON THE DRAWINGS.

7. WINDOW LINITS SHALL DISPLAY LARELS INDICATING COMPLIANCE WITH THE STATE OF ELORIDA MODEL ENERGY C

7. WINDOW UNITS SHALL DISPLAY LABELS INDICATING COMPLIANCE WITH THE STATE OF FLORIDA MODEL ENERGY CODE, SECTION 502.4. FIELD VERIFY ALL DIMENSIONS PRIOR TO FABRICATION.

8. PROVIDE CLEAR GLAZING, GASKETED OR OTHERWISE SEALED. PROVIDE SAFETY GLASS AS REQUIRED AND/OR SHOWN


9. FASTEN DOOR AND WINDOW FRAMES IN ACCORDANCE WITH MANUFACTURER'S INSTALLATION INSTRUCTIONS AND/OR PRODUCT APPROVAL DETAILS. PROVIDE SEPARATION BARRIER WITH DOOR AND WINDOW FRAMES THAT ARE INSTALLED AGAINST NON-COMPATIBLE PRESSURE-TREATED WOOD FRAMING.

	DOOR SCHEDULE							
MARK	NOMINAL SIZE (W xH)	TYPE	WINDLOAD REQUIREMENTS (ASCE 7-10)	MANUFACTURER & MODEL NUMBER	WINDLOAD RATING & APPROVAL NUMBER			
01	6'-0"x6'-8"	SLIDER	-XX.X / +XX.X	PGT SGD-780	-115.0 / +105.0 (NOA # 12-0516.04)			

(5) - WINDLOAD REQUIREMENT FOR DOORS LOCATED IN THE (5) ZONE / CORNER ZONE. SEE FLOOR PLAN FOR DOORLOCATIONS.


	WINDOW SCHEDULE								
MARK	NOMINAL SIZE (W xH)	TYPE	WINDLOAD REQUIREMENTS (ASCE 7-10)	MANUFACTURER & MODEL NUMBER	WINDLOAD RATING & APPROVAL NUMBER				
$\langle A \rangle$	2'-8"x4'-3"	SINGLE HUNG	-XX.X / +XX.X	PGT SH-700	-80.0 / +80.0 (NOA# 11-1013.14)				

(5) - WINDLOAD REQUIREMENT FOR WINDOWS LOCATED IN THE (5) ZONE / CORNER ZONE.
SEE FLOOR PLAN FOR WINDOW LOCATIONS.



EXISTING FLOOR PLAN


SCALE:1/4"=1'-0"




INDICATES DOOR LOCATED IN (5) ZONE / CORNER ZONE SEE DOOR SCHEDULE FOR WINDLOAD REQUIREMENTS

INDICATES WINDOW LOCATED IN (5) ZONE / CORNER ZONE SEE WINDOW SCHEDULE FOR WINDLOAD REQUIREMENTS

A-







**EXISTING FRONT ELEVATION** 

SCALE:1/4"=1'-0"

**EXISTING LEFT ELEVATION** SCALE:1/4"=1'-0"





**EXISTING REAR ELEVATION** 


SCALE:1/4"=1'-0"


EXISTING RIGHT ELEVATION


SCALE:1/4"=1'-0"

CHECKED \_

SHEET







PROPOSED REAR ELEVATION

SCALE:1/4"=1'-0"

PROPOSED RIGHT ELEVATION

SCALE:1/4"=1'-0"

The Historic Architectural Review Commission will hold a public hearing at <u>5:30 p.m.</u>, <u>April 26, 2016 at Old City Hall</u>, <u>510 Greene Street</u>, Key West, Florida. The purpose of the hearing will be to consider a request for:

REPLACE REAR SHED ROOF WITH GABLE ROOF. REPLACE EXTERIOR BOARD AND BATTEN SIDING WITH LAP SIDING. CHANGE OF WINDOW CONFIGURATIONS. REPLACEMENT OF SLIDING DOORS. DEMOLITION OF REAR SHED ROOF.

### FOR-#1310 ROYAL STREET

**Applicant – Perez Engineering** 

**Application #H16-03-0002** 

If you wish to see the application or have any questions, you may visit the Planning Department during regular office hours at 3140 Flagler Avenue, call 305-809-3973 or visit our website at <a href="https://www.cityofkeywest-fl.gov">www.cityofkeywest-fl.gov</a>.

THIS NOTICE CAN NOT BE REMOVED FROM THE SITE UNTIL HARC FINAL DETERMINATION

ADA ASSISTANCE: It is the policy of the City of Key West to comply with all requirements of the Americans with Disabilities Act (ADA). Please call the TTY number at 800-955-8771 or 800-955-8770 (Voice) or the ADA Coordinator at 305-809-3731 at least five business days in advance for sign language interpreters, assistive listening devices, or materials in accessible format.

### HARC POSTING AFFIDAVIT

S	T	47	E	0	F	FL	.0	R	II		4:		
C	0	UI	T	Y	0	F	M	0	N	R	0	E	

My Commission Expires:



### **Please Print 3**


1 message

**John Dessauer** <johnnyd2334@gmail.com> To: reservations@keywesthideaways.com

Thu, Apr 21, 2016 at 10:42 AM



# PROPERTY APPRAISER INFORMATION



Key West (305) 292-3420 Marathon (305) 289-2550 Plantation Key (305) 852-7130

**Property Record Card** -

Website tested on IE8,

Maps are now launching the new map application version and the residence Flash

10.3 or higher

Alternate Key: 1037761 Parcel ID: 00036970-000000

### **Ownership Details**

Mailing Address: LOST WEEKEND LLC PO BOX 35

CEDAR LAKE, IN 46303-0035

### **Property Details**

PC Code: 01 - SINGLE FAMILY


Millage Group: 10KW
Affordable
Housing:

Section-Township-Range: 05-68-25

Property Location: 1310 ROYAL ST KEY WEST

Legal KW WHITE & PIERCE DIAGRAM N-613 PT LOT 32 & ALL LOT 34 SQR 4 TR 17 G31-474/75 OR426-296 Description: OR617-261 OR639-354 OR639-355/56 OR682-261 OR716-41L/E OR1019-1313D/C OR1877-293 OR1940-

55/56 OR2014-816/17



### **Land Details**

Land Use Code	Frontage	Depth	Land Area
010D - RESIDENTIAL DRY	53	100	5,300.00 SF

### **Building Summary**

Number of Buildings: 1 Number of Commercial Buildings: 0 Total Living Area: 1069 Year Built: 1948

### **Building 1 Details**

Building Type R1 Effective Age 18 Year Built 1948 Functional Obs 0

Condition G Perimeter 176 Special Arch 0 Economic Obs 0

Quality Grade 500 Depreciation % 24 Grnd Floor Area 1,069

Inclusions:

R1 includes 1 3-fixture bath and 1 kitchen.

Roof Type GABLE/HIP Roof Cover METAL Heat 1 NONE

Heat Src 1 NONE

Heat 2 NONE Heat Src 2 NONE


Foundation WD CONC PADS

Bedrooms 2

Extra Features:

2 Fix Bath 0 3 Fix Bath 1 4 Fix Bath 0 5 Fix Bath 0 6 Fix Bath 0 7 Fix Bath 0 Extra Fix 0

Vacuum 0 Garbage Disposal 0 Compactor 0 Security 0 Intercom 0 Fireplaces 0 Dishwasher 0



### Sections:

Nbr	Туре	Ext Wall	# Stories	Year Built	Attic	A/C	Basement %	Finished Basement %	Area
0	OPF		1	1996					24
0	OPF		1	1996					48
0	OPF		1	1996					156
1	FLA	11:VINYL SIDING	1	1947	N	Y	0.00	0.00	992
2	EPB	11:VINYL SIDING	1	1947	N	Y	0.00	0.00	264
3	FLC	2:B & B	1	1996	N	Υ	0.00	0.00	77

### **Misc Improvement Details**

Туре	# Units	Length	Width	Year Built	Roll Year	Grade	Life
FN2:FENCES	120 SF	20	6	1993	1994	2	30
PT2:BRICK PATIO	221 SF	17	13	1996	1997	2	50
PO4:RES POOL	324 SF	0	0	1975	1976	4	50
PT3:PATIO	866 SF	0	0	1975	1976	2	50
WD2:WOOD DECK	361 SF	0	0	1981	1982	2	40
FN2:FENCES	180 SF	45	4	1993	1994	2	30
	FN2:FENCES PT2:BRICK PATIO PO4:RES POOL PT3:PATIO WD2:WOOD DECK	FN2:FENCES         120 SF           PT2:BRICK PATIO         221 SF           PO4:RES POOL         324 SF           PT3:PATIO         866 SF           WD2:WOOD DECK         361 SF	FN2:FENCES         120 SF         20           PT2:BRICK PATIO         221 SF         17           PO4:RES POOL         324 SF         0           PT3:PATIO         866 SF         0           WD2:WOOD DECK         361 SF         0	FN2:FENCES         120 SF         20         6           PT2:BRICK PATIO         221 SF         17         13           PO4:RES POOL         324 SF         0         0           PT3:PATIO         866 SF         0         0           WD2:WOOD DECK         361 SF         0         0	FN2:FENCES         120 SF         20         6         1993           PT2:BRICK PATIO         221 SF         17         13         1996           PO4:RES POOL         324 SF         0         0         1975           PT3:PATIO         866 SF         0         0         1975           WD2:WOOD DECK         361 SF         0         0         1981	FN2:FENCES       120 SF       20       6       1993       1994         PT2:BRICK PATIO       221 SF       17       13       1996       1997         PO4:RES POOL       324 SF       0       0       1975       1976         PT3:PATIO       866 SF       0       0       1975       1976         WD2:WOOD DECK       361 SF       0       0       1981       1982	FN2:FENCES         120 SF         20         6         1993         1994         2           PT2:BRICK PATIO         221 SF         17         13         1996         1997         2           PO4:RES POOL         324 SF         0         0         1975         1976         4           PT3:PATIO         866 SF         0         0         1975         1976         2           WD2:WOOD DECK         361 SF         0         0         1981         1982         2

### **Appraiser Notes**

2006-04-12-ASKING \$1,150,000. NEWLY RENOVATED 2BDS/2BATHS WITH POOL

2003-12-03 - SKI ASKING \$750,000 RENTAL INCOME FROM THE CITZEN AS OF 10-22-03.

1997-04-08 - (RE 3695 COMBINED WITH THIS PARCEL FOR THE 1997 TAX ROLL (LG)

2005-07-16-ASKING \$1,299,000. 3BDS/2BA FROM THE MLS REPORT-SKI

### **Building Permits**

Bldg	Number	Date Issued	Date Completed	Amount	Description	Notes
	04-2269	12/10/2004	12/08/2005	2,000		INST SOLID DOOR
	04-3723	12/10/2004	12/08/2005	850		FENCE 42" FRONT YD
	04-3780	12/10/2004	12/08/2005	450		REPR CONC WALL
	04-3783	12/10/2004	12/08/2005	900		NEW FIXT W/ PIPING
	96-2531	06/01/1996	12/01/1996	3,000		REMODELING
	96-2532	06/01/1996	12/01/1996	5,000		REMODELING
	96-2681	07/01/1996	12/01/1996	1,200		ELECTRICAL
	96-3002	07/01/1996	12/01/1996	2,000		ELECTRICAL
	96-3015	07/01/1996	12/01/1996	1,500		CENTRAL A/C
	96-3077	07/01/1996	12/01/1996	2,000		PLUMBING
	96-3111	07/01/1996	12/01/1996	3,800		CENTRAL A/C
	9900294	01/25/1999	08/04/1999	1,410		METAL ROOF REPAIR

### **Parcel Value History**

Certified Roll Values.

### View Taxes for this Parcel.

Roll Year	Total Bldg Value	Total Misc Improvement Value	Total Land Value	Total Just (Market) Value	Total Assessed Value	School Exempt Value	School Taxable Value
2015	125,754	19,252	570,548	715,554	514,453	0	715,554
2014	130,928	17,534	414,725	563,187	467,685	0	563,187
2013	134,121	17,567	318,000	469,688	425,169	0	469,688

2012	135,718	17,600	233,200	386,518	386,518	0	386,518
2011	137,315	17,665	291,500	446,480	446,480	0	446,480
2010	138,911	17,740	481,198	637,849	637,849	0	637,849
2009	154,404	17,805	652,290	824,499	733,756	0	824,499
2008	149,072	14,479	503,500	667,051	667,051	0	667,051
2007	204,981	11,572	583,000	799,553	799,553	0	799,553
2006	282,631	11,604	477,000	771,235	771,235	0	771,235
2005	288,848	11,791	344,500	645,139	645,139	0	645,139
2004	183,315	12,357	265,000	460,672	460,672	0	460,672
2003	158,587	12,936	136,475	307,998	307,998	0	307,998
2002	157,357	13,496	136,475	307,328	307,328	0	307,328
2001	134,409	14,078	136,475	284,962	284,962	0	284,962
2000	140,420	15,238	99,375	255,032	255,032	0	255,032
1999	120,459	13,374	99,375	233,208	233,208	0	233,208
1998	102,695	11,822	99,375	213,892	213,892	0	213,892
1997	88,818	10,597	88,775	188,189	188,189	0	188,189
1996	48,379	9,063	78,725	136,166	136,166	0	136,166
1995	44,078	8,539	78,725	131,342	131,342	0	131,342
1994	39,420	7,882	78,725	126,026	126,026	0	126,026
1993	39,454	7,175	78,725	125,354	125,354	0	125,354
1992	39,454	7,187	78,725	125,366	125,366	0	125,366
1991	39,454	7,205	78,725	125,384	125,384	0	125,384
1990	36,894	7,217	62,275	106,386	106,386	0	106,386
1989	33,540	6,578	58,750	98,868	98,868	0	98,868
1988	27,754	6,531	48,175	82,460	82,460	0	82,460
1987	27,451	6,545	35,015	69,011	69,011	0	69,011
1986	27,597	6,554	33,840	67,991	67,991	0	67,991
1985	26,853	6,569	19,975	53,397	53,397	0	53,397
1984	24,910	6,578	19,975	51,463	51,463	0	51,463
1983	24,910	6,592	19,975	51,477	51,477	25,500	25,977
1982	25,479	6,126	20,727	52,332	52,332	25,500	26,832

### **Parcel Sales History**

NOTE: Sales do not generally show up in our computer system until about two to three months after the date of sale. If a recent sale does not show up in this list, please allow more time for the sale record to be processed. Thank you for your patience and understanding.

Sale Date	Official Records Book/Page	Price	Instrument	Qualification
5/25/2004	2014 / 0816	720,000	WD	Q
10/9/2003	1940 / 0055	625,000	WD	Q
4/10/2003	1877 / 0293	496,000	WD	Q
2/1/1975	716 / 41	25,000	00	Q

This page has been visited 32,260 times.

Monroe County Property Appraiser Scott P. Russell, CFA P.O. Box 1176 Key West, FL 33041-1176