## **STAFF REPORT**

DATE: April 24, 2017

RE: 1314 Atlantic Drive (permit application # T17-8424)


FROM: Karen DeMaria, City of Key West Urban Forestry Manager

An application was received requesting the removal of **(1) Gumbo Limbo tree**. A site inspection was done on April 19, 2017 and documented the following:





















Diameter: 22.9"

Location: 40% (roots of tree impacting pool-tree planted too close to pool)

Species: 100% (on protected tree list)

Condition: 80% (healthy) Total Average Value = 73%


Value x Diameter = 16.7 replacement caliper inches

Recommendation: Recommend approval of the removal of one (1) Gumbo Limbo tree at 1314 Atlantic Drive to be replaced with 16.7 caliper inches of dicot or fruit trees from approved list, FL#1, to be planted on site.

## Application







City of Key West Tree Commission

Tree Permit Application

PO Box 1409 Key West, FL 33040 Phone: 305-809-3764 Fax: 305-809-3978 4/19-17 pel occiss

Home/Property Owner: LAURENE SHINN	Date: <u>3-<b>28</b>-</u> /7
Mailing Address: 1314 ATLANTIC DEIVE	
Owner Signature: <u>Lauruse</u> Shini	Owner Ph#:( <u>108)</u> 653-1150
Represented by:	Rep. Ph#:()
Represented by mailing address:	
Attendance at the Tree Commission meeting on the date we necessary in order to expedite the resolution of your applicable. A letter of representation from the owner must accompany this sattend.	cation.
•	Letter of Representation (
Tree(s) Address: /314 ATLANTIC DRIVE	Cross/Corner Street: SUNSHINE
Common Name(s): Gumbo Limbo Scient	tific Name(s):
Species Type(s) {check all that apply}: ( ) Palm ( ) Flowering	( ) Fruit( 4 Shade
Reason(s) for Application {check all that apply}:  (V) REMOVE ( ) TRANSPLANT ( ) Tree Health ( ) New Location ( ) Safety ( ) Same Property (V) Other / Explain ( ) Other / Explain	( ) HEAVY MAINTENANCE ( ) Branch Removal ( ) Crown Cleaning/Thinning ( ) Crown Reduction
Reason(s) for request:  THIS TREE IS CAUSING CRACKS	TO MY FIBER GLASS
POOL	

Replacement plant material must be Florida Grade #1. Replacement of a palm with a native palm is required. Replacement of a canopy tree with a native canopy tree is required. If you need assistance with replacements, please call the Landscape Department at 305-809-3764.

Rev. Date: SEPT 2012

PA

<<<< Sketch location of tree in this area including cross/corner Street >>>>

Prov	ride access for view Identify tree(s	wing tree(s) prio ) with colored to		AGENDA ITEM#
	ATLANTO DRI	SUNSHINE		3'57 3'57, 16h
PLEASE DO NOT W				
Circumference				
_ocation% Spe	cies% Condi	tion% Tot	al Average Value	%
Avg. valueX _	Diameter	1	ement Inches	
OCATION: OLD CI	ΓΥ HALL, 510 GRE	ENE STREET, 5:	00 p.m.	
FOR TREE COMMISS	SION USE ONLY.			•
OMMENTS:	APPROVED	( ) DENIED	( ) FURTHER	ACTION
				,,

Side 2 of 2

Rev. Date: SEPT 2012

Southernmost Pool Service 1107 Key Plaza Suite 125 Key West, FL 33040

## Invoice

Date	Invoice #
10/10/2014	2320

Bill To	27120
Laurie Shinn email	

Service Address		
1314 Atlantic Dr.		
Key West, FL 33040		

	Terms	Due Date	Total Account Balance Due		
Due B	y End of Service Month	10/10/2014	\$0.00		
QTY		Description	on	Price Each	Amount
1 1 2 4	Monthly Pool Service - current cpoxy for leak repair 2 bags salt labor - 4 hrs to trim tree roots or repair leaks		ato side of pool causing severe leaks & to	125.00 25.00 14.95 95.00	125.00 25.00T 29.90T 380.00
			Cubtotal		

Thank you for your business, we appreciate it very much!		Subtotal	\$559.90
		Sales Tax (7.5%)	\$4.12
		Invoice Total	\$564.02
Call Us!!	E-mail Us!!	Payments/Credits	-\$564.02
305-295-8465	joe@southernmostpools.net	Total Due On This Invoice	\$0.00

Southernmost Pool Service 1107 Key Plaza Suite 125 Key West, FL 33040

## Invoice

Date	Invoice #
7/10/2016	1400

Bill To	2020
Laurie Shinn email	011

Service Address				
1314 Atlantic Dr.				

	Terms	Due Date	Total Account	Balance Due	
Due By	y End of Service Month	7/10/2016	\$0.0	00	
QTY		Description	on	Price Each	Amount
1 1 4 1 1	Monthly Pool Service - current 1.5" hand union labor: 1 hr to repair cracked he 4 oz. phosphate remover to treat 1 bag salt added labor: 1 hr to repair leaks cause 2 part epoxy to repair leaks cause 2.	eater union at high levels in water ed by tree root growth		125.00 12.95 95.00 2.00 12.95 95.00 10.00	125.00 12.95T 95.00 8.00T 12.95T 95.00 10.00T

Thank you for your business, we appreciate it very much!		Subtotal	\$358.90
		Sales Tax (7.5%)	\$3.29
		Invoice Total	\$362.19
Call Us!!	E-mail Us!!	Payments/Credits	-\$362.19
305-295-8465	joe@southernmostpools.net	Total Due On This Invoice	\$0.00