

Staff Report for Item 4

То:	Chairman Bryan Green and Historic Architectural Review Commission Members
From:	Kelly Perkins HARC Assistant Planner
Meeting Date:	May 23, 2017
Applicant:	Thomas Kelly
Application Number:	H17-03-0010
Address:	#704 Eaton Street

Description of Work:

Partial demolition of rear wall of main house and demolition of side wall of rear addition.

Site Facts:

The two-story house at 704 Eaton Street is listed as a contributing resource in the survey, built c. 1885, and first appears on the 1889 Sanborn map. The house has a two-story massing with typical features of a two-story Classical Revival structure in Key West with two-story front porch. The house has a temple form front gable roof with classical proportions. The posts on the front of the house are one wood piece – extending through the two stories. The house has two small additions on the rear that appear on the 1899 and 1912 Sanborn maps respectively. The two additions have vertical siding, although the small rear addition has two walls with plywood currently as the exterior siding.

Ordinances Cited in Review:

Sec. 102-218 (a): Criteria for demolition of a historic or contributing building.

Sec. 102-218 (b): Criteria for demolitions.

Staff Analysis

This Certificate of Appropriateness proposes the partial demolition of the rear wall of a main building and the demolition of a side wall of the rear addition that dates to 1899. Because the

demolition request is for the least publicly visible, secondary elevations and staff does not feel that the wall meet any of the criteria listed in Sec. 102-218, the Commission can consider the request for demolition:

(1) The walls do not embody distinctive characteristics and are not significant and distinguished entity. Staff feels that their components lack individual distinction.

(2) The walls are not specifically associated with events that have made a significant contribution to local, state, or national history;

(3) The walls have no significant character, interest, or value as part of the development, heritage, or cultural characteristics of the city, state or nation, and are not associated with the life of a person significant in the past;

(4) The walls to be demolished are not the site of a historic event with a significant effect upon society;

(5) The walls do not exemplify the cultural, political, economic, social, or historic heritage of the city;

(6) The walls do not portray the environment in an era of history characterized by a distinctive architectural style;

(7) The walls are not related to a square, park, or other distinctive area.

(8) The walls do not have a unique location or singular physical characteristic which represents an established and familiar visual feature of its neighborhood or of the city, and does not exemplify the best remaining architectural type in a neighborhood; and

(9) The walls have not yielded, and are not likely to yield, information important in history.

Since this element is historic, two readings are required for demolition.

APPLICATION

COMBINATION APPLICATION: FLOODPLAIN, CONSTRUCTION AND HARC \$50.00 APPLICATION FEE NON-REFUNDABLE

CIT	y of Key West	HARC PERMIT	NUMBER 3-000/1	BUILDING PER		INITIAL & DATE
A FORMATING IN ASSAULT	FLAGLER AVENUE WEST, FLORIDA 33040	FLOODPLAIN PERMIT			REVISION #	
Phone	e: 305.809.3956 .cityofkeywest-fl.gov	FLOOD ZONE	PANEL #	ELEV. L. FL.	SUBSTANTIAL	IMPROVEMENT
ADDRESS OF PROPOSED PROJE	CT: 704 EATON STRE	ET				# OF UNITS
RE # OR ALTERNATE KEY:	00006110-000000					-
AME ON DEED:	KEY WEST NC LL	KEY WEST NC LLC PHONE NUMBER				
WNER'S MAILING ADDRESS:	PO BOX 330	1.1		EMAIL		
	MOORESVILLE N	C 28115-0330	12			
ONTRACTOR COMPANY NAME:				PHONE NUMBE	R	
ONTRACTOR'S CONTACT PERS	ON:			EMAIL		
PPLICANT"S NAME	THOMAS KELLY			PHONE NUMBE		
PPLICANT'S ADDRESS:	19141 ROCKY RC	DAD		305-304- EMAIL	The second	
	SUGARLOAF KEY		3042	THOMASC	KELLY@B	ELLSOUTH.NET
	the second se	LYCOMME	RCIAL		MODEL	082 OR 775.083.
	USE / OCCUPANCY AD	LYCOMME DITION SIG	RCIAL	10.000	EMODEL	
CHANGE OF DEMOLITION	USE / OCCUPANCY AD	LYCOMME Dition Sig Erior Ext	RCIAL GNAGE ERIOR	NEW _X RE WITHIN FLOO	EMODEL	
CHANGE OF DEMOLITION	USE / OCCUPANCY AD	LYCOMME Dition Sig Erior Ext	RCIAL GNAGE ERIOR	NEW _X RE WITHIN FLOO	EMODEL	
CHANGE OF DEMOLITION DETAILED PROJECT DESCRIPTION 1. PROPOSED Pa	USE / OCCUPANCY AD	LYCOMME DITIONSIG RIOREXT QUARE FOOTAGE	RCIAL BNAGE ERIOR E ETC.,	NEW _X RE WITHIN FLOO	EMODEL	
ETAILED PROJECT DESCRIPTION 1. PROPOSED Par 2. ONE-STORY F 3. NEW DOOR (9)	USE/OCCUPANCYAD NSITE WORKINTE IN INCLUDING QUANTITIES, SO DL & LANAI IN RAMED ADDITIO D FRONT OF B	LYCOMME DITIONSIC RIOREXT QUARE FOOTAGI REAT W@REA SUILDING	RCIAL SNAGE ERIOR EETC., IZ 4. Wa	NEW _X RE WITHIN FLOC AFTER-THE-F	EMODEL DD ZONE ACT	X
CHANGE OF DEMOLITION ETAILED PROJECT DESCRIPTIO 1. PROPOSED PA 2. ONE-STORY F 3. NEW DOOR (9 VE OBTAINED ALL NECESSARY APPROV	USE/OCCUPANCYAD NSITE WORKINTE IN INCLUDING QUANTITIES, SO DL & LANAI IN RAMED ADDITIO D FRONT OF B	LYCOMME DITIONSIG RIOREXT QUARE FOOTAGE REAT W@REA SUILDING GENCIES AND OTHER	RCIAL SNAGE ERIOR EETC., IZ 4. Wa	NEW _X RE WITHIN FLOC AFTER-THE-F	EMODEL DD ZONE ACT	X
CHANGE OF DEMOLITION ETAILED PROJECT DESCRIPTIO 1. PROPOSED POC 2. ONE-STORY F 3. NEW DOOR (9 VE OBTAINED ALL NECESSARY APPROV WINER PRINT NAME:	USE/OCCUPANCYAD NSITE WORKINTE IN INCLUDING QUANTITIES, SO DL & LANAI IN RAMED ADDITIO D FRONT OF B	LYCOMME DITIONSIC RIOREXT QUARE FOOTAGI REAT W@REA W@REA OVICDING GENCIES AND OTHEI QUALIFIER	RCIAL SNAGE ERIOR E ETC., E ETC., A. WQ R PARTIES AS A	NEW _X RE WITHIN FLOC AFTER-THE-F	EMODEL DD ZONE ACT	X
CHANGE OF DEMOLITION DETAILED PROJECT DESCRIPTION 1. PROPOSED POOR 2. ONE-STORY F 3. NEW DOOR (9 VE OBTAINED ALL NECESSARY APPROV DWNER PRINT NAME: DWNER SIGNATURE:	USE/OCCUPANCYAD NSITE WORKINTE IN INCLUDING QUANTITIES, SO DL & LANAI IN RAMED ADDITIO D FRONT OF B	LYCOMME DITIONSIC RIOREXT QUARE FOOTAGI REAT W@REAT W@REA QUALIFIER QUALIFIER	RCIAL SNAGE ERIOR EETC., EETC., A. Wa PARTIES AS A PRINT NAME:	NEW _X RE WITHIN FLOC AFTER-THE-F	EMODEL DD ZONE ACT	X
DETAILED PROJECT DESCRIPTION 1. PROPOSED Pace 2. ONE-STORY F	USE / OCCUPANCYAD NSITE WORKINTE IN INCLUDING QUANTITIES, SO DL & LANAL IN RAMED ADDITIO D FRONT OF B TALS FROM ASSOCIATIONS, GOVIT AN	LYCOMME DITIONSIC RIOREXT QUARE FOOTAGI REAT W@ REA QUALIFIER QUALIFIER QUALIFIER Notary Signa	RCIAL	NEW RE WITHIN FLOC AFTER-THE-F	EMODEL DD ZONE ACT	X
CHANGE OF DEMOLITION DETAILED PROJECT DESCRIPTIO 1. PROPOSED POC 2. ONE - STORY F 3. NEW DOOR (9 VE OBTAINED ALL NECESSARY APPROV OWNER PRINT NAME: OWNER SIGNATURE: Notary Signature as to owner: STATE OF FLORIDA; COUNTY OF MONROE	USE / OCCUPANCY AD NSITE WORKINTE IN INCLUDING QUANTITIES, SO DL & LAWAI IN RAMED ADDITION D FRONT OF B TALS FROM ASSOCIATIONS, GOV'T AND E, SWORN TO AND SCRIBED BEFORE , 20	LYCOMME DITIONSIC RIOREXT QUARE FOOTAGI REATC W@ REA QUALIFIER QUALIFIER QUALIFIER QUALIFIER Notary Signa	RCIAL BNAGE ERIOR EETC., EETC., A. Wa PRINT NAME: SIGNATURE: ture as to qualifie LORIDA; COUNT DAY O	NEW RE WITHIN FLOC AFTER-THE-F	EMODEL DD ZONE ACT	X VFS ESCRIBED PROJECT:

PART B: SUPPLEMENTARY PROJECT DETAILS TO AVOID DELAYS / CALL-BACKS

ROPERT	Y STRUCTURES AFFECTED BY PROJECT: MAIN STRUCTURE ACCESSORY STRUCTURE SITE
	ACCESSORY STRUCTURES: GARAGE / CARPORT DECK FENCE OUTBUILDING / SHED
	FENCE STRUCTURES: 4 FT 6 FT. SOLID 6 FT. / TOP 2 FT. 50% OPEN
	POOLS:INGROUNDABOVE GROUNDSPA / HOT TUBPRIVATEPUBLIC PUBLIC POOLS REQUIRE BD. OF HEALTH LICENSE APPLICATION AT TIME OF CITY APPLICATION. PUBLIC POOLS REQUIRE BD. OF HEALTH LICENSE PRIOR TO RECEIVING THE CITY CERTIFICATE OF OCCUPANCY.
	ROOFING:NEWROOF-OVERTEAR-OFFREPAIRAWNING 5 V METALASPLT. SHGLSMETAL SHGLSBLT. UPTPOOTHER
	FLORIDA ACCESSIBILITY CODE: 20% OF PROJECT FUNDS INVESTED IN ACCESSIBILITY FEATURES.
	SIGNAGE:# OF SINGLE FACE# OF DOUBLE FACEREPLACE SKIN ONLY BOULEVARD ZONE POLEWALLPROJECTINGAWNINGHANGINGWINDOW SQ. FT. OF EACH SIGN FACE:

SUBCONTRACTORS / SPECIALTY CONTRACTORS SUPPLEMENTARY INFORMATION:

MECHANICAL: ____DUCTWORK ___COMMERCIAL EXH, HOOD ____INTAKE / EXH. FANS ____ LPG TANKS A / C: ____COMPLETE SYSTEM ____AIR HANDLER ___CONDENSER ____MINI-SPLIT ELECTRICAL: ____LIGHTING ____RECEPTACLES ____HOOK-UP EQUIPMENT ____LOW VOLTAGE SERVICE: ____OVERHEAD ____UNDERGROUND ____1 PHASE _____3 PHASE ______AMPS PLUMBING: ___ONE SEWER LATERAL PER BLDG. ____INGROUND GREASE INTCPTRS. ___LPG TANKS RESTROOMS: ____MEN'S ___WOMEN'S ____ACCESSIBLE

PART C: HARC APPLICATION FOR A CERTIFICATE OF APPROPRIATENESS

APPLICATION FEES: PAINTING SINGLE FAMILY: \$10 STAFF APPROVAL: \$50 COMMISSION REVIEW \$100 PLEASE ATTACH APPROPRIATE VARIANCES / RESOLUTIONS FROM HARC, PLANNING BOARD OR TREE COMMISSION. ATTENTION: NO BUILDING PERMITS WILL BE ISSUED PRIOR TO HARC APPROVAL.

PLEASE SEND ELECTRONIC SUBMISSIONS TO: <u>harc@cityofkeywest-fl.gov</u> INDICATE TYPE OF CERTIFICATE. OF APPROPRIATENESS: <u>X</u>GENERAL <u>DEMOLITION</u> SIGN <u>PAINTING</u> OTHER ADDITIONAL INFORMATION: 1. PROPOSED POOL and LANAI IN REAR 2. ONE-STORY FRAMED ADDITION AT REAR

ARCHITECTURAL FEATURES TO BE ALTERED:	ORIGINAL MATERIAL:	PROPOSED MATERIAL:
FRONT DOORS	WOOD	WOOD WITH GLASS
WINDOWS	WOOD	"MARVIN" REPLACEMENT SASHES

DEMOLITION: PLEASE FILL OUT THE HARC APPENDIX FOR PROPOSED DEMOLITION.

DEMOLITION OF HISTORIC STRUCTURES IS NOT ENCOURAGED BY THE HISTORIC ARCHITECTURAL REVIEW COMMISSION.

SIGNAGE: (SEE PART B) ____ BUSINESS SIGN ____ BRAND SIGN ____ OTHER: ____

BUSINESS LICENSE #

IF FAÇADE MOUNTED, SQ. FT. OF FAÇADE

	SIGN SPECIFICATIONS	
SIGN COPY:	PROPOSED MATERIALS:	SIGNS WITH ILLUMINATION:
		TYPE OF LTG.:
		LTG. LINEAL FTG.:
MAX. HGT. OF FONTS:		COLOR AND TOTAL LUMENS:
IF USING LIGHT FIXTURES PLEASE INDICATE HOW MANY:	INCLUDE SPEC. SHEET WITH LO	CATIONS AND COLORS.
OFFICIAL USE ONLY: HAP	RC STAFF OR COMMISSION REVIEW	
APPROVEDNOT APPROVEDI	DEFERRED FOR FUTURE CONSIDER	ATION TABLED FOR ADD'L. INFO.
HARC MEETING DATE:	HARC MEETING DATE:	HARC MEETING DATE:
REASONS OR CONDITIONS:		
STAFF REVIEW COMMENTS:		
HARC PLANNER SIGNATURE AND DATE:	HARC CHAIRPERSON	N SIGNATURE AND DATE:

PART D: STATE OF FLORIDA OFFICIAL NOTIFICATIONS AND WARNINGS

FLORIDA STATUTE 713.135: WARNING TO OWNER: YOUR FAILURE TO RECORD A 'NOTICE OF COMMENCEMENT' MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. A NOTICE OF COMMENCEMENT MUST BE RECORDED WITH THE COUNTY RECORDER AND A COPY POSTED ON THE JOB SITE BEFORE THE FIRST INSPECTION. IF YOU INTEND TO OBTAIN FINANCING CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING A NOTICE.

FLORIDA STATUTE 469: ABESTOS ABATEMENT. AS OWNER / CONTRACTOR / AGENT OF RECORD FOR THE CONSTRUCTION APPLIED FOR IN THIS APPLICATION, I AGREE THAT I WILL COMPLY WITH THE PROVISIONS F. S. 469.003 AND TO NOTIFY THE FLORIDA D. E. P. OF MY INTENT TO DEMOLISH / REMOVE ASBESTOS. IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT APPLICATION, THERE MAY BE DEED RESTRICTIONS AND / OR ADDITIONAL RESTRICTIONS APPLICABLE TO THIS

PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF MONROE COUNTY AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENT ENTITIES SUCH AS AQUADUCT ATHORITY, FLORIDA DEP OR OTHER STATE AGENCIES; ARMY CORPS OF ENGINEERS OR OTHER FEDERAL AGENCIES.

FEDERAL LAW REQUIRES LEAD PAINT ABATEMENT PER THE STANDARDS OF THE USDEP ON STRUCTURES BUILT PRIOR TO 1978.

OFFICIAL USE ONLY BY PLANS EXAMINER OR CHIEF BUILDING OFFICIAL:				CBO OR PL. EXAM. APPROVAL:	
HARC FEES:	BLDG. FEES:	FIRE MARSHAL FEE:	IMPACT FEES:		
				DATE:	
			4		

Kelly Perkins

To: Subject: THOMAS KELLY RE: Question about Scope of Work for 704 Eaton Street

From: THOMAS KELLY [mailto:thomasckelly1@bellsouth.net] Sent: Friday, May 12, 2017 3:18 PM To: Kelly Perkins <kperkins@cityofkeywest-fl.gov> Subject: Re: Question about Scope of Work for 704 Eaton Street

Kelly,

Clarification to application as follows:

1. Gutters on main structure only with downspouts to the rear. No gutters on the front porch area.

2. Any deteriorated siding will be repaired or replaced in kind.

3, All fences are wood picket.

4. The front door alterations will be done on this application.

5. The front porch is in good shape. A little beam repair but mostly prep and paint.

Thank you for your help, Tom Kelly

704 EATON STREET, KEY WEST, FLORIDA

CITY OF KEY WEST CERTIFICATE OF APPROPRIATENESS APENDIX FOR DEMOLITIONS APPLICATION NUMBER H-



This document applies only to those properties located within the City of Key West Historic Zoning Districts, properties outside the historic zoning districts which are listed as contributing in the Historic Architectural Survey and or properties listed in the National Register of Historic Places.

Applications must meet or exceed the requirements outlined by the Secretary of the Interior's Standards for Rehabilitation and Guidelines for Rehabilitation and the Key West's Historic Architectural Guidelines. Once submitted, the application shall be reviewed by staff for completeness and scheduled for presentation to the Historic Architectural Review Commission for the next available meeting, unless the demolition request is for a *bona fide* Code Compliance case, in which case staff may review and approve the demolition request. **The applicant must be present at this meeting**. <u>Any person that makes changes to an approved Certificate of Appropriateness must submit a new application with such modifications</u>.

The filing of this application does not ensure approval as submitted. Applications that do not possess the required submittals or documentation will be considered incomplete and will not be reviewed for approval.

CRITERIA FOR DEMOLITIONS

Before any Certificate of Appropriateness may be issued for a demolition request, the Historic Architectural Review Commission must find that the following requirements are met (please review and comment on each criterion that applies);

- (1) If the subject of the application is a contributing or historic building or structure, then it should not be demolished unless its condition is irrevocably compromised by extreme deterioration or it does not meet any of the following criteria:
 - (a) The existing condition of the building or structure is irrevocably compromised by extreme deterioration.

1. The walls proposed for demolition are damaged from prolong water damage due to incorrect flashing.

2. The first floor framing and perimeter beams will need 90% replacement due to water damage and age.

OR THAT THE BUILDING OR STRUCTURE;

(a) Embodies no distinctive characteristics of a type, period, or method of construction of aesthetic or historic significance in the city and is not a significant and distinguishable building entity whose components may lack individual distinction.

The wall sections have no distinctive characteristics.

(b) Is not specifically associated with events that have made a significant contribution to local, state, or national history.

There are no events in history

(c) Has no significant character, interest, or value as part of the development, heritage, or cultural characteristics of the city, state or nation, and is not associated with the life of a person significant in the past.

	There has been no significant person living in the building in the past.
d)	Is not the site of a historic event with a significant effect upon society.
	No historic event happened within the building.
e)	Does not exemplify the cultural, political, economic, social, or historic heritage of the city.
	This building does not
f)	Does not portray the environment in an era of history characterized by a distinctive architectura style.
	This building does not
g)	If a part of or related to a square, park, or other distinctive area, nevertheless should not be developed or preserved according to a plan based on the area's historic, cultural, natural, or architectural motif.

(h) Does not have a unique location or singular physical characteristic which represents an established and familiar visual feature of its neighborhood or of the city, and does not exemplify the best remaining architectural type in a neighborhood.

The location is not unique.

(i) Has not yielded, and is not likely to yield, information important in history.

It will not yield important information.

CITY OF KEY WEST CERTIFICATE OF APPROPRIATENESS APENDIX FOR DEMOLITIONS



APPLICATION NUMBER H-___-

(2) For a contributing historic or noncontributing building or structure, a complete construction plan for the site is approved by the Historic Architectural Review Commission.

(a) A complete construction plan for the site is included in this application

_____Yes Number of pages and date on plans ______

X No Reason Plans will be completed after HARC review

The following criteria will also be reviewed by the Historic Architectural Review Commission for proposed demolitions. The Commission shall not issue a Certificate of Appropriateness that would result in the following conditions (please review and comment on each criterion that applies);

(1) Removing buildings or structures that are important in defining the overall historic character of a district or neighborhood so that the character is diminished.

No building will be removed.

(2) Removing historic buildings or structures and thus destroying the historic relationship between buildings or structures and open space; and

No historic building will be removed

AND

(3) Removing an historic building or structure in a complex; or removing a building facade; or removing a significant later addition that is important in defining the historic character of a site or the surrounding district or neighborhood.

The sections of wall to be removed are not important in defining the historic charactor of the neighborhood

(4) Removing buildings or structures that would otherwise qualify as contributing.

No contributing structure will be removed.

Nothing in this application is intended to alter the authority of the Building Official to condemn for demolition dangerous buildings, as provided in Section 102-218 of the Land Development Regulations and Chapter 14 of the Code of Ordinances.


I hereby certify I am the owner of record and that the work shall conform to all applicable laws of this jurisdiction. By receiving a Certificate of Appropriateness, I realize that this project will require a Building Permit, approval **PRIOR** to proceeding with the work outlined above and that there will be a final inspection required under this application. I also understand that any changes to an approved Certificate of Appropriateness must be submitted for review.


PROPERTY OWNER'S SIGNATURE:	DATE AND PRINT NAME:


OFFICE USE ONLY

	BUILD	ING DESCRIPTION:
Contributing Year built Not listed Year built	Style	Listed in the NRHP Year
Reviewed by Staff on		Staff Comments


SANBORN MAPS









1899 Sanborn Map




99**00000000000**000



1926 Sanborn Map



1948 Sanborn Map




1962 Sanborn Map

PROJECT PHOTOS




Property Appraiser's Photograph, c.1965. Monroe County Public Library.












































SURVEY



LESS AND EXCEPTING THEREFROM:


A parcel of land on the island of Key West, and known on William A. Whitehead's map of said island delineated in February, A.D. 1829 as part of Lot Three (3) of Square Thirty-Five (35). Commencing at the intersection of the Southeasterly line of Eaton Street and the Northeasterly line of Elizabeth Street, bear Southeasterly along the Northeasterly line of Elizabeth Street for a distance of 90.6 feet; thence with a deflected angle to the left of 88°50'55" and Northeasterly for a distance of 50.26 feet to the Point of Beginning; thence continue Northeasterly along the extension of the last named course for a distance of 5.48 feet; thence with a deflected angle to the right of 88°50'55" and Southeasterly for a distance of 24.0 feet; thence at right angles and Southwesterly for a distance of 5.48 feet; thence at right angles and Northwesterly for a distance of 24.0 feet to the Point of Beginning.

CERTIFIED TO - KEY WEST NC LLC


NOTE: THIS SURVEY WAS PERFORMED FOR THE SOLE AND EXCLUSIVE BENEFIT OF THE PARTIES LISTED HEREIN AND SHALL NOT BE RELIED UPON BY ANY OTHER ENTITY OR INDIVIDUAL WHOMSOEVER. LIKEWISE, ANY REUSE OF THIS SURVEY FOR ANY PURPOSE OTHER THAN WHICH WAS ORIGINALLY INTENDED, WITHOUT THE WRITTEN PERMISSION OF THE UNDERSIGNED SURVEYOR & MAPPER, WILL BE DONE SO AT THE RISK OF THE REUSING PARTY AND WITHOUT ANY LIABILITY TO THE UNDERSIGNED SURVEYOR & MAPPER.

			PLATIED OK DESCRIDED L						
	THE F	-01	LLOWING IS A LIST OF AB	BREVI	٩T	IONS THAT MAY BE FOL	IND ON	TH	IIS SHEET.
	с	=	CALCULATED	GL	=	GROUND LEVEL	PRM		PERMANENT REFERENCE
	CL	-	CENTERLINE	IP	=	IRON PIPE			MONUMENT
	CLF	-	CHAINLINK FENCE	IR	=	IRON ROD	ROL	##	ROOF OVERHANG LINE
	CM	-	CONCRETE MONUMENT	L	⇒	ARC LENGTH	ROWL	=	RIGHT OF WAY LINE
-	CONC	=	CONCRETE	LE	-	LOWER ENCLOSURE	SCO	=	SANITARY CLEAN-OUT
	C/S	÷	CONCRETE SLAB	M	*	MEASURED	TBM	=	TIDAL BENCHMARK
_	CVRD		COVERED	NAVD	C#	NORTH AMERICAN	TMH	1000	TELEPHONE MANHOLE
-	D		DEED			VERTICAL DATUM (1988)	TOB	÷	TOP OF BANK
	DEASE	34	DRAINAGE EASEMENT	NGVD	-	NATIONAL GEODETIC	TOS	35	TOE OF SLOPE
	EL	*	ELEVATION			VERTICAL DATUM (1929)	TYP	=	TYPICAL
	ELEV		ELEVATED	NTS	=	NOT TO SCALE	WD	=	WOOD DECK
	ENCL	220	ENCLOSURE	O/S	×	OFFSET	WDF	=	WOOD FENCE
	FFE	38	FINISHED FLOOR ELEVATION	OHW	-	OVERHEAD WIRES	WL	=	WOOD LANDING
	FI	:68	FENCE INSIDE	Р	Ŧ	PLAT	WM	5	WATER METER
- 1	FND	82	FOUND	P&M	=	PLAT & MEASURED	WV	**	WATER VALVE
	FO	æ	FENCE OUTSIDE	POB	=	POINT OF BEGINNING			
	FOL	=	FENCE ON LINE	POC	-	POINT OF COMMENCEMENT	-		


LEGAL DESCRIPTIONS HAVE BEEN FURNISHED BY THE CLIENT OR HIS/HER REPRESENTATIVE. PUBLIC RECORDS HAVE NOT BEEN RESEARCHED BY THE SURVEYOR TO DETERMINE THE ACCURACY OF THESE DESCRIPTIONS NOR HAVE ADJOINING PROPERTIES BEEN RESEARCHED TO DETERMINE OVERLAPS OR HIATUS. THIS SURVEY DOES NOT PURPORT TO SHOW OWNERSHIP OF WALLS OR FENCES ALONG PROPERTY LINES. ADDITIONS OR DELETIONS TO THIS SURVEY MAP BY OTHER THAN THE SIGNING PARTY OR PARTIES IS PROHIBITED WITHOUT WRITTEN CONSENT OF THE SIGNING PARTY OR PARTIES.




PROPOSED DESIGN




RATIO - FIES		Whitehead's Map" X-ZONE HMDR = 5697 S.F. = 1375 S.F. = 1375 S.F. = 238 S.F. = 420 S.F. = 35.7% = 676 S.F. = 45 S.F. = 232 S.F. = 52.4 S.F.		International value of the intervences and anti-rocky road - sugarLoaf Key * Design concepts * CONSTRUCTION MANAGEMENT (305) 304-1984	
BAGUET. CTION DEPEKET LOW PECKET LOW NALL DRAWNE TOK DATESHOUTE LOW DATESHOUTE LOW DAT	BOARDS BELOW 30" TRATIO	= 52.4 S.F. = 366 S.F.			· · · · · · · · · · · · · · · · · · ·
LE SECTION High wood packet e on itor high ketaning wall TH TH TH	and any and a statement of the statement	NFALL = 1611 SQ.FT. = 134	CU. FT.		The second second second
Sid" HIGH WOOD PICKET FENCE ON I'D" HIGH CANC. RETAINING WALL JOETH SUITE BLANN SUITE BLANN	SUPPLIED = 194 CU. FT.				1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
STEE HIGH WOOD PICKET FENKE ON I'O" HIGH CONC. RETAINING WALL DRAWN TOK DATEDA (03/17 DRAWN TCK DATEDA (03/17					A STATE OF THE STA
DET H	E ON I'-ON HIGH			STREET	1 The second and
DRAWN: TCK DATE:04/03/17				AN	a the second second second
SLAFTET MI BARDE	TH		T		and a set of the set o
SHEET NOMBER	11			REET NOMBER	14 - 5 - 5 - 41.













THOMAS KELLY ENTERPRISES INC.
19141 ROCKY ROAD - SUGARLOAF KEY
- DESIGN CONCEPTS
* CONSTRUCTION MANAGEMENT

704 EATON STREET

KEY WEST - FLORIDA







key west, florida 704 EATON STREET

SCALE: 1'-0" DATE: 05/08/17



key west, florida 704 EATON STREET

SCALE: $\frac{3}{16}$ " = 1'-0" DATE: 05/08/17 SOUTHWEST ELEVATION



key west, florida 704 EATON STREET

SCALE: $\frac{3}{16}$ " = 1'-0" DATE: 05/08/17 NORTHEAST ELEVATION



TRADITIONALLY FRAMED LANAI WITH IPE DECKING AND TONGUE AND GROOVE CEILING



SPECIMEN TEDDY BEAR PALM BY SWIMMING POOL



MEDIUM-HEIGHT GINGERS AS TROPICAL ACCENTS AND BUFFER




NATIVE THATCH PALMS FOR PRIVACY AND SHADE



SPECIMEN ACCENT CROTONS







CORAL-STONE SWIMMING POOL AND SPA COPING WITH NATURAL STONE WATERLINE TILE AND STEEL BLUE POOL FINISH



CORAL-STONE VENEERED PLANTER / BENCH WITH CORAL-STONE CAP



CORAL-STONE VENEERED PLANTER / BENCH WITH CORAL-STONE CAP



DENSE CLUMPING PALM FOR TEXTURE AND PRIVACY



LADY PALM HEDGE FOR PRVACY





CLIMBING PHILODENDRONS ON EXISTING TREE TRUNKS AND PALM TRUNKS



LARGE LEAFED PHILODENDRONS FOR UNDERSTORY MASSINGS





DENSE NATIVE SHADE TOLERANT BUFFER

WART FERN FOR DENSE TROPICAL GROUNDCOVER



SIMPLE OUTDOOR SHOWER ADJACENT TO CABANA BATHROOM



HELICONIAS AS LARGE TROPICAL ACCENTS



PHILODENDRON BURLE-MARX AS ADDITIONAL TROPICAL GROUNDCOVER

DATE: 05/08/17 CONCEPTUAL IMAGERY

NOTICING

The Historic Architectural Review Commission will hold a public hearing <u>at 5:30 p.m., May 23, 2017 at Key West</u> <u>City Hall, 1300 White Street</u>, Key West, Florida. The purpose of the hearing will be to consider a request for:

RENOVATIONS TO EXISTING HISTORIC HOUSE, INCLUDING A NEW DOOR AT FRONT. NEW ONE-STORY FRAME ADDITION AT REAR OF MAIN HOUSE. NEW POOL AND LANAI AT REAR OF SITE. NEW FOUR FEET TALL WOOD PICKET FENCES. PARTIAL DEMOLITION OF REAR WALL OF MAIN HOUSE AND DEMOLITION OF SIDE WALL OF REAR ADDITION.

FOR- #704 EATON STREET

Applicant – Thomas Kelly

Application #H16-03-0010

If you wish to see the application or have any questions, you may visit the Planning Department during regular office hours at 1300 White Street, call 305-809-3975 or visit our website at <u>www.cityofkeywest-fl.gov</u>.

THIS NOTICE CAN NOT BE REMOVED FROM THE SITE UNTIL HARC FINAL DETERMINATION

ADA ASSISTANCE: It is the policy of the City of Key West to comply with all requirements of the Americans with Disabilities Act (ADA). Please call the TTY number at 800-955-8771 or 800-955-8770 (Voice) or the ADA Coordinator at 305-809-3731 at least five business days in advance for sign language interpreters, assistive listening devices, or materials in accessible format.

PROPERTY APPRAISER INFORMATION

Public.net Monroe County, FL

Summary

Parcel ID Account #	00006110-000000 1006335
Property ID	1006335
Millage Group	10KW
Location	704 EATON ST , KEY WEST
Address	
Legal	KW PT LOT 3 SQR 35 H2-564 OR101-49 OR1245-1310D/C OR1393-
Description	2093/5 OR1613-1889/91C OR1675-507/513TR OR1684-
	2059/60PET/ADM OR2744-1622/23 OR2748-1898/99
	(Note: Not to be used on legal documents)
Neighborhood	6108
Property Class	SINGLE FAMILY RESID (0100)
Subdivision	
Sec/Twp/Rng	06/68/25
Affordable	No
Housing	



Owner

KEY WEST NC LLC
PO BOX 330
MOORESVILLE NC 28115-0330

Valuation

	2016	2015	2014	2013
+ Market Improvement Value	\$250,819	\$175,573	\$174,483	\$177,127
+ Market Misc Value	\$1,446	\$1,257	\$1,141	\$1,141
+ Market Land Value	\$526,206	\$530,923	\$495,528	\$427,446
= Just Market Value	\$778,471	\$707,753	\$671,152	\$605,714
= Total Assessed Value	\$778,471	\$465,625	\$461,930	\$455,103
- School Exempt Value	\$0	(\$25,000)	(\$25,000)	(\$25,000)
= School Taxable Value	\$778,471	\$440,625	\$436,930	\$430,103

Land

Land Use	Number of Units	Unit Type	Frontage	Depth
RESIDENTIAL DRY (010D)	5,698.00	Square Foot	0	0

Buildings

TOTAL		2,196	1,896	0	—
OUF C	OP PRCH FIN UL	150	0	0	
OPF C	OP PRCH FIN LL	150	0	0	
FLA F	LOOR LIV AREA	1,896	1,896	0	
Code [Description	Sketch Area	Finished Area	Perimeter	
Interior Walls	WALL BD/WD WAL			Number of Fire Pl	0
Depreciation %	12			Grade	550
Economic Obs	0			Half Bathrooms	0
Functional Obs	0			Full Bathrooms	1
Perimeter	280			Bedrooms	2
Condition	AVERAGE			Heating Type	NONE with 0% NONE
Stories	2 Floor			Flooring Type	CONC S/B GRND
Finished Sq Ft	1896			Roof Coverage	METAL
Gross Sq Ft	2196			Roof Type	GABLE/HIP
Style Building Type	S.F.R R1/R1			Year Built Foundation	1923 WD CONC PADS
Building ID	397			Exterior Walls	ABOVE AVERAGE WOOD

Yard Items

Description	Year Built	Roll Year	Quantity	Units	Grade
FENCES	1959	1960	1	130 SF	4
LC UTIL BLDG	1964	1965	1	64 SF	1
CH LINK FENCE	1964	1965	1	760 SF	1


Sales

Sale Date	Sale Price	Instrument	Instrument Number	Deed Book	Deed Page	Sale Qualification	Vacant or Improved
6/26/2015	\$0	Warranty Deed		2748	1898	11 - Unqualified	Improved
6/4/2015	\$1,200,000	Warranty Deed		2744	1622	37 - Unqualified	Improved

Permits

Number \$	Date Issued €	Date Completed ♦	Amount ¢	Permit Type ♦	Notes 🗢
09-2293	8/20/2009	8/5/2010	\$15,000		RE-DO UPPER & LOWER PORCHES. DEMO THE ADD ON BATHROOM WHICH WAS ENCLOSED ON BOTTOM FRONT PORCH
06-4383	7/20/2006	11/10/2006	\$2,400		UPGRADE SVC TO 200AMP
02-0828	5/2/2002	10/28/2002	\$500		STUCCO OVER
0103713	11/19/2001	12/31/2001	\$1,000	Residential	REMOVE/REPLACE V-CRIMP

Sketches (click to enlarge)



Photos



No data available for the following modules: Commercial Buildings, Mobile Home Buildings, Exemptions.

The Monroe County Property Appraiser's office maintains data on property within the County solely for the purpose of fulfilling its responsibility to secure a just valuation for ad valorem tax purposes of all property within the County. The Monroe County Property Appraiser's office cannot guarantee its accuracy for any other purpose. Likewise, data provided regarding one tax year may not be applicable in prior or subsequent years. By requesting such data, you hereby understand and agree that the

Last Data Upload: 5/16/2017 1:55:53 AM

