

Historic Architectural Review Commission Staff Report for Item 9

To: Chairman Bryan Green and Historic Architectural Review

Commission Members

From: Enid Torregrosa, MSHP

Historic Preservation Planner

Meeting Date: August 22, 2017

Applicant: Bender and Associates, Architects

Application Number: H17-03-0031

Address: #803 Emma Street

Description of Work:

Partial demolition of south side and front wall of addition

Site Facts:

The building in question is a contributing resource and individually listed in the National Register of Historic Places (NRHP) in May 30, 2012. The American Legion Post 168, built in 1952, is a two-story reinforced concrete structure, rectangular, with a cbs addition attached to its south side. The addition was built around 1960. On 2012, the Chief Building Official declared the building unsafe and since then, the building has undergone stabilizations and required repairs. HARC has jurisdiction in all interior work done on buildings individually listed in the NRHP.

Previously, the Commission approved plans for the stabilization of the building and some rehabilitation for bathrooms, office, mezzanine, stage, and floors.

Ordinance Cited on Review:

• Section 102-217 (3), demolition for contributing and historic structures of the Land Development Regulations for the partial demolition of side and front wall.

Staff Analysis

This report is for the request for partial demolition of side and front concrete walls on an addition that is historic but that is obscuring character-defining features of the historic VFW building. The proposal will liberate the side yard in order to accommodate a much-needed ADA access to the building. The plan includes a reconstruction of the new wall, matching existing in materials, but set back five feet from the side property line. In this specific case, due to the size of the footprint of the building, which almost covers the lot; the design is the most appropriate solution to comply with federal regulations.

It is staff's opinion that the review of the request for the proposed demolition should be based by the demolition criteria of Chapter 102 Section 218 of the LDR's. The criteria state the following;

- (a) The historic architectural review commission shall issue a certificate of appropriateness for an application for demolition:
 - (1) If the subject of the application is a contributing or historic building or structure, then it should not be demolished unless its condition is irrevocably compromised by extreme deterioration or it does not meet any of the criteria of section 102-125(1) through (9).

The walls in question are not irrevocable compromised by extreme deterioration.

The following is the criteria of section 102-125:

- 1 Embodies no distinctive characteristics of a type, period, or method of construction of aesthetic or historic significance in the city and is not a significant and distinguishable building entity whose components may lack individual distinction;
 - Staff opines that the walls have no distinctive characteristics of a type or method of construction. The walls are not part of the original fabric and do not possess any architectural features.
- 2 Is not specifically associated with events that have made a significant contribution to local, state, or national history;
 - It is staff opinion that in the main structure significant events have happened in the site that have contributed to local, state, and national history. Nevertheless, those events are associated with the original building-the Hall, from which the side wall is not an integral part of.
- 3 Has no significant character, interest, or value as part of the development, heritage, or cultural characteristics of the city, state or nation, and is not associated with the life of a person significant in the past;

The wall in question has no significant value as part of a development, heritage, or cultural record of the city.

4 Is not the site of a historic event with a significant effect upon society;

The site is associated to significant events in the history of our city; still, the wall in question is not an intrinsic portion of the original fabric.

5 Does not exemplify the cultural, political, economic, social, or historic heritage of the city;

The wall in question is not an example of any social, cultural, or historic heritage of the city.

6 Does not portray the environment in an era of history characterized by a distinctive architectural style;

The wall in question is not an example of a distinctive architectural style.

7 If a part of or related to a square, park, or other distinctive area, nevertheless should not be developed or preserved according to a plan based on the area's historic, cultural, natural, or architectural motif;

The wall in question is not part of a park, square or distinctive area in the city.

8 Does not have a unique location or singular physical characteristic which represents an established and familiar visual feature of its neighborhood or of the city, and does not exemplify the best remaining architectural type in a neighborhood; and

The wall in question does not exemplify a remaining architectural type in its neighborhood and does not possess any significant visual features.

9 Has not yielded, and is not likely to yield, information important in history.

The wall in question does not yield information in history.

In conclusion, it is staff's opinion that the Commission can consider the request for demolition proposed in the plans as they comply with the criteria for demolition stated under the Land Development Regulations.

If the Commission approves the partial demolition of the wall, a second reading will be required.

APPLICATION

COMBINATION APPLICATION: FLOODPLAIN, CONSTRUCTION AND HARC BOYARD ON STOUCH STO



City of Key West

1300 WHITE STREET KEY WEST, FLORIDA 33040

Phone: 305.809.3956 www.cityofkeywest-fl.gov

HARC PERMIT		BUILDING PER	RMIT NUMBER	INITIAL & DATE
FLOODPLAIN F	PERMIT			REVISION #
FLOOD ZONE	PANEL#	ELEV. L. FL.	SUBSTANTIA	L IMPROVEMENT

	803 Emma Street		# OF UNITS 1	
RE # OR ALTERNATE KEY:	Parcel ID 00014650-000000			
NAME ON DEED:	Trustees American L	egion NBR 168	PHONE NUMBER 770-401-7932	
OWNER'S MAILING ADDRESS:	803 Emma Street		EMAIL glenwoodl@bellsouth.net	
	Key West, FL 3304	0		
CONTRACTOR COMPANY NAME:	TO BE DETERMINE	D	PHONE NUMBER T.B.D.	
CONTRACTOR'S CONTACT PERSON:	T.B.D.		EMAIL T.B.D.	
ARCHITECT / ENGINEER'S NAME:	Bender & Associates	/ David Salay	PHONE NUMBER 305-296-1347	
ARCHITECT / ENGINEER'S ADDRESS:	410 Angela Street		EMAIL dsalay@benderarchitects.com	
	Key West 33040			
HARC: PROJECT LOCATED IN HISTORI	C DISTRICT OR IS CONTRIBU	TING: XYES ONO	(SEE PART C FOR HARC APPLICATION.)	
CONTRACT PRICE FOR PROJECT OR E	STIMATED TOTAL FOR MAT'L	LABOR & PROFIT:		
PROJECT TYPE: ONE OR TWO FA	MILY MULTI-FAMILY [COMMERCIAL _	PUNISHABLE PER SECTION 775.082 OR 775.083. NEW REMODEL WITHIN FLOOD ZONE AE-6	
CHANGE OF USE DEMOLITION DETAILED PROJECT DESCRIPTION INC	MILY MULTI-FAMILY [OCCUPANCY ADDITION SITE WORK INTERIOR LUDING QUANTITIES, SQUAR	COMMERCIAL N SIGNAGE EXTERIOR E FOOTAGE ETC.,	NEW REMODEL WITHIN FLOOD ZONE AF-6 AFTER-THE-FACT Interior renovations to historic 1952 American Legion Building, Including	
PROJECT TYPE: ONE OR TWO FA CHANGE OF USE DEMOLITION DETAILED PROJECT DESCRIPTION INC new electrical, mechanical, plumbing, life safety and AD	MILY MULTI-FAMILY OCCUPANCY ADDITION INTERIOR INTERIOR OF A upgrades. New doors & windows to ma	COMMERCIAL N SIGNAGE EXTERIOR E FOOTAGE ETC., sch historic. Remove 4' of existing	NEW REMODEL WITHIN FLOOD ZONE AE-6 AFTER-THE-FACT	
PROJECT TYPE: ONE OR TWO FA CHANGE OF USE DEMOLITION DETAILED PROJECT DESCRIPTION INC new electrical, mechanical, plumbing, life safety and AD Construct new CBS side wall. Restore exterior, including	MILY MULTI-FAMILY OCCUPANCY ADDITION SITE WORK INTERIOR CLUDING QUANTITIES, SQUAR A upgrades. New doors & windows to male windows, doors, glass block to match history	COMMERCIAL N SIGNAGE EXTERIOR E FOOTAGE ETC., Ich historic. Remove 4' of existing oric. Replace existing kitchen and	NEW REMODEL WITHIN FLOOD ZONE AE-6 AFTER-THE-FACT Interior renovations to historic 1952 American Legion Building, including circa 1960 CBS addition to provide life safety access to building	
PROJECT TYPE: ONE OR TWO FA CHANGE OF USE DEMOLITION DETAILED PROJECT DESCRIPTION INC new electrical, mechanical, plumbing, life safety and AD Construct new CBS side wall. Restore exterior, including	MILY MULTI-FAMILY OCCUPANCY ADDITION SITE WORK INTERIOR CLUDING QUANTITIES, SQUAR A upgrades. New doors & windows to male windows, doors, glass block to match history	COMMERCIAL N SIGNAGE EXTERIOR E FOOTAGE ETC., Ich historic. Remove 4' of existing oric. Replace existing kitchen and ES AND OTHER PARTIES AS	NEW REMODEL WITHIN FLOOD ZONE AE-6 AFTER-THE-FACT Interior renovations to historic 1952 American Legion Building, Including circa 1960 CBS addition to provide life safety access to building bar equipment. Reconstruct historic 1952 glass block trim at doors	
PROJECT TYPE: ONE OR TWO FA CHANGE OF USE DEMOLITION DETAILED PROJECT DESCRIPTION INCOME DETAILED PROJECT DESCRIPTION INCOME DE	MILY MULTI-FAMILY OCCUPANCY ADDITION SITE WORK INTERIOR CLUDING QUANTITIES, SQUAR A upgrades. New doors & windows to male windows, doors, glass block to match history	SIGNAGE FOOTAGE ETC., Signage ETC., Signage Footage ETC., Signage Footage ETC., Signage ETC., Signag	NEW REMODEL WITHIN FLOOD ZONE AFTER-THE-FACT Interior renovations to historic 1952 American Legion Building, including circa 1960 CBS addition to provide life safety access to building bar equipment. Reconstruct historic 1952 glass block trim at doors APPLICABLE TO COMPLETE THE DESCRIBED PROJECT:	
PROJECT TYPE: ONE OR TWO FA CHANGE OF USE DEMOLITION DETAILED PROJECT DESCRIPTION INC DETAILED PROJ	MILY MULTI-FAMILY OCCUPANCY ADDITION SITE WORK INTERIOR OF STEEL WORK INTERIOR OF STEEL WORK OF STEE	SIGNAGE VEXTERIOR EFOOTAGE ETC., Ich historic. Remove 4' of existing kitchen and existing ki	NEW REMODEL WITHIN FLOOD ZONE AE-6 AFTER-THE-FACT Interior renovations to historic 1952 American Legion Building, Including circa 1960 CBS addition to provide life safety access to building bar equipment. Reconstruct historic 1952 glass block trim at doors APPLICABLE TO COMPLETE THE DESCRIBED PROJECT: er: ITY OF MONROE, SWORN TO AND SCRIBED BEFORE ME	
PROJECT TYPE: ONE OR TWO FA CHANGE OF USE DEMOLITION DETAILED PROJECT DESCRIPTION INC DEMOLITION OF THE PROJECT DESCRIPTION OF THE PROJECT DESCR	MILY MULTI-FAMILY OCCUPANCY ADDITION INTERIOR IN	COMMERCIAL N SIGNAGE V EXTERIOR E FOOTAGE ETC., Ich historic. Remove 4' of existing kitchen and ES AND OTHER PARTIES AS QUALIFIER PRINT NAME: QUALIFIER SIGNATURE: Notary Signature as to qualifications.	NEW REMODEL WITHIN FLOOD ZONE AE-6 AFTER-THE-FACT Interior renovations to historic 1952 American Legion Building, including circa 1960 CBS addition to provide life safety access to building bar equipment. Reconstruct historic 1952 glass block trim at doors APPLICABLE TO COMPLETE THE DESCRIBED PROJECT: er: ITY OF MONROE, SWORN TO AND SCRIBED BEFORE ME	

Page 1 of 3

300031 * BUILDING PERMITS-NEW 1.00 \$100.00 er: 3108124 13745 \$100.00 Trans number:

Time: B:00:28 Trans date: 7/11/17

4264/8783 O

PART B: SUPPLEMENTARY PROJECT DETAILS TO AVOID DELAYS / CALL-BACKS PROPERTY STRUCTURES AFFECTED BY PROJECT: MAIN STRUCTURE ACCESSORY STRUCTURE SITE ACCESSORY STRUCTURES; GARAGE / CARPORT DECK FENCE OUTBUILDING / SHED FENCE STRUCTURES: 4 FT. 6 FT. SOLID 6 FT. / TOP 2 FT. 50% OPEN POOLS: INGROUND ABOVE GROUND SPA / HOT TUB PRIVATE PUBLIC PUBLIC POOLS REQUIRE BD. OF HEALTH LICENSE APPLICATION AT TIME OF CITY APPLICATION. PUBLIC POOLS REQUIRE BD. OF HEALTH LICENSE PRIOR TO RECEIVING THE CITY CERTIFICATE OF OCCUPANCY. NEW ROOF-OVER TEAR-OFF REPAIR AWNING 5 V METAL ASPLT. SHGLS. METAL SHGLS. BLT, UP TPO OTHER FLORIDA ACCESSIBILITY CODE: 20% OF PROJECT FUNDS INVESTED IN ACCESSIBILITY FEATURES. SIGNAGE: # OF SINGLE FACE # OF DOUBLE FACE REPLACE SKIN ONLY BOULEVARD ZONE POLE WALL PROJECTING AWNING HANGING WINDOW SQ. FT. OF EACH SIGN FACE: SUBCONTRACTORS / SPECIALTY CONTRACTORS SUPPLEMENTARY INFORMATION: MECHANICAL: DUCTWORK COMMERCIAL EXH. HOOD INTAKE / EXH. FANS LPG TANKS A / C: COMPLETE SYSTEM AIR HANDLER CONDENSER MINI-SPLIT ELECTRICAL: LIGHTING RECEPTACLES HOOK-UP EQUIPMENT LOW VOLTAGE SERVICE: OVERHEAD UNDERGROUND 1 PHASE 3 PHASE PLUMBING: ONE SEWER LATERAL PER BLDG. INGROUND GREASE INTCPTRS, PLPG TANKS RESTROOMS: MEN'S WOMEN'S UNISEX ACCESSIBLE PART C: HARC APPLICATION FOR A CERTIFICATE OF APPROPRIATENESS APPLICATION FEES: PAINTING SINGLE FAMILY: \$10 STAFF APPROVAL: \$50 COMMISSION REVIEW \$100 PLEASE ATTACH APPROPRIATE VARIANCES / RESOLUTIONS FROM HARC, PLANNING BOARD OR TREE COMMISSION. ATTENTION: NO BUILDING PERMITS WILL BE ISSUED PRIOR TO HARC APPROVAL. PLEASE SEND ELECTRONIC SUBMISSIONS TO: harc@cityofkeywest-fl.gov INDICATE TYPE OF CERTIFICATE. OF APPROPRIATENESS: VIGENERAL VIDEMOLITION SIGN PAINTING OTHER ADDITIONAL INFORMATION: PROJECT SPECIFICATIONS: PLEASE PROVIDE PHOTOS OF EXISTING CONDITIONS, PLANS, PRODUCT SAMPLES, TECHNICAL DATA ARCHITECTURAL FEATURES TO BE ALTERED: ORIGINAL MATERIAL: PROPOSED MATERIAL: Windows Metal louvered Metal louvered Doors Painted metal Painted metal Side wall of CBS addition Painted stucco Painted stucco **DEMOLITION: PLEASE FILL OUT THE HARC APPENDIX FOR PROPOSED DEMOLITION.**

DEMOLITION OF HISTORIC STRUCTURES IS NOT ENCOURAGED BY THE HISTORIC ARCHITECTURAL REVIEW COMMISSION.

SIGNAGE: (SEE PART B) BUSINESS SIGN BRAND SIGN OTHER:

BUSINESS LICENSE #

IF FACADE MOUNTED, SQ. FT. OF FACADE

	SIGN SPECIFICATIONS	
SIGN COPY:	PROPOSED MATERIALS:	SIGNS WITH ILLUMINATION:
		TYPE OF LTG.:
		LTG. LINEAL FTG.:
MAX. HGT. OF FONTS:		COLOR AND TOTAL LUMENS:
IF USING LIGHT FIXTURES PLEASE INDICATE H	OW MANY: INCLUDE SPEC. SHEET WITH LOC	CATIONS AND COLORS.
OFFICIAL USE ONLY: APPROVED NOT APPROVE	HARC STAFF OR COMMISSION REVIEW DEFERRED FOR FUTURE CONSIDERA	ATION TABLED FOR ADD'L. INFO.
HARC MEETING DATE:	HARC MEETING DATE:	HARC MEETING DATE:
REASONS OR CONDITIONS:		
STAFF REVIEW COMMENTS: SUIT SUIT SUIT SUIT SUIT SUIT SUIT SUIT	spass society was require	wally in the NRHP. nry tramps 5015 1.2,9 f10 monts. ISIGNATURE AND DATE:
FLORIDA STATUTE 713.135: WARNING TO OWI IMPROVEMENTS TO YOUR PROPERTY. A NOTION BEFORE THE FIRST INSPECTION. IF YOU INTEN FLORIDA STATUTE 469: ABESTOS ABATEMENT I AGREE THAT I WILL COMPLY WITH THE PROV IN ADDITION TO THE REQUIREMENTS OF THIS	ID TO OBTAIN FINANCING CONSULT WITH YOUR LENDER T. AS OWNER / CONTRACTOR / AGENT OF RECORD FOR T VISIONS F. S. 469.003 AND TO NOTIFY THE FLORIDA D. E. F PERMIT APPLICATION, THERE MAY BE DEED RESTRICTION	ICEMENT' MAY RESULT IN YOUR PAYING TWICE FOR COUNTY RECORDER AND A COPY POSTED ON THE JOB SITE OR AN ATTORNEY BEFORE RECORDING A NOTICE. THE CONSTRUCTION APPLIED FOR IN THIS APPLICATION,
ENTITIES SUCH AS AQUADUCT ATHORITY, FLO	ORIDA DEP OR OTHER STATE AGENCIES; ARMY CORPS O	OF ENGINEERS OR OTHER FEDERAL AGENCIES.
FEDERAL LAW REQUIRES LEAD PAINT ABATE	MENT PER THE STANDARDS OF THE USDEP ON STRUCT	URES BUILT PRIOR TO 1978.
OFFICIAL USE ONLY BY PLANS EXAMINER OR	CHIEF BUILDING OFFICIAL:	CBO OR PL. EXAM. APPROVAL:
HARC FEES: BLDG. FEES:	FIRE MARSHAL FEE: IMPA	CT FEES:
		DATE:
		DATE.

CITY OF KEY WEST CERTIFICATE OF APPROPRIATENESS APENDIX FOR DEMOLITIONS APPLICATION NUMBER H- 17-09-003(



This document applies only to those properties located within the City of Key West Historic Zoning Districts, properties outside the historic zoning districts which are listed as contributing in the Historic Architectural Survey and or properties listed in the National Register of Historic Places.

Applications must meet or exceed the requirements outlined by the Secretary of the Interior's Standards for Rehabilitation and Guidelines for Rehabilitation and the Key West's Historic Architectural Guidelines. Once submitted, the application shall be reviewed by staff for completeness and scheduled for presentation to the Historic Architectural Review Commission for the next available meeting, unless the demolition request is for a bona fide Code Compliance case, in which case staff may review and approve the demolition request. The applicant must be present at this meeting. Any person that makes changes to an approved Certificate of Appropriateness must submit a new application with such modifications.

The filing of this application does not ensure approval as submitted. Applications that do not possess the required submittals or documentation will be considered incomplete and will not be reviewed for approval.

CRITERIA FOR DEMOLITIONS

Before any Certificate of Appropriateness may be issued for a demolition request, the Historic Architectural Review Commission must find that the following requirements are met (please review and comment on each criterion that applies);

(1)	demoli	subject of the application is a contributing or historic building or structure, then it should not be ished unless its condition is irrevocably compromised by extreme deterioration or it does not meet the following criteria:
	(a)	The existing condition of the building or structure is irrevocably compromised by extreme deterioration.
OD THAT	FUE DI	THE DINC OR STRUCTURE.
ORTHAT		Embodies no distinctive characteristics of a type, period, or method of construction of aesthetic or historic significance in the city and is not a significant and distinguishable building entity
		whose components may lack individual distinction. The proposed demolition is taking place on a CBS kitchen addition to the building, which was constructed circa 1960.
	(b)	Is not specifically associated with events that have made a significant contribution to local, state, or national history. The kitchen addition is not specifically associated with any important events.

	Significant in the past. The addition has no significant character.
0	Is not the site of a historic event with a significant effect upon society. The kitchen addition was not the site of a historic event.
	THE NICHOLL ACCURATION WAS THE CITA THIS COLD A THIS C
)	Does not exemplify the cultural, political, economic, social, or historic heritage of the city. The kitchen addition does not exemplify the heritage of the City.
)	Does not portray the environment in an era of history characterized by a distinctive architectura style. The kitchen addition is not a distinct style.
)	If a part of or related to a square, park, or other distinctive area, nevertheless should not be developed or preserved according to a plan based on the area's historic, cultural, natural, or architectural motif.
)	Does not have a unique location or singular physical characteristic which represents an established and familiar visual feature of its neighborhood or of the city, and does not exemplify the best remaining architectural type in a neighborhood.
)	Has not yielded, and is not likely to yield, information important in history.


CITY OF KEY WEST CERTIFICATE OF APPROPRIATENESS APENDIX FOR DEMOLITIONS APPLICATION NUMBER H-17-09-009




	(2) For a contributing historic or noncontributing building or structure, a complete construction plan for the site is approved by the Historic Architectural Review Commission.
	(a) A complete construction plan for the site is included in this application
	Yes Number of pages and date on plans 15 pages, dated 7/1/17.
	No Reason_
Commission s	criteria will also be reviewed by the Historic Architectural Review Commission for proposed demolitions. The shall not issue a Certificate of Appropriateness that would result in the following conditions (please review ton each criterion that applies);
	(1) Removing buildings or structures that are important in defining the overall historic character of a district or neighborhood so that the character is diminished. The character of the neighborhood will not be diminished by removing a portion of the kitchen addition.
	(2) Removing historic buildings or structures and thus destroying the historic relationship between buildings or structures and open space; and
AND	(3) Removing an historic building or structure in a complex; or removing a building facade; or removing a significant later addition that is important in defining the historic character of a site or the surrounding district
	or neighborhood. The kitchen addition is not important in defining the historic character of the site.
	(4) Removing buildings or structures that would otherwise qualify as contributing. The kitchen addition is not contributing.


Nothing in this application is intended to alter the authority of the Building Official to condemn for demolition dangerous buildings, as provided in Section 102-218 of the Land Development Regulations and Chapter 14 of the Code of Ordinances.


receiving a Certificate of Appropriateness proceeding with the work outlined above	and that the work shall conform to all applicable laws of this jurisdiction. By s, I realize that this project will require a Building Permit, approval PRIOR to and that there will be a final inspection required under this application. I also wed Certificate of Appropriateness must be submitted for review.
PROPERTY OWNER'S SIGNATURE	Glenwood Lopez 7/7/2017
	OFFICE USE ONLY BUILDING DESCRIPTION:
Contributing Year built Not listed Year built	Style Listed in the NRHP Year
Reviewed by Staff on Notice of hearing posted First reading meeting date Second Reading meeting date TWO YEAR EXPIRATION DATE	Staff Comments





1948 Sanborn Map





1962 Sanborn Map

PROJECT PHOTOS



Interior photograph circa 1960. Monroe County Library



VFW circa 1965. Monroe County Library

EXISTING CONDITIONS PHOTOS

HISTORIC PHOTOS



Front (Emma Street) façade. Addition at right side will be partially removed to provide ADA and emergency egress access to the building. The windows will be replaced with metal impact louvered units matching the historic windows.



Front (Emma Street) façade. The original glass block around the entry doors will be reconstructed. The historic entry door at left will be restored. The windows will be replaced with metal impact louvered units matching the historic windows.




The side (north) façade of the building. All of the windows will be replaced with metal impact louvered units matching the historic windows. Several historic window openings in this facade have been infilled with concrete. The openings will be uncovered and windows matching the historic configuration will be installed.



The rear (east) façade. The windows will be replaced with metal louvered impact units matching the historic windows.



Rear side of addition.
This addition was built later, and contains an existing kitchen.
Approximately 4 feet of the left side of this addition will be removed to provide ADA and emergency egress access to the building. The windows will be replaced with metal louvered impact units matching the historic windows.




General view of addition at right side of building. This addition was built later, and contains an existing kitchen.
Approximately 4 feet of the right side of this addition will be removed to provide ADA and emergency egress access to the building.



upgrades to the trusses and spalling repair was completed in 2013.

General view of interior of building, looking east towards the stage. The historic Cuban tile flooring will be restored. The historic trusses will be sealed. The historic balconies will be repaired, and metal mesh panels will be added behind them to provide guardrail protection required by the FBC. All of the structural



General view of historic stage. The Cuban tile flooring will be restored. Walls will be painted, and the trusses will be cleaned and sealed. The large A/C units at left and right will be removed. This stage has hosted entertainers such as KC and the Sunshine Band and James Brown.



General view of the mezzanine at the south side of the building. The windows will be replaced with metal louvered impact units matching the historic windows. The historic balconies will be repaired, and metal mesh panels will be added behind them to provide guardrail protection required by the FBC. The wood flooring will be repaired and painted.



General interior view of kitchen addition at south side of building. Approximately 4 feet of the left side of this addition will be removed to provide ADA and emergency egress access to the building.

AMERICAN LEGION 803 EMMA EXISTING and HISTORIC PHOTOS



General view of existing bar. The bar will be cleaned, repaired and painted. The Cuban tile flooring will be restored. This bar was constructed in the 1990s, and replaced the historic horseshoe-shaped bar, which can be seen in historic photos. The profile of this bar can still be seen in the floor. The horseshoe bar will be reconstructed at a later date.

HISTORIC PHOTOS



This 1965 photo building shows the original configuration of the building. The glass block trim around the entries will be restored. All of the windows will be replaced with units matching this configuration.



Interior view of building, looking towards stage. this photo was taken circa early 1950s.



The original horseshoe-shaped bar is seen in this photo, date unknown. The bar is topped with broken Cuban tile set in mortar. The bar will be reconstructed when funds allow.




This view of the main hall is taken from the stage, circa early 1960s.




Members of both the VFW Post 6021 and the American Legion Post 168 line up in this photo, taken on the stage. Date unknown.

ADJACENT BUILDINGS



Adjacent building, north side. 801 Emma St.




Adjacent building, south side. 810 Emma St.








PROPOSED DESIGN



410 Angela Street Key West, Florida 33040 Telephone (305) 296-1347 Facsimilie (305) 296-2727 Florida License AAC002022


EXISTING SITE PLAN / ROOF PLAN 7/1/17

1 OF 8



410 Angela Street Key West, Florida 33040 Telephone (305) 296-1347 Facsimilie (305) 296-2727 Florida License AAC002022

FIRST FLOOR PLAN 7/1/17



10/14/13 DHR COMMENTS

AMERICAN LEGION POST 16
803 EMMA STREET


410 Angela Street
Key West, Florida 33040
Telephone (305) 296-1347
Facsimilie (305) 296-2727
Florida License AAC002022


Project Nº: 1124

SECOND FLOOR PLAN


Date: 7/1/17

EX33 OF 8





2 SOUTH (SIDE) EXTERIOR ELEVATION
EX5 SCALE: 1/4"=1'-0"



10/14/13 DHR COMMENTS

AMERICAN LEGION POST 168
803 EMMA STREET
KEY WEST, FLORIDA
STABILIZATION DRAWINGS

410 Angela Street
Key West, Florida 33040
Telephone (305) 296-1347
Facsimilie (305) 296-2727
Florida License AAC002022

Bender & Associates $\mathbb{ARCHITECTS}$ $\mathbb{RRCHITECTS}$ p.a.


Project Nº: 1124

EXISTING EXTERIOR
ELEVATIONS

Date:

7/1/17

EX55 OF 8



AMERICAN LEGION POST 168
803 EMMA STREET
KEY WEST, FLORIDA

410 Angela Street Key West, Florida 33040 Telephone (305) 296-1347 Facsimilie (305) 296-2727 Florida License AAC002022

k Associates

Louida Ticense And

Louida Ticense Wall

Louida Ticense Wa

Bender


Date:

Project Nº: 1124A

FIRST FLOOR
DEMOLITION PLAN

D1.1

4/2/17



AMERICAN LEGION POST 168

803 EMMA STREET

KEY WEST, FLORIDA

410 Angela Street
Key West, Florida 33040
Telephone (305) 296-1347
Facsimilie (305) 296-2727
Florida License AAC002022

Project Nº: 1124A

SECOND FLOOR
DEMOLITION PLAN

Date: 4/2/17

D1.2

1 SECOND FLOOR DEMOLITION PLAN
D1.2 SCALE: 1/4"=1'-0"

PRESERVATION NOTES:


- 1. MATCH ORIGINAL HISTORIC MATERIAL, TEXTURES AND FINISHES.
- THE ARCHITECT WILL BE THE SOLE JUDGE AS TO WHAT CONSTITUTES AN APPROPRIATE MATCH. 2. REMOVE ALL AREAS IDENTIFIED BY THE ARCHITECT AS INAPPROPRIATE OR NOT MATCHING THE ADJACENT
- 3. TAKE ALL APPROPRIATE MEASURES NECESSARY TO CORRECT INFERIOR WORK AS IDENTIFIED BY THE ARCHITECT. 4. PROTECT HISTORIC FABRIC DURING ALL OPERATIONS. NO HISTORIC MATERIALS SHALL BE REMOVED FROM THE
- SITE WITHOUT PRIOR APPROVAL OF ARCHITECT. THE ARCHITECT RESERVES THE RIGHT TO HAVE INDIVIDUAL WORKMEN REMOVED FROM INDIVIDUAL ACTIVITIES OR THE PROJECT ENTIRELY, IF IN THE ARCHITECT'S JUDGEMENT, THE QUALITY OF WORK BEING PERFORMED IS INAPPROPRIATE, INFERIOR, OR DETRIMENTAL TO
- 5. REFER TO PHOTOGRAPHIC DETAILS IN THE SPECIFICATIONS FOR ADDITIONAL HISTORIC PRESERVATION INFORMATION AND PROJECT REQUIREMENTS.
- 6. ALL WORK MUST COMPLY WITH THE SECRETARY OF THE INTERIORS STANDARDS FOR REHABILITATION. AS ADMINISTERED BY THE FLORIDA DEPARTMENT OF STATE, DIVISION OF HISTORIC RESOURCES.
- 7. DUE TO THE SENSITIVE HISTORIC NATURE OF THIS PROJECT, GENERAL CONTRACTORS AND CERTAIN TRADES MUST MEET PREQUALIFICATION REQUIREMENTS. REFER TO SUPPLEMENTARY GENERAL CONDITIONS, SECTION 00200. HISTORIC FINISHES AND FURRING MAY BE INTACT UNDER CONTEMPORARY FINISHES. CONSULT ARCHITECT BEFORE REMOVAL OF QUESTIONABLE HISTORIC OR NON-HISTORIC MATERIAL.
- 8. WHERE THE TERM 'RESTORE' IS USED THROUGHOUT THESE DOCUMENTS, THE INTENT IS TO RETURN AN ITEM, FINISH. OR MATERIAL TO ITS HISTORIC CONFIGURATION AND/OR CONDITION. THE LEAST INTRUSIVE METHOD REQUIRED SHOULD BE USED FIRST: CLEAN, PATCH, OR REPLACE USING AN IN-KIND MATERIAL, I.E. BRONZE FOR BRONZE, CONCRETE FOR CONCRETE, CORAL STONE FOR CORAL STONE, ETC. COORDINATE ALL REQUIREMENTS FOR 'RESTORATION' WITH ARCHITECT.
- 9. THE AMERICAN LEGION BUILDING IS A STATE AND LOCAL HISTORIC SITE.

THE SECRETERY OF INTERIOR STANDARDS FOR REHABILITATION:

(a) The following Standards for Rehabilitation are the criteria used to determine if a rehabilitation project qualifies as a certified rehabilitation. The intent of the Standards is to assist the long-term preservation of a property's significance through the preservation of historic materials and features. The Standards pertain to historic buildings of all materials, construction types, sizes, and occupancy and encompass the exterior and the interior of historic buildings. The Standards also encompass related landscape features and the building's site and environment, as well as attached, adjacent, or related new construction. To be certified, a rehabilitation project must be determined by the Secretary to be consistent with the historic character of the structure(s) and, where applicable, the district in which it is located.

(b) The following Standards are to be applied to specific rehabilitation projects in a reasonable manner, taking into consideration economic and technical feasibility. (The application of these Standards to rehabilitation projects is to be the same as under the previous version so that a project previously acceptable would continue to be acceptable under these

- (1) A property shall be used for its historic purpose or be placed in a new use that requires minimal change to the defining characteristics of the building and its site and environment.
- (2) The historic character of a property shall be retained and preserved. The removal of historic materials or alteration of features and spaces that characterize a property shall be avoided.
- (3) Each property shall be recognized as a physical record of its time, place, and use. Changes that create a false sense of historical development, such as adding conjectural features or architectural elements from other buildings, shall not be
- (4) Most properties change over time; those changes that have acquired historic significance in their own right shall be retained and preserved.
- (5) Distinctive features, finishes, and construction techniques or examples of craftsmanship that characterize a historic
- (6) Deteriorated historic features shall be repaired rather than replaced. Where the severity of deterioration requires replacement of a distinctive feature, the new feature shall match the old in design, color, texture, and other visual qualities and, where possible, materials. Replacement of missing features shall be substantiated by documentary, physical, or pictorial
- (7) Chemical or physical treatments, such as sandblasting, that cause damage to historic materials shall not be used. The surface cleaning of structures, if appropriate, shall be undertaken using the gentlest means possible.
- (8) Significant archeological resources affected by a project shall be protected and preserved. If such resources must be disturbed, mitigation measures shall be undertaken.
- (9) New additions, exterior alterations, or related new construction shall not destroy historic materials that characterize the property. The new work shall be differentiated from the old and shall be compatible with the massing, size, scale, and architectural features to protect the historic integrity of the property and its environment.
- (10) New additions and adjacent or related new construction shall be undertaken in such a manner that if removed in the future, the essential form and integrity of the historic property and its environment would be unimpaired.
- (c) The quality of materials and craftsmanship used in a rehabilitation project must be commensurate with the quality of materials and craftsmanship of the historic building in question. Certain treatments, if improperly applied, or certain materials by their physical properties, may cause or accelerate physical deterioration of historic buildings. Inappropriate physical treatments include, but are not limited to: improper repointing techniques; improper exterior masonry cleaning methods; or improper introduction of insulation where damage to historic fabric would result. In almost all situations, use of these materials and treatments will result in denial of certification. Similarly, exterior additions that duplicate the form, material, and detailing of the structure to the extent that they compromise the historic character of the structure will result in denial of certification. For further information on appropriate and inappropriate rehabilitation treatments, owners are to consult the Guidelines for Rehabilitating Historic Buildings published by the NPS. "Preservation Briefs" and additional technical information to help property owners formulate plans for the rehabilitation, preservation, and continued use of historic properties consistent with the intent of the Secretary's Standards for Rehabilitation are available from the SHPOs and NPS regional offices. Owners are responsible for procuring this material as part of property planning for a certified



19.1% 19.5% 35% MINIMUM OPEN SPACE PROPOSED OPEN SPACE CALCULATIONS: BUILDING AND OVERHANGS: 4,916 S.F. CONC. WALKWAYS 318 S.F. TOTAL 'CLOSED' SPACE: 5,234 S.F. / 6,500 S.F. = 80.5% TOTAL 'OPEN' SPACE: 100% - 80.5% = 19.5% OPEN SPACE

410 Angela Street Key West, Florida 33040

Telephone (305) 296-1347

Facsimilie (305) 296-2727

Florida License AAC002022

sociate

S

Project Nº:

SITEPLAN

PROJECT STATS

STORMWATER CALCS.

7/1/17

 ∞

0

S

O


<u>5</u>


AN YEAR

 $\frac{R}{S}$

AME


ОШ





PROPOSED SITE PLAN A1.0/ SCALE: 1/8"=1'-0"

EXISTING SURVEY \A1.0/ SCALE: N.T.S.



A1.1 SCALE: 1/4"=1"-0"

AMERICAN LEGION POST 168
803 EMMA STREET
KEY WEST, FLORIDA
PHASE 2 DRAWINGS

410 Angela Street
Key West, Florida 33040
Telephone (305) 296-1347
Facsimilie (305) 296-2727
Florida License AAC002022

Bender & Associates

A sociates

A sociates

A sociates

A sociates

A sociates

A sociates


Project Nº: 1124A

PROPOSED FIRST
FLOOR PLAN

Date: 7/1/17

A1.1

5 OF --



AMERICAN LEGION POST 168
803 EMMA STREET
KEY WEST, FLORIDA

410 Angela Street
Key West, Florida 33040
Telephone (305) 296-1347
Facsimilie (305) 296-2727
Florida License AAC002022


Project Nº: 1124A

PROPOSED SECOND
FLOOR PLAN

Date: 7/1/17

A1.2

SECOND FLOOR ARCHITECTURAL PLAN
A1.2 SCALE: 1/4"=1'-0"




410 Angela Street Key West, Florida 33040 Telephone (305) 296-1347 Facsimilie (305) 296-2727 T.O. PARAPET Florida License AAC002022 ROOF RIDGE Associates [TECTS ----EXISTNG FLAGPOLE - PATCH AND PAINT EXISTING STUCCO / CMU PARAPET LINE OF ROOF BEYOND B.O. TRUSSES * | - NEW METAL LOUVER
WINDOWS AT HISTORIC
OPENINGS, TYP. $egin{array}{c} Bender \\ egin{array}{c} \mathbb{R} \mathbb{C} \mathbb{F} \end{array}$ -PATCH AND PAINT EXISTING STUCCO / CMU PARAPET ← PATCH AND PAINT EXISTING → STUCCO - EXISTING CONC. OVERHANG. REPAIR SPALLING. PATCH MEZZANINE F.F. AND PAINT. Project Nº: EXTERIOR ELEVATIONS PAINTED PAINTED PAINTED MTL. DOOR MTL. DOOR 7/1/17 Date: SIDEWALK F.F. TUTURE PHASE: N.I.C.: ALTERNATE #1:
RESTORE GLASS BLOCK SURROUND AT
CORNER OF DOOR. SEE A1.1 AND
PHOTOGRAPHIC DETAILS. FUTURE PHASE- N.I.C. ALTERNATE #3:
RESTORE GLASS BLOCK SURROUND AT
CORNER OF DOOR. SEE AI.I AND
PHOTOGRAPHIC DETAILS. - HISTORIC DEDICATION PLAQUE. PROTECT DURING CONSTRUCTION. PHOTOGRAPHIC DETAILS.


1 PROPOSED WEST (FRONT) EXTERIOR ELEVATION

A2.1 SCALE: 1/4"=1'-0"

4 OF --



PROPOSED SOUTH (SIDE) EXTERIOR ELEVATION
A2.2 SCALE: 1/4"=1'-0"



PROPOSED EAST (REAR) EXTERIOR ELEVATION
A2.2 SCALE: 1/4"=1'-0"

A2.2

410 Angela Street Key West, Florida 33040 Telephone (305) 296-1347 Facsimilie (305) 296-2727

Florida License AAC002022

Associates [TECTS

શ્ર

Bender


Project Nº:

Date:

EXTERIOR ELEVATIONS

7/1/17

5 OF --



REVISIONS:

NEW BUILT UP ROOFING OVER NEW LAYER OF 1/2" P.T. PLYWOOD OVER EXISTING SHEATHING. INSPECT EXISTING SHEATHING AND REPAIR AS REQUIRED. CONTRACTOR

SHALL ASSUME REPLACEMENT OF 15% OF THE EXISTING SHEATHING.
INSTALL ROOFING IN STRICT ACCORDANCE WITH MIAMI DADE NOTICE OF

AMERICAN LEGION POST 168
803 EMMA STREET
KEY WEST, FLORIDA

410 Angela Street Key West, Florida 33040 Telephone (305) 296-1347 Facsimilie (305) 296-2727 Florida License AAC002022

Project Nº: 1124A

DETAILS

Date: 7/1/17

A8.1

home products projects clients contact us

SINGLE/DOUBLE HUNG WINDOWS WITH SOLAR CONTROL LOUVERS - SERIES 540

1. GENERAL

Single/Double Hung windows with solar control louvers as shown in the architectural drawings shall be Series 540 as manufactured by SOL-A-TROL Aluminum Products, Miami Fla. and shall meet or exceed AAMA specifications for DH-HC-75. Large missile impact resistant models have Miami-Dade County product approval for a maximum design pressure of +106.7 –210.0 PSF.

2. MATERIAL

Extruded aluminum 6063-T6 (Alloy and Temper)

3. CONSTRUCTION

FRAME: The window frame shall be .078" thick, 5 1/2" deep.

SASH: All sash members shall have a minimum thickness of .062" tubular horizontal sections with continuous lift.

4. HARDWARE

LOUVERS: Operators shall be white bronze locking cam handles allowing louvers to remain stationary at any position, automatically locking in closed







position.

SASH: Balance with take out sash system, which shall hold sash stationary at any position and allow removal from frame without the use of tools. Spring-loaded lock shall lock sash in closed position.

5. WEATHERSTRIPPING

SASH: Double weatherstripping located inside and out of full perimeter using pile with fin.

FRAME: Continuous stainless steel compression type between jamb and louver clip.

LOUVER: Vinyl flap in keyway at the top of each louver and at keyway in sill. (Optional)

6. LOUVERS

Extruded aluminum with an L-shaped structural leg running the full length of the louvers which are 4" deep and have a minimum wall thickness of .062". Optional louvers are of double tubular construction and large missile impact resistant. Clips retaining louvers shall be formed from 5005-H34 aluminum .051" thick and fastened to louvers with pop-rivets or stainless steel screws into pre-punched holes.

7. FINISHES

Electro-statically applied baked enamel.

Clear Anodized.

Bronze Hardcoat.


Kynar 500.

8. GLAZING

The glass shall be as specified under Glass and Glazing section with a maximum thickness of 1/2", and held in place with extruded snap-in type glazing bead.

9. SCREENS

Standard screens shall be roll formed aluminum box frame fitted in pockets in frame. Optional screens shall be extruded box frame. Screen frame shall



STANDARD SIZES

	*	Finished opening	**
# of louvers	Window dimension*	(Buck to Buck)	Masonry opening**
5	19 1/2"	20"	21 1/2"
6	23"	23 1/2"	25"
7	26 1/2"	27"	28 1/2"
8	30"	30 1/2"	32"
9	33 1/2"	34"	35 1/2"
10	37"	37 1/2"	39"
11	40 1/2"	41"	42 1/2"
12	44"	44 1/2"	46"
13	47 1/2"	48"	49 1/2"
14	51"	51 1/2"	53"
15	54 1/2"	55"	56 1/2"
16	58"	58 1/2"	60"
17	61 1/2"	62"	63 1/2"
18	65"	65 1/2"	67"
19	68 1/2"	69"	70 1/2"
20	72"	72 1/2"	74"
21	75 1/2"	76"	77 1/2"
22	79"	79 1/2"	81"
23	82 1/2"	83"	84 1/2"
24	86"	86 1/2"	88"
25	89 1/2"	90"	91 1/2"
26	93"	93 1/2"	95"
27	96 1/2"	97"	98 1/2"
28	100"	100 1/2"	102"
29	103 1/2"	104"	105 1/2"
30	107"	107 1/2"	109"
31	110 1/2"	111"	112 1/2"
32	114"	114 1/2"	116"
33	117 1/2"	118"	119 1/2"

 $[\]ensuremath{^*}$ - Height does not include flanges

^{** -} When installed with ¾" wood bucks.

Sol-A-Trol Aluminum Products

4101 N.W. 132 Street Miami, FL 33054 Tele. (305) 681-2020

Fax (305) 681-2035

Gulf Coast representative:

Flynn Building Specialties

P.O. Box 2275 Lafayette, LA 70502 Tele. (318) 234-7594 Fax (318) 235-7261 West Coast representative:

RB2 Associates

13339 Corte De Chucena San Diego, CA 92128 Tele. (858) 451-2359 Fax (858) 451-9652

Copyright © 2011 Sol-A-Trol. All rights reserved. Developed by <u>Miami Web Design Company</u> www.aws3.com

The Historic Architectural Review Commission will hold a public meeting at <u>5:30 p.m.</u>, <u>August 22, 2017 at City</u> <u>Hall. 1300 White Street</u>, Key West, Florida. The purpose of the hearing will be to consider a request for:

INTERIOR AND EXTERIOR RENOVATIONS TO AN INDIVIDUALLY LISTED IN THE NRHP. LIFE SAFETY AND ADA UPGRADES. NEW SOUTHEAST SIDE WALL. PARTIAL DEMOLITION OF SOUTHEAST SIDE AND FRONT WALL. #803 EMMA STREET

Applicant – Bender and Associates Application #17- 03-0031 If you wish to see the application or have any questions, you may visit the Planning Department during regular office hours at 1300 White Street, call 305-809-3973 or visit our website at www.cityofkeywest-fl.gov.

THIS NOTICE CAN NOT BE REMOVED FROM THE SITE UNTIL HARC FINAL DETERMINATION

ADA ASSISTANCE: It is the policy of the City of Key West to comply with all requirements of the Americans with Disabilities Act (ADA). Please call the TTY number at 800-955-8771 or 800-955-8770 (Voice) or the ADA Coordinator at 305-809-3811 at least five business days in advance for sign language interpreters, assistive listening devices, or materials in accessible format.

HARC POSTING AFFIDAVIT

STATE	OF	FLO	RID	A:
COUNT	ry c)F M	ONI	ROE:

BEFORE ME, the undersigned authority, personally appeared, who, first being duly sworn, on oath,
depose and says that the following statements are true and correct to the best of his/her knowledge and belief:
1. That a legal notice for Public Notice of Hearing of the Historic Architectural Review Commission (HARC) was placed on the following address:
14 TH day of AUGUST , 20 17.
This legal notice(s) contained an area of at least 8.5"x11".
The property was posted to notice a public hearing before the Key West Historic Architectural Review Commission to be held on AUGUST ZZ., 2017.
The legal notice(s) is/are clearly visible from the public street adjacent to the property.
The Certificate of Appropriateness number for this legal notice is 17-03-0031.
2. A photograph of that legal notice posted in the property is attached hereto.
Signed Name of Affiant:
CMA CMA
Date: (/8/14/17
Address:
State, Zip:FL 33040
11TH
The forgoing instrument was acknowledged before me on this $\frac{19}{4}$ day of $\frac{1}{4}$ day of $\frac{1}{4}$.
By (Print name of Affiant) DAYID 5449 who is
personally known to me or has produced as
identification and who did take an oath.
NOTARY PUBLIC Sign Name: Print Name: BERT BENDER Notary Public - State of Florida Commission # FF 929983 My Comm. Expires Oct 22, 2019 Roofed through National Notary Asso
Notary Public - State of Florida (seal)
My Commission Evniros



PROPERTY APPRAISER INFORMATION

(A) qPublic.net™ Monroe County, FL

Summary

Parcel ID 00014650-000000
Account # 1015032
Property ID 1015032
Millage Group 11KW

Location Address 803 EMMA ST, KEY WEST

No

Legal Description KW PT LOTS1-5 SQR2 TR3 G52-100-101 G66-440-441

(Note: Not to be used on legal documents)

Neighborhood 32060 Property Class CLUB (7700) Subdivision Sec/Twp/Rng 06/68/25

Affordable Housing

1015032 803 EMMA ST 01/14/14

Owner

TRUSTEES AMERICAN LEGION NBR 168 PO BOX 903 KEY WEST FL 33041

Valuation

		2016	2015	2014	2013
+	Market Improvement Value	\$524,234	\$545,486	\$545,486	\$545,486
+	Market Misc Value	\$0	\$0	\$0	\$0
+	Market Land Value	\$571,480	\$571,480	\$551,070	\$420,956
=	Just Market Value	\$1,095,714	\$1,116,966	\$1,096,556	\$966,442
=	Total Assessed Value	\$1,095,714	\$1,116,966	\$1,063,086	\$966,442
1	School Exempt Value	(\$1,095,714)	(\$1,116,966)	(\$1,096,556)	(\$966,442)
=	School Taxable Value	\$0	\$0	\$0	\$0

Land

Land Use	Number of Units	Unit Type	Frontage	Depth
COMMERCIAL EXEMPT (100E)	6,500.00	Square Foot	65	100

Commercial Buildings

Style CLUBS/LDG/HALLS-D- / 77D

AVERAGE

| Gross Sq Ft | 5,179 | Finished Sq Ft | 5,179 | Perimiter | 0 | Stories | 1 | Interior Walls | Exterior Walls | C.B.S.

Quality 400 (400) Roof Type

Roof Material

Condition


Exterior Wall1 C.B.S.

Exterior Wall2
Foundation
Interior Finish
Ground Floor Area
Floor Cover
Full Bathrooms 2
Half Bathrooms 0
Heating Type
Year Built 1943
Year Remodeled 0
Effective Year Built 1994

P	e	r	П	ıİ	ts	

Notes ≎	Permit Type	Amount #	Date Completed \$	Date Issued	Number
STRUCTURAL CONCRETE SPALLING REPAIRS TO BEAMS COLUMNS REPLACEMENT OF INTERIOR COLUMNS ONLY. NO STUCCO OR PAINTING INCLUDED.	Commercial	\$185,000		12/2/2013	13-3946
HOOK APPLICANCES WITH PROPANE	Commercial	\$500	7/24/2006	1/24/2006	06-0186
ELECTRICAL	Commercial	\$1,800	7/1/1997	2/1/1997	9700401
ROOF	Commercial	\$11,000	7/1/1997	11/1/1996	9604339
REPAIR/REMODELING	Commercial	\$1	7/1/1997	11/1/1996	9604428
PLUMBING	Commercial	\$36,000	7/1/1997	11/1/1996	9604428
PAINT I/S, NEW FIXTURES	Commercial	\$1,000	12/1/1995	11/1/1994	B943764
MAJOR CONCRETE REPAIR	Commercial	\$15,000	12/1/1995	2/1/1994	B940472
REPAIR EXT CONCRETE	Commercial	\$15,000	12/1/1995	2/1/1994	B940676
PLUM PAINT I/S, NEW FIXT MAJOR CONCRETE R	Commercial Commercial	\$36,000 \$1,000 \$15,000	7/1/1997 12/1/1995 12/1/1995	11/1/1996 11/1/1994 2/1/1994	9604428 B943764 B940472

Sketches (click to enlarge)



Photos



Мар



No data available for the following modules: Buildings, Mobile Home Buildings, Yard Items, Exemptions, Sales.

The Monroe County Property Appraiser's office maintains data on property within the County solely for the purpose of fulfilling its responsibility to secure a just valuation for ad valorem tax purposes of all property within the County. The Monroe County Property Appraiser's office cannot guarantee its accuracy for any other purpose. Likewise, data provided regarding one tax year may not be applicable in prior or subsequent years. By requesting such data, you hereby understand and agree that the

Last Data Upload: 8/15/2017 2:34:41 AM

Schneider

Developed by
The Schneider
Corporation