### STAFF REPORT

DATE: November 28, 2018


RE: 1425 Whalton Street (permit application # T2018-0119)

FROM: Karen DeMaria, City of Key West Urban Forestry Manager

An application was received requesting the removal of **(1) Barbados Cherry tree**. A site inspection was done and documented the following:


Tree Species: Barbados Cherry tree (Malpighia punicifolia)















Diameter: 7.3"

Location: 80% (next to an interior fence, located in the rear side yard by an

old shed)

Species: 50% (not on protected or not protected tree list) Condition: 60% (fair, a lot of weedy growth around tree)

Total Average Value = 63%

Value x Diameter = 4.5 replacement caliper inches

Recommendation: Recommend approval of the removal of one (1) Barbados Cherry tree at 1425 Whalton Street to be replaced with 4.5 caliper inches of dicot or fruit trees from approved list, FL#1, to be planted on site.

# Application





CANOPUL

2018-0119

## **Tree Permit Application**

Date:
Please Clearly Print: All Information unless indicated otherwise.
Character Charac
lick Tree Name (a) and a
Species Type(s) check all that apply () Palm () Flowering () Fruit (v) Shade () Underso
Reason(s) for Application:  () Palm () Flowering () Fruit (x) Shade () Unsure
() REMOVE (★) Tree Health ( ) Safety ( ) Other/Explain below
() TRANSPLANT () New Location () Same Property () Other/Explain below
() HEAVY MAINTENANCE () Branch Removal () Crown Cleaning/Thinning () Crown Reduction
Additional
Information weed trea
and Explanation
From approved list
Property Owner Name
Property Owner eMail Address
Property Owner Mailing Address 1/39 Salatan A
Property Owner Mailing City Vail State C. Zin 61/63
Property Owner Phone Number (970) 290- 1592
Property Owner Signature
Representative Name Ken King Representative eMail Address
Representative Mailing Address 1602 Laird St
Representative Mailing City Key West State F/ Zip 53040
Representative Phone Number (305) 296 - 8/01
NOTE: A Tree Representation Authorization form must accompany this application if someone other than the owner will be representing the owner at a Tree Commission meeting or picking up an issued Tree Permit.
Tree Representation Authorization form attached ( )
<><< Sketch location of tree in this area including cross/corner Street >>>>
Please identify tree(s) with colored tape
Please identify tree(s) with colored tape  Whatter
3 / 3 /
1.3'dbh  1.3'dbh  Existing House (1125)  to be demolished
Olister
Existing House (1125)
to be alemalished
has be !
100 5
6
If this process requires blocking of a City right-of-way, a separate ROW Permit is
required. Please contact 305-809-3740.



## **Tree Representation Authorization**

Date: November 15/10

Tree Representation Authorization	to expedite the resolution of your application. This form must accompany the application if the properties someone else pick up the Tree Permit once issued.
	Il Information unless indicated otherwise.
Tree Address	
Porty of the Flaming Address	Glea E Wood  Canwert Wail equail . com  1139 Sandstane Dr Lots
Property Owner Mailing City Property Owner Phone Number Property Owner Signature	(970) 390-1592 (M)
Representative Name Representative eMail Address Representative Mailing Address Representative Mailing City Representative Phone Number	Ken King   1602 Laird ST   Zip 33040   (305) 296-8101
I <u>Clan</u> <u>E</u> . Wood to represent me in the matter of obt	, hearby authorize the above listed agent(s) aining a Tree Permit from the City of Key West for my ted. You may contact me at the telephone listed above
Property Owner Signature	It was
The forgoing instrument was acknowle	edged before me on this 14 day NOV.
By (Print name of Affiant) Glen produced Colorado Drivers Cicens	who is personally known to me or has as identification and who did take an oath.
NOTARY PUBLIC Sign Name: Megulllly	Notary Public - State of Florida (seal)
Print Name: Megan Miller	
My Commission Expires:	MEGAN MILLER Commission # GG 175860 Expires January 16, 2022

## qPublic.net Monroe County, FL

#### Disclaimer

The Monroe County Property Appraiser's office maintains data on property within the County solely for the purpose of fulfilling its responsibility to secure a just valuation for ad valorem tax purposes of all property within the County. The Monroe County Property Appraiser's office cannot guarantee its accuracy for any other purpose. Likewise, data provided regarding one tax year may not be applicable in prior or subsequent years. By requesting such data, you hereby understand and agree that the data is intended for ad valorem tax purposes only and should not be relied on for any other purpose.

By continuing into this site you assert that you have read and agree to the above statement.

#### Summary

Parcel ID 00038780-000000 1039527 Account # 1039527 Property ID Millage Group PT of Key West

**Location Address** 

1425 WHALTON St., KEY WEST KW WEBB REALTY CO SUB PB1-42 LOTS 12 & 13 SQR 3 TR 18 G42-103/104 (UNR D/C Legal

ON FILE) OR1424-1151/52 OR1443-661OR2925-1670 Description (Note: Not to be used on legal documents)

Neighborhood

Property Class SINGLE FAMILY RESID (0100) Subdivision The Webb Realty Co

Sec/Twp/Rng 05/68/25 Affordable Housing



#### Owner

#### WOODGLENE 1139 Sandstone Dr

Vail CO 81657

#### Valuation

	2018	2017	2016	2015
+ Market Improvement Value	\$155,868	\$158,127	\$137,833	\$143,474
+ Market Misc Value	\$9,066	\$9,066	\$9,066	\$7,883
+ Market Land Value	\$743,506	\$665,584	\$752,634	\$703,805
<ul> <li>Just Market Value</li> </ul>	\$908,440	\$832,777	\$899,533	\$855,162
<ul> <li>Total Assessed Value</li> </ul>	\$739,232	\$672,029	\$610,935	\$555,396
- School Exempt Value	\$0	\$0	\$0	\$0
<ul> <li>School Taxable Value</li> </ul>	\$908,440	\$832,777	\$899,533	\$855,162

#### Land


Land Use	Number of Units	Unit Type	Frontage	Depth
RESIDENTIAL DRY (010D)	8.775.00	Square Foot	97.5	90

#### Buildings

**Building ID** 3041 Exterior Walls C.B.S. with 22% ABOVE AVERAGE WOOD GROUND LEVEL Year Built 1963 **Building Type** 5.F.R. - R1/R1 **EffectiveYearBuilt** 1994 Gross Sq Ft 1985 Foundation CONCRETE Finished Sq Ft 1363 Roof Type GABLE/HIP 1 Floor Roof Coverage METAL Condition AVERAGE CONC ABOVE GRD Flooring Type Perimeter 184 Heating Type NONE with 0% NONE **Functional Obs** Bedrooms 0 Economic Obs Full Bathrooms Depreciation % Half Bathrooms Interior Walls PLYWOOD PANEL 500 Grade Number of Fire PI

TOTAL		1,985	1.363	372
SBF	UTIL FIN BLK	65	0	36
OPF	OP PRCH FIN LL	258	0	80
GBF	GAR FIN BLOCK	299	0	72
FLA	FLOOR LIV AREA	1,363	1,363	184
Code	Description	Sketch Area	Finished Area	Perimeter





#### Karen DeMaria

From:

Karen DeMaria

Sent:

Tuesday, November 13, 2018 3:20 PM

To:

'Glen Wood'

Cc:

Patrick Ortega

Subject:

RE: 1425 Whalton

I measured the unidentified tree in the rear (possibly a cherry tree). The tree measures 7.3" diameter (dbh), therefore, a permit from the Tree Commission is required to remove the tree.

The alexander palm is a staff approval removal and I agree it should be removed.

The thatch palm should remain in place or be transplanted.

Sincerely,

Karen

From: Glen Wood <canwestvail@gmail.com> Sent: Tuesday, November 13, 2018 12:04 PM

To: Karen DeMaria <kdemaria@cityofkeywest-fl.gov>

Subject: Re: 1425 Whalton

Is the 4" in circumference or diameter? It is under 4" in diameter and seems to be growing out of a old stump. Thanks, Glen

On Nov 13, 2018, at 12:02 PM, Karen DeMaria <kdemaria@cityofkeywest-fl.gov> wrote:

I need to measure the unidentified tree again. If it is under 4" dbh then no permit is required. If it is over 4" dbh, only the Tree Commission can give permission to remove it.

Thatch palms are very valuable palms, an endangered species. I will have to look at it before giving a final opinion.

Sincerely,

Karen

From: Glen Wood <<u>canwestvail@gmail.com</u>> Sent: Tuesday, November 13, 2018 11:49 AM

To: Karen DeMaria < kdemaria@cityofkeywest-fl.gov>

Subject: Re: 1425 Whalton

Karen: thanks for the feedback. I likely will have Ken King attend the meeting. I do not think it is feasible to transplant the Thatch Palm and the Alexander Palm as it coming out of the ground and is at an angle but when we re landscape happy to replant with palms from the approved list. Protection will be