

Historic Architectural Review Commission Staff Report for Item 4

To: Chairman Bryan Green and Historic Architectural Review

Commission Members

From: Enid Torregrosa, MSHP

Historic Preservation Planner

Meeting Date: August 28, 2018

Applicant: Glenn Anderson, Owner, and Designer

Application Number: H18-03-0020

Address: #522 Simonton Street

Description of Work:

New carport.

Site Facts:

The main house located in the site is a contributing resource to the historic district. The two-story frame vernacular structure was build circa 1860. The unique and historic main house is comprised of two two-story attached houses and two one-story bump outs at the rear of each house. The main house has been abandoned and neglected for decades. A non-historic rear pergola is located at the rear yard. The rear of the house is visible as it faces Bahama Street; for decades, the lot abutting the rear yard is a parking lot.

The Commission approved the construction of a new one-story accessory structure at the rear yard during the April 24, 2018. In August 28, the Commission approved the review of proposed plans for a rear addition, demolitions, and rear deck, and postponed the review of the carport. In October 23, the Commission approved the second reading for demolition of historic components of the house.

Guidelines Cited on Review:

• SOIS for Rehabilitation and Guidelines for Rehabilitating Historic Buildings (SOIS&G) (pages 31-33) specifically Building Site – Alterations/ Additions for new use *Not Recommended :Placing parking facilities directly adjacent to historic*

buildings where automobiles may cause damage to the buildings or landscape features or be intrusive to the building site. In addition, introducing new construction onto the building site, which is visually incompatible in terms of size, scale, design, materials, color, and texture or which destroys historic relationships on the site.

- Guidelines for new construction for the new proposed carport (pages 38a-38q) specifically first sentence of guideline 6, and guidelines 8 and 10.
- Guidelines for outbuildings (pages 40-41), specifically first two paragraphs of page 40, guidelines 1, 4, 5, 8, 9 and 11.


Staff Analysis

This report is for a first revision to a previous carport design reviewed and postponed by the Commission during the August meeting. The new carport will be located approximately 50' setback from the front property line. The carport will be made of wood; will have a gable roof that will extend up to 10'-9" in height from grade. The new proposed structure will have the same dimensions as the previous design 21'-10" depth and 9' wide, all from column to column. The main difference from the previous design is that the end gables will be covered with siding. The location of the carport will still be the same as first proposed.


Consistency with Guidelines

As for the previous carport design, staff finds the new proposed carport to be inconsistent with cited guidelines for outbuildings, new construction, and the SOIS&G. Although the proposed carport will be setback, almost 50 feet from the front property line, it will still be highly visible from Simonton Street. Existing adjacent appropriate historic carports or garages in the 500 block of Simonton Street are located on the side yard but behind the rear wall of a historic house. Those accessory structures do not sit next to the principal house, therefore their presence in the site is secondary. Staff finds the proposed design will be dissimilar to traditional appropriate same land use structures. By reviewing the Sanborn Maps, it is evident that the property never had any structure dedicated for a car. Moreover, Sanborn Maps depict a cistern, a shed and accessory structures, all at different periods, and all located at the rear yard of the property. Historically this property has never had a structure built on its side and any new structure will change the relationship of the house to its surrounding context.

We can conclude that the appropriate and sensible design solution for any accessory structure in this historic urban block is to locate them towards the rear yard and away from the historic principal building, just as the location of the approved accessory structure. Staff cannot find another example in the block where two accessory structures are visible from the street and are located one behind the other. This proposed design is contrary to outbuildings guidelines; the plan calls for two accessory structures, both of which will be visible from the main street. The historic urban context does not support the location of a second accessory structure directly next to a historic building. This is why staff cannot support the request to build a new carport.



• 1948 Sanborn map with carports or garages. Still Standing









Marquesa Hotel Simonton (12 car garage)

1 car garage



522 Simonton (proposed carport)



(5) 526 Simonton (Adjacent Property) 2 car garage



500 Block Simonton () Two buildings to north-non historical not appropriate.

2 508-three buildings to north-non-mistoric & not appropriate

3504 - Four buildings to north - historic

Different typology & non historic

This bric - next house south - mistoric

appropriate - at rear of lot.



© 524 Simonton (accessory structure/ former garage?)

Simonton 500 block garages & carports

Owner: Glenn R Anderson Tel: 571-213-1760 522 Simonton St Key West Fl 3: Contractor: Kevin McChesney Tel: 305-304-6786

DATE:

8/1/2018

SHEET:

A-8 of 10

6 Historic - accross for street appropriate

APPLICATION

HARC MAJOR PROJECTS CERTIFICATE OF APPROPRIATENESS

\$400 NON-REFUNDABLE BASE APPLICATION FEE - OTHER FEES MAY BE APPLICABLE



City of Key West

1300 WHITE STREET KEY WEST, FLORIDA 33040

REVISION #	TIZOUS
ZONING DISTRICT	BLDG PERMIT #


A PRE-APPLICATION MEETING WITH HARC STAFF IS REQUIRED PRIOR TO SUBMITTAL

ADDRESS OF PR	ROPOSED PROJECT:	522 Simonton St.					
NAME ON DEED:		Glenn R Anderson	PHONE NUMBER 571-2	213-1760			
OWNER'S MAILI	12 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	522 Simonton St. EMAIL glenn.anderson82@yahoo					
APPLICANT NAM	An old	Glenn R Anderson	PHONE NUMBER				
APPLICANT'S AD	DDRESS:	522 Simonton St.	EMAIL				
APPLICANT'S SIG	GNATURE:	THE CO		DATE 7/30/18			
PROJECT INVOLVE	837.06: WHOEVER KNOWIN HIS OR HER OFFICIAL DUT RTHER HEREBY ACKNOWL THE APPLICANT AND THE COPE OF THE DESCRIPTION BMITTED PLANS, THE AFON DES: REPLACEMENT VES A CONTRIBUTING	GES TO AN APPROVED CERTIFICATE OF IGLY MAKES A FALSE STATEMENT IN WRITING BY SHALL BE GUILTY OF A MISDEMEANOR OF LEDGES THAT THE SCOPE OF WORK AS DESCRIPTION OF WORK, AS DESCRIBED HEREIN, AND IF THE REMENTIONED DESCRIPTION OF WORK SHALL OF WINDOWS RELOCATION OF STRUCTURE: YES X NO	G AND WITH THE INTENT TO MISLEAD A PUTTHE SECOND DEGREE PUNISHABLE PER SCRIBED IN THE APPLICATION SHALL BE THE STHAT SHOULD FURTHER ACTION BE TAKETHERE IS CONFLICTING INFORMATION BET IL BE CONTROLLING. F A STRUCTURE ELEVATION INVOLVES A HISTORIC STRUCTURE	JBLIC SERVANT IN THE SECTION 775.082 OR 775.083. E SCOPE OF WORK THAT IS KEN BY THE CITY FOR TWEEN THE DESCRIPTION OF J OF A STRUCTURE E: YES NO			
		AT IS INDIVIDUALLY LISTED ON THE NA					
GENERAL:		ON AS REQUIRED BY PROF D REAR STRUCTURES INC					
		Extending 1-STORY ADDITI					
	2-STORY ADDI	TION approximately 5 feet AC	ROSS REAR OF HOUSE	AND ADDITION			
	OF DECK, POO	L, Carport AND EQUIPMENT	PADS. DEMOLITION OF	one OUTER			
MAIN BUILDING:	WALL ON REAF	R-MOST 1 STORY ADDITION	N, DEMOLITION OF ONE U	JPSTAIRS WALL			
MAIN BUILDING.	and partial demo	of roof ON 2 STORY ADDIT	TON, DEMOLITION OF 1-	STORY ADDITION			
	and partial demo	of rear wall of main house.					
	0/000/1987/978	A					
DEMOLITION (PLE	EASE FILL OUT AND AT	TACH DEMOLITION APPENDIX):					


APPLICATIONS MUST BE SUBMITTED IN PERSON WITH HARD COPIES BY 3PM ON THE SCHEDULED DEADLINE *PLEASE SEND AN ELECTRONIC COPY OF ALL DOCUMENTS TO HARC@CITYOFKEYWEST-FL.GOV

ACCESSORY STRUCTURE(S):			
PAVERS:			FENCES:	
DECKS: 290 sq ft woo	od deck		PAINTING: White trim and siding. Shutton will be gray (matching existing)	
SITE (INCLUDING GRADING	, FILL, TREES, ETC)	:	POOLS (INCLUDING EQUIPMENT):	
ACCESSORY EQUIPMENT (C		1.1	OTHER:	
AC units, water h mount gas tank (installed by Subu	to be permitted	and		
OFFICIAL USE ONLY:		HARC COI	MMISSION REVIEW	EXPIRES ON:
EETING DATE: 05/23/2018	APPROVED _	NOT APPRO\	/ED ✓ DEFERRED FOR FUTURE CONSIDERATION	INITIAL A
EETING DATE: 2018 EETING DATE:	APPROVED _	NOT APPROV	/EDDEFERRED FOR FUTURE CONSIDERATION	INIT
EASONS OR CONDITIONS:	APPROVED _	NOT APPROV	/EDDEFERRED FOR FUTURE CONSIDERATION	INITIAL:
TAFE DEVIEW COMMENTS:				
Main houses	me histed	as 9	contributing resource. E 15 for Rehabilitation. Ord thobuting studences SECOND READING FOR DEMO:	widelines
de movition	nons, de	eks, 30	15 por Rehabilitation. Ord	inance \$
RST READING FOR DEMO:	11.46	10 /00	SECOND READING FOR DEMO:	
ARC STAFF SIGNATURE AND DATE	:·		HARC CHAIRPERSON SIGNATURE AND DATE:	


THIS APPLICATION MAY BE REVIEWED BY PLANNING DEPARTMENT STAFF.




Sanborn Map 1889




Sanborn Map 1892




Sanborn Map 1899




Sanborn Map 1912



Sanborn Map 1926



Sanborn Map 1948



Sanborn Map 1962

PROJECT PHOTOS



522 Simonton Street ca. 1965. Monroe County Library.







REVISED DESIGN

Address: 522 Simonton St. Key West FI 33040 Owner: Glenn R Anderson 305-922-2480

General Contractor/Builder: Kevin McChesney 305-304-6786

Parcel ID: 00009320-000000

Legal address:

KW PT LOT 1 SQR 50 G26-267 COUNTY JUDGES SERIES 3-M9 COUNTY JUDGES DOCKET 1-73-242 OR2097-797/798L/E OR2756-501LET/ADM

Flood Zone: X, Lowest adjacent grade elevation 12.4', Top of bottom floor 14.8' All Elevations Based on NGVD1929 Datum

Zoning: Historic Neighborhood Commercial (HNC-1)

HARC: Yes

Project Description: Rehabilitation of main and attached rear structures including: general rehabilitation of structures, Extension of 1 story addition across rear of house, expansion of 2 story addition across rear of house. Addition of deck, carport, pool and equipment pads.

Coverage calculations:

Lot: 6610 s/f, Coverage limits Structure: 50% (3310 s/f) & Impervious: 60% (3966 s/f)
Existing & Approved Structure (house & assessory structure): 31.8% (2104 s/f) & Impervious: (

Existing & Approved Structure (house & assessory structure): 31.8% (2104 s/f) & Impervious: (+front walk) - 33.3% (2204 s/f)

Planned addition coverage change Structure (addition & carport): +372 sq ft. Impervious (+Pool, pads, carport pad -less carport): +750 s/f

New coverage calculations: Structure: 37.4% (2476 s/f) & Impervious: 48.8% (3226 s/f)

Rear yard (lot width x setback): 58.5' x 15' = 877.5 sq ft

Maximum permitted coverage of rear yard =30% (263.3 sq ft) (includes structures, equipment pad but not pool or permeable decks)

Proposed rear yard coverage = Current: 120 sq ft. (13.7%), new: 144 sq ft (16.4%)


Mimimum Required Open Space = 35% (2313.5 sq ft)

Proposed open space (Lot - impervious - deck) = 44% (2914 sq ft)

Setbacks: Front yard - 5', Side 5', Rear - 5', Rear (attached structures) - 15'

General Engineering Notes:

- 1. All work shall comply with applicable codes.
- 2. This design is based on the 6th Edition (2017) Florida Building Code.
- 3. The Builder shall follow the manufacture specifications and recommendations when selecting the correct connector for the environment and wood type.
- 4. The Builder using these plans shall be responsible for the means, methods, techniques, sequences, procedures and all safety aspects of contruction.
- 5. The Builder shall check and verify all dimensions and elevations.
- 6. Existing underground utilities are not shown and Builder shall contact all utility companies prior to any excavation. Builder shall protect all utilities and shall be responsible for any damages at his expense.
- 7. All lumber for structural members shall be pressure treated Southern Pine.
- 8. Exterior wall windows and doors must be certified and/or listed by an independent laboratory to be structurally capable of resisting a 180 mph wind load as determined by ASCE Standard 7-10 Minimum Design Loads for Building and Other Structures.
- 9. Connections: all connections and connectors for this project have been specified in this design and cannot be changed or substituted without written permission from the engineer of record. Connectors shall be installed as recommended and specified by the manufacturer.
- 10. Concrete shall be a mix designed by a recognized testing lab to achieve a strength of 4000 psi at 28 days with a plastic and workable mix. Concrete to be mixed, placed and cured according to ACI standards and specifications.
- 11. Reinforcing steel shall be ASTM A 615 Grade 60 deformed bars of new billet steel free from oil, scale and loose rust and placed in accordance with ACI standards and specifications.
- 12 Soil supporting concrete slabs on grade shall be compacted to a density of not less than 95 percent of the maximum density as determined by the Standard Proctor Method.



Boundary Survey Map of part of Lot 1, Square 50,

Island of Key West

Simonton St.

50' (R/W)

Slab - removed

Reynolds Engineering Services, Inc.

STRUCTURAL DETAILS BY
JAMES C. REYNOLDS, PI
FLORIDA P.E.#46685
22330 LAFITTE DRIVE CUDUC KEY, FL 3304
(305) 394-5987

Cover & Survey

SHEET TITLE:

Rehabilitation of rear structure 522 Simonton St.

Owner: Glenn R Anderson 522 Simonton St Key West Fl 3304 Tel: 305-922-2480 Contractor: Keven McChesney Tel: 305-304-6786


DATE:


7/31/2018

SHEET:

A-1 of 10

Cover & Survey





Materials:

Siding: 1 x 6 Cedar Lap siding (match existing) - White (match existing)

Trim: 5/4 x 4 Cedar (match existing) White (match existing) New Doors (rear elevation): metal, 3' glass panel door and 20' 6panel sliding, White

New Windows: wood double hung, White

Shutters (side windows only: Wood, Cedar, louvered (match existing), Gray (matching approved color)

Roofing: Metal shingle - Victorian Style, natural color where roofline is greater than 3/12, v-crimp on shed roofs

Carport: Pressure treated pine, white with Metal shingle (Victorian

style) Hand Railings: pressure treated pine, Natural (match existing) Deck: IPE wood natural color

FEMA:

Base Flood Elevation: X Zone Existing structure elvation: 14.8' Proposed Addition Elevation: 14.8' Lowest Adjacent grade: 12.4'

Front: Current & Approved



STRUCTURAL DETAILS BY
JAMES C. REYNOLDS, P
R.ORIDA P.E.#46885
22330 LAFITTE DRIVE CUDJOE KEY, FL 330
(305) 394-5987

Front Elevations Existing & Planned

Rehabilitation of Attached
Rear Structures
522 Simonton St.


⊟ S Owner: Glenn R Anderson Tel: 571-213-1760 522 Simonton St Key West F Contractor: Kevin McChesner Tel: 305-304-6786

DATE:

11/5/2018

SHEET:

A-4 of 10



Reynolds Engineering Services, Inc.

STRUCTURAL DETAILS BY
JAMES C. REYNOLDS, P
FLORIDA P.E.#46865
22330 LAFITTE DRIVE CUDJOEKEY, FL. 5304

Rear Elevations Existing & Planned

Rehabilitation of Attached
Rear Structures
522 Simonton St.

vner: Glenn R Anderson |: 571-213-1760 | Simonton St Key West Fl 33040 | ntractor: Kevin McChesney

DATE:

11/5/2018

SHEET:

A-5 of 10

Siding: 1 x 6 Cedar Lap siding (match existing) - White (match existing)

Trim: 5/4 x 4 Cedar (match existing) White (match existing)

New Doors (rear elevation): metal, 3' glass panel door and 20' 6-panel sliding, White

New Windows: wood, double hung, white

Shutters (side windows only: Wood, Cedar, louvered (match existing), Gray (matching approved color) Roofing: Metal shingle - Victorian Style, natural color on 3/12 or great roofs, v-crimp on shed rooflines

will not be constructed if new deck is approved

Hand Railings: pressure treated pine, Natural (match existing)

Deck: IPE wood natural color

FEMA:

Base Flood Elevation: X Zone Existing structure elvation: 14.8' 2 Story Addition: Proposed Addition Elevation: 14.8' Demo this wall only Lowest Adjacent grade: 12.4' Partial demo of roof Kitchen Addition: Demo this wall Safety railing not shown


Landing & stairs not shown

will not be built if new deck is approved

Left Side, current & approved

Cistern Addition

Demo and rebuild as indicated



1/6" = 1'

Left Side Elevations Existing & Planned

Rehabilitation of Attached
Rear Structures
522 Simonton St.

⊟ S Owner: Glenn R Anderson Tel: 571-213-1760 522 Simonton St Key West F Contractor: Kevin McChesner Tel: 305-304-6786

DATE:

8/1/2018

SHEET:

A-6 of 10

Materials:

Siding: 1 x 6 Cedar Lap siding (match existing) - White (match existing) Trim: 5/4 x 4 Cedar (match existing) White (match existing)

New Doors (rear elevation): metal, 3' glass panel door and 20' 6-panel sliding, White

New Windows: wood, double hung, White

Shutters (side windows only: Wood, Cedar, louvered (match existing), Gray (matching approved color) Roofing: Metal shingle - Victorian Style, natural color on 3/12 or greater roof, v-crimp on shed rooflines

Hand Railings: pressure treated pine, Natural (match existing)

Deck: IPE wood natural color

FEMA:

Base Flood Elevation: X Zone Existing structure elvation: 14.8' Proposed Addition Elevation: 14.8' Lowest Adjacent grade: 12.4'

Right side, Current & Approved



1/6" = 1'

Right Side Elevations Existing & Planned

Rehabilitation of Attached
Rear Structures
522 Simonton St.

⊟ S Owner: Glenn R Anderson Tel: 571-213-1760 522 Simonton St Key West F Contractor: Kevin McChesner Tel: 305-304-6786


DATE: 11/5/2018

SHEET:

A-7 of 10

Heron House 516 Simonton (Adjacent Property)

1 car garage




508 & 504 Simonton (Carports)



Marquesa Hotel Simonton (12 car garage)



522 Simonton (proposed carport)



500 Block Simonton



524 Simonton (accessory structure/ former garage?)



526 Simonton (Adjacent Property) 2 car garage

Reynolds Engineering Services, Inc.

STRUCTURAL DETAILS BY
AMES C. REYNOLDS, PE
FLORIDA PE#46865
22330 LAFITE BING.
COLOR KEY, FL. 53042

Simonton 500 bloc garages & carport

Rehabilitation of Attack Rear Structures 522 Simonton St.

ner: Glenn R Anderson : 571-213-1760 2 Simonton St Key West Fl 3304(ntractor: Kevin McChesney

DATE:

8/1/2018

SHEET:

A-8 of 10

The Historic Architectural Review Commission will hold a public meeting at <u>5:30 p.m.</u>, <u>December 19, 2018 at City Hall, 1300 White Street</u>, Key West, Florida. The purpose of the hearing will be to consider a request for:

NEW CARPORT

#522 SIMONTON STREET

Applicant – Glenn Anderson Application #H18-03-0020

If you wish to see the application or have any questions, you may visit the Planning Department during regular office hours at 1300 White Street, call 305-809-3973 or visit our website at www.citvofkevwest-fl.gov.

THIS NOTICE CAN NOT BE REMOVED FROM THE SITE UNTIL HARC FINAL DETERMINATION

ADA ASSISTANCE: It is the policy of the City of Key West to comply with all requirements of the Americans with Disabilities Act (ADA). Please call the TTY number at 800-955-8771 or 800-955-8770 (Voice) or the ADA Coordinator at 305-809-3811 at least five business days in advance for sign language interpreters, assistive listening devices, or materials in accessible format.

HARC POSTING AFFIDAVIT

	THE ALLEDAVI
STATE OF FLORIDA: COUNTY OF MONROE:	
BEFORE ME, the undersigned aut	thority, personally appeared
Glenn Anderson	, who, first being duly sworn, on owing statements are true and correct to the best
Review Commission (HARC)	c Notice of Hearing of the Historic Architectural was placed on the following address: on the7th day of
This legal notice(s) contained	d an area of at least 8.5"x11".
The property was posted to no Architectural Review Commis	otice a public hearing before the Key West Historic sion to be held onDecember 19th, 2018
The legal notice(s) is/are clear property.	arly visible from the public street adjacent to the
The Certificate of Appropriate 0020.	eness number for this legal notice is _H18-03-
2. A photograph of that legal no	tice posted in the property is attached hereto.
	Signed Name of Affiant:
	Date:December 7, 2018
20/2	300-38
By (Print name of Affiant)	WIIO I
identification and who did take an or	ath.
NOTARY PUBLIC Sign Name: Malun Print Name: Seculer	GERZALE R. CURRY HILL Commission # GG 1747 Expires May 11, 2022 Bonded Thru Troy Fain In

Notary Public - State of Florida (seal) My Commission Expires:

Archite. Archit

Applicant - Glenn Anderson Application 48-03-0020

to the application or have any questions, you may contain the street, call 305-809-3973 or standard mebsite at nunction to nest-floor.

orly of the City of New World to exemply with all requirements of the Americans are Distributed Act (ADA).

877) or 800-961-9770 (Winds) or the ADA Coundries or 305-909-381) or any Distributed Act (ADA).

Solution actuaring devices, or invariant in accessible format.

SOM THE SITE UNTIL HARCEINAL DO LERMINATION

PROPERTY APPRAISER INFORMATION



Disclaimer

The Monroe County Property Appraiser's office maintains data on property within the County solely for the purpose of fulfilling its responsibility to secure a just valuation for ad valorem tax purposes of all property within the County. The Monroe County Property Appraiser's office cannot guarantee its accuracy for any other purpose. Likewise, data provided regarding one tax year may not be applicable in prior or subsequent years. By requesting such data, you hereby understand and agree that the data is intended for ad valorem tax purposes only and should not be relied on for any other purpose.

By continuing into this site you assert that you have read and agree to the above statement.

Summary

00009320-000000 Parcel ID 1009571 Account # 1009571 Property ID District Group PT of Key West

1 - SCHOOL STATE - SCHOOL STATE - (1) Millage Group Location 522 SIMONTON St, KEY WEST

Address

06/68/25

Legal Description

KW PT LOT 1 SQR 50 G26-267 COUNTY JUDGES SERIES 3-M9 COUNTY JUDGES DOCKET 1-73-242 OR2097-797/798L/E OR2756-501LET/ADM OR2890-1632/33

(Note: Not to be used on legal documents)

Neighborhood 6108

Subdivision

Property Class SINGLE FAMILY RESID (0100)

Sec/Twp/Rng Affordable Housing

No



Owner

ANDERSON CATHERINE M 522 Simonton St Key West FL 33040

ANDERSON GLENN R 522 Simonton St Key West FL 33040

Valuation

	2018	2017	2016	2015
+ Market Improvement Value	\$8,140	\$85,687	\$78,960	\$189,112
+ Market Misc Value	\$1,231	\$1,231	\$1,231	\$1,072
+ Market Land Value	\$639,504	\$639,504	\$567,849	\$573,960
= Just Market Value	\$648,875	\$726,422	\$648,040	\$764,144
= Total Assessed Value	\$648,875	\$712,844	\$648,040	\$738,212
- School Exempt Value	\$0	\$0	\$0	\$0
= School Taxable Value	\$648.875	\$726 422	\$648,040	\$764 144

Land

Land Use	Number of Units	Unit Type	Frontage	Depth
PESIDENTIAL DRY (010D)	6.610.00	Square Foot	0	0

Buildings

Building ID 658

2 STORY ELEV FOUNDATION Style

Building Type S.F.R. - R1 / R1 Gross Sq Ft Finished Sq Ft 2652 Stories 2 Floor Condition POOR Perimeter **Functional Obs**

Economic Obs Depreciation %

Interior Walls WALL BD/WD WAL **Exterior Walls** ABOVE AVERAGE WOOD

Year Built 1928 **EffectiveYearBuilt** 1928 Foundation WD CONC PADS

Roof Type GABLE/HIP METAL Roof Coverage CONC S/B GRND Flooring Type

Heating Type NONE with 0% NONE Bedrooms Full Bathrooms

Half Bathrooms 550 Number of Fire PI

Code	Description	Sketch Area	Finished Area	Perimeter
OPX	EXC OPEN PORCH	216	0	0
FLA	FLOOR LIV AREA	2,652	2,652	0
OPF	OP PRCH FIN LL	84	0	0
OUF	OP PRCH FIN UL	84	0	0
TOTAL		3.036	2.652	0

Yard Items

Description	Year Built	Roll Year	Quantity	Units	Grade
FENCES	1944	1945	1	165 SF	3
FENCES	1994	1995	1	342 SF	2


Sales

Sale Date	Sale Price	Instrument	Instrument Number	Deed Book	Deed Page	Sale Qualification	Vacant or Improved
2/6/2018	\$1,300,000	Warranty Deed	2154210	2890	1632	03 - Qualified	Improved
5/19/2015	\$0	Other		2756	501	11 - Unqualified	Improved
3/24/2005	\$850,000	Warranty Deed		2097	797	O - Unqualified	Improved

Permits

Notes ≑	Permit Type ♦	Amount	Date Completed ♦	Date Issued	Number ♦
DEMO FRONT CONCRETE FENCE INSTALL NEW FRONT FENCE AND SIDE FENCES REPAIR REAR FENCE		\$25,000		5/4/2018	18-1508
REPAIR SHUTTERS & WINDWOS & ORIGINAL STATE GRAY SHUTTERS WHITE WINDOWS REPLACE 120SF OF CONCRETE AND REPLACE WITH CHICAGO BRICKS REMOVE UNSAFE LUMBER FROM RIGHT SIDE OF PORCH REPLACE SIDIGN WHERE NEEDED		\$14,200		3/22/2018	18-680
NEW V-CRIMP ROOF		\$13,000	10/3/2002	2/25/2002	0200479
57 LF WOOD FENCE		\$1,200	8/1/1995	4/1/1995	A951413

Sketches (click to enlarge)



Photos



Мар



TRIM Notice

Trim Notice

2018 Notices Only

 $\textbf{No data available for the following modules:} \ Commercial \ Buildings, \ Mobile \ Home \ Buildings, \ Exemptions.$

The Monroe County Property Appraiser's office maintains data on property within the County solely for the purpose of fulfilling its responsibility to secure a just valuation for ad valorem tax purposes of all property within the County. The Monroe County Property Appraiser's office cannot guarantee its accuracy for any other purpose. Likewise, data provided regarding one tax year may not be applicable in prior or subsequent years. By requesting such data, you hereby understand and agree that the

Last Data Upload: 12/5/2018 1:44:29 AM

