

Historic Architectural Review Commission Staff Report for Item 6

To: Chairman Bryan Green and Historic Architectural Review

Commission Members

From: Enid Torregrosa, MSHP

Historic Preservation Planner

Meeting Date: June 19, 2019

Applicant: Meridian Engineering, Designer

Application Number: H2019-0024

Address: #1209 Georgia Street

Description of Work

Addition to side of house.

Site Facts

The site under review is located on the southeast corner of Georgia and Catherine streets. The main structure in the site is a contributing resource to the historic district. Built circa 1919, the historic bungalow house has undergone some alterations, including enclosure of the front porch. Currently half of the historic porch remains enclosed. A pergola is located at the southeast corner of the main house.

The site has an unpermitted shed and covered shelter facing Catherine Street. After Hurricane Irma, the owners applied for an emergency permit to rebuild the perimeter fence. The owners are in need of expanding their bedroom and adding a laundry space.

Guidelines Cited in Review

- SOIS (pages 16-23), specifically Standards 1, 2, 5, 9, and 10.
- Guidelines for Additions (pages 37a-37k), specifically guidelines 1, 2, 5, 6, 21, 23, 30 and 33.

Staff Analysis

The Certificate of Appropriateness in review is for the construction of a new side addition. The proposed addition will be located on the south side of the house and setback from the enclosed portion of the front porch. Nevertheless, the proposed bump out will be forward from the historic front wall. The proposed addition will have a side gable roof with aluminum windows on its side elevation. Metal shingles are proposed as roofing material.

Consistency with Cited Guidelines

It is staff's opinion that the proposed design is inconsistent with cited SOIS and Guidelines. The addition will have an adverse effect on the bungalow structure as the form of the building has been preserved; adding a volume to the side of the building will alter the integrity, massing, and proportions that are specific to this architectural style. (Page 67 of the guidelines)

Staff has discussed with the applicant other alternatives to achieve his client's needs without altering the exterior of the main house, and by enclosing portions of the existing pergola. Other alternatives will create no alterations to the existing historic house fabric.

APPLICATION

HARC MAJOR PROJECTS CERTIFICATE OF APPROPRIATENESS

\$400 NON-REFUNDABLE BASE APPLICATION FEE - OTHER FEES MAY BE APPLICABLE



City of Key West

1300 WHITE STREET KEY WEST, FLORIDA 33040

HARC COA #	REVISION #	INITIAL & DATE
FLOOD ZONE	ZONING DISTRICT	BLDG PERMIT #

A PRE-APPLICATION MEETING WITH HARC STAFF IS REQUIRED PRIOR TO SUBMITTAL

ADDRESS OF PROPOSED PROJECT:	1209 Georgia	
NAME ON DEED:	Sarah Wernicoff	PHONE NUMBER 305-304-4026
OWNER'S MAILING ADDRESS:	1209 Georgia	EMAIL
	Key West FL	
APPLICANT NAME:	Mendran Engineering	PHONE NUMBER 305-293-3263
APPLICANT'S ADDRESS:	201 Front St. Suite 203	EMAIL rmilelli emefikeys.com
	Key West FL	3
APPLICANT'S SIGNATURE:		DATE 5/24/19
	GES TO AN APPROVED CERTIFICATE OF APPROPR	
	NGLY MAKES A FALSE STATEMENT IN WRITING AND WITH T TY SHALL BE GUILTY OF A MISDEMEANOR OF THE SECOND	
	LEDGES THAT THE SCOPE OF WORK AS DESCRIBED IN THE	
CONTEMPLATED BY THE APPLICANT AND THE	CITY. THE APPLICANT FURTHER STIPULATES THAT SHOU	LD FURTHER ACTION BE TAKEN BY THE CITY FOR
	N OF WORK, AS DESCRIBED HEREIN, AND IF THERE IS CON REMENTIONED DESCRIPTION OF WORK SHALL BE CONTRO	
	OF WINDOWS RELOCATION OF A STRUCT	
PROJECT INVOLVES A CONTRIBUTING	STRUCTURE: YES NO INVOLVES	A HISTORIC STRUCTURE: YES NO
PROJECT INVOLVES A STRUCTURE TH	AT IS INDIVIDUALLY LISTED ON THE NATIONAL RE	GISTER: YES NO
DETAILED PROJECT DESCRI	PTION INCLUDING MATERIALS, HEIGHT, DIMENSIO	NS, SQUARE FOOTAGE, LOCATION, ETC.
GENERAL: Construct 5	5'-3" x 17'-0" addition t	o side of existing structure
MAIN BUILDING: 5'-3" x \7	-0" single story wood fr	uned addition to an
existing bedroom.	2) impact aluminum wind	ows. Metal shipple rout
Hardiboard siding	2) impact aluminum wind	3, 1001.
DEMOLITION (PLEASE FILL OUT AND AT	TACH DEMOLITION APPENDIX):	

APPLICATIONS MUST BE SUBMITTED IN PERSON WITH HARD COPIES BY 3PM ON THE SCHEDULED DEADLINE PLEASE SEND AN ELECTRONIC COPY OF ALL DOCUMENTS TO HARC@CITYOFKEYWEST-FL.GOV

ACCESSORY STRUCTURE	E(S):			
PAVERS:			FENCES:	
DECKS:			PAINTING:	
SITE (INCLUDING GRADIN	G, FILL, TREES, ETC)		POOLS (INCLUDING EQUIPMENT):	
ACCESSORY EQUIPMENT	GAS AIC VENTS ET	rc):	OTHER:	
OFFICIAL HOF ONLY				
OFFICIAL USE ONLY:		HARC CON	MISSION REVIEW	EXPIRES ON:
MEETING DATE:	APPROVED _	NOT APPROV	EDDEFERRED FOR FUTURE CONSIDERATION	INITIAL:
MEETING DATE:	APPROVED _	NOT APPROV	EDDEFERRED FOR FUTURE CONSIDERATION	INITIAL:
MEETING DATE:	APPROVED _	INITIAL:		
REASONS OR CONDITIONS:				
STAFF REVIEW COMMENTS:	Nain	milding	is listed as contributing.	
FIRST READING FOR DEMO:			SECOND READING FOR DEMO:	
IARC STAFF SIGNATURE AND DA	ATE:		HARC CHAIRPERSON SIGNATURE AND DATE:	

THIS APPLICATION MAY BE REVIEWED BY PLANNING DEPARTMENT STAFF.

HARC Certificate of Appropriateness: Demolition Appendix



City of Key West


1300 WHITE STREET KEY WEST, FLORIDA 33040

HARC COA #	INITIAL & DATE
ZONING DISTRICT	BLDG PERMIT #


KEY WES	T, FLORIDA 33040	L						
ADDRESS OF PROPOSED PROJECT:	1209 George							
PROPERTY OWNER'S NAME:	1209 Georgia Sarah Wern	2200						
APPLICANT NAME: Meridian Engineering								
I hereby certify I am the owner of record Appropriateness, I realize that this projection is required under this app submitted for review.	t Will require a Building Permit and	proval PRIOR to proces	eding with the work out	lined above and that a				
SARAL WENT PROPERTY OWNER'S SIGNATURE	ricoff	6/5	SARAH 119 WER	VI COEF				
	DETAILED PROJECT DESC	RIPTION OF DEMOLIT	TION					
Remove existing u existing French do	bor Demo of 18	ramps tor 32 sft tota	addition. Ke I (wall plus	doors)				
CRITERIA	FOR DEMOLITION OF CONTRI	BUTING OR HISTORI	C STRUCTURES:					
Before any Certificate of Appropriate must find that the following requirem	eness may be issued for a del ents are met (please review ar	molition request, the	Historic Architectural criterion that applies);	Review Commission				
(1) If the subject of the application is a cirrevocably compromised by extreme de	ontributing or historic building or	structure, then it shoul	d not be demolished unl	less its condition is				
(a) The existing condition of	of the building or structure is irrev	ocably compromised b	y extreme deterioration.					
Project invol	ves demolishing a	portion of	extensor wa	1).				
(2) Or explain how the building or structi	ure meets the criteria below:		-11-					
(a) Embodies no distinctive city and is not a significant	characteristics of a type, period and distinguishable building enti	, or method of construct ty whose components	ction of aesthetic or histomay lack individual distin	oric significance in the nction.				
see (1)(a)								

(h) le not enor	sifically associated with averte that have a decided to the second of th
	cifically associated with events that have made a significant contribution to local, state, or national history.
256	
(c) Has no sig	nificant character, interest, or value as part fo the development, heritage, or cultural characteristics of the cit, and is not associated with the life of a person significant in the past.
see (i)(a)
(d) Is not the s	ite of a historic event with significant effect upon society.
see (i)	(1)
(e) Does not ex	xemplify the cultural, political, economic, social, or historic heritage of the city.
see (1)(2)
(f) Does not po	rtray the environment in an era of history characterized by a distinctive architectural style.
see ()(a)
(g) If a part of o	or related to a square, park, or other distinctive area, nevertheless should not be developed or preserved plan based on the area's historic, cultural, natural, or architectural motif.
See (
	ve a unique location or singular physical characteristic which represents an established and familiar visual


	See (1)(a)
	500 CI/(A)
	(i) Has not yielded, and is not likely to yield, information important in history.
	see (1)(a)
	CRITERIA FOR DEMOLITION OF NON-CONTRIBUTING OR NON-HISTORIC STRUCTURES:
Commis	owing criteria will also be reviewed by the Historic Architectural Review Commission for proposed demolitions. The sion shall not issue a Certificate of Appropriateness that would result in the following conditions (please review and at on each criterion that applies);
(1) Rem characte	oving buildings or structures that are important in defining the overall historic character of a district or neighborhood so that the r is diminished.
	NIA
(2) Remo	oving historic buildings or structures and thus destroying the historic relationship between buildings or structures and open space.
	NIA
(3) Remo	living an historic building or structure in a complex; or removing a building facade; or removing a significant later addition that is in defining the historic character of a site or the surrounding district or neighborhood.
	N/A
(4) Remo	ving buildings or structures that would otherwise qualify as contributing.
	NA



1926 Sanborn Map




1948 Sanborn Map



1962 Sanborn Map

PROJECT PHOTOS



Aerial photograph circa 1930. Monroe County Library.



1209 Georgia circa 1965. Monroe County Library.

WHITE, RALPH W.& EUGENIA C. 1209 GEORGIA ST. KEY WEST, FL 33040

KW WOFFATS SUB LOT 1 SQR 3 TR 14 A5-178

. LAND COMPUTATIONS							
QUAN - TYPE-DESC.	SIZE-AREA	UNIT PRICE	D.F.	CF.	PRICE PER FRONT FOOT	VALUE	
	44490	8	145		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2150	
	44 30	1250	97		11.62 -	247	
		-			TOTAL	2 100	

OR448-54 55











3-1-76


REAL PROPERTY RECORD CARD

AK 1036072

	VALUATION T	OTALS
	LAND	8/3/
1966	IMPROVEMENTS	8248
	TOTAL	10350
	LAND	12130
nZ1	IMPROVEMENTS	9.435
	TOTAL	11,550
	LAND	2667
19.74	IMPROVEMENTS	10,650 :
	TOTAL	13,300.
	LAND	2650
19	IMPROVEMENTS	17.749
	TOTAL	20400
1-	LAND	
1925	IMPROVEMENTS	
	TOTAL	
	LAND	
19	IMPROVEMENTS	
	TOTAL	
	LAND	
19	IMPROVEMENTS	
	TOTAL	
	- NOTES	

TOLER OOD BLORE 3533+
350-31-485-54-55
MIS BALLITIAN NO. 180
ELE TO HAD RAPHIES
+ IMPROVEMENT B

545990 761/20 3400



				CONSTRUC				-	
IMPROVEMENT	T	2	3	4	IMPROVEMENT	1	2	3	4
	-		-			INTER	OR FINISH		
THE	Bee				Unfinished		1		
TYPE	RES	GAR		POOL	Wd. or Ceil. Bds.		18		
OF	7.	Uni		1000	Wallboard	1 24		V	
STRUCTURE	100		20	17×33	Plaster, No Furring			14	
			RES	1/133	Plaster, Furring	28		1	
	-		10	-		1	-	1	-
YEAR BUILT				1975	Drywoll	V	1	-	-
TEAR DUILI				3117	Wood Panel		-		-
	R	OOMS							
Tetal Rooms						F	LOORS		
Eff. Apris					None				
Rm Apts.					Single Pine	VY		V 5	
Rm Apts			-		Concrete		1		
No. of Boths	-		7		Conc., Asph. Tile				
	-	-	-	-		-	-		-
No of Rest Ros.	-	-			Ponc, Terrozzo	-	-		
Foot R. Rins.					Double Pins		-	-	-
Fixt. R. Rres					Double Hardwood		1		-
Total Fixtures				-	Precast Conc				-
	FOU	NDATION			Parquet	3			
Continuous Well					Conc. Q. Tife				
Piers CONC.	- 12				Conc. Cer Tile				
Pilling					Morble				
riang	10.00	CTHENTS		-	CANA.				
	ADJU	STMENTS	-	-	19/9/		-	-	
Frame		-				-	THE PERSON NAMED IN COLUMN 1		
Height			-			PU	UMBING		-
Front & Interior					None		1		-
Apt Equiv.					Poor				-
Portitions					Good, Plain	1 9		48	
Spacial Use					Good, Tile				
Abadia Ase						HE	ATING		
	CVCCC	non marine			None	IN			
	EXTER	DOR WALLS	-				-	-	
Wallbeard				-	Unit Heat		-	-	-
Corr Metal					Charl. Heating	-	-	-	-
Corr Asbestos					Chtrl Cooling			-	-
Wd. Fr. Stucco	-				Cetri. Cool & Heat				
Wd. Fr. Asbestos						ELEC	TRICITY		-
C.B. Plain					None		1		
C.B. Stucco		V			Poor				
	1 30		230		Ayerage	1/2		43	
Wd Fr Siding	100		130	-	Good				
Trie Stucco	-		-	-		1	1	11110	900
Brick			-	-	CLASS & SCALE	NME		ALE	100
Reinf Conc				-	CONST UNITS 98	1 00		97	
Panel, Glass, Mtt.					COMPT CALLE DE	1 5 6	-	2.5	
					CLASS UNITS_ /2	1+101		-12	
					/47	1	-	-	-
	ROO	F TYPE			TOTAL UNITS TO	178	1	70	-
Flat, Shed					DATE DATE	LA. L		15.15	
	1 7	1	v 8	-	BASE RATE //OP	11300			-
TIPL COUNT	-	4	7 4		ADJ RATE YELL	846		10.61	9/1
Bar Joist			-			1	-		
Wood Truss	-		-		AREA - 1928	114/195	100	1425	561
Prestressed					== (0-7/	17		500	
Steel Truss					EF IBATH		-	700	
			1		EF		1		
						to to	-	-2.5	THE
	BOOF	MATERIAL			REP. COST NEW	11913	1	15619	
Sht Mrt Roll	100		1			165			93
	-	-	-	-	CONDITION 73		-		
rac, Bu	1-11		- 17	-	DEP REP. VALUE	7740	1 560 K	10,152	511
	77	20	44	-	2325				-
Shing, Asbestos					0/10	DEPRECIAT	TON ADJUSTME	ENT	
Tile, Cement					NO DUN	41	DJUSTMENT	-	% 0
Tile, Clay	-				NO PHY.	A	DUUG TREAT	-	-
Bermudo					1				
Siate	-	-	-		2				
oruse .		-	-						-
Gypsum			-	_	3				

1. Georgia St. Elevation Photograph:



Prepared by Meridian Engineering, LLC

2. SE on Georgia St. Photograph:



Prepared by Meridian Engineering, LLC

3. NW on Georgia St. Photograph:




Prepared by Meridian Engineering, LLC

4. Right Neighboring home Photograph:



Prepared by Meridian Engineering, LLC

5. Building across Georgia St. Photograph:




Prepared by Meridian Engineering, LLC

5. Side of home Photograph:



Prepared by Meridian Engineering, LLC



SURVEY OF: In the City of Key West, Monroe County, Florida, and known as a part of Tract 14, according to W.A. Whitehead's Map of 1829, but now known as a part of Lot 1 and part of Lot 2 in Square 3 of said Tract 14, according to M.A. Moffat's Subdivision of 1/3 of Tract 14 and being described as follows:

BEGIN at the intersection of the Northeasterly right of way line of Georgia Street with the Southeasterly right of way line of Catherine Street and thence run Northeasterly along the said right of way line of Catherine Street for a distance of 81.57 feet; thence Southeasterly at right angles for a distance of 45.3 feet; thence Southwesterly at right angles for a distance of 5.42 feet; thence Southeasterly at right angles for a distance of 24.4 feet; thence Northeasterly at right angles for a distance of 13.85 feet; thence Southeasterly at right angles for a distance of 18.3 feet; thence Southwesterly at right angles for a distance of 90 feet to the said right of way line of Georgia Street; thence Northwesterly along said right of way line of said Georgia Street for a distance of 88 feet back to the Point of Beginning, containing 7,200 square feet.

SURVEY FOR: SHARON GINDELE

I HEREBY CERTIFY that the survey represented hereon meets the minimum requirements adopted by the Florida Society of Professional Land Surveyors and the Florida Land Title Association.


PHILLIPS & TRICE SURVEYING, INC.


Joe M. Trice


Professional Land Surveyor Florida Reg. Cert. #2110

Cune 8, 1984 Key West, Florida

THIS SURVEY IS NOT VALID UNLESS EMBOSSED WITH A RAISED SEAL







MAP LOCATION

SQ. 3 & 4 , Tr. 14. City of Key West LEGAL DESCRIPTION" In the City of key West, Monroe County, Florida, and known as a part of Tract 14, according to W.A. Whitehead's map of 1829, but now better known as a part of Lot 1 and part of Lot 2 in Square 3 of said Tract 14, according to M.A. Moffat's Subdivision of 1/3 of Tract 14 and being described as follows: BEGIN at the intersection of the Northeasterly right-of-way line of Georgia Street with the Southeasterly right-of-way line of Catherine Street and thence run Northeasterly along the said right-of-way line of Catherine Street for a distance of 81.57 feet; thence Southeasterly at right angles for a distance of 45.3 feet; thence Southwesterly at right angles for a distance of 5.42 feet; thence Southeasterly at right angles for a distance of 24.4 feet; thence Northeasterly at right angles for a distance of 13.85 feet; thence Southeasterly at right angles for a distance of 18.3 feet; thence Southwesterly at right angles for a distance of 90 feet to the said right—of—way line of Georgia Street; thence Northwesterly along the said right-of-way line of said georgia Street for a distance of 88 feet back to the Point of Beginning, containing

7,200 square feet. SURVEYOR'S NOTES:

N.T.S.

North arrow based on assumed median Reference Bearing: R.W Florida Street

3.4 denotes existing elevation Elevations based on N.G.V.D. 1929 Datum Bench Mark No.: D-121 Elevation: 3.914 Monumentation:

Set 1/2" Iron Pipe, P.L.S. No. 2749
 Found 1/2" Iron Bar,
 Set P.K. Nail, P.L.S. No. 2749

▲ = Found P.K. Nail, P.L.S. No. 5234

Abbreviations:

Sty. = Story R/W = Right-of-Way

fd. = Found

= Plat = Measured

= Deed

N.T.S.= Not to Scale = Centerline

Elev. = Elevation B.M. = Bench Mark

P.O.C.= Point of Commence P.O.B. = Point of Beginning

P.B. = Plat Book

pg. = page

o/h = Overhead

u/g = Underground

F.FL. = Finish Floor Elevation

conc.= concrete I.P. = Iron Pipe I.B. = Iron Bar

C.B. = Concrete Block

C.B.S.= Concrete Block Stucco

cov'd.= Covered wd. = Wood

Bal. = Balcony PI. = Planter

A/C = Air Conditioner

H = Concrete Utility Pole

Field Work performed on: 6/11/12

CERTIFICATION:

I HEREBY CERTIFY that the attached BOUNDARY SURVEY is true and correct to the best of my knowledge and belief; that it meets the minimum technical standards adopted by the Florida Board of Land Surveyors, Chapter 5J-17 Florida Statute Section 472.027, and the American Land Title Association, and that there are no visible encroachments unless shown hereon.


FREDERICK H. HILDEBRANDT


Professional Land Surveyor & Mapper No. 2749

Professional Engineer No. 36810

State of Florida

PROPOSED DESIGN







SCALE: NOT TO SCALE


HARC SUBMITTAL


1209 GEORGIA ST. KEY WEST, FL 33040

	PROPOS	SED	EXIST	ING	REQUIRED	VARIANCE REQUESTED
RE NO.	00034820-000000					
SETBACKS:						
FRONT	28'-0" TO ADDITIO	N	23'-5"		10'	NONE
STREET SIDE	48'-8" TO ADDITIO	" TO ADDITION 22'-5" 7.5'		7.5'	NONE	
SIDE	32'-9" TO ADDITIO	N	29'-7" TO PERGOLA		5'	NONE
REAR	29'-2" TO ADDITIO	N	5'-9"		15'	NONE
LOT SIZE	NO CHANGE		7,188 SQ. FT.		4000 SQ.FT.	NONE
BUILDING COVERAGE	1,719 SQ. FT.	23.9%	1,619 SQ. FT.	22%	40% MAX	NONE
FLOOR AREA	2,978 SQ. FT.	.41	2,888 SQ. FT.	.4	1.0	NONE
BUILDING HEIGHT	12'-6" TO ADDITIC	N PEAK	N/A		30' MAX	NONE
IMPERVIOUS AREA	NO CHANGE		3,907 SQ. FT.	54.3%	60% MAX	NONE
OPEN SPACE	NO CHANGE		3,281 SQ. FT.	45.6%	35% MIN	NONE

















The Historic Architectural Review Commission will hold a public meeting at <u>5:30 p.m.</u>, <u>June 19, 2019 at City</u> <u>Hall, 1300 White Street</u>, Key West, Florida. The purpose of the hearing will be to consider a request for:

ADDITION TO SIDE OF HOUSE. PARTIAL DEMOLITION OF SIDE EXTERIOR WALL.

#1209 GEORGIA STREET

Applicant – Meridian Engineering Application #H2019-0024

If you wish to see the application or have any questions, you may visit the Planning Department during regular office hours at 1300 White Street, call 305-809-3973 or visit our website at www.citvofkevwest-fl.gov.

THIS NOTICE CAN NOT BE REMOVED FROM THE SITE UNTIL HARC FINAL DETERMINATION

ADA ASSISTANCE: It is the policy of the City of Key West to comply with all requirements of the Americans with Disabilities Act (ADA). Please call the TTY number at 800-955-8771 or 800-955-8770 (Voice) or the ADA Coordinator at 305-809-3811 at least five business days in advance for sign language interpreters, assistive listening devices, or materials in accessible format.

PROPERTY APPRAISER INFORMATION



Disclaimer

The Monroe County Property Appraiser's office maintains data on property within the County solely for the purpose of fulfilling its responsibility to secure a just valuation for ad valorem tax purposes of all property within the County. The Monroe County Property Appraiser's office cannot guarantee its accuracy for any other purpose. Likewise, data provided regarding one tax year may not be applicable in prior or subsequent years. By requesting such data, you hereby understand and agree that the data is intended for ad valorem tax purposes only and should not be relied on for any other purpose.

By continuing into this site you assert that you have read and agree to the above statement.

Summary

 Parcel ID
 00035220-000000

 Account#
 1036072

 Property ID
 1036072

 Millage Group
 10KW

Location Address 1209 GEORGIA St, KEY WEST

Legal Description KW MOFFATS SUB PB1-12 PT LOTS 1 AND 2 SQR 3 TR 14 A5-178 OR448-54/55

OR865-2141 OR914-2064/65 OR1457-213/14 (Note: Not to be used on legal documents.)

Neighborhood 6149

Property Class SINGLE FAMILY RESID (0100)

Subdivision Moffat's Sub Sec/Twp/Rng 05/68/25 Affordable No

Housing



Owner

WERNICOFF SARAH A 1209 Georgia St Key West FL 33040

Valuation

	2018	2017	2016	2015
+ Market Improvement Value	\$146,890	\$146,890	\$127,796	\$131,204
+ Market Misc Value	\$48,364	\$47,420	\$49,660	\$42,660
+ Market Land Value	\$719,059	\$624,838	\$520,472	\$394,071
= Just Market Value	\$914,313	\$819,148	\$697,928	\$567,935
= Total Assessed Value	\$428,811	\$419,992	\$411,354	\$408,495
- School Exempt Value	(\$25,000)	(\$25,000)	(\$25,000)	(\$25,000)
= School Taxable Value	\$403.811	\$394.992	\$386.354	\$383,495

Land

Land Use	Number of Units	Unit Type	Frontage	Depth
PESIDENTIAL DRY (010D)	7 187 00	Square Foot	44	162.6

Buildings

Building ID 2798

Style 2 STORY ELEV FOUNDATION

Building Type S.F.R. - R1/R1
Gross Sq Ft 2026
Finished Sq Ft 1092
Stories 2 Floor
Condition AVERAGE
Perimeter 144
Functional Obs 0
Economic Obs 0

Depreciation % 39 Interior Walls WALL BD/WD WAL Exterior Walls ABOVE AVERAGE WOOD
Year Built 1919

| 1717 | 1981 | Foundation | WD CONC PADS | Roof Type | GABLE/HIP | Roof Coverage | METAL | Flooring Type | CONC S/B GRND

Heating Type FCD/AIR DUCTED with 0% NONE

Bedrooms3Full Bathrooms2Half Bathrooms0Grade500Number of Fire PI0

Code	Description	Sketch Area	Finished Area	Perimeter
FHS	FINISH HALF ST	806	0	114
FLA	FLOOR LIV AREA	1,092	1,092	144
OPU	OP PR UNFIN LL	24	0	22
OPF	OP PRCH FIN LL	104	0	42
TOTAL		2.026	1.092	322

Yard Items

Description	Year Built	Roll Year	Quantity	Units	Grade
CONC PATIO	1975	1976	1	1233 SF	2
FENCES	1975	1976	1	496 SF	4
RES POOL	2001	2002	1	561 SF	3
FENCES	2017	2018	1	828 SF	2

Sales

Sale Date	Sale Price	Instrument	Instrument Number	Deed Book	Deed Page	Sale Qualification	Vacant or Improved
6/1/1984	\$129,000	Warranty Deed		914	2064	M - Unqualified	Improved
11/1/1982	\$92,000	Warranty Deed		865	2141	M - Unqualified	Improved


Permits

Notes ♦	Permit Type 🕏	Amount ♦	Date Completed 🕏	Date Issued 🕏	Number ♦
REPLACE FOUNDATION JOISTS BEAMS AND SUBFLOOR. INSTALL NEW FLOORING	Residential	\$180,000		4/1/2019	19-0856
R&R VICTORIAN SHINGLES		\$15,750	9/28/2004	3/9/2004	04-0694
RESURFACE POOL		\$5,000	8/30/2002	2/26/2002	02-462
17 SQS SHINGLES/PAINT ROO		\$3,000	11/8/2000	3/28/2000	0000803
PLUMBING		\$500	12/1/1996	10/1/1996	96-3983
REPAIRS		\$1.500	12/1/1996	9/1/1996	96-3730

View Tax Info

View Taxes for this Parcel

Sketches (click to enlarge)



Photos



Мар



TRIM Notice

Trim Notice

2018 Notices Only

 $\textbf{No data available for the following modules:} \ Commercial \ Buildings, \ Mobile \ Home \ Buildings, \ Exemptions.$

The Monroe County Property Appraiser's office maintains data on property within the County solely for the purpose of fulfilling its responsibility to secure a just valuation for ad valorem tax purposes of all property within the County. The Monroe County Property Appraiser's office cannot guarantee its accuracy for any other purpose. Likewise, data provided regarding one tax year may not be applicable in prior or subsequent years. By requesting such data, you hereby understand and agree that the



Last Data Upload: 6/14/2019 5:33:15 AM

Version 2.2.25