| Prepared By: | | | | |
|---|--|--|--|--|
| Date: | | | | |
| Baseline Energy Use for City Occupied Buildings (see attached table): | | | | |

<u>Feb 1-28, 2019</u> kWh used: 581,882 Energy Cost: \$92,042

March 1-31, 2019 kWh used: 539,001 Energy cost: \$86,274

April 1-31, 2019 kWh used: 592,598 Energy Cost: \$92,156

May 1-31, 2019 kWh used: 544,148 Energy cost: \$90,623

June 1-30, 2019 kWh used: 631,187 Energy Cost: \$98,236

OMI Meters Acquired by City Jan 1, 2019

Feb 1-28, 2019 kWh used: 583,766 Energy Cost: \$72,207

April 1-31, 2019 kWh used: 553,393 Energy Cost: \$66,294

June 1-30, 2019 kWh used: 574,979 Energy Cost: \$70,363 Feb 1-28, 2018 kWh used: 537,282 Energy Cost: \$90,655

March 1-31, 2018 kWh used: 504,404 Energy Cost: \$85,779

April 1-31, 2018 kWh used: 564,115 Energy Cost: \$85,779

May 1-31, 2018 kWh used: 528,208 Energy cost: \$83,173


June 1-30, 2018 kWh used: 575,508 Energy Cost: \$83,173

March 1-31, 2019 kWh used: 607,448 Energy cost: \$71,893

May 1-31, 2019 kWh used: 579,325 Energy Cost: \$72,421

Prepared By:

Date: _____




KEYS Energy Bill and Rate Classification Review:

Current Vs Baseline Water Use for City Operated Meters

| Feb 1-28, 2019 | Feb 1-28, 2018 |
|--|--|
| Gal used: 6.2M | Gal used: 1.5M |
| Cost: \$68,377 | Cost: \$15,483 |
| March 1-31, 2019 | March 1-31, 2018 |
| Gal used: 4M | Gal used:7.1M |
| Cost: \$46,668 | Cost: \$78,733 |
| April 1-31, 2019 Gal used: 7.8M Cost: \$86,147 | April 1-31, 2018 Gal used: 5.2M Cost: \$54,043 |
| May 1-31, 2019 Gal used: 1.6M Cost: \$19,436 | May 1-31, 2018 Gal used: 4.7M Cost: \$47,376 |
| June 1-30, 2019 | June 1-30, 2018 |
| Gal used: 10M | Gal used: 5.6M |
| Cost: \$121,899 | Cost: \$57,790 |

| Prepared By: _ | | |
|----------------|--|--|
| • | | |
| | | |



Priority Assessments:

Sports Field Lighting

Street Lights & LED Conversion

City Hall at Glynn Archer (history summarized on attached chart):

Monthly Electrical Usage

Solar Contribution

Monthly Water Usage

Other:

Turtle Lights installed along South Roosevelt at Smathers Beach OMI(CH2M) renegotiated contract for wastewater treatment that has placed the meters under responsibility of the City. These meters were paid by the contractor before.

| | Prepared By: | |
|---------------|--------------|--|
| | Date: | |
| | | |
| Action Items: | | |