

Historic Architectural Review Commission

Staff Report for Item 11

To: Chairman Bryan Green and Historic Architectural Review Commission

Members

From: Kathleen McDonald, MHP

Historic Preservation Planner II

Meeting Date: January 29, 2019

Applicant: Bender & Associates

Application Number: H2020-0001

Address: #609 Angela Street

Description of Work:

Renovations to existing historic structure. New one-story rear additions to historic structure.

Site Facts:

The site under review is a historic one-and-a-half story frame vernacular house with several non-historic rear additions. The historic portion of the house was built circa 1889 and is contributing to the historic district.

The form of the historic main house remains consistent on the Sanborn maps, going back to 1892. However, the form of the rear additions appears somewhat inconsistent on the Sanborn maps.

The form of the rear additions in the 1962 Sanborn map does not resemble what additions exist today, indicating that they are likely non-historic additions. The idea that the rear additions are not historic is also supported by an aerial photo from 1972, which does not indicate the presence of the existing rear additions.

A historic photo from the 1960s shows a carport structure at the side of the house, but that structure has since been heavily altered to incorporate a roof deck.

Guidelines Cited on Review:

- Guidelines for Additions and Alterations on Contributing, Non-Contributing and Non-Historic Buildings and Structures (pages 37a-37k), specifically guidelines 1, 5, 6, 11, 13, 19, 26, 29, 31 and 32.
- Guidelines for New Construction in the Historic District (pages 38a-38q), specifically guidelines 1, 12, 14, 18 and 22.

Staff Analysis:

A Certificate of Appropriateness is under review for renovations and rear additions to an existing historic structure.

The rear additions are to be two one-story sawtooth structures. The first sawtooth will contain a kitchen, two bathrooms, and a laundry room. The second sawtooth will be a covered outdoor dining and living area with wood louvers enclosing 2 sides.

Roofing is to be Berridge Victorian metal shingles at the historic portion of the house and galvalume v-crimp at the new additions. The additions will have wood lap siding with 4.5 inch exposure to match the historic siding. All new windows and doors are to be Jeldwen custom wood windows and doors. Shutters at the historic structure are to be wood colonial louvered shutters.

Consistency with Cited Guidelines:

It is staff's opinion that the proposed design meets the cited guidelines.

The proposed rear additions require no or minimal changes to character defining features and utilize existing openings at the rear of the historic structure, minimally impacting the integrity of the building form.

The proposed rear additions are to be lower in height than the historic structure, and they are to be smaller in mass and form. They are also compatible with the scale and character of the district, as they do not overshadow any adjacent historic properties.

Proposed materials and forms are harmonious to the historic building, as well as to the surrounding context.

Demolition of original elements of the building in order to accommodate the rear additions will not be necessary, as the proposed design utilizes existing openings at the rear of the historic structure.

A recessed, small scale hyphen will be utilized to differentiate the historic structure from the rear additions.

Finally, the submitted design proposes the removal of several rear additions as well as a carport structure, which have obscured and disguised the historic portion of the structure over time.



Aerial photo from 1972 indicating 609 Angela Street. The rear additions that exist today are not visible.



Historic Photo of 609 Angela Street from the 1960s.

APPLICATION

HARC MAJOR PROJECTS CERTIFICATE OF APPROPRIATENESS

\$400 NON-REFUNDABLE BASE APPLICATION FEE - OTHER FEES MAY BE APPLICABLE



City of Key West 1300 WHITE STREET KEY WEST, FLORIDA 33040

HARC COA #	REVISION #	INITIAL & DATE	
FLOOD ZONE	ZONING DISTRICT	BLDG PERMIT #	

A PRE-APPLICATION MEETING WITH HARC STAFF IS REQUIRED PRIOR TO SUBMITTAL

ADDRESS OF PROPOSED PROJECT:	609 Angela Street			
NAME ON DEED:	Bus Stop Sixty Inc. (Kevin Mitchell)	PHONE NUMBER		
OWNER'S MAILING ADDRESS:	609 Angela Street	EMAIL kevin@mitchelldemo.com		
APPLICANT NAME:	Bender & Associates	PHONE NUMBER 305-296-1347		
APPLICANT'S ADDRESS:	410 Angela Street	EMAIL hburkee@benderarchitects.com		
APPLICANT'S SIGNATURE:	M	DATE 1.02.20		
FLORIDA STATUTE 837.06: WHOEVER KNOWIN PERFORMANCE OF HIS OR HER OFFICIAL DU'THE APPLICANT FURTHER HEREBY ACKNOWING CONTEMPLATED BY THE APPLICANT AND THE EXCEEDING THE SCOPE OF THE DESCRIPTION WORK AND THE SUBMITTED PLANS, THE AFORMATION OF THE PROJECT INCLUDES: REPLACEMENT PROJECT INVOLVES A CONTRIBUTING	GES TO AN APPROVED CERTIFICATE OFAPPROPRI NGLY MAKES A FALSE STATEMENT IN WRITING AND WITH THE TY SHALL BE GUILTY OF A MISDEMEANOR OF THE SECOND LEDGES THAT THE SCOPE OF WORK AS DESCRIBED IN THE E CITY. THE APPLICANT FURTHER STIPULATES THAT SHOUL N OF WORK, AS DESCRIBED HEREIN, AND IF THERE IS CON- REMENTIONED DESCRIPTION OF WORK SHALL BE CONTRO OF WINDOWS RELOCATION OF A STRUCT STRUCTURE: YES NO _X INVOLVES INT IS INDIVIDUALLY LISTED ON THE NATIONAL RE-	HE INTENT TO MISLEAD A PUBLIC SERVANT IN THE DEGREE PUNISHABLE PER SECTION 775.082 OR 775.083. APPLICATION SHALL BE THE SCOPE OF WORK THAT IS D.FURTHER ACTION BE TAKEN BY THE CITY FOR FLICTING INFORMATION BETWEEN THE DESCRIPTION OF LLING. URE ELEVATION OF A STRUCTURE A HISTORIC STRUCTURE: YESXNO		
DETAILED PROJECT DESCR	IPTION INCLUDING MATERIALS, HEIGHT, DIMENSIO	NS, SQUARE FOOTAGE, LOCATION, ETC.		
	istoric additions, renovation of historic	structure, and construction of new		
additions to the histo	oric structure.			
MAIN RUIL DING: See above. The	only structure on site is the principle s	tructure		
main boilbing. See above. The	only structure on site is the principle's	uucture.		
DEMOLITION (PLEASE FILL OUT AND A	TTACH DEMOLITION APPENDIX): See demoliti	on appendix.		

APPLICATIONS MUST BE SUBMITTED IN PERSON WITH HARD COPIES BY 3PM ON THE SCHEDULED DEADLINE PLEASE SEND AN ELECTRONIC COPY OF ALL DOCUMENTS TO HARC@CITYOFKEYWEST-FL.GOV

ACCESSORY STRUCTURE(S): None.	
PAVERS: Brick at parking area and entry area.	FENCES: Existing.
DECKS: None.	PAINTING: All new paint to be white (dark green shutters).
SITE (INCLUDING GRADING, FILL, TREES, ETC):	POOLS (INCLUDING EQUIPMENT): None.
See plans.	
ACCESSORY EQUIPMENT (GAS, A/C, VENTS, ETC.):	OTHER:
See plans.	

OFFICIAL USE ONLY:		HARC COMMISS	SION REVIEW E	XPIRES ON:
MEETING DATE:	APPROVED _	NOT APPROVED _	DEFERRED FOR FUTURE CONSIDERATION	INITIAL:
MEETING DATE:	APPROVED _	NOT APPROVED	DEFERRED FOR FUTURE CONSIDERATION	INITIAL:
MEETING DATE:	APPROVED	NOT APPROVED	DEFERRED FOR FUTURE CONSIDERATION	INITIAL:
REASONS OR CONDITIONS:				
STAFF REVIEW COMMENTS:	3-7-7-			
STAFF REVIEW COMMENTS:				
STAFF REVIEW COMMENTS: FIRST READING FOR DEMO:		SECC	OND READING FOR DEMO:	

THIS APPLICATION MAY BE REVIEWED BY PLANNING DEPARTMENT STAFF.

HARC Certificate of Appropriateness: Demolition Appendix




HARC COA #	INITIAL & DATE	
ZONING DISTRICT	BLDG PERMIT #	


KEY WEST	, FLORIDA 33040	Į.		
ADDRESS OF PROPOSED PROJECT:	609 Angela Street			
PROPERTY OWNER'S NAME:	Bus Stop Sixty Inc. (Kevin Mitchell)			
APPLICANT NAME:	Bender & Associates Architects			
I hereby certify I am the owner of record appropriateness, I realize that this projectinal inspection is required under this apparaments and submitted for review.	t will require a Building Permit approval	PRIOR to proc	eeding with the work ou	tlined above and that a
PROPERTY OWNER'S SIGNATURE				DATE AND PRINT NAME
	DETAILED PROJECT DESCRIPT	ION OF DEMOI	LITION	
Removal of all non-historic additions.				
CRITERIA	FOR DEMOLITION OF CONTRIBUT	ING OR HISTO	RIC STRUCTURES:	
Before any Certificate of Appropriat must find that the following requiren				
(1) If the subject of the application is a cirrevocably compromised by extreme d				nless its condition is
(a) The existing condition	of the building or structure is irrevocal	bly compromise	d by extreme deterioration	n.
Not applicable.				
(2) Or explain how the building or struc	ture meets the criteria below:	30-100-100-100-100-100-1		
	e characteristics of a type, period, or r t and distinguishable building entity w			
Not applicable.				

Nothing in this application is intended to alter the authority of the Building Official to condemn for demolition dangerous but as provided in Section 102-218 of the Land Development Regulations and Chapter 14 of the Code of Ordinances.
(b) Is not specifically associated with events that have made a significant contribution to local, state, or national history.
Not applicable.
(c) Has no significant character, interest, or value as part fo the development, heritage, or cultural characteristics of the ci state or nation, and is not associated with the life of a person significant in the past.
Not applicable.
(d) Is not the site of a historic event with significant effect upon society.
Not applicable.
(e) Does not exemplify the cultural, political, economic, social, or historic heritage of the city.
Not applicable.
тот аррисамс.
(f) Does not portray the environment in an era of history characterized by a distinctive architectural style.
Not applicable.
(a) If a part of an related to a course mark or other distinctive area, nevertheless chould not be developed or preserved.
(g) If a part of or related to a square, park, or other distinctive area, nevertheless should not be developed or preserved according to a plan based on the area's historic, cultural, natural, or architectural motif.
Not applicable.
(h) Does not have a unique location or singular physical characteristic which represents an established and familiar visua
feature of its neighborhood or of the city, and does not exemplify the best remaining architectural type in a neighborhood.


Not applicable.	
тот аррпоавто.	
(i) Has not violated and is not likely to	yield, information important in history.
Not applicable.	yield, illioithation illiportait: ill filotory.
encounter Torophoraphine	
CRITERIA FOR DEMOLITION	ON OF NON-CONTRIBUTING OR NON-HISTORIC STRUCTURES:
	by the Historic Architectural Review Commission for proposed demolitions. The Appropriateness that would result in the following conditions (please review and
(1) Removing buildings or structures that are imporcharacter is diminished.	rtant in defining the overall historic character of a district or neighborhood so that the
The additions being removed are not important in	defining the overall historic character of a district or neighborhood.
(2) Removing historic buildings or structures and th	nus destroying the historic relationship between buildings or structures and open space.
Removing the additions does not destroy the histo	ric relationship between buildings or structures and open space.
Removing an historic building or structure in a omportant in defining the historic character of a site.	complex; or removing a building facade; or removing a significant later addition that is or the surrounding district or neighborhood.
The additions are not important in defining the history	oric character of a site or the surrounding district or neighborhood.
(4) Removing buildings or structures that would oth	nerwise qualify as contributing.
Not applicable.	




1899 Sanborn Map indicating 609 Angela Street.




1912 Sanborn Map indicating 609 Angela Street.



1926 Sanborn Map indicating 609 Angela Street.



1948 Sanborn Map indicating 609 Angela Street.



1962 Sanborn Map indicating 609 Angela Street.

PROJECT PHOTOS




Street Elevation.



West Elevation.



North Elevation.



East Elevation.



Adjacent Property to the East.



Adjacent Property to the West.

BEARING BASE: ALL BEARINGS ARE BASED ON NS4°26/39/5 ASSUMED ALONG THE CENTERLINE OF AMORIA SERVER.

ALL ANGLES DEMOTED ARE 90 DEGREES UNLESS OTHERWISE INDICATED

ALL UNITS ARE SHOWN IN J.S. SURVEY FEET

ADDRISS:

GO9 ANGELA STREET SEY WEST, FL 33040

COMMUNITY NO.: | 20168 MAP NO.: | 12087C | 1516K MAP DATE: 02-18-2005 FLOOD ZONE: X BASE ELEVATION: N/A

ELEVATIONS SHOWN HEREON ARE IN FEET AND BASED ON THE NATIONAL GEODETIC VERTICAL DATUM OF 1929 (NGVD 1929).

BENC MARK DESCRIPTION: NATIONAL GEODETIC SURVEY SENCHMARK 'U 267' (P.I.D. AAOO 18); ELEVATION— 11.63 (NGVD 1929).

564° 26' 39'W MEAS 46.99 MEAS 47.00 DEED


MAP OF BOUNDARY SURVEY

SET SHE'R WE CAP TRUS



LOCATION MAP - NTS





LEGEND

G - WATER WETER

- SANITARY SEWER CLEAN OUT

- MAILBOX

O - WOOD HOWER FOLE


CONCRETE POWE

>> - SPOT GRADE ELEVATION (TYPICAL)



- PALM TREE





TOTAL AREA = 6,297.09 SQFT±

 THE BINSH PLOCK LERVATOR (FB = 1,0.0 BNAVD 1,999) AND WAS TAKEN AT THE DOOR THRESHOLD LOCATION AS INDICATED ON THE SURVEY WAY, NO INTERIOR FLOOR ELEVATIONS WERE VEHALIZED OR VEHICLE.

CERTIFIED TO -

Bus Stop Swy, Inc., an Ontario Business Corporation:

HOTE PROMISED SOLICITIS TO BLACK OF AN EARLY MEDICAL PROMISED SOLICITIS CONTROLLED SOLICITIS

HOD, LEADING DESCRIPTORS AND EXTREMENTATION OF CONTRACT MATERIAL PROPERTY AND ADDRESS OF THE STATE OF THE STA

				SEEK MEAL TET WATER IND SECONDED
CALE		.'-2)	ITERDY COSTIFY THAT THIS SUBJECT WAS
DACK CIT	0	V24/2	018	
DAF DATE	2	04/2	0.6	STACLING AVELOW, HEREBY STACLING
DATE DATE	х	00000	COX	
EIT	1	Of	J.	9000
MARK! BY:		MPE	ę.	ERIC A. IBAACE PAM 46783, PRO
10 /				Every tomography to an individual trace

TREADY CETTOR "IN IT TIME SHAPPY MAD SUFFICIENT AS PREPRINTING CLARGE AND ATTOM TO THE TO THE PROPERTY OF THE




LEGAL DESCRIPTION -

A parcel of land located in the Cisy of Key West, Monroe County, Flonds, and also being known as a portion of Lot 4, in Square SQ, according to William A.9. Whitcheads map or pain of the City of Key West, delineated in February 1829, and being more particularly described as follows: COM/MEXCE at the intersection of the Northeasterly Right-of-way line of Sirredt, there in a Northeasterly Right-of-way line of Angela Street; there in a Northeasterly direction along the said Northwesterly Right-of-way in or 6 Angela Street for 100.56 Feet to the Foint of Beginning; thence continue in a Northeasterly direction along the said Northwesterly Right-of-way in or 6 Angela Street for 13.4.00 feet; thence at a night angle and in a Northwesterly direction for 13.4.00 feet; thence at a night angle and in a Southwesterly direction for 13.4.00 feet; thence at a night angle and in a Southwesterly direction for 13.4.00 feet; thence at a night angle and in a Southwesterly direction for 13.4.00 feet to the said Northwesterly Right-of-way line of Angela Street and the Point of Beginning.

PROPOSED DESIGN

609 ANGELA STREET

Key West Florida 33040 (HARC APPLICATION)




BEARING BASE: ALL BEARINGS ARE BASED ON N64°26'39"E ASSUMED ALONG THE CENTERLINE OF ANGELA STREET. ALL ANGLES DEPICTED ARE 90 DEGREES UNLESS OTHERWISE INDICATED ALL UNITS ARE SHOWN IN U.S. SURVEY FEET ADDRESS: 609 ANGELA STREET KEY WEST, FL 33040 COMMUNITY NO.: 120168 MAP NO.: 12087C-1516K MAP DATE: 02-18-2005 FLOOD ZONE: X BASE ELEVATION: N/A ELEVATIONS SHOWN HEREON ARE IN FEET AND BASED ON THE NATIONAL GEODETIC VERTICAL DATUM OF 1929 (NGVD 1929). BENCHMARK DESCRIPTION: NATIONAL GEODETIC SURVEY BENCHMARK "U 267" (P.I.D. AAOO | 8), ELEVATION= | | .63' (NGVD | 929). <u>LEGEND</u> - WATER METER - SANITARY SEWER CLEAN OUT - MAILBOX O:- WOOD POWER POLE - CONCRETE POWER POLE → - 8" WOOD PYLON ** - SPOT GRADE ELEVATION (TYPICAL) - PALM TREE - TREE (UNKNOWN SPECIES) TOTAL AREA = 6,297.09 SQFT± CERTIFIED TO -Bus Stop Sixty, Inc., an Ontario Business Corporation;


MAP OF BOUNDARY SURVEY



LOCATION MAP - NTS SEC. 06-T685-R25E



ASSUMED



 THE FINISH FLOOR ELEVATION (FF) = 16.0' (NGVD 1929) AND WAS TAKEN AT THE DOOR THRESHOLD LOCATION AS INDICATED ON THE SURVEY MAP, NO INTERIOR FLOOR ELEVATIONS WERE MEASURED OR VERIFIED.

NOT VALID WITHOUT THE SIGNATURE AND THE RAISED

SEAL OF A FLORIDA SURVEYOR AND MAPPER

S64° 26' 39"W MEAS

46.99' MEAS-47.00' DEED

THE FOLLOWING IS A LIST OF ABE
BFP = BACK FLOW PREVENTER
BO = BLOW OUT
C 6 (2 = 2)** CONCRETE CURB & GUTTER
CB = CONCRETE BLOCK
CDW = CONCRETE BUTTER
CONCRETE MONUMENT
CONC = CONCRETE
CONCRETE
COVERED
DELTA = CONCRETE
DELTA = CONCRETE
DELTA = CONTRAL ANGLE
DEASE = DRA VAGE EASEMENT
EL = SELYATION
ENCL = SNCLOSURE
FF = FIND IED FLOOR ELEVATION
FF = FENCE INSUID
FO = FENCE OLISIDE
FO = FEN

NOTE: FOUNDATIONS BENEATH THE SURFACE ARE NOT SHOWN, MEASURED DIMENSIONS EQUAL PLATTED OR DESCRIBED DIMENSIONS UNLESS INDICATED OTHERWISE.
THE FOLLOWING IS A LIST OF ABBREVIATIONS THAT MAY BE FOUND ON THIS SHEET.

JND ON THIS SHEET.


POC = POINT OF COMMENCEMENT
PRC = POINT OF REVERSE CLRVE
PRM = PREMARENT REFERENCE
MONUMENT

"= POINT OF ANGEN
R = RACILIS
RW = RIGHT OF WAY LINE
SSCO = SANTARY SEWER CLEAN OUT
SW = SIDE WALK
TEM = TEMPORARY BENCHWARK
TOB = TOP OF BANK
TOB = TOP OF BANK
TOS = TOP OF BANK
WITH STAFFIC SIGN
INT = INTEGRALE
URE = UTILITY EASTERN
WOOD EACH
WITH WOOD TRICE
W. = WOOD LAND NG
WM = WATER METER
WPF = WOOD POWER POLE
WRACK LINE = LINE OF DEBRIS ON SHOR
WY = WA TER METER
WAS CLINE = LINE OF DEBRIS ON SHOR
WY = WA TER METER
WAS CLINE = LINE OF DEBRIS ON SHOR NOTE: LEGAL DESCRIPTIONS HAVE BEEN FURNISHED BY THE CLIENT OR HIS/HER REPRESENTATIVE, PUBLIC RECORDS HAVE NOT BEEN RESEARCHED BY THE SURVEYOR TO DETERMINE THE ACCURACY OF THESE DESCRIPTIONS NOR HAVE ADJOINING PROPERTIES BEEN RESEARCHED TO DETERMINE OVERLAPS OR HIATUS. ADDITIONS OR DELETIONS TO SURVEY MAP OR REPORT BY OTHER THAN THE SIGNING PARTY IS PROHIBITED WITHOUT WRITTEN CONSENT OF THE SIGNING PARTY. THE BOLD LINE SHOWN HEREON REPRESENTS THE SURVEYORS OPINION OF THE DEED LINES. THE MEAN HIGH WATER LINE WAS NOT DETERMINED FOR THIS SURVEY, THE APPARENT MEAN HIGH WATER LINE IS SHOWN FOR REFERENCE ONLY.

FLORIDA KEYS LAND SURVEYING I 9960 OVERSEAS HIGHWAY SUGARLOAF KEY, FL 33042 PHONE: (305) 394-3690 FAX: (305) 509-7373 EMAIL: FKLSemail@Gmail.com

LEGAL DESCRIPTION -

A parcel of land located in the City of Key West, Monroe County, Florida, and also being known as a portion of Lot 4, in Square 60, according to William A. Whitehead's map or plan of the City of Key West, delineated in February 1829, and being more particularly described as follows: COMMENCE at the intersection of the Northeasterly Right-of-way line of Simonton Street and the Northwesterly Right-of-way line of Angela Street; thence in a Northeasterly direction along the said Northwesterly Right-of-way line of Angela Street for 100.50 feet to the Point of Beginning; thence continue in a Northeasterly direction along the said Northwesterly Right-of-way line of Angela Street for 47.00 feet; thence at a right angle and in a Northwesterly direction for 134.00 feet; thence at a right angle and in a Southwesterly direction for 47.00 feet; thence at a right angle and in a Southeasterly direction for 134.00 feet to the said Northwesterly Right-of-way line of Angela Street and the Point of Beginning.



 \circ

0

0

9

410 Angela Street Key West, Florida 33040 Telephone (305) 296–1347 Facsimilie (305) 296–2727

Florida License AAC002022

Associates

 \approx

Bender



/ISION XX/XX/XXXX

DRAWN BY: MPB

OB NO.: 18-399

I OF

SCALE: 1"=20'

FIELD WORK
DATE 10/24/2018


MAP DATE 12/04/2018


I HEREBY CERTIFY THAT THIS SURVEY WAS MADE UNDER MY RESPONSIBLE CHARGE AND MEETS THE STANDARDS OF PRACTICE AS SET FORTH BY THE FLORIDA BOARD OF PROFESSIONAL SURVEYORS AND MAPPERS IN CHAPTERS 2014-147 \$ 5J-17.05, FLORIDA ADMINISTRATIVE CODE, PURSUANT TO SECTION 472.027, FLORIDA STATUTES AND COMPLIES WITH CHAPTER 177, PART II FLORIDA STATUTES.

ERIC A. ISAACA, PSM #6783, PROFESSIONAL SURVEYOR AND MAPPER, LB# 7847


SCALE: N.T.S.

PROJEC	T STATI	STICS	
FEMA FLOOD ZONE ZONING DESIGNATION LOT SIZE	ZONE 'X' HHDR 6,298 S.F.		
OCCUPANCY	SINGLE FAMILY		
	REQUIRED	EXISTING	PROPOSED PROPOSED
BUILDING COVERAGE 6,298 S.F. X 50%	3,149 S.F. MAX.	2,850 S.F.	2,140 S.F.
BUILDING HEIGHT	30'-0" MAX.	21'-7"	21'-7" (NO CHANGE)
IMPERVIOUS SURFACE 6,298 S.F. X 60%	3,779 S.F. MAX.	4,069 S.F.	2,595 S.F.
FRONT SETBACK (STREET)	10'-0" MIN.	20'-0"	20'-0" (NO CHANGE)
SIDE SETBACK (EAST)	5'-0" MIN.	5'-10"	5'-10"
SIDE SETBACK (WEST)	5'-0" MIN.	0'-0"	8'-10"
REAR SETBACK	20'-0" MIN.	27'-0"	46'-2"
OPEN SPACE (35%)	2,204 S.F. MIN.	2,229 S.F.	3,975 S.F.











Date: 11/09/2019











81'-2 1/2" (PROPERTY LINE: 134.001) (EXISTING FENCE) (REMOVE ALL ADDITIONS TO HISTORIC STRUCTURE) (5'-0' SIDE YARD SETBACK) (BEDROOM) (COVERED PORCH) (LATTICE / COVERED PORCH) (OFFICE / SITTING AREA) (BATHROOM) (BEDROOM) (LIVING ROOM) (BATHROOM) (COVERED PORCH) (COVERED CARPORT) (REMOVE GATE AND FENCE AT THIS LOCATION) (REMOVE BRICK PAVERS AT WALKWAYS AND DRIVEWAY) (SHED TO BE REMOVED) (EXISTING FENCE) (PROPERTY LINE: 134.00')

410 Angela Street
Key West, Florida 33040
Telephone (305) 296-1347
Facsimilie (305) 296-2727
Florida License AAC002022

0


0

Project Nº : 1906

Date: 11/09/2019


A3

SCALE: 3/16"=1'-0"



410 Angela Street Key West, Florida 33040 Telephone (305) 296-1347 Facsimilie (305) 296-2727 Florida License AAC002022

Project Nº :



(HISTORIC STRUCTURE TO REMAIN) TOP OF ROOF (REMOVE NON-HISTORIC ADDITIONS) FINISHED FLOOR
16.0' NGVD 1 EXISTING NORTH ELEVATION A5 SCALE: 3/16"=1'-0"

410 Angela Street Key West, Florida 33040 Telephone (305) 296-1347 Facsimilie (305) 296-2727 Florida License AAC002022 Associates

[ECTS] \ll BenderProject Nº : Date: 11/09/2019

0


0

9


HISTORIC STRUCTURE TO REMAIN REMOVE NON-HISTORIC ADDITIONS TOP OF ROOF 35.5' NGVD ⊕ 2ND FLOOR CEILING
24.8' NGVD FINISHED FLOOR
16.0' NGVD

2 EXISTING EAST ELEVATION

SCALE: 3/16"=1'-0"



2 PROPOSED SECOND FLOOR PLAN SCALE: 3/16"=1'-0" (PROPERTY LINE: 134.001) (EXISTING FENCE)



Associates \ll BenderProject Nº :

 Δ

0

0

9


410 Angela Street Key West, Florida 33040 Telephone (305) 296-1347 Facsimilie (305) 296-2727 Florida License AAC002022

PROJECT NORTH

Date: 11/09/2019

PROPOSED FIRST FLOOR PLAN

SCALE: 3/16"=1'-0"



0 0

410 Angela Street Key West, Florida 33040 Telephone (305) 296-1347 Facsimilie (305) 296-2727 Florida License AAC002022

Associates \ll Bender

Project Nº : Date: 11/09/2019

0 0 9

410 Angela Street Key West, Florida 33040 Telephone (305) 296-1347 Facsimilie (305) 296-2727 Florida License AAC002022

Associates

 \ll

GENERAL EXTERIOR ELEVATION NOTES 1. ALL ROOFING IS TO BE 'BERRIDGE' VICTORIAN SHINGLES (24 GAUGE, GALVALUME) AT HISTORIC STRUCTURE AND GALVALUME V-CRIMP AT NEW ADDITIONS. 2. ALL SIDING AT NEW ADDITIONS IS TO BE WOOD LAP SIDING WITH 4-1/2" EXPOSURE PAINTED WHITE (MATCH HISTORIC STRUCTURE).


3. ALL FASCIA, RAILING, LOUVERS, CORNER TRIM, AND BASE TRIM IS TO BE PAINTED WHITE.

4. ALL NEW WINDOWS AND DOORS ARE TO BE JELDWEN CUSTOM WOOD WINDOWS PAINTED WHITE. 5. ALL SHUTTERS AT HISTORIC STRUCTURE ARE TO BE WOOD COLONIAL LOUVERED SHUTTERS PAINTED DARK GREEN.



1 PROPOSED NORTH ELEVATION

SCALE: 3/16"=1'-0"



SCALE: 3/16"=1'-0"

TOP OF ROOF 33.5¹ NGVD ◆ (WOOD LOUVERS) TOP OF PLATE

26.5' NGVD (WOOD LOUVERS) (CANOPY) FINISHED FLOOR
16.0' NGVD (WOOD LOUVERS)

2 PROPOSED EAST ELEVATION
A8

SCALE: N.T.S.

0

9

11/09/2019










2 PHOTOGRAPH OF EXISTING WEST ELEVATION



1 PHOTOGRAPH OF EXISTING ANGELA STREET ELEVATION



SCALE: N.T.S.









6 PHOTOGRAPH OF ADJACENT PROPERTY TO THE EAST

3 PHOTOGRAPH OF EXISTING NORTH ELEVATION

SCALE: N.T.S.

SCALE: N.T.S.

4 PHOTOGRAPH OF EXISTING EAST ELEVATION

SCALE: N.T.S.

The Historic Architectural Review Commission will hold a public meeting at <u>5:30 p.m.</u>, <u>January 29, 2020 at City</u> <u>Hall, 1300 White Street</u>, Key West, Florida. The purpose of the hearing will be to consider a request for:

RENOVATIONS TO EXISTING HISTORIC STRUCTURE. NEW ONE-STORY REAR ADDITIONS TO HISTORIC STRUCTURE. DEMOLITION OF ALL NON-HISTORIC, NON-CONTRIBUTING REAR ADDITIONS.

#609 ANGELA STREET

Applicant – Bender & Associates Application #H2020-0001

If you wish to see the application or have any questions, you may visit the Planning Department during regular office hours at 1300 White Street, call 305-809-3975 or visit our website at www.citvofkeywest-fl.gov.

THIS NOTICE CAN NOT BE REMOVED FROM THE SITE UNTIL HARC FINAL DETERMINATION

ADA ASSISTANCE: It is the policy of the City of Key West to comply with all requirements of the Americans with Disabilities Act (ADA). Please call the TTY number at 800-955-8771 or 800-955-8770 (Voice) or the ADA Coordinator at 305-809-3811 at least five business days in advance for sign language interpreters, assistive listening devices, or materials in accessible format.

PROPERTY APPRAISER INFORMATION

qPublic.net Monroe County, FL

Disclaimer

The Monroe County Property Appraiser's office maintains data on property within the County solely for the purpose of fulfilling its responsibility to secure a just valuation for ad valorem tax purposes of all property within the County. The Monroe County Property Appraiser's office cannot guarantee its accuracy for any other purpose. Likewise, data provided regarding one tax year may not be applicable in prior or subsequent years. By requesting such data, you hereby understand and agree that the data is intended for ad valorem tax purposes only and should not be relied on for any other purpose.

By continuing into this site you assert that you have read and agree to the above statement.

Summary

Parcel ID Account# Property ID Millage Group Location Address 00012180-000000 1012513 1012513 10KW 609 ANGELA St, KEY WEST

KW PT LOT 4 SQR 60 QR288-580/582 QR1024-1553D/C QR1218-1004AFF QR1218-Legal Description 1005/12TRUSTOR1218-1015/16 OR1460-898/900 OR1663-215 OR1825-1226
OR1831-1113 OR1966-614/16 OR2752-1491/93 OR2907-1039/40 OR2911-261/62C
(Note: Not to be used on legal documents)

SINGLE FAMILY RESID (0100)

Neighborhood Property Class Subdivision Sec/Twp/Rng Affordable 06/68/25

Housing



Owner

BUS STOP SIXTY INC 218 NEW TORONTO St Toronto M8V 2E8

Valuation

	2019	2018	2017	2016
+ Market Improvement Value	\$321,838	\$463,683	\$260,912	\$239,360
+ Market Misc Value	\$20,471	\$14,132	\$15,056	\$15,723
+ Market Land Value	\$839,209	\$507,619	\$507,619	\$568,548
= Just Market Value	\$1,181,518	\$985,434	\$783,587	\$823,631
= Total Assessed Value	\$1,181,518	\$861,945	\$783,587	\$823,631
- School Exempt Value	\$0	\$0	\$0	\$0
= School Taxable Value	\$1,181,518	\$985.434	\$783,587	\$823,631

Land

Land Use	Number of Units	Unit Type	Frontage	Depth	
DECIDENTIAL DRY/010D)	4 200 00	Course Seet	47	124	

Buildings

Building ID 2 STORY ELEV FOUNDATION S.F.R. - R1/R1 3358

Building ID
Style
Building Type
Gross Sq Ft
Finished Sq Ft
Stories
Condition
Perimeter
Functional Obs
Fronomic Obs 2182

Economic Obs Depreciation %

Interior Walls WALL BD/WD WAL

ABOVE AVERAGE WOOD 1933 Exterior Walls Year Built

Year Built
EffectiveYearBuilt
Foundation
Roof Type
Roof Coverage
Flooring Type
Heating Type
Bedrooms 1933
2002
WD CONC PADS
GABLE/HIP
METAL
CONC S'B GRND
FCD/AIR DUCTED with 0% NONE

Bedrooms Full Bathrooms Half Bathrooms Grade 600 Number of Fire PI 0

Code	Description	Sketch Area	Finished Area	Perimeter	
FLG	6 SIDED SECT	596	596	110	
CPF	COVERED PARKING FIN	OVERED PARKING FIN 120 0		44	
OPX	EXC OPEN PORCH	474 O		102	
FLA	FLOOR LIV AREA	1,586	1,586	240	
OPU	OPPR UNFIN LL	192	0	70	
DUU	OP PR UNFIN UL	OPPRUNFINUL 120 0		44	
OPF	OPPRCH FIN LL	246	0	110	
SBF	UTIL FIN BLK	24	0	22	
TOTAL		2 250	2402	742	

Yard Items

Description	Year Built	Roll Year	Quantity	Units	Grade
FENCES	1995	1996	1	536 SF	2
RW2	1995	1996	1	34 SF	3
BRICK PATIO	2007	2008	1	1023 SF	2
FENCES	1995	1996	1	948 SF	2
RW2	1995	1996	1	117 SF	5
RESPOOL	2006	2007	1	78 SE	5

Sales

Sale Date	Sale Price	Instrument	Instrument Number	Deed Book	Deed Page	Sale Qualification	Vacant or Improved
6/6/2018	\$100	Warranty Deed	2172942	2911	261	11 - Unqualified	Improved
5/17/2018	\$1,350,000	Warranty Deed	2169641	2907	1039	01 - Qualified	Improved
7/7/2015	\$100	Warranty Deed		2752	1491	11 - Unqualified	Improved
12/23/2003	\$793,800	Warranty Deed		1966	0614	Q - Qualified	Improved
11/17/2000	\$500,000	Warranty Deed		1663	0215	O - Qualified	Improved


Permits

Number \$	Date Issued 🗢	Date Completed \$	Amount ♦	Permit Type ◆	Notes ◆
07-2735	6/6/2007	11/1/2007	\$6,000		BRICK PAVER DRIVEWAY AND WALKWAYS 1,173SF
06-6715	1/16/2007	6/1/2007	\$500		INSTALL FOUR SHUTTERS TO ADDITION IN R4EAR
06-0105	2/1/2006	7/5/2006	\$10,560		ROUGH IN TRIM OUT PLUMBING
06-0412	2/1/2006	7/5/2006	\$240,000		REAR ADDITION TO EXISTING RESIDENCE
06-0413	2/1/2006	7/5/2006	\$8,000		INSTALL ELECTRIC FOR NEW ADDITION 900SF
06-0414	2/1/2006	7/5/2006	\$12,500		INSTALL VCRIMP ON NEW ADDITION
06-0415	2/1/2006	7/5/2006	\$3,000		INSTALL 1.5 TON SPLIT WITH 7 DROPS
05-2750	7/21/2005	7/5/2006	\$56,000		REPLACE 25 FOOTERS
04-1510	5/24/2004	6/22/2004	\$4,100		INSTALL A/C & POWER
03-1	1/2/2003	11/6/2003	\$450		PAINT EXTERIOR
01-01355	3/29/2001	8/21/2001	\$4,500	Residential	COLONIAL SHUTTERS
00-04510	12/21/2000	8/21/2001	\$7,000	Residential	METAL ROOF
A95-00378	2/1/1995	10/1/1995	\$1,750		13 SQS V-CRIMP ROOF

View Tax Info

View Taxes for this Parcel

Sketches (click to enlarge)



Photos



Map Kisywei, 63.



 $No\ data\ available\ for\ the\ following\ modules: Commercial\ Buildings,\ Mobile\ Home\ Buildings,\ Exemptions.$

The Monroe County Property Appraiser's office maintains data on property within the County solely for the purpose of fulfilling its responsibility to secure a just valuation for ad valorem tax purposes of all property within the County. The Monroe County Property Appraiser's office cannot guarantee its accuracy for any other purpose. Likewise, data provided regarding one tax year may not be applicable in prior or subsequent years. By requesting such data, you hereby understand and agree that the User Privacy Policy

GDPR Privacy Notice



Last Data Upload: 1/22/2020 2:39:06 AM

Version 2.3.35