PLANNING BOARD RESOLUTION NO. 2020-31

A RESOLUTION OF THE CITY OF KEY WEST PLANNING BOARD RECOMMENDING AN ORDINANCE TO THE CITY COMMISSION AMENDING CHAPTER 122 OF THE LAND **ENTITLED** REGULATIONS. DEVELOPMENT ZONING' 'DIŚTRICTS", ARTICLE IV. **ENTITLED** DIVISION "HISTORIC **NEIGHBORHOOD ENTITLED** COMMERCIAL DISTRICTS", TO CREATE A **NEW ZONING** "HISTORIC **ENTITLED** \mathbf{THE} NEIGHBORHOOD COMMERCIAL DISTRICT **BAHAMA** VILLAGE WATERFRONT" (HNC-4), PROVIDING AMENDMENTS TO SECTION 122-92, ENTITLED "FUTURE LAND USE MAP DESIGNATIONS AND ZONING DISTRICTS", SECTION 122-"TABLE OF LAND USE BY DISTRICTS" 1111. ENTITLED SECTION 122-1112, ENTITLED "TABLE OF PERMITTED AND CONDITIONAL COMMERCIAL RETAIL **USES** DISTRICTS", AND SECTION 122-1151, ENTITLED "SIZE AND **DIMENSION**": **PROVIDING FOR** INTENT **PERMITTED** USES. CONDITIONAL USES, **PROHIBITED** AND DIMENSIONAL **REQUIREMENTS: PROVIDING** TO RESIDENTIAL DENSITY 40 UNITS OF UP **PURSUANT** CHAPTER ACRE: TO 90. ARTICLE 2; PROVIDING FOR SEVERABILITY; PROVIDING DIVISION FOR REPEAL OF INCONSISTENT **PROVISIONS**; PROVIDING FOR AN EFFECTIVE DATE.

WHEREAS, pursuant to the provisions of Chapters 163, 166, and 380 of the Florida State Statutes, the City of Key West, Florida (the "City") proposes to amend Chapter 122, Article IV, Division 8 of the Land Development Regulations (the "LDRs"); and

WHEREAS, the amendment will create a new zoning district entitled the "Historic Neighborhood Commercial District Bahama Village Truman Waterfront" (HNC-4); and

WHEREAS, the newly created HNC-4 zoning district will allow for up to forty (40) dwelling units per acre; and

WHEREAS, the district will allow for neighborhood-oriented non-residential uses; and

WHEREAS, the amendment will add the new district to the table in section 122-92, entitled "Future land use map designations and zoning districts"; and

WHEREAS, the amendment will add the new district and its permitted and conditional uses to the table in section 122-1111, entitled "Table of land use by districts"; and

WHEREAS, the amendment will add the new district's retail uses to the table in section

Page 1 of 25 Resolution No. 2020-31

Chairman
 Planning Director

122-1112, entitled "Table of permitted and conditional commercial retail uses by district"; and

WHEREAS, the amendment will add the new district's dimensional regulations to the table in section 122-1151, entitled "Size and dimension"; and

WHEREAS, this proposed amendment to the Land Development Regulations was presented to the Planning Board with a recommendation of approval at its regularly scheduled meeting on September 17, 2020; and

WHEREAS, the Planning Board finds that it is in the public's interest to amend the City's Land Development Regulations.

NOW, THEREFORE BE IT RESOLVED by the Planning Board of the City of Key West, Florida:

Section 1. That the above recitals are incorporated by reference as if fully set forth

herein.

Section 2. That the proposed amendment to Chapter 122 of the Land Development Regulations is recommended for approval; the changes are as follows: *

DIVISION 8. - HISTORIC NEIGHBORHOOD COMMERCIAL DISTRICTS

Subdivision I. - In General

Sec. 122-776. - Intent.

- (a) The historic neighborhood commercial districts, HNC-1 through 34 districts, are established to implement comprehensive plan policies for areas designated "HNC-1 through 34" on the comprehensive plan future land use map. The HNC districts shall accommodate both residential and neighborhood commercial uses typically located along major thorough fares which lead into or are adjacent to the central core commercial area of the city. Residential activities permitted within the HNC-1 through 34 districts include single-family and duplex structures as well as multiple-family structures. Commercial uses generally permitted in these districts include the following:
 - (1) Professional offices;
 - (2) Banking and financial institutions;
 - (3) Personal service shops;

Page 2 of 25 Resolution No. 2020-31

____ Chairman ____ Planning Director

- (4) Specialty shops;
- (5) Retail sales and services, excluding automotive sales and services as well as drive- through restaurants, theaters or other drive-through facilities which potentially generate similar traffic flow problems; and
- (6) Transient living accommodations and guest cottages within the HNC-1 and HNC-3 districts but not within the HNC-2and HNC-4districts.
- (b) The HNC-1 through 3 <u>4</u> districts may also accommodate customary accessory uses and community facilities. The HNC district regulations include criteria for managing issues surrounding land use compatibility; historic preservation; access to public facilities with available capacity; urban design amenities; and related issues which must be managed to ensure effective implementation of the comprehensive plan goals, objectives, and policies. Within the HNC districts redevelopment or conversion of permanent housing structures to transient residential, office, or other allowable commercial uses shall be permitted only if no on-site reduction in housing units for permanent residents occurs. Within the HNC-1 through 3 districts, tThe minimum size dwelling shall be 750 square feet.
- (c) Performance standards shall restrict the allowable neighborhood commercial uses to very limited square footage in order to maintain land use compatibility with residential uses in the vicinity. In addition, the performance standards shall require minimum open space ratios, restrict the floor area based on traffic-generating characteristics, and incorporate other qualitative and quantitative standards which protect residential properties.
- (d) In order to manage the impacts of future development on transportation and public facilities, the city shall limit the intensity of development within the HNC district by establishing the following thresholds within subdistricts HNC-1, HNC-2, and HNC-3, and HNC-4, respectively:
 - (1) Within the HNC-1 subdistrict, excepting sites abutting Simonton Street and Truman Avenue, land use activities shall generate no more than 100 trips per 1,000 square feet of gross leasable floor area per day.
 - (2) Within the HNC-2, and HNC-3, and HNC-4 subdistricts, land use activities shall generate no more than 50 trips per 1,000 square feet of gross leasable floor area per day.
 - (3) Within the HNC-2 <u>and HNC-4</u> <u>subdistricts</u>, transient accommodations shall be prohibited.
- (e) The HNC subdistricts are generally located on the official zoning map as provided in subdivisions II through IV of this division.

(Ord. No. 97-10, § 1(2-5.5.4), 7-3-1997)

Secs. 122-777—122-805. - Reserved.

Subdivision II. - Historic Neighborhood Commercial District—Truman/Simonton (HNC-1) Sec. 122-806. - Intent.

The historic neighborhood commercial district—Truman/Simonton (HNC-1) consists of Simonton, Truman Avenue, and White Street South Corridors. The HNC-1 district is located

Page 3 of 25 Resolution No. 2020-31

_____ Chairman _____ Planning Director along major segments of Simonton Street, from Caroline South to United Street; Truman Avenue, from Simonton Street northeast to White Street; and White Street, from Truman Avenue south to United Street; and generally includes larger scale commercial uses oriented toward the motoring public.

(Ord. No. 97-10, § 1(2-5.5.4(1)(A)), 7-3-1997)

Sec. 122-807. – Uses permitted.

Within the historic neighborhood commercial (HNC) districts, redevelopment or conversion of permanent housing structures to transient residential, office, or other allowable commercial uses shall be permitted only if no on-site reduction in housing units for permanent residents occurs. Uses permitted include the following:

- (1) Single-family and two-family residential dwellings.
- (2) Multiple-family residential dwellings.
- (3) Group homes with less than or equal to six residents as provided in section 122-1246.
- (4) Places of worship.
- (5) Business and professional offices.
- (6) Commercial retail low and medium intensity less than or equal to 2,500 square feet.
- (7) Hotels, motels and transient lodging.
- (8) Medical services.
- (9) Parking lots and facilities.
- (10) Veterinary medical services without outside kennels.

(Ord. No. 97-10, § 1(2-5.5.4(1)(B)), 7-3-1997)

Sec. 122-808. - Conditional uses.

Conditional uses in the historic neighborhood commercial district—Truman/Simonton (HNC-1) are as follows:

- (1) Group homes with seven to 14 residents as provided in section 122-1246.
- (2) Community centers, clubs and lodges.
- (3) Cultural and civic activities.
- (4) Educational institutions and day care.
- (5) Nursing homes, rest homes and convalescent homes.
- (6) Parks and recreation, active and passive.
- (7) Protective services.
- (8) Public and private utilities.

Page 4 of 25 Resolution No. 2020-31

____ Chairman ____ Planning Director

- (9) Commercial retail low and medium intensity greater than 2,500 square feet.
- (10) Commercial retail high intensity.
- (11) Funeral homes.
- (12) Light industrial.
- (13) Restaurants, excluding drive-through.
- (14) Small recreational power-driven equipment rentals.

(Ord. No. 97-10, § 1(2-5.5.4(1)(C)), 7-3-1997)

Sec. 122-809. - Prohibited uses.

In the historic neighborhood commercial district—Truman/Simonton (HNC-1), all uses not specifically or provisionally provided for in this subdivision are prohibited.

(Ord. No. 97-10, § 1(2-5.5.4(1)(D)), 7-3-1997)

Sec. 122-810. - Dimensional requirements.

The dimensional requirements in the historic neighborhood commercial district— Truman/Simonton (HNC-1) are as follows; however, construction may be limited by proportion, scale and mass considerations as expressed through the historic architectural review commission design guidelines:

- (1) Maximum density: 16 dwelling units per acre (16 du/acre).
- (2) Maximum floor area ratio: 1.0. Refer to section 122-776 for additional restrictions that regulate the square footage of gross leasable floor area based on trip generation within HNC areas.
- (3) Maximum height: 35 feet.
- (4) Maximum lot coverage:
 - a. Maximum building coverage: 50 percent.
 - b. Impervious surface ratio: 60 percent.
- (5) Minimum lot size: 4,000 square feet.
 - a. Minimum lot width: 40 feet.
 - b. Minimum lot depth: 100 feet.
- (6) Minimum setbacks:
 - a. Front: 5 feet.
 - b. Side: 5 feet.
 - c. Rear: 15 feet.
 - d. Street side: 7.5 feet.

Page 5 of 25 Resolution No. 2020-31

_____ Chairman _____ Planning Director

(Ord. No. 97-10, § 1(2-5.5.4(1)(E)), 7-3-1997; Ord. No. 10-04, § 10, 1-5-2010)

Secs. 122-811—122-835. - Reserved.

Subdivision III. - Historic Neighborhood Commercial District (HNC-2)

Sec. 122-836. - Intent.

The historic neighborhood commercial district (HNC-2) is restricted to small offices, neighborhood shops, restaurants with very limited seating, or other commercial uses similar in character to traditional neighborhood commercial services which have very limited square footage and generate low volumes of traffic. In the future in-fill within the HNC-2 district shall be strictly governed by performance criteria which ensures continued land use compatibility and stability within and among adjacent residential areas. The HNC-2 district mixed use subareas are comprised of both residential and commercial activities and shall continue to be allowed to develop as mixed use neighborhood centers. Qualitative and quantitative performance criteria shall be used to prevent encroachment by incompatible commercial uses characterized by excessive scale and intensity.

(Ord. No. 97-10, § 1(2.5.5.4(2)(A)), 7-3-1997; Ord. No. 99-18, § 1 (Exh. A(2-5.5.4(2)(A))), 9-8-1999)

Sec. 122-837. - Uses permitted.

Uses permitted in the historic neighborhood commercial district (HNC-2) are as follows:

- (1) Single-family and two-family residential dwellings.
- (2) Multiple-family residential dwellings.
- (3) Group homes with less than or equal to six residents as provided in section 122-1246.
- (4) Places of worship.
- (5) Business and professional offices.
- (6) Commercial retail low intensity less than or equal to 2,500 square feet.
- (7) Medical services.
- (8) Parking lots and facilities.
- (9) Veterinary medical services, without outside kennels.
- (10) Parks and recreation, active and passive on the Truman Waterfront parcel, only. (Ord. No. 97-10, § 1(2.5.5.4(2)(B)), 7-3-1997; Ord. No. 99-18, § 1 (Exh. A(2-5.5.4(2)(B))), 9-8-1999)

Sec. 122-838. - Conditional uses.

Page 6 of 25
Resolution No. 2020-31
_____ Chairman
____ Planning Director

Conditional uses in the historic neighborhood commercial district (HNC-2) are as follows:

- (1) Group homes with seven to 14 residents as provided in section 122-1246.
- (2) Cultural and civic activities.
- (3) Educational institutions and day care.
- (4) Nursing homes, rest and convalescent homes.
- (5) Parks and recreation, active and passive.
- (6) Protective services.
- (7) Public and private utilities.
- (8) Commercial retail low intensity greater than 2,500 square feet and less than or equal to 5,000 square feet.
- (9) Restaurants, excluding drive-through. However, restaurants are expressly excluded from lots fronting the south side of Caroline Street, west of William Street and extending west 50 feet past Peacon Lane to include the lot abutting both the west side of Peacon Lane and the south side of Caroline Street.

(Ord. No. 97-10, § 1(2.5.5.4(2)(C)), 7-3-1997; Ord. No. 99-18, § 1 (Exh. A(2-5.5.4(2)(C))), 9-8-1999)

Sec. 122-839. - Prohibited uses.

In the historic neighborhood commercial district (HNC-2), all uses not specifically or provisionally provided for in this subdivision are prohibited.

(Ord. No. 97-10, § 1(2.5.5.4(2)(D)), 7-3-1997; Ord. No. 99-18, § 1 (Exh. A(2-5.5.4(2)(D))), 9-8-1999)

Sec. 122-840. - Dimensional requirements.

The dimensional requirements in the historic neighborhood commercial district (HNC-2) are as follows; however, construction may be limited by proportion, scale and mass considerations as expressed through the historic architectural review commission design guidelines:

- (1) Maximum density: 16 dwelling units per acre (16 du/acre).
- (2) Maximum floor area ratio: 1.0. Refer to section 122-776 for additional restrictions that regulate the square footage of gross leasable floor area based on trip generation within HNC areas.
- (3) Maximum height: 30 feet.
- (4) Maximum lot coverage:
 - a. Maximum building coverage: 40 percent.

Page 7 of 25 Resolution No. 2020-31

____ Chairman ____ Planning Director

- b. Impervious surface ratio: 60 percent.
- (5) Minimum lot size: 5,000.
 - a. Minimum lot width: 50 feet.
 - b. Minimum lot depth: 100 feet.
- (6) Minimum setbacks:
 - a. Front: 10 feet.
 - b. Side: 5 feet.
 - c. Rear: 15 feet.
 - d. Street side: 7.5 feet.

(Ord. No. 97-10, § 1(2.5.5.4(2)(E)), 7-3-1997; Ord. No. 99-18, § 1 (Exh. A(2-5.5.4(2)(E))), 9-8-1999; Ord. No. 10-04, § 11, 1-5-2010)

Secs. 122-841—122-865. - Reserved.

Subdivision IV. - Historic Neighborhood Commercial District (HNC-3)

Sec. 122-866. - Intent.

The historic neighborhood commercial district (HNC-3) consists of the Bahama Village commercial core. The HNC-3 Bahama Village commercial core district includes the Bahama Village neighborhood commercial core along Petronia Street, approximately 200 feet southwest of Duval Street, and extends southwestward to the rear property lines of lots abutting the southwest side of Emma Street. The village area is a redevelopment area, including a commercial center linked to Duval Street. Consistent with the comprehensive plan, development in the district shall be directed toward maintaining and/or revitalizing existing housing structures, preventing displacement of residents, and compliance with concurrency management.

(Ord. No. 97-10, § 1(2-5.5.4(3)(A)), 7-3-1997)

Sec. 122-867. - Uses permitted.

Within the historic neighborhood commercial district (HNC-3), redevelopment or conversion of permanent housing structures to transient residential, office, or other allowable commercial uses shall be permitted only if no on-site reduction in housing units for permanent residents occurs. Uses permitted include the following:

- (1) Single-family and two-family residential dwellings.
- (2) Multiple-family residential dwellings.
- (3) Group homes with less than or equal to six residents as provided in section 122-1246.

Page 8 of 25 Resolution No. 2020-31

_____ Chairman
____ Planning Director

- (4) Places of worship.
- (5) Business and professional offices.
- (6) Commercial retail low intensity less than or equal to 2,500 square feet.
- (7) Hotels, motels, and transient lodging.
- (8) Medical services.
- (9) Parking lots and facilities.
- (10) Veterinary medical services, without outside kennels.

(Ord. No. 97-10, § 1(2-5.5.4(3)(B)), 7-3-1997)

Sec. 122-868. - Conditional uses.

Conditional uses in the historic neighborhood commercial district (HNC-3) are as follows:

- (1) Group homes with seven to 14 residents as provided in section 122-1246.
- (2) Cultural and civic activities.
- (3) Educational institutions and day care.
- (4) Nursing homes, rest homes and convalescent homes.
- (5) Parks and recreation, active and passive.
- (6) Protective services.
- (7) Public and private utilities.
- (8) Commercial retail low intensity greater than 2,500 square feet to less than or equal to 5,000 square feet.
- (9) Restaurants, excluding drive-through.

(Ord. No. 97-10, § 1(2-5.5.4(3)(C)), 7-3-1997)

Sec. 122-869. - Prohibited uses.

In the historic neighborhood commercial district (HNC-3), all uses not specifically or provisionally provided for in this subdivision are prohibited.

(Ord. No. 97-10, § 1(2-5.5.4(3)(D)), 7-3-1997)

Sec. 122-870. - Dimensional requirements.

The dimensional requirements in the historic neighborhood commercial district (HNC-3) are as follows; however, construction may be limited by proportion, scale and mass considerations as expressed through the historic architectural review commission design

Page 9 of 25 Resolution No. 2020-31

_____ Chairman
____ Planning Director

guidelines:

- (1) Maximum density: 16 dwelling units per acre (16 du/acre).
- (2) Maximum floor area ratio: 1.0. Refer to section 122-776 for additional restrictions that regulate the square footage of gross leasable floor area based on trip generation within HNC areas.
- (3) Maximum height: 30 feet.
- (4) Maximum lot coverage:
 - a. Maximum building coverage: 40 percent.
 - b. Impervious surface ratio: 60 percent.
- (5) Minimum lot size: 4,000 square feet.
 - a. Minimum lot width: 40 feet.
 - b. Minimum lot depth: 90 feet.
- (6) Minimum setbacks:
 - a. Front: none.
 - b. Side: 5 feet.
 - c. Rear: 15 feet.
 - d. Street side: 7.5 feet.

(Ord. No. 97-10, § 1(2-5.5.4(3)(E)), 7-3-1997; Ord. No. 10-04, § 12, 1-5-2010)

Secs. 122-871—122-895. - Reserved.

<u>Subdivision V. - Historic Neighborhood Commercial District</u> <u>Bahama Village Truman Waterfront (HNC-4)</u>

Sec. 122-871. - Intent

The historic neighborhood commercial district Bahama Village Truman Waterfront (HNC-4) is established to implement comprehensive plan policies for areas designated "Historic Commercial" on the comprehensive plan future land use map. The HNC-4 district shall accommodate mixed use development to include high density mixed-income and affordable workforce housing at 40 dwelling units per acre. At least 30% of any new multi-family development shall be deed-restricted affordable workforce housing pursuant to Section 122-1467 for requirements of affordable workforce housing, however, linkage exceptions shall not be permitted for mixed-use or multi-family developments within this district.

Sec. 122-872. - Uses permitted.

<u>Uses permitted in the historic neighborhood commercial district Bahama Village Truman</u> Waterfront (HNC-4) are as follows:

Page 10 of 25 Resolution No. 2020-31

Chairman
 Planning Director

- (1) Single-family and two-family residential dwellings.
- (2) Multiple-family residential dwellings.
- (3) Group homes with less than or equal to six residents as provided in section 122-1246.
- (4) Business and professional offices.
- (5) Commercial retail low intensity.
- (6) Medical services.
- (7) Parks and recreation, passive and active.
- (8) Parking lots and facilities.

Sec. 122-873. - Conditional uses.

<u>Conditional uses in the historic neighborhood commercial district Bahama Village Truman Waterfront (HNC-4) are as follows:</u>

- (1) Group homes with seven to 14 residents as provided in section 122-1246.
- (2) Cultural and civic activities.
- (3) Educational institutions and day care.
- (4) Nursing homes, rest homes, assisted living facilities, and convalescent homes.
- (5) Protective services.
- (6) Public and private utilities.
- (7) Commercial retail medium intensity.
- (8) Restaurants, excluding drive-through.
- (9) Places of worship.
- (10) Community centers, clubs, and lodges.
- (11) Veterinary medical services.

<u>Sec. 122-874. - Prohibited uses.</u>

<u>In the historic neighborhood commercial district Bahama Village Truman Waterfront (HNC-4), all uses not specifically or provisionally provided for in this subdivision are prohibited.</u>

Sec. 122-875. - Dimensional requirements.

The dimensional requirements in the historic neighborhood commercial district Bahama Village Truman Waterfront (HNC-4) are as follows; however, construction may be limited by proportion, scale and mass considerations as expressed through the historic architectural review commission design guidelines:

Page 11 of 25 Resolution No. 2020-31

____ Chairman

- (1) Maximum density: 40 dwelling units per acre (40 du/acre).
- (2) <u>Maximum floor area ratio:</u> 1.0. <u>Refer to section 122-776 for additional restrictions</u> that regulate the square footage of gross leasable floor area based on trip generation within HNC areas.
- (3) Maximum height: 35 feet.
- (4) Maximum lot coverage:
 - a. Maximum building coverage: 50 percent.
 - <u>b.</u> <u>Impervious surface ratio: 70 percent.</u>
- (5) Minimum lot size: 4,000 square feet.
 - a. Minimum lot width: 40 feet.
 - b. Minimum lot depth: 90 feet.
- (6) Minimum setbacks:
 - a. Front: 5 feet.
 - b. Side: 5 feet.
 - c. Rear: 10 feet.
 - d. Street side: 5 feet.
 - e. Additional setback criteria may apply to parcels abutting government property.

Secs. 122-876—122-895. - Reserved.

Sec. 122-92. - Future land use map designations and zoning districts.

The following table references adopted future land use map designations contained in the land use element of the city comprehensive plan and identifies corresponding zoning districts which are established in order to implement the future land use map designations, respectively:

FUTURE LAND USE MAP DESIGNATIONS AND ZONING DISTRICTS

Resident	ial
LDR-C	Low density residential—coastal
SF	Single-family units
MDR-C	Medium density residential—coastal

Page 12 of 25 Resolution No. 2020-31

MDR	Medium density residential
HDR	High density residential
HDR-1	High Density Residential College Road
Commer	cial Development
CL	Limited commercial
CG	General commercial
СТ	Salt Pond tourist commercial
Mixed Us	se New Town Development
RO	Residential/office
PRD	Planned redevelopment and development
Old Town	n Historic Preservation
HRO	Historic residential/office
HRCC- 1	High density residential/commercial core: Bay side
HRCC- 2	High density residential/commercial core: Key West Bight
HRCC- 3	High density residential/commercial core: Atlantic side
HMDR	Medium density residential
HSMDR	Historic special medium density residential
HPRD	Planned development and redevelopment
HNC-1	Neighborhood commercial: Simonton, Truman, and S. White Street corridors

HNC-2	Neighborhood commercial: Old Town northeast and southeast
HNC-3	Neighborhood commercial: Bahama Village
HNC-4	Neighborhood commercial: Bahama Village Truman Waterfront
нст	Tourist commercial
HPS	Public service, including recreation and open space
HHDR	High density residential
Institutio	nal
PS	Public services (1)
Α	Airport
Conserva	ation
С	Conservation (2)
(1)	"Public services" includes all lands designated "public services" or "military" on the comprehensive plan future land use map series which are located within the city limits.
(2)	"Conservation" incorporates all lands designated "conservation" on the comprehensive plan future land use map series, including tidal and freshwater wetlands, mangroves, upland hammocks, and waters of the state, including an area extending 600 feet into the tidal waters adjacent to the corporate city limits.

(Ord. No. 97-10, § 1(2-4.2), 7-3-1997; Ord. No. 12-33, § 1, 9-18-2012; Ord. No. 18-04, § 1, 2-7-2018)

Sec. 122-1111. - Table of land use by districts.

- (a) The table of land use by districts as set forth in this section stipulates the permitted and conditional uses by district.
- (b) Permitted uses are uses allowed by right, provided all applicable sections within the land development regulations are satisfied as well as all other applicable laws and administration regulations. Conditional uses are allowable only if approved by the city

Page 14 of 25
Resolution No. 2020-31
_____ Chairman
____ Planning Director

pursuant to administrative procedures found in article III of this chapter. The applicant requesting a conditional use must demonstrate compliance with conditional use criteria set forth in article III of this chapter.

(c) No permitted use or conditional use shall be approved unless a site plan for such use is first submitted by the applicant. The applicant shall bear

the burden of proof in demonstrating compliance with all applicable laws and ordinances during the site plan review process. The site plan review process is set forth in article II of chapter 108.

TABLE OF LAND USE BY DISTRICT

	TABLE OF LAND OSE BY DISTRICT																											
	LDR- C	SF	MD R	MD R-C	H D R	HDR- 1	CL	CG	СТ	R O	PRD	HM DR	HSM DR	HHD R	HR CC- 1	HR CC- 2	HR CC- 3	HPR D	HN C-1	HN C-2	HN C-3	HNC- 4	HC T	H R O	H P S	H P S- 1	P S	A 5
Residential Uses																												T
Accessory residential units (reference section 122- 171		Р																										
Single-family dwellings	Р	Р	Р	Р	Р		С	C P ¹²	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	<u>P</u>	Р	Р			4	
Duplexes/two- family dwellings		C1	Р	Р	Р		С	C P ¹²	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	<u>P</u>	Р	Р				1
Multiple-family dwellings			Р	Р	Р	Р	С	C P ¹²	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	<u>P</u>	Р	Р			2	
Foster homes/group homes with ≤ to 6 residents2	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р		Р	Р	Р	Р	Р	Р	Р	Р	<u>P</u>	Р	Р				
Group homes with 7-14 residents			С	С	С	С	С	С	С	С	С	С		С	С	С	С	С	С	С	С	<u>c</u>	С	С				T
Approved home occupations	P	P	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	P	P	Р				İ
Accessory uses and structures	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	P	Р	Р				C
Community Facilities																												Ť
Airport facilities																												Р
Cemeteries																									С		С	

Page 15 of 25 Resolution No. 2020-31

Chairman
 Planning Director

Community centers, clubs and lodges C C C C C C C C C C C C C C C C C C C	
Educational institutions and day care facilities C C C C C C C C C C C C C C C C C C C	
Institutions and day care facilities C C C C C C C C C C C C C C C C C C P P P Golf course	
	\rightarrow
Hospitals and extensive care	
Nursing homes, rest homes and convalescent homes	
Parks and recreation, active	
Parks and recreation, passive C C C C C C C C C C C C C C C C C C C	4
Places of worship C C C P P P C C C P P P C P P P P P P	
Protective services C	С
Public and private utilities C C C C C C C C C C C C C C C C C C C	4 C
Commercial activities	
Bars and ounges C C C C C C C C C C C C C C C C C C C	
Boat sales and services C C C	
Business and professional offices PPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPP	С
Commercial amusement C C C	
Commercial retail 8	8
Funeral nomes C C C C C C C C C	
Gasoline stations C C C	

Page 16 of 25 Resolution No. 2020-31

Hotels, motels and transient lodging					Р	Р						Р		Р	С	P10		P10		Р					
Light industrial					С							С	С			С									
Marinas					С							С	С									С	(С	
Medical services				Р	Р	Р	С	С				Р	Р	Р	С	Р	Р	Р	<u>P</u>		Р	Р	ı	Р	
Parking lots and facilities			С	Р	Р	Р	Р	С	С	С	С	Р	Р	Р	С	Р	Р	Р	P	Р	Р	Р	ı	Р	С
Restaurants, excluding drive-through				Р		С		С				Р	P	P	С	С	C11	С	<u>c</u>	С				Ī	С
Restaurants, including drive-through					Р																				
Small recreation power-driven equipment rental				C9	C9	C9						С	С	С		С				C9					
Vehicular sales and related services, including maintenance and repair					С																				
Veterinary medical services, with outside kennels					P																				
Veterinary medical services, without outside kennels				Р	P		Р					Р	P	P	С	Р	Р	P			Р				
Deed restricted workforce affordable housing in compliance with Article V. Supplementar y District Regulations and Division 10. Workforce Housing of the Land Development Regulations																						С			

(Ord. No. 97-10, § 1(2-5.8), 7-3-1997; Ord. No. 10-05, § 3, 1-5-2010; Ord. No. 12-33, § 3, 9-18-2012; Ord. No. 13-25, § 3, 12-3-2013; Ord. No. 18-04, § 3, 2-7-2018; Ord. No. 19-15, § 2, 5-21-2019; Ord. No. 19-39, § 2, 12-3-2019)

Page 17 of 25 Resolution No. 2020-31

Chairman
 Planning Director

Sec. 122-1112. - Table of permitted and conditional commercial retail uses by district.

(a) The following words, terms and phrases, when used in this section, shall have the meanings ascribed to

them in this subsection, except where the context clearly indicates a different meaning:

Low intensity means commercial retail uses that generate less than 50 average daily trips per 1,000 square feet.

Medium intensity means commercial retail uses that generate between 50 and 100 average daily trips per 1,000 square feet.

High intensity means commercial retail uses that generate above 100 average daily trips per 1,000 square feet.

(b) The table of permitted and conditional commercial retail uses by district shall be as follows:

TABLE OF PERMITTED AND CONDITIONAL COMMERCIAL RETAIL USES BY DISTRICT

District	Allowed by Right	Allowed as Conditional Use
CL, CT and HCT	Low and medium intensity > 5,000 sq. ft.	Low and medium intensity > 5,000 sq. ft. High intensity
G	Low and medium intensity <e 10,000 sq. ft. High intensity <e 5,000 sq. ft.	Low and medium intensity > 10,000 sq. ft. High intensity > 5,000 sq. ft.
PRD	None	Low, medium and high intensity
HRCC-1	Low and medium intensity <e 5,000 sq. ft. High intensity <e 2,500 sq. ft.	Low and medium intensity > 5,000 sq. ft. High intensity > 2,500 sq. ft.
HRCC-2 and HRCC-	Low and medium intensity <e 5,000 sq. ft.	Low and medium intensity > 5,000 sq. ft. High intensity
HPRD	None	Low, medium and high intensity
HNC-1	Low and medium intensity <e 2,500 sq. ft.	Low and medium intensity > 2,500 sq. ft. High intensity
HNC-2 and HNC-3	Low intensity <e 2,500 sq. ft.	Low intensity > 2,500 sq. ft. to <e 5,000 sq. ft.
HNC-4	<u>Low intensity</u>	Medium intensity
A	None	Low and medium intensity

Note: The total area as stated above includes both sales area under roof and any

Page 18 of 25 Resolution No. 2020-31

____ Chairman
____ Planning Director

Sec. 122-1151. - Size and dimension.

Size and dimension regulations for zoning districts shall be as follows: TABLE OF SIZE AND DIMENSION REGULATIONS

						Sett	imum pack juiren		8			
District	Mini mum Area (sq. ft.)	Mini mum Width (sq. ft.)	Mini mum Dept h (sq. ft.)	Imperv ious Surfac e Ratio	Maxi mum Buildi ng Cover age	Fr ont (fe et)	Str eet Sid e (fe et)	Sid e (fe et)	Re ar ² (fe et)	Maxi mum Heigh t (feet)	Maxi mum Floor Area Ratio	Maxi mum Densi ty (du/a cre)
Residential												
LDR-C low density residential coastal	1 acre	100	100	50	40	30	15	15 3	25	30	n/a	1
MDR-C medium density residential coastal ⁴	½ acre	70 ⁵	100	50	40	30 6 30	10 20	7 ³ 20	20 25	30	n/a	8
SF single-family residential ⁴	6,000 7 ½ acre	50 100	100 100	50 60	35 ⁷ 40	30 6 30	10 20	5 15	25 25	25 ²⁰ 25	n/a n/a	8
MDR medium density residential	1/2 acre 1 acre	70 ⁵ 80	100 100	50 60	35 40	30 6 30	10 25	7 25	20 25	35	n/a	16

Page 19 of 25 Resolution No. 2020-31

Chairman
 Planning Director

HDR high density residential	1 acre 1 acre	70 ⁵ 80	100	60	40	30 6 30	10 25	7 25	20 25	40	n/a	22
HDR-1 high density residential college road	1 acre	80	100	60	40	20	10	10	10	25*	NA	40
*Unless otherwise	increas	sed by	referen	dum	1		1			ı	ı	ı
Commercial												
CL limited commercial	10,00	70	100	60	40	25 8	20	15 3	25 8	40	0.8	16
CG general commercial	15,00 0	150	100	60	40	25 8	20	15 3	25 8	40 ⁹	0.8	16
CT tourist commercial	30,00	150	100	60	40	25 8	20	15 3	25 8	40	0.8	16
RO residential/office	10,00	70	100	60	40	30	15	15	25	35	0.8	16
PRD planned redevelopment/d evelopment ¹⁰	1 acre	n/a	n/a	60	40	25 8	20	20	40	35	0.8	8
HMDR historic medium density residential ²¹	4,000	40	90	60	40	10	7.5	5	15	30	1.0	16
HSMDR historic special medium density residential	5,000	50	100	60	40	10	7.5	5	15	30	1.0 22	8.6
HHDR historic high density residential ²¹	4,000	40	90	60	50	10	5	5	20	30	1.0	22

HRCC-1 historic commercial core, Duval GS ²¹	4,000	40	100	70	50	0	0	2.5	10	35 ¹⁹	1.0	22
HRCC-2 historic commercial core, KW Bight 12, 21	5,000	50	100	60 ¹²	50	10	7.5	5	15	35 ¹²	0.5	8 ¹³
HRCC-3 historic commercial core Duval OS ²¹	4,000	40	90	60	50	5	7.5	5	15	35 ¹⁹	1.0	22
HRCC-4 historic residential commercial core-	n/a	n/a	n/a	50	30	7.5	7.5	7.5	7.5	35	0.8	n/a
HNC-1 historic neighborhood commercial ²¹	4,000	40	100	60	50	5	7.5	5	15	35	1.0 14	16
HNC-2 historic neighborhood commercial ²¹	4,000	40	90	60	40	10	7.5	5	15	30	1.0 14	16
HNC-3 historic neighborhood commercial ²¹	4,000	40	90	60	40	0	7.5	5	15	30	1.0 14	16
HNC-4 historic neighborhood commercial ²¹	4,000	<u>40</u>	90	<u>70</u>	<u>50</u>	<u>5</u>	<u>5</u>	<u>5</u>	<u>10</u>	<u>35</u>	1.0 14	<u>40</u>
HCT historic commercial tourist ^{17, 21}	10,00	75	100	70	50	5	5	5	10	35	1.0	22
HRO historic residential office	5,000	50	100	60	50	5	5	5	10	30	1.0 14	16
HPS historic public/semipublic service ²¹	5,000	50	100	50	40	20	10	5	20 2	25	1.0	16

Page 21 of 25 Resolution No. 2020-31

HPS-1 historic public and semi-public service-1	n/a	n/a	n/a	50	30	7.5	7.5	7.5	7.5	25	0.8	n/a
HPRD historic planned redevelopment/d evelopment ²¹	1 acre	50	100	50	40	5	5	2.5	10	35	1.0	22
PS public/semipublic service	6,000	50	100	50	40	20	15	15	20 2	25	0.8 15	n/a
A airport	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	16	0.3	n/a
C conservation	10 acres	n/a	n/a	5	5	18	18	18	18	25	0.01	0.1

(Ord. No. 97-10, § 1(2-5.9), 7-3-1997; Ord. No. 09-06, §§ 3—5, 4-7-2009; Ord. No. 10-04, §§ 20, 21, 1-5-2010; Ord. No. 12-33, § 4, 9-18-2012; Ord. No. 13-25, § 3, 12-3-2013; Ord. No. 18-04, § 4, 2-7-2018; Ord. No. 19-15, § 2, 5-21-2019)

Footnotes:

 Reference section 122-1181. The minimum setback on an alley may be five feet less than the rear setback given. Greater of number listed on table or ten percent of the lot width to a maximum of 20 feet. For the MDR-C, SF, MDR and HDR districts, the first line sets forth the requirements for single-family and two-family residential uses; the second line sets forth the requirements for all other uses including community facilities; except that in the SF district, educational institutions shall have a minimum lot area of one acre. The minimum lot width shall be 70 feet or the prevailing lot width on developed lots within 200 feet of the subject lot, The front setback shall be 30 feet or the average depth of front yards on developed lots within 100 feet on each side, bu Single-family and two-family residential dwelling units shall have minimum lot size of 6,000 square feet, except in the following areas the minimum shall be 8,000 square feet: The Venetian Subdivision located south of the Riviera Canal. The area bounded on the north by Flagler Avenue, on the south by Casa Marina Court, on the east by White Street Additionally, within this area the maximum lot coverage shall be 30 percent. The front and rear setbacks given on the table are the minimum setback. As an alternative the front and/or rear setback may be ten percent of the lot depth for buildings up to 25 feet in height, or 20 percent of the lot depth for buildings over 25 feet in height; provided, however, the maximum setback shall be 50 feet. 		
 Greater of number listed on table or ten percent of the lot width to a maximum of 20 feet. For the MDR-C, SF, MDR and HDR districts, the first line sets forth the requirements for single-family and two-family residential uses; the second line sets forth the requirements for all other uses including community facilities; except that in the SF district, educational institutions shall have a minimum lot area of one acre. The minimum lot width shall be 70 feet or the prevailing lot width on developed lots within 200 feet of the subject lot, The front setback shall be 30 feet or the average depth of front yards on developed lots within 100 feet on each side, bu Single-family and two-family residential dwelling units shall have minimum lot size of 6,000 square feet, except in the following areas the minimum shall be 8,000 square feet: The Venetian Subdivision located south of the Riviera Canal. The area bounded on the north by Flagler Avenue, on the south by Casa Marina Court, on the east by White Street Additionally, within this area the maximum lot coverage shall be 30 percent. The front and rear setbacks given on the table are the minimum setback. As an alternative the front and/or rear setback may be ten percent of the lot depth for buildings over 	1.	Reference section 122-1181.
For the MDR-C, SF, MDR and HDR districts, the first line sets forth the requirements for single-family and two-family residential uses; the second line sets—forth the requirements for all other uses including community facilities; except that in the SF district, educational institutions shall have a minimum lot area—of one acre. 5. The minimum lot width shall be 70 feet or the prevailing lot width on developed lots within 200 feet of the subject lot, 6. The front setback shall be 30 feet or the average depth of front yards on developed lots within 100 feet on each side, bu 7. Single-family—and two-family residential dwelling—units shall have minimum—lot size of 6,000 square feet, except in the following areas the minimum—shall be—8,000 square feet: The Venetian Subdivision—located south of the Riviera Canal. b. The area bounded on the north by Flagler Avenue, on the south by Casa Marina Court, on the east by White Street Additionally, within this area the maximum—lot coverage—shall be 30 percent. The front and rear setbacks given on the table are the minimum setback. As an alternative the front and/or rear setback may be ten percent of the lot depth for buildings up to 25 feet in height, or 20 percent of the lot depth for buildings over	2.	The minimum setback on an alley may be five feet less than the rear setback given.
 residential uses; the second line sets forth the requirements for all other uses including community facilities; except that in the SF district, educational institutions shall have a minimum lot area of one acre. The minimum lot width shall be 70 feet or the prevailing lot width on developed lots within 200 feet of the subject lot, The front setback shall be 30 feet or the average depth of front yards on developed lots within 100 feet on each side, bu Single-family and two-family residential dwelling units shall have minimum lot size of 6,000 square feet, except in the following areas the minimum shall be 8,000 square feet: The Venetian Subdivision located south of the Riviera Canal. The area bounded on the north by Flagler Avenue, on the south by Casa Marina Court, on the east by White Street Additionally, within this area the maximum lot coverage shall be 30 percent. The front and rear setbacks given on the table are the minimum setback. As an alternative the front and/or rear setback may be ten percent of the lot depth for buildings up to 25 feet in height, or 20 percent of the lot depth for buildings over 	3.	Greater of number listed on table or ten percent of the lot width to a maximum of 20 feet.
 The front setback shall be 30 feet or the average depth of front yards on developed lots within 100 feet on each side, but Single-family and two-family residential dwelling units shall have minimum lot size of 6,000 square feet, except in the following areas the minimum shall be 8,000 square feet: The Venetian Subdivision located south of the Riviera Canal. b. The area bounded on the north by Flagler Avenue, on the south by Casa Marina Court, on the east by White Street Additionally, within this area the maximum lot coverage shall be 30 percent. The front and rear setbacks given on the table are the minimum setback. As an alternative the front and/or rear setback may be ten percent of the lot depth for buildings up to 25 feet in height, or 20 percent of the lot depth for buildings over 	4.	residential uses; the second line sets forth the requirements for all other uses including community facilities; except
 Single-family and two-family residential dwelling units shall have minimum lot size of 6,000 square feet, except in the following areas the minimum shall be 8,000 square feet: The Venetian Subdivision located south of the Riviera Canal. b. The area bounded on the north by Flagler Avenue, on the south by Casa Marina Court, on the east by White Street Additionally, within this area the maximum lot coverage shall be 30 percent. The front and rear setbacks given on the table are the minimum setback. As an alternative the front and/or rear setback may be ten percent of the lot depth for buildings up to 25 feet in height, or 20 percent of the lot depth for buildings over 	5.	The minimum lot width shall be 70 feet or the prevailing lot width on developed lots within 200 feet of the subject lot,
following areas the minimum shall be 8,000 square feet: The Venetian Subdivision located south of the Riviera Canal. b. The area bounded on the north by Flagler Avenue, on the south by Casa Marina Court, on the east by White Street Additionally, within this area the maximum lot coverage shall be 30 percent. The front and rear setbacks given on the table are the minimum setback. As an alternative the front and/or rear setback may be ten percent of the lot depth for buildings up to 25 feet in height, or 20 percent of the lot depth for buildings over	6.	The front setback shall be 30 feet or the average depth of front yards on developed lots within 100 feet on each side, but
 b. The area bounded on the north by Flagler Avenue, on the south by Casa Marina Court, on the east by White Street Additionally, within this area the maximum lot coverage shall be 30 percent. The front and rear setbacks given on the table are the minimum setback. As an alternative the front and/or rear setback may be ten percent of the lot depth for buildings up to 25 feet in height, or 20 percent of the lot depth for buildings over 	7.	
Additionally, within this area the maximum lot coverage shall be 30 percent. The front and rear setbacks given on the table are the minimum setback. As an alternative the front and/or rear setback may be ten percent of the lot depth for buildings up to 25 feet in height, or 20 percent of the lot depth for buildings over		The Venetian Subdivision located south of the Riviera Canal.
The front and rear setbacks given on the table are the minimum setback. As an alternative the front and/or rear setback may be ten percent of the lot depth for buildings up to 25 feet in height, or 20 percent of the lot depth for buildings over		b. The area bounded on the north by Flagler Avenue, on the south by Casa Marina Court, on the east by White Street
8. may be ten percent of the lot depth for buildings up to 25 feet in height, or 20 percent of the lot depth for buildings over		Additionally, within this area the maximum lot coverage shall be 30 percent.
	8.	may be ten percent of the lot depth for buildings up to 25 feet in height, or 20 percent of the lot depth for buildings over

_____ Chairman _____ Planning Director

All setbacks in the planned redevelopment and development (PRD) district shall be established based on planned amenities to be provided by the developer, the terms of which shall be negotiated through a development agreement acceptable to the city commission. The design parameters, including setbacks, shall be consistent with 11. Greater of the number given in the table or ten percent of the lot width to a maximum of 15 feet. 12. In the HRCC-2 district, within the 100-foot setback from mean high water (mean high water), the following restrictions a. The minimum open space ratio shall be 0.5. b. The height of the building shall be restricted to one habitable story/floor above base flood elevation. c. The listed dimensions shall apply landward of the 100-foot setback. 13. Reference subdivision III of division 7 of article IV of this chapter. 14. Reference divisions 8 and 10 of article IV of this chapter for additional restrictions that regulate the square footage of gross leasable floor area based on trip generation within the HRO and HNC land use districts. 15. The maximum floor area ratio (FAR) outside the historic districts, as designated on the future land use maps, shall be 0.8, except for recreation and open space which shall have a maximum floor area ratio of 0.2. 16. Reference division 9 of article V of this chapter. 17. For single-family and two-family residences, minimum lot area in the HCT shall be 5,000 square feet. 18. All development must comply with requirements for setbacks from wetlands and open water established in section 110- 19. Maximum height may be increased five feet if the structure has a pitched roof, the design of which is approved by the historic architectural review commission. 20. Maximum height may be limited by proportion, scale and mass considerations as expressed through the historic architectural review commission design guidelines. 21. Construction may be limited by proportion, scale and mass considerations as expressed through the historic architectural review co	9.	The m	naximum height along North Roosevelt Boulevard, from Seventh Avenue west to Eisenhower Drive and Jose Marti						
 12. In the HRCC-2 district, within the 100-foot setback from mean high water (mean high water), the following restrictions a. The minimum open space ratio shall be 0.5. b. The height of the building shall be restricted to one habitable story/floor above base flood elevation. c. The listed dimensions shall apply landward of the 100-foot setback. 13. Reference subdivision III of division 7 of article IV of this chapter. 14. Reference divisions 8 and 10 of article IV of this chapter for additional restrictions that regulate the square footage of gross leasable floor area based on trip generation within the HRO and HNC land use districts. 15. The maximum floor area ratio (FAR) outside the historic districts, as designated on the future land use maps, shall be 0.8, except for recreation and open space which shall have a maximum floor area ratio of 0.2. 16. Reference division 9 of article V of this chapter. 17. For single-family and two-family residences, minimum lot area in the HCT shall be 5,000 square feet. 18. All development must comply with requirements for setbacks from wetlands and open water established in section 110-19. Maximum height may be increased five feet if the structure has a pitched roof, the design of which is approved by the historic architectural review commission. 20. Maximum height may be increased five feet for nonhabitable purposes if the structure has a pitched roof. 21. Construction may be limited by proportion, scale and mass considerations as expressed through the historic architectural review commission design guidelines. 	10.	amenities to be provided by the developer, the terms of which shall be negotiated through a development							
 a. The minimum open space ratio shall be 0.5. b. The height of the building shall be restricted to one habitable story/floor above base flood elevation. c. The listed dimensions shall apply landward of the 100-foot setback. 13. Reference subdivision III of division 7 of article IV of this chapter. 14. Reference divisions 8 and 10 of article IV of this chapter for additional restrictions that regulate the square footage of gross leasable floor area based on trip generation within the HRO and HNC land use districts. 15. The maximum floor area ratio (FAR) outside the historic districts, as designated on the future land use maps, shall be 0.8, except for recreation and open space which shall have a maximum floor area ratio of 0.2. 16. Reference division 9 of article V of this chapter. 17. For single-family and two-family residences, minimum lot area in the HCT shall be 5,000 square feet. 18. All development must comply with requirements for setbacks from wetlands and open water established in section 110-19. Maximum height may be increased five feet if the structure has a pitched roof, the design of which is approved by the historic architectural review commission. 20. Maximum height may be increased five feet for nonhabitable purposes if the structure has a pitched roof. 21. Construction may be limited by proportion, scale and mass considerations as expressed through the historic architectural review commission design guidelines. 	11.	Grea	ter of the number given in the table or ten percent of the lot width to a maximum of 15 feet.						
 b. The height of the building shall be restricted to one habitable story/floor above base flood elevation. c. The listed dimensions shall apply landward of the 100-foot setback. 13. Reference subdivision III of division 7 of article IV of this chapter. 14. Reference divisions 8 and 10 of article IV of this chapter for additional restrictions that regulate the square footage of gross leasable floor area based on trip generation within the HRO and HNC land use districts. 15. The maximum floor area ratio (FAR) outside the historic districts, as designated on the future land use maps, shall be 0.8, except for recreation and open space which shall have a maximum floor area ratio of 0.2. 16. Reference division 9 of article V of this chapter. 17. For single-family and two-family residences, minimum lot area in the HCT shall be 5,000 square feet. 18. All development must comply with requirements for setbacks from wetlands and open water established in section 110-Maximum height may be increased five feet if the structure has a pitched roof, the design of which is approved by the historic architectural review commission. 20. Maximum height may be increased five feet for nonhabitable purposes if the structure has a pitched roof. 21. Construction may be limited by proportion, scale and mass considerations as expressed through the historic architectural review commission design guidelines. 	12.	In the	e HRCC-2 district, within the 100-foot setback from mean high water (mean high water), the following restrictions						
c. The listed dimensions shall apply landward of the 100-foot setback. 13. Reference subdivision III of division 7 of article IV of this chapter. 14. Reference divisions 8 and 10 of article IV of this chapter for additional restrictions that regulate the square footage of gross leasable floor area based on trip generation within the HRO and HNC land use districts. 15. The maximum floor area ratio (FAR) outside the historic districts, as designated on the future land use maps, shall be 0.8, except for recreation and open space which shall have a maximum floor area ratio of 0.2. 16. Reference division 9 of article V of this chapter. 17. For single-family and two-family residences, minimum lot area in the HCT shall be 5,000 square feet. 18. All development must comply with requirements for setbacks from wetlands and open water established in section 110-19. Maximum height may be increased five feet if the structure has a pitched roof, the design of which is approved by the historic architectural review commission. 20. Maximum height may be increased five feet for nonhabitable purposes if the structure has a pitched roof. 21. Construction may be limited by proportion, scale and mass considerations as expressed through the historic architectural review commission design guidelines.		a.	The minimum open space ratio shall be 0.5.						
 13. Reference subdivision III of division 7 of article IV of this chapter. 14. Reference divisions 8 and 10 of article IV of this chapter for additional restrictions that regulate the square footage of gross leasable floor area based on trip generation within the HRO and HNC land use districts. 15. The maximum floor area ratio (FAR) outside the historic districts, as designated on the future land use maps, shall be 0.8, except for recreation and open space which shall have a maximum floor area ratio of 0.2. 16. Reference division 9 of article V of this chapter. 17. For single-family and two-family residences, minimum lot area in the HCT shall be 5,000 square feet. 18. All development must comply with requirements for setbacks from wetlands and open water established in section 110-19. Maximum height may be increased five feet if the structure has a pitched roof, the design of which is approved by the historic architectural review commission. 20. Maximum height may be increased five feet for nonhabitable purposes if the structure has a pitched roof. 21. Construction may be limited by proportion, scale and mass considerations as expressed through the historic architectural review commission design guidelines. 		b.	The height of the building shall be restricted to one habitable story/floor above base flood elevation.						
Reference divisions 8 and 10 of article IV of this chapter for additional restrictions that regulate the square footage of gross leasable floor area based on trip generation within the HRO and HNC land use districts. 15. The maximum floor area ratio (FAR) outside the historic districts, as designated on the future land use maps, shall be 0.8, except for recreation and open space which shall have a maximum floor area ratio of 0.2. 16. Reference division 9 of article V of this chapter. 17. For single-family and two-family residences, minimum lot area in the HCT shall be 5,000 square feet. 18. All development must comply with requirements for setbacks from wetlands and open water established in section 110- 19. Maximum height may be increased five feet if the structure has a pitched roof, the design of which is approved by the historic architectural review commission. 20. Maximum height may be increased five feet for nonhabitable purposes if the structure has a pitched roof. 21. Construction may be limited by proportion, scale and mass considerations as expressed through the historic architectural review commission design guidelines.		c.	The listed dimensions shall apply landward of the 100-foot setback.						
gross leasable floor area based on trip generation within the HRO and HNC land use districts. The maximum floor area ratio (FAR) outside the historic districts, as designated on the future land use maps, shall be 0.8, except for recreation and open space which shall have a maximum floor area ratio of 0.2. Reference division 9 of article V of this chapter. For single-family and two-family residences, minimum lot area in the HCT shall be 5,000 square feet. All development must comply with requirements for setbacks from wetlands and open water established in section 110- Maximum height may be increased five feet if the structure has a pitched roof, the design of which is approved by the historic architectural review commission. Maximum height may be increased five feet for nonhabitable purposes if the structure has a pitched roof. Construction may be limited by proportion, scale and mass considerations as expressed through the historic architectural review commission design guidelines.	13.	Refe	rence subdivision III of division 7 of article IV of this chapter.						
 be 0.8, except for recreation and open space which shall have a maximum floor area ratio of 0.2. Reference division 9 of article V of this chapter. For single-family and two-family residences, minimum lot area in the HCT shall be 5,000 square feet. All development must comply with requirements for setbacks from wetlands and open water established in section 110-Maximum height may be increased five feet if the structure has a pitched roof, the design of which is approved by the historic architectural review commission. Maximum height may be increased five feet for nonhabitable purposes if the structure has a pitched roof. Construction may be limited by proportion, scale and mass considerations as expressed through the historic architectural review commission design guidelines. 	14.								
17. For single-family and two-family residences, minimum lot area in the HCT shall be 5,000 square feet. 18. All development must comply with requirements for setbacks from wetlands and open water established in section 110- 19. Maximum height may be increased five feet if the structure has a pitched roof, the design of which is approved by the historic architectural review commission. 20. Maximum height may be increased five feet for nonhabitable purposes if the structure has a pitched roof. 21. Construction may be limited by proportion, scale and mass considerations as expressed through the historic architectural review commission design guidelines.	15.	\							
 18. All development must comply with requirements for setbacks from wetlands and open water established in section 110-19. Maximum height may be increased five feet if the structure has a pitched roof, the design of which is approved by the historic architectural review commission. 20. Maximum height may be increased five feet for nonhabitable purposes if the structure has a pitched roof. 21. Construction may be limited by proportion, scale and mass considerations as expressed through the historic architectural review commission design guidelines. 	16.	Reference division 9 of article V of this chapter.							
 Maximum height may be increased five feet if the structure has a pitched roof, the design of which is approved by the historic architectural review commission. Maximum height may be increased five feet for nonhabitable purposes if the structure has a pitched roof. Construction may be limited by proportion, scale and mass considerations as expressed through the historic architectural review commission design guidelines. 	17.	For s	single-family and two-family residences, minimum lot area in the HCT shall be 5,000 square feet.						
 approved by the historic architectural review commission. Maximum height may be increased five feet for nonhabitable purposes if the structure has a pitched roof. Construction may be limited by proportion, scale and mass considerations as expressed through the historic architectural review commission design guidelines. 	18.	All d	evelopment must comply with requirements for setbacks from wetlands and open water established in section 110-						
Construction may be limited by proportion, scale and mass considerations as expressed through the historic architectural review commission design guidelines.	19.								
architectural review commission design guidelines.	20.	Maxi	mum height may be increased five feet for nonhabitable purposes if the structure has a pitched roof.						
22. Maximum Floor Area Ratio applies to all development and redevelopment including residential: 1.0.	21.								
	22.	Maxi	mum Floor Area Ratio applies to all development and redevelopment including residential: 1.0.						

(Ord. No. 97-10, § 1(2-5.9), 7-3-1997; Ord. No. 09-06, §§ 3—5, 4-7-2009; Ord. No. 10-04, §§ 20, 21, 1-5-2010; Ord. No. 12-33, § 4, 9-18-2012; Ord. No. 13-25, § 3, 12-3-2013; Ord. No. 18-04, § 4, 2-7-2018)

Section 3. This Resolution shall go into effect immediately upon its passage and adoption and authentication by the signatures of the presiding officer and the city clerk.

Section 4. This Resolution is subject to appeal periods as provided by the City of Key West Code of Ordinances (including the Land Development Regulations). After the City appeal period has expired, this permit or development order will be rendered to the Florida Department of Economic Opportunity. Pursuant to Chapter 73C-44, F.A.C., this permit or

Chairman
 Planning Director

development order is not effective for forty-five (45) days after it has been properly rendered to the DEO with all exhibits and applications attached to or incorporated by reference in this approval; that within the forty-five (45) day review period the DEO can appeal the permit or development order to the Florida Land and Water Adjudicatory Commission; and that such an appeal stays the effectiveness of the permit until the appeal is resolved by agreement or order.

Read and passed on first reading at a regular meeting held this 17th day of September 2020.

Authenticated by the Chair of the Planning Board and the Planning Director.

Sam Holland, Planning Board Chair	Date
Attest:	
Katie P. Halloran, Planning Director	Date
Filed With the Clerk:	
Cheryl Smith, City Clerk	Date