

Historic Architectural Review Commission Staff Report for Item 13

То:	Chairman Bryan Green and Historic Architectural Review Commission Members
From:	Enid Torregrosa-Silva, MSHP
	Historic Preservation Planner
Meeting Date:	July 28, 2021
Applicant:	Wade Morgan
Application Number:	H2021-0034
Address:	803 Catherine Street

Description of Work:

New gable roof on rear addition with 6 skylights and two gable end windows.

Site Facts:

The building under review is a one-story house listed as a contributing resource to the historic district. The CMU house was built circa 1920. A one-story addition and porch were added to the rear of a historic sawtooth. The circa 1965 evidence that the old wooden turned posts were removed. The house does not conform with side yard setbacks and the front and according to the submitted plans potions of side fences sit over city's right-of-way.

Guidelines Cited on Review:

- Roofing (page 26), specifically guidelines 2, 3, and 5.
- Additions and Alterations (pages 37a-37k), specifically guidelines 1, 5, 6, 11, 12, 13, 14, and 30.
- New Construction (pages 38a-38q), specifically guidelines 1,12, 14, 18 and 23.

Staff Analysis:

The Certificate of Appropriateness under review is for the replacement of a non-historic shed roof located at the rear of a historic and contributing house. The addition, build around 1985, has a shed

roof and it is a non-conforming structure. The design proposes the removal of that shed roof and replacement with a front gable roof. The owners did not wanted to request a side yard setback variance and that is why the new gable roof does not sit over the east side exterior wall; instead, the design keeps portions of the exiting shed roof up to the required side yard setback.


The new proposed gable roof will have flush glass gable ends six skylights, three on each gable side. None of the skylights will be visible from the street.


Consistency with Cited Guidelines:

It is staff's opinion that the proposed plans are consistent with cited regulations. The proportions and scale of the new roof are harmonious to the historic house and surrounding buildings. Character defining features of the house will not be concealed or alter with the new proposed roof.

Overlay of Survey and Sanborn Map

1962 Sanborn Map







APPLICATION

COMBINATION APPLICATION: FLOODPLAIN, CONSTRUCTION AND HARC \$50.00 APPLICATION FEE NON-REFUNDABLE

1300 WHI KEY WES Phone: 30	Key West TE STREET ST, FLORIDA 33040 95.809.3956 YOFKEYWEST-FL.GOV	HARC PERM 2021- FLOODPLAIN P FLOOD ZONE	-0034			INITIAL & DATE REVISION # IMPROVEMENT ONO 0.0%_%
ADDRESS OF PROPOSED PROJECT:	803 Catherine Stre	et				# OF UNITS 1.0
RE # OR ALTERNATE KEY:	1030511					
NAME ON DEED:	Ross Adam J - fam	nily trust		PHONE NUME	617-797	7-2383
OWNER'S MAILING ADDRESS:	234 Cairn Ridge R	d		EMAIL		
	East Falmouth, MA	02536				
CONTRACTOR COMPANY NAME:	WHM Renovations			PHONE NUM	BER 305-766	6-9600
CONTRACTOR'S CONTACT PERSON:	Wade Morgan				ations@yahoo.c	
ARCHITECT / ENGINEER'S NAME:	William Rowan			PHONE NUM	BER 305-394	4-4773
ARCHITECT / ENGINEER'S ADDRESS:	321 Peacon In			EMAIL wirowan@		
	Key West, FI 3304	0				
HARC: PROJECT LOCATED IN HISTOR	ESTIMATED TOTAL FOR M	AT'L., LABOR	& PROFIT:	O (SEE PART C	22	,400
FLORIDA STATUTE 837.06: WHOEVER KNOWIN PERFORMANCE OF HIS OR HER OFFICIAL DUT	Y SHALL BE GUILTY OF A MISDEM	MEANOR OF THE	SECOND DEG	BREE PUNISHABLE	PERSECTION /	(5.082 OR 115.085.
GABLE END WIN	ould further action be taken of work shown on the plans all be controlling.) R 24' X 14' 3) 2' X6' SK 2000S (ALL IM DE SET BACK PU d contractor. VI Renovations	by the City for or other doci <u>Eman/c</u> / <u>336</u> <u>y u a Has</u> <u>y u a </u>	or exceeding iments sub Sustantia (8) D ALM 5 V M	ig the scope of mitted with the <u>FLAT</u> <u>FRAME</u> <u>2' × 2</u> .), NEM ETAL, NOV	Application, the dechpilon application, the Net SKYU V 2×4	REAR W GABLE
Official Use Only:					1ECE	IVEN

JUN 2 8 2021 M

EY

PART B: SUPPLEMENTARY PROJECT DETAILS TO AVOID DELAYS / CALL-BACKS

FENCE STRUCTURES: 4 FT. POOLS: INGROUND ABOY PUBLIC POOLS REQUIRE BD. OF HEALTH L PUBLIC POOLS REQUIRE BD. OF HEALTH L ROOFING: NEW ROOF- 5 V METAL FLORIDA ACCESSIBILITY CODE: SIGNAGE: # OF SINGLE FAC	GARAGE / CARPORT DECK FENCE G FT. SOLID 6 FT. / TOP 2 FT. 50% C VE GROUND SPA / HOT TUB PRIVICATION ICENSE APPLICATION AT TIME OF CITY APPLICATION ICENSE PRIOR TO RECEIVING THE CITY CERTIFICATION ICENSE PRIOR TO RECEIVING THE CITY CERTIFICAT	E OUTBUILDING / SHED OPEN /ATE PUBLIC N. E OF OCCUPANCY. WNING BLT. UP TPO OTHER CCESSIBILITY FEATURES. CE SKIN ONLY BOULEVARD ZONE
A / C: COMPLETE ELECTRICAL: LIGHTING SERVICE: OVERH PLUMBING: ONE SEWEF RESTROOMS: ME	RK COMMERCIAL EXH. HOOD INT SYSTEM AIR HANDLER CONDEN RECEPTACLES HOOK-UP EQUIP EAD UNDERGROUND 1 PHASE RLATERAL PER BLDG. INGROUND GRUND N'S WOMEN'S UNISEX ATION FOR A CERTIFICATE OF Y: \$10 STAFF APPROVAL: \$50 SOLUTIONS FROM HARC, PLANNING BOAR SUED PRIOR TO HARC APPROVAL.	NSER MINI-SPLIT MENT LOW VOLTAGE 3 PHASE AMPS EASE INTCPTRS LPG TANKS SSIBLE APPROPRIATENESS COMMISSION REVIEW \$100 D OR TREE COMMISSION.
PROJECT SPECIFICATIONS: PLEASE PROVIDE P	HOTOS OF EXISTING CONDITIONS, PLANS,	
ARCHITECTURAL FEATURES TO BE ALTERED:	ORIGINAL MATERIAL:	PROPOSED MATERIAL:
Roof	Flat roof w/ membrane	Wood framed Gable w/ 5v meta
		FLAT JANBACE SAY LIGHTS NOVERTY SIDING TO MATCH
		and the second second
DEMOLITION: PLEASE FILL OUT THE HARC APPE	ENDIX FOR PROPOSED DEMOLITION.	
DEMOLITION OF HISTORIC STRUCTURES IS	S NOT ENCOURAGED BY THE HISTORIC AR	CHITECTURAL REVIEW COMMISSION.
SIGNAGE: (SEE PART B) BUSINESS SIGN	BRAND SIGN OTHER:	

BUSINESS LICENSE #

IF FAÇADE MOUNTED, SQ. FT. OF FAÇADE _

	SIGN SPECIFICATIONS		
SIGN COPY:	PROPOSED MATERIALS:	SIGNS WITH ILLUMINATION:	
1		TYPE OF LTG.:	
		LTG, LINEAL FTG.:	
MAX. HGT. OF FONTS:		COLOR AND TOTAL LUMENS:	
IF USING LIGHT FIXTURES PLEASE INDICATE HOW MANY:	INCLUDE SPEC. SHEET WITH LO	CATIONS AND COLORS.	

OFFICIAL USE ONLY: APPROVED NOT APPROVED HARC MEETING DATE:	HARC STAFF OR COMMISSION REVIEW DEFERRED FOR FUTURE CONSIDERATION HARC MEETING DATE:	TABLED FOR ADD'L. INFO. HARC MEETING DATE:
REASONS OR CONDITIONS:		
STAFF REVIEW COMMENTS:		
HARC PLANNER SIGNATURE AND DATE:	HARC CHAIRPERSON SIGNAT	URE AND DATE:

PART D: STATE OF FLORIDA OFFICIAL NOTIFICATIONS AND WARNINGS

FLORIDA STATUTE 713.135: WARNING TO OWNER: YOUR FAILURE TO RECORD A 'NOTICE OF COMMENCEMENT' MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY, A NOTICE OF COMMENCEMENT MUST BE RECORDED WITH THE COUNTY RECORDER AND A COPY POSTED ON THE JOB SITE BEFORE THE FIRST INSPECTION. IF YOU INTEND TO OBTAIN FINANCING CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING A NOTICE.

FLORIDA STATUTE 469: ABESTOS ABATEMENT. AS OWNER / CONTRACTOR / AGENT OF RECORD FOR THE CONSTRUCTION APPLIED FOR IN THIS APPLICATION, I AGREE THAT I WILL COMPLY WITH THE PROVISIONS F. S. 469.003 AND TO NOTIFY THE FLORIDA D. E. P. OF MY INTENT TO DEMOLISH / REMOVE ASBESTOS. IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT APPLICATION, THERE MAY BE DEED RESTRICTIONS AND / OR ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF MONROE COUNTY AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENT ENTITIES SUCH AS AQUADUCT ATHORITY, FLORIDA DEP OR OTHER STATE AGENCIES; ARMY CORPS OF ENGINEERS OR OTHER FEDERAL AGENCIES.

FEDERAL LAW REQUIRES LEAD PAINT ABATEMENT PER THE STANDARDS OF THE USDEP ON STRUCTURES BUILT PRIOR TO 1978.

ALL NECESSARY APPROVALS FROM ASSOCIATIONS, GOV'T. AGENCIES, AND OTHER PARTIES ARE THE APPLICANT'S RESPONSIBILITY.

HARC CERTIFICATE OF APPROPRIATENESS: DEMOLITION APPENDIX

1300 White S			ZONING DISTRICT	BLDG PERMIT #
Key West, Flo	orida 33040			
ADDRESS OF PROPOSED PROJECT:	803 (ATHERINE	DT.	
PROPERTY OWNER'S NAME: APPLICANT NAME:	Adam J	Ross .	DT. - FAMILY TRUST	
I hereby certify I am the owner of recon Appropriateness, I realize that this proje- final inspection is required under this ap submitted for review.	ct will require a Building Pe	ermit approval PRIC	R to proceeding with the	work outlined above and that
PROPERTY OWNER'S SIGNATURE				DATE AND PRINT NAMI
	DETAILED PROJECT	DESCRIPTION O	F DEMOLITION	
REMOVE AF	nox. 320	Sauna	LE FEET	of FLAT
	ROAR AD		of Proper	- T-4
ROOF AT	NOR AD	DITION	of Proper	51-5
KOOF AT	NOR AD	DITION		51-3
KOOF AT	NOR AD	DITIBN		
			R HISTORIC STRUCTUR	-
	A FOR DEMOLITION OF t	CONTRIBUTING O	R HISTORIC STRUCTUR equest, the Historic Arc	ES: hitectural Review Commissio
CRITERIA Before any Certificate of Appropria must find that the following require (1) If the subject of the application is a	A FOR DEMOLITION OF of teness may be issued for ments are met (please of contributing or historic but	CONTRIBUTING O or a demolition re review and comm uilding or structure	R HISTORIC STRUCTUR equest, the Historic Arc ent on each criterion th , then it should not be der	ES: hitectural Review Commissio at applies):
CRITERIA Before any Certificate of Appropria must find that the following require	A FOR DEMOLITION OF a teness may be issued for ments are met (please of contributing or historic but ne deterioration or it does	CONTRIBUTING O or a demolition re review and comm uilding or structure s not meet any of th	R HISTORIC STRUCTUR equest, the Historic Arc ent on each criterion th , then it should not be den he following criteria:	ES: hitectural Review Commissio at applies): molished unless its condition is
CRITERIA Before any Certificate of Appropria must find that the following require (1) If the subject of the application is a irrevocably compromised by extrem	A FOR DEMOLITION OF a teness may be issued for ments are met (please of contributing or historic but ne deterioration or it does	CONTRIBUTING O or a demolition re review and comm uilding or structure s not meet any of th is irrevocably com	R HISTORIC STRUCTUR equest, the Historic Arc ent on each criterion th , then it should not be den he following criteria:	ES: hitectural Review Commissio at applies): molished unless its condition is
CRITERIA Before any Certificate of Appropria must find that the following require (1) If the subject of the application is a irrevocably compromised by extrem	A FOR DEMOLITION OF a teness may be issued for ments are met (please of contributing or historic bo ne deterioration or it does f the building or structure	CONTRIBUTING O or a demolition re review and comm uilding or structure s not meet any of th is irrevocably com	R HISTORIC STRUCTUR equest, the Historic Arc ent on each criterion th , then it should not be den he following criteria:	ES: hitectural Review Commissio at applies): molished unless its condition is
CRITERIA Before any Certificate of Appropria must find that the following require (1) If the subject of the application is a irrevocably compromised by extrem	A FOR DEMOLITION OF a teness may be issued for ments are met (please of contributing or historic bo ne deterioration or it does f the building or structure	CONTRIBUTING O or a demolition re review and comm uilding or structure s not meet any of th is irrevocably com	R HISTORIC STRUCTUR equest, the Historic Arc ent on each criterion th , then it should not be den he following criteria:	ES: hitectural Review Commissio at applies): molished unless its condition is
CRITERIA Before any Certificate of Appropria must find that the following require (1) If the subject of the application is a irrevocably compromised by extren (a) The existing condition of	A FOR DEMOLITION OF a teness may be issued forments are met (please of contributing or historic but ne deterioration or it does f the building or structure N	CONTRIBUTING O or a demolition re review and comm uilding or structure s not meet any of th is irrevocably com	R HISTORIC STRUCTUR equest, the Historic Arc ent on each criterion th , then it should not be den he following criteria:	ES: hitectural Review Commissio at applies): molished unless its condition is
CRITERIA Before any Certificate of Appropria must find that the following require (1) If the subject of the application is a irrevocably compromised by extrem (a) The existing condition of (2) Or explain how the building or struct	A FOR DEMOLITION OF (teness may be issued f ments are met (please i contributing or historic bu ne deterioration or it does f the building or structure N/	CONTRIBUTING O or a demolition re review and comm uilding or structure s not meet any of th is irrevocably com	R HISTORIC STRUCTUR equest, the Historic Arc ent on each criterion th , then it should not be den he following criteria: promised by extreme det	ES: hitectural Review Commissio at applies): nolished unless its condition is erioration.
CRITERIA Before any Certificate of Appropria must find that the following require (1) If the subject of the application is a irrevocably compromised by extren (a) The existing condition of (2) Or explain how the building or struct (a) Embodies no distinctive	A FOR DEMOLITION OF a teness may be issued f ments are met (please of contributing or historic but ne deterioration or it does f the building or structure N/	CONTRIBUTING O or a demolition re review and comm uilding or structure s not meet any of th is irrevocably com	R HISTORIC STRUCTUR equest, the Historic Arc ent on each criterion th , then it should not be den he following criteria: promised by extreme det	ES: hitectural Review Commissio at applies): molished unless its condition is erioration.
CRITERIA Before any Certificate of Appropria must find that the following require (1) If the subject of the application is a irrevocably compromised by extrem (a) The existing condition of (a) The existing condition of (2) Or explain how the building or struct (a) Embodies no distinctive	A FOR DEMOLITION OF a teness may be issued f ments are met (please of contributing or historic but ne deterioration or it does f the building or structure N/	CONTRIBUTING O or a demolition re review and comm uilding or structure s not meet any of th is irrevocably com	R HISTORIC STRUCTUR equest, the Historic Arc ent on each criterion th , then it should not be den he following criteria: promised by extreme det	ES: hitectural Review Commissio at applies): molished unless its condition is erioration.
CRITERIA Before any Certificate of Appropria must find that the following require (1) If the subject of the application is a irrevocably compromised by extrem (a) The existing condition of (a) The existing condition of (2) Or explain how the building or struct (a) Embodies no distinctive	A FOR DEMOLITION OF a teness may be issued f ments are met (please of contributing or historic but ne deterioration or it does f the building or structure N/	CONTRIBUTING O or a demolition re review and comm uilding or structure s not meet any of th is irrevocably com	R HISTORIC STRUCTUR equest, the Historic Arc ent on each criterion th , then it should not be den he following criteria: promised by extreme det	ES: hitectural Review Commissio at applies): molished unless its condition is erioration.

Nothing in this application is intended to alter the authority of the Building Official to condemn for demolition dangerous buildings, as provided in Section 102-218 of the Land Development Regulations and Chapter 14 of the Code of Ordinances.

(b) Is not specifically associated with events that have made a significant contribution to local, state, or national history. NA (c) Has no significant character, interest, or value as part of the development, heritage, or cultural characteristics of the city, state or nation, and is not associated with the life of a person significant in the past. N/A (d) Is not the site of a historic event with significant effect upon society. N/A (e) Does not exemplify the cultural, political, economic, social, or historic heritage of the city. NA Does not portray the environment in an era of history characterized by a distinctive architectural style. (f) N/A (g) If a part of or related to a square, park, or other distinctive area, nevertheless should not be developed or preserved according to a plan based on the area's historic, cultural, natural, or architectural motif. NIA (h) Does not have a unique location or singular physical characteristic which represents an established and familiar visual feature of its neighborhood or of the city and does not exemplify the best remaining architectural type in a neighborhood.


Nothing in this application is intended to alter the authority of the Building Official to condemn for demolition dangerous buildings, as provided in Section 102-218 of the Land Development Regulations and Chapter 14 of the Code of Ordinances.

T


(i) Has not yi	Ided, and is not likely to y	ield, information important in history,	
		NA	
		- T.	

CRITERIA FOR DEMOLITION OF NON-CONTRIBUTING OR NON-HISTORIC STRUCTURES:
The following criteria will also be reviewed by the Historic Architectural Review Commission for proposed demolitions. The Commission shall not issue a Certificate of Appropriateness that would result in the following conditions (please review and comment on each criterion that applies):
(1) Removing buildings or structure that are important in defining the overall historic character of a district or neighborhood so that the character is diminished.
ROMOVING NON - HISTORIC FLAT ROOF
(2) Removing historic buildings or structures and thus destroying the historic relationship between buildings or structures and open space.
REMOVING NON - MISTORIE FLAT ROOF ONLY
(3) Removing an historic building or structure in a complex; or removing a building façade; or removing a significant later addition that is important in defining the historic character of a site or the surrounding district or neighborhood.
N/A
(4) Removing buildings or structures that would otherwise qualify as contributing.
N/A


SANBORN MAPS







1948 Sanborn Map




1962 Sanborn Map

PROJECT PHOTOS



803 Catherine Street circa 1965. Monroe County Library.



PARTIAL FLAT ROOF TO BE REMOVED



EXISTING SAWTOOTH TO REMAIN

EXISTING CONDITIONS @ NORTH ELEVATION



PROPOSED REAR ELEVATION (RENDERING)

FLAT ROOF WITHIN SETBACK TO REMAIN EXISTING



EXISTING CONDITIONS AT WEST

ELEVATION

EXISTING CONDITIONS @ EAST ELEVATION



SAWTOOTH TO REMAIN

FLAT ROOF TO BE REMOVED $^{/}$


REMOVE FLAT ROOF


COVERED DECK TO REMAIN V



EXISTING CONDITIONS AT NORTHEAST CORNER

SURVEY






PROPOSED DESIGN

THE ROSS RESIDENCE **RESIDENTIAL UPGRADES**

803 CATHERINE STREET KEY WEST, FLORIDA 33040




	Floor and	d Roof Live Loads	
Attics:		20 psf w/ storage, 10) psf w/o storage
Habitable	Attics, Bedroom:	30 psf	
All Other	Rooms:	40 psf	
Garage:		40 psf	
Roofs:		20 psf	
	Wind	d Design Data	
Ultimate V	Vind Speed: 180 mp	h Nominal Wind	Speed: 139 mpl
Risk Categ	gory: II	Wind Exposure	:: C
Enclosure	Classification: Enclose	ed End Zone Widt	h: 4.00 ft.
Internal Pr	essure Coefficient:	0.18 +/-	
	Roof Zone 1:	+27.0 psf max.,	-43.0 psf min.
	Roof Zone 2:	+27.0 psf max.,	-74.9 psf min.
sign s	Roof Zone 3:	+27.0 psf max.,	-110.7 psf min.
Components and Cladding Design Pressures	Roof at Zone 2 Overh	angs:	-87.5 psf min.
ling	Roof at Zone 3 Overh	angs:	-147.2 psf min.
Pado	Wall Zone 4:	+47.0 psf max.,	-50.9 psf min.
00	Wall Zone 5:	+47.0 psf max.,	-62.8 psf min.
	minal Wind Speed was ing Design Pressures.	used to determine the	above Componen
	rior glazed openings sh n 1609.1.2 of the code.	all be protected from	wind-borne debris

All work shall comply with the Florida Building Code, latest edition, and all applicable laws, codes and ordinances of Monroe county, and the state of Florida. Applicable Codes forming the basis of this design and compliance requirements for the contractor include:

BUILDING: ELECTRICAL: PLUMBING: MECHANICAL: GAS:

This project is designed in accordance with A.S.C.E. 7-16 to resist wind loads 180 mph (gusts) (Exposure C) This project is designed in accorance with A.S.C.E. 24-14 for flood resistant design. Concrete: Building code requirements for concrete, American concrete institute, ACI 318-11. TREE PROTECTION PLAN CANOPY OF EXISTING TREE TO BE MINIMALLY TRIMMED FOR ROOF ACCESS / CONSTRUCTION NO TREE ROOT SYSTEMS ARE TO BE DISTURBED

SHT	DESCRIPTION
1	COVER, SURVEY, NOTES, LOCATION
2	PROPOSED ELEVATIONS
3	SECTION, NOTES, DETAILS
4	ROOF FRAMING PLAN, NOTES, SPECS



SATELITE VIEW


GENERAL NOTES


Florida Building Code, 2020 National Electrical Code, 2020 Florida Building Code (Plumbing), 2020 Florida Building Code (Mech.), 2020 LP Gas Code, 2020 edition (NFPA 58)


NEW ROOF LOCATION

COVER 1 OF 4

PROJE	ATTITAN PC	TH VINC	THE	THE ROSS RESIDENCE
CT NO	W ARCHITECTUR	E N (-*- *** ******************************	RESIDENTIAL UPGRADES
321	21 FEACON LANE 05 294 4773 FLORIDA	KEY WEST, FLORIDA A LICENSE AR-0017751	Set ATHERINE S	803 CATHERINE STREET KEY WEST, FLORIDA 33040









(1		
SIC PL V EN	жы) 	THE ROSS RESIDENCE RESIDENTIAL UPGRADES 803 CATHERINE STREET KEY WEST, PLORIDA 33040
C	HEDITE	1
C	HEDULE PRESSURES REQ.	N as
С		A N
C	PRESSURES REQ.	V N
C	PRESSURES REQ. +45.0 PSF / -49.0 PSF	Prure Rowa N
C	PRESSURES REQ. +45.0 PSF / -49.0 PSF +47.0 PSF / -50.9 PSF	V N
C	PRESSURES REQ. +45.0 PSF / -49.0 PSF +47.0 PSF / -50.9 PSF	W ILLIAM ROWAN ARCHITECTURE METALORANSE MARCHITECTURE

1. Install all required fasteners per installation instructions provided by Simpson Strong Tie Company Inc.: (a) use proper fastener type; (b) use proper fastener quantity: (c) ful all fastener holes; (d) do not overdrive or orderdrive halls, including when using powaer nailers; and (e) ensure screws are completely driven. Only bend products that are specifically designed to be bent. For those products that require bending (such as strap-type holdowns, straight-end twist straps, etc.), do not bend more than one full cycle. Out joists to the correct length, do not "short-cut." The gap between the end of the joist and the header material should be no greater than 1/8" unless otherwise noted.

2. Unless otherwise noted, dimensions are in inches, loads are in pounds. Unless otherwise noted, welds, screws, bolts and nails may not be combined to achieve highest load value, 0.131" x 21/2", 0.146" x 3' and 0.162" x 31/2" specify common rails that meet the requirements of ASTM F1667. When a shorter nail is specified, it will be noted (for example 0.131" x 11/2"). Refer to Simpson Strong-Tie Nailing Guide, NDS (National Design Specification) and ASTM F1567 (American Society of Testing and Materials) for more nail info. Do not overload. Do not exceed catalog allowable loads, which would jeopardize the connection ...

3. All engineered lumber shall be protected from rain and kept dry throughout the construction process. All long spans and cantilevers shall be supported without deflection until the building is dried in.

4. Joists, beams, and headers shall only be drilled, cut, or notched in strict accordance with the manufacturer's specifications.

5. Hardware such as holdowns, straps, and hangers are designed to be by Simpson Strong Tie Company, Inc.

6. Contractor shall verify all dimensions and conditions at the job site including soil conditions, and conditions related to the existing utilities and services before commencing work and be responsible for same. All discrepancies shall be reported to the owner immediately.

7. The drawings indicate general and typical details of construction. Where conditions are not specifically indicated but are of similar character to details shown, similar details of construction shall be used, subject to review and approval by the architect or engineer.

8. Building systems and components not specifically detailed shall be installed, as per minimum manufacturers recommendations. Notify the architect of any resulting conflicts.

9. All work shall conform to appreable building codes and ordinances. In case of any conflict wherein the methods or standards of installation or the materials specified do no equal or exceed the requirements of the laws or ordinances, the laws or ordinances shall govern.

10. This project contains plazing that will be subject to federal and local glazing standards and the glazing subcontractor shall be responsible for adherence to these requirements. If the glazing subcontractor ands anything in the documents not in comphance with the standards, he/she shall bring discrepancies to the attention of the architect before proceeding.

11. All giazing in hazardous locations, defined by the IRC sec.R308.4, shall by safety glazing, including but not limited to the safety glazing identified in the construction documents.

12. There shall be no exposed pipe, conduits, ducts, vents, etc. All such lines shall be concealed or furred and finished, unless noted as exposed construction on drawings. Offset studs where required, so that finished wall surface will be flush.

13. Contractor shall provide temporary bracing for the structure and structural components until all final connections have been completed in accordance with the plans.

14. All wood framing actails not shown otherwise shall be constructed to the minimum standards of the IRC.

15. All wood in direct contact with concrete or exposed to weather shall be pressure treated with an approved preservative unless decay resistant heartwood of cedar or redwood is used. Pasteners for pressure treated wood shall be hot disped galvanized steel, stainless steel, silicon bronze, or copper.

16. Nail gypsum wallboard to all studs, top and bottom plates and blocking with cooler nails @ 7 inches o.c. maximum spacing unless shown otherwise. Use 5d for 1/2 wailboard, 6d for 5/8 inch wallboard.


17. Provide galvanic insulation between dissimilar metals.

18. The contractor is to verify the location of all utilities and services to the site prior to beginning any site improvements.

19. No materials from the work are to be stock piled on public right-of-ways. All rubbish and debris is to be removed from the site.

20. Adjacent properties, streets and walks are to be protected from damage at all Limes.

21. The contractor shall take all necessary precautions to ensure the safeby of the occuparits and workers at all times during the course of the project.



CONSTRUCTION PLAN GENERAL NOTES

required to fit plans.

NOTICING

The Historic Architectural Review Commission will hold a public meeting at <u>5:00 p.m., July 28, 2021 at City</u> <u>Hall, 1300 White Street</u>, Key West, Florida. In order to view the live feed of the meeting, you can tune in to Comcast channel 77, AT&T Uverse channel 99, or type this link into your browser:

http://keywestcity.granicus.com/MediaPlayer.php?publish_id=1&embed=1 If you wish to participate virtually, please contact HARC staff at 305-809-3975. The purpose of the hearing will be to consider a request for:

NEW GABLE ROOF ON REAR ADDITION WITH 6 SKYLIGHTS AND 2 GABLE END WINDOWS. REMOVAL OF FLAT ROOF ON REAR ADDITION.

#803 CATHERINE STREET

Applicant – Wade Morgan Application #H2021-0034 If you wish to see the application or have any questions, you may visit the Planning Department during regular office hours at 1300 White Street, call 305-809-3975 or visit our website at <u>www.cityofkeywest-fl.gov</u>. <u>THIS NOTICE CAN NOT BE REMOVED FROM THE SITE UNTIL HARC FINAL DETERMINATION</u>

ADA ASSISTANCE: It is the policy of the City of Key West to comply with all requirements of the Americans with Disabilities Act (ADA). Please call the TTY number at 800-955-8771 or 800-955-8770 (Voice) or the ADA Coordinator at 305-809-3811 at least five business days in advance for sign language interpreters, assistive listening devices, or materials in accessible format.



HARC POSTING AFFIDAVIT

STATE OF FLORIDA: COUNTY OF MONROE:

BEFORE ME, the undersigned authority, personally appeared WADE MORGAN , who, first being duly sworn, on oath, depose and says that the following statements are true and correct to the best of his/her knowledge and belief:

1. That a legal notice for Public Notice of Hearing of the Historic Architectural Review Commission (HARC) was placed on the following address: 803 CATHERINE STREET, KEY WEST, FL 33040 on the 2014 day of July , 202).

This legal notice(s) contained an area of at least 8.5"x11".

The property was posted to notice a public hearing before the Key West Historic Architectural Review Commission to be held on July 28th 2021.

The legal notice(s) is/are clearly visible from the public street adjacent to the property.

The Certificate of Appropriateness number for this legal notice is 12021-0034.

2. A photograph of that legal notice posted in the property is attached hereto.

Signed Name of Affiant:	
Date: 7-20-2021	2
Address: 417 ELEZABETH ST R	EM
LILY: LEY WEST EN 130	SOD'
State, Zip: FL, 33040	

The forgoing instrument was acknowledged before me on this $\frac{20}{20}$	day of
By (Print name of Affiant) personally known to me or has produced identification and who did take an oath.	who is as
NOTARY PUBLIC Maga Har Pedro Za	MARGARITA PEDROZA

Print Name: Margarita Predvoza Notary Public - State of Florida (seal) My Commission Expires: S



PROPERTY APPRAISER INFORMATION



Disclaimer

The Monroe County Property Appraiser's office maintains data on property within the County solely for the purpose of fulfilling its responsibility to secure a just valuation for ad valorem tax purposes of all property within the County. The Monroe County Property Appraiser's office cannot guarantee its accuracy for any other purpose. Likewise, data provided regarding one tax year may not be applicable in prior or subsequent years. By requesting such data, you hereby understand and agree that the data is intended for ad valorem tax purposes only and should not be relied on for any other purpose.

By continuing into this site you assert that you have read and agree to the above statement.

Summary

Parcel ID Account# Property ID Millage Group Location	00029760-000000 1030511 1030511 10KW 803 CATHERINE St, KEY WEST
Address	
Legal	KW INVESTMENT CO SUB PB1-49 PT LOTS 3-4 SQR 4 TR 12 E2-185 OR607-319
Description	OR744-494 OR753-1473 OR753-983/85 OR755-1718 OR756-388 OR799-2080
	OR928-786/87 OR1034-396 OR1081-1555 OR1779-1086/87 OR2226-805 OR2226-
	806/07 OR2733-1624 OR2750-804/05 OR2750-1193/95 OR2818-621/22
M. 1. 1. 1	(Note: Not to be used on legal documents.)
Neighborhood	6096
Property	SINGLE FAMILY RESID (0100)
Class	
Subdivision	
Sec/Twp/Rng	06/68/25
Affordable	No
Housing	



Owner

ROSS ADAM J 1998 FAMILY TRUST UNDER AGR 8/18/1998 234 Cairn Ridge Rd East Falmouth MA 02536

Valuation

	2020	2019	2018	2017
+ Market Improvement Value	\$149,182	\$150,958	\$154,510	\$156,286
+ Market Misc Value	\$11,943	\$12,190	\$12,435	\$12,682
+ Market Land Value	\$368,143	\$360,680	\$356,327	\$356,327
= Just Market Value	\$529,268	\$523,828	\$523,272	\$525,295
= Total Assessed Value	\$529,268	\$523,828	\$523,272	\$525,295
- School Exempt Value	\$O	\$0	\$0	\$0
= School Taxable Value	\$529,268	\$523,828	\$523,272	\$525,295

Land

Land Use	Number of Units	Unit Type	Frontage	Depth
RESIDENTIAL DRY (010D)	2,369.00	Square Foot	24	98

Buildings

0					
Building II Style Building Ty Gross Sq F Finished S Stories Condition Perimeter Functional Economic Depreciati Interior W	1 STORY ELEV FOU ype S.F.R R1 / R1 t 1522 ig Ft 1072 1 Floor AVERAGE 1 Obs 0 Obs 0 ion % 18			Exterior Walls Year Built EffectiveYearBuilt Foundation Roof Type Roof Coverage Flooring Type Heating Type Bedrooms Full Bathrooms Half Bathrooms Grade	ABOVE AVERAGE WOOD with 49% CONC BLOCK 1945 2005 WD CONC PADS IRR/CUSTOM METAL CONC S/B GRND FCD/AIR DUCTED with 0% NONE 2 1 0 450
Code	Description	Sketch Area	Finished Area	Number of Fire Pl Perimeter	0
FLD	3 SIDED SECT	552	552	0	
OPX	EXC OPEN PORCH	120	0	0	
FLA	FLOOR LIV AREA	520	520	0	
OPU	OP PR UNFIN LL	150	0	0	
OPF	OP PRCH FIN LL	180	0	0	

TOTAL	1,522	1,072	0

Yard Items

Description	Year Built	Roll Year	Quantity	Units	Grade
TILE PATIO	1985	1986	1	9 SF	3
FENCES	1987	1988	1	155 SF	5
FENCES	1988	1989	1	312 SF	2
WOOD DECK	2015	2016	1	102 SF	4
RES POOL	2015	2016	1	84 SF	4

Sales

Sale Date	Sale Price	Instrument	Instrument Number	Deed Book	Deed Page	Sale Qualification	Vacant or Improved
8/30/2016	\$100	Quit Claim Deed	2093806	2818	621	11 - Unqualified	Improved
7/9/2015	\$0	Certificate of Title		2750	804	12 - Unqualified	Improved
6/17/2015	\$655,000	Warranty Deed		2750	1193	02 - Qualified	Improved
4/2/2015	\$437,800	Certificate of Title		2733	1624	12 - Unqualified	Improved
7/24/2006	\$610,000	Warranty Deed		2226	805	Q - Qualified	Improved
4/18/2002	\$360,000	Warranty Deed		1779	1086	Q - Qualified	Improved
2/1/1989	\$150,000	Warranty Deed		1081	1555	Q - Qualified	Improved
11/1/1987	\$75,000	Warranty Deed		1034	396	Q - Qualified	Improved
10/1/1979	\$60,000	Conversion Code		799	2080	Q - Qualified	Improved


Permits

Number \$	Date Issued ♦	Date Completed ♦	Amount ¢	Permit Type ♦	Notes 🗢
15- 4320	11/19/2015	5/12/2017	\$50,035	Residential	DEMO 153SF OF EXISTING CONCRETE SLAB. DEMO 234SF OF LOW EXISTING WOOD DECK. CONSTRUCT NEW1115SF OF WOOD DECK TO MATCH ELEVATION OF EXISTING CONSTRUCT NEW 7FT 12-6 POOL PER PLANS
06- 3135	5/24/2006	7/7/2006	\$2,500	Residential	REPLACE 5 SQS.ROLL ROOFING WITH COOLEY MEMBRANE
05- 0224	1/24/2005	10/14/2005	\$1,200	Residential	REPLACE SERVICE WITH A 200AMP
00- 3025	9/25/2000	10/26/2000	\$2,200	Residential	ROOF
97- 2554	7/30/1997	8/21/1998	\$2,000	Residential	REPAIR ROOF
97- 2264	7/1/1997	8/1/1997	\$1,000	Residential	ROOF

View Tax Info

View Taxes for this Parcel


Sketches (click to enlarge)



Photos



Map



TRIM Notice



2020 Notices Only

GDPR Privacy Notice

No data available for the following modules: Commercial Buildings, Mobile Home Buildings, Exemptions.

The Monroe County Property Appraiser's office maintains data on property within the County solely for the purpose of fulfilling its responsibility to secure a just valuation for ad valorem tax purposes of all property within the County. The Monroe County Property Appraiser's office cannot guarantee its accuracy for any other purpose. Likewise, data provided regarding one tax year may not be applicable in prior or subsequent years. By requesting such data, you hereby understand and agree that the User Privacy Policy



Version 2.3.130

Last Data Upload: 7/13/2021, 2:37:57 AM