| HILD THE CITA  | City of Key West, FL   |          |   |               |                         | City Hall<br>1300 White Street<br>Key West FL 33040 |
|----------------|--|----------|---|---------------|-------------------------|---|
| The WEST FLORE | Legislation Details  |          |   |               |                         |   |
| File #:        | 14-6767  | Version: | 5 | Name:         | Deep Injection Well Tes | ting Ratification                                   |
| Туре:          | Resolution   |          |   | Status:       | Passed                  |   |
| File created:  | 10/27/2014   |          |   | In control:   | City Commission         |   |
| On agenda:     | 11/5/2014  |          |   | Final action: | 11/5/2014               |   |
| Title:         | *Ratifying an Emergency Purchase approved by the City Manager in excess of \$20,000.00 as allowed<br>under Section 2-797(2) of the City's Code of Ordinances, for the purchase of Mechanical Integrity<br>Testing for the Richard A. Heyman Environmental Protection Facility Injection Wells by Layne<br>Christensen Company in the amount of \$79,651.00, at the same prices specified in Broward County<br>Contract No. Y1128904C1. |          |   |               |                         |   |
| Sponsors:      | Jim Scholl   |          |   |               |                         |   |
| Indexes:       |  |          |   |               |                         |   |
| Code sections: |  |          |   |               |                         |   |
| Attachments:   | 1. Resolution, 2. Executive Summary, 3. Emergency Declaration, 4. Executed Contract, 5. City Contract Forms, 6. *Large File* Broward County MIT Bid Documents, 7. *Large File* Broward County MIT Contract Layne Christianson  |          |   |               |                         |   |
| Date           | Ver. Action B  | у<br>У   |   | Act           | ion                     | Result  |
| 11/5/2014      | 5 City Co  | mmission |   | Pa            | ssed                    | Pass  |