


RECEIVED
JAN 19 2012
D. Baez



AGENDA ITEM #

City of Key West Tree Commission

Tree Permit Application

PO Box 1409
Key West, FL 33040
Phone: 305-809-3764
Fax: 305-809-3978

Home/Property Owner:

JANIS M. WATTS

Date:

1/19/2012

Mailing Address:

1600 South Street Key West, 33040

Owner Signature:

Barney Smith Watts

Owner Ph#:

305 879 5800

Represented by:

Salt

Rep. Ph#:()

Represented by mailing address:

1600 South Street, Key West, 33040

Attendance at the Tree Commission meeting on the date when your request will be discussed is necessary in order to expedite the resolution of your application.

A letter of representation from the owner must accompany this application if the owner is unable to attend.

Letter of Representation ()

Tree(s) Address: 1600 South St. KW Cross/Corner Street: THOMPSON ST.

Common Name(s):

SUMBO HIMBO

Scientific Name(s):

Species Type(s) {check all that apply}: () Palm () Flowering () Fruit () Shade

Reason(s) for Application {check all that apply}:

REMOVE
() Tree Health
() Safety
() Other / Explain

() TRANSPLANT
() New Location
() Same Property
() Other / Explain

() HEAVY MAINTENANCE
() Branch Removal
() Crown Cleaning/Thinning
() Crown Reduction

Reason(s) for request:

TREE HAS GROWN SO LARGE IT HAS CAUSED
DAMAGER TO MY REAR DECK AND IS ABOUT
TO BREAK MY FOUNDATION CAUSING REAR DOORS
OF HOUSE NOT TO WORK PROPERLY + TOO CLOSE TO HOUSE.


Replacement plant material must be Florida Grade #1. Replacement of a palm with a native palm is required. Replacement of a canopy tree with a native canopy tree is required. If you need assistance with replacements, please call the Landscape Department at 305-809-3764.

<<<< Sketch location of tree in this area including cross/corner Street >>>>

Provide access for viewing tree(s) prior to meeting
Identify tree(s) with colored tape

AGENDA ITEM #

Thompson St. / South St.



Tree Species Gumbo Limbo

Circumference 72" ~~IN.~~ ¹⁰⁰ 68" $\div 3.14 = \text{diameter}$ 22.93" ~~IN.~~ ^{PD} 21.66"

Location 20 % Species 100 % Condition 60 % Total Average Value 60 %

Avg. value 160 x 21.66 Diameter = 13"
Replacement Inches

see a Hatched
memo
K DeLoach
1-20-12

LOCATION: OLD CITY HALL, 510 GREENE STREET, 5:00 p.m.

FOR TREE COMMISSION USE ONLY.

TABLED APPROVED DENIED FURTHER ACTION

COMMENTS:

CHAIRPERSONS SIGNATURE/DATE

City Engineer comments if required:

ENGINEER'S SIGNATURE/DATE