



---

**Historic Architectural Review Commission  
Staff Report for Item 2\***

**To:** Chairman Bryan Green and Historic Architectural Review Commission Members

**From:** Enid Torregrosa, MSHP  
Historic Preservation Planner

**Meeting Date:** July 25, 2017

**Applicant:** David Knoll, Architect

**Application Number:** H16-03-0033

**Address:** #724 Caroline Street

**\*This review is based on previous guidelines for additions and alterations.**

---

**Description of Work:**

Renovations to existing main historic house. Rebuilt rear portion of house and new two-story attached addition. Site improvements including replacement of front fence and gate to match existing in design and materials.

**Site Facts:**

The building under review, build ca. 1890, is a contributing resource to the historic district. The building is located second towards the west, on the southwest corner of Caroline and Margaret Streets. The building is one of the oldest structures still stand within the urban block. The two-story frame vernacular historic house has been abandoned and neglected. The house has kept its original form, with the exception of the portion of the house, which was originally one-story that was changed before 1926 to a two-story rear addition with a two-story east side porch. It is clear in the circa 1965 that the two-story rear porch has become a one-story enclosed structure. The City recognizes two units for this property.

**US Secretary of the Interior's Standards  
and HARC Guidelines Cited on Review:**

- US Secretary of the Interior's Standards (pages 16-23), specifically Standards 1, 2, 3, 4, 9, and 10.

- Windows (pages 29-30), specifically guidelines 1 and 3.
- Shutters (pages 30-31), specifically guidelines 3, 4, and 5.
- Entrances, Porches and Doors (pages 32-33), specifically guideline 3, 5, and 9.
- Additions and New Construction (page 36-38a), specifically guidelines 4, 5, 6, 7 and 8 of page 37 and all guidelines for New Construction.
- Fences and walls (pages 41-42), specifically guidelines 2, 3, and 8.

### **Staff Analysis**

This staff report is for revisions to previous plans reviewed and postponed by the Commission at the June 27, 2017 meeting. The Certificate of Appropriateness in review is for the restoration of a neglected historic house. The plan also includes the reconstruction of the rear addition of the structure on its same three-dimensional footprint, due to actual state of decay. The design also includes a two-story attached addition to the rear of the house. The plan also includes the reconstruction of the front wrought iron fence and its concrete curb, which are in disrepair.

The main house has non- historic glass jalousie windows on its first floor and on the rear second floor addition; historic wood windows are still standing in almost all second floor openings, with the exception of the rear and two east side fenestrations. The historic windows are operable and restorable. All the window's weights are missing, as they were removed. During staff site visit, the weights were found in the front yard and can be re-used.

The plans include the renovation of the historic house with same materials; new wood true divided light windows will replace of non-historic units. The design includes the repair of all existing historic windows and new wood solid shutters. The front two-story porch also will be renovated, as structural components will require reinforcement. Non-historic front doors will be replaced with wood units that will have their upper panel glassed- *as guideline 9 on page 33 states that late 19<sup>th</sup> century and early 20<sup>th</sup> century buildings used horizontal paneled or half-glazed doors.* The plan proposes to leave the first-story front central fenestration intact. New roof metal shingles will be replacing existing ones. Due to the decay of several members the rear portion of the building, which includes a two-story attached addition and a one-story porch on the east side of the house, will be repaired as required. On this revision, the previous proposed four skylights are no longer in the plans.

The new proposed rear addition will be required to meet FEMA regulations, and the height of the new attached structure will be the same of the main structure's height, as it needs to be elevated. The revision depicts a different addition design with the same roof pitch ratio than the main house roof. In order to brake the mass the design creates two volumes, making the rear volume smaller and shorter than the rest of the new addition. Due to the use of the same roof pitch of the main house, the new addition's roof will not extend beyond the main roof's profile. For the addition, the plan proposes the use of cementous siding, metal casement and fixed windows, rated doors and galvanized v-crimp roofing system.

The rear addition will have an indentation on its southwest corner in order to protect the drip line of a historic mango tree.

A new wrought iron fence and gates are proposed on the front yard, as the historic fence is in disrepair. All mechanical equipment will be located at the rear of the property and has to be elevated due to FEMA restrictions.

### **Consistency with Guidelines**

It is staff's opinion that the proposed renovations to the historic house are much needed and in keeping with the US Secretary of the Interior's Standards and Guidelines for Rehabilitation and with our Guidelines. The house will maintain its historic three-dimensional footprint in all character defining elevations. Historic elements like siding, windows, gingerbread railings, columns and structural elements will be preserved. Although historically the house had louvered shutters, the actual shutters are in disrepair. The design proposes solid wood operable shutters that will protect the true divided windows from storms.

The new proposed addition on the rear will have a similar height than the main house, due to requirements from FEMA. The finish floor will be 4'-10" above crown of the road. In comparing the new proposed addition with the existing two-story rear portion of the house, the new addition is approximately 1'-2" taller from finish floor to ridge. The revised design adjusted the pitch ratio to be equal to the main house roof pitch and it has change the previous design mass by breaking the structure in two volumes. This revision removed the skylights, two of which were visible from the street.

The proposed replication of the existing wrought iron fence and curb is an appropriate solution for the actual condition of the front yard fence.

The proposed design meets the cited SOIS, as the proposed alterations will take place on non-character defining portions of the house. The proposed rear addition will clearly read as a new alteration, but will still comply with requirements of compatibility with roof and building forms, textures, and mass.

# APPLICATION

# COMBINATION APPLICATION: FLOODPLAIN, CONSTRUCTION AND HARC

\$50.00 APPLICATION FEE NON-REFUNDABLE



## City of Key West

3140 FLAGLER AVENUE  
KEY WEST, FLORIDA 33040

Phone: 305.809.3956

[www.cityofkeywest-fl.gov](http://www.cityofkeywest-fl.gov)

HARC PERMIT NUMBER <b>H16-03-0033</b>		BUILDING PERMIT NUMBER	INITIAL & DATE
FLOODPLAIN PERMIT			REVISION #
FLOOD ZONE	PANEL #	ELEV. I. FL.	SUBSTANTIAL IMPROVEMENT YES    NO    %

ADDRESS OF PROPOSED PROJECT:	724 CAROLINE STREET		# OF UNITS 2
RE# OR ALTERNATE KEY:	00003550-000000		
NAME ON DEED:	WILLIAM M CALDWELL	PHONE NUMBER 410-960-9633	
OWNER'S MAILING ADDRESS:	14 IVY HILL COURT	EMAIL GraceCwell@aol.com	
	HUNT VALLEY, MD 21030		
CONTRACTOR COMPANY NAME:	N / A	PHONE NUMBER	
CONTRACTOR'S CONTACT PERSON:	N / A	EMAIL	
ARCHITECT / ENGINEER'S NAME:	DAVID KNOLL	PHONE NUMBER 305-745-8617	
ARCHITECT / ENGINEER'S ADDRESS:	19581 MAYAN ST.	EMAIL david@davidknollarch.com	
	SUGARLOAF KEY, FL 33042		

HARC: PROJECT LOCATED IN HISTORIC DISTRICT OR IS CONTRIBUTING:  YES  NO (SEE PART C FOR HARC APPLICATION.)

CONTRACT PRICE FOR PROJECT OR ESTIMATED TOTAL FOR MATERIAL, LABOR & PROFIT: N/A

FLORIDA STATUTE 837.06: WHOEVER KNOWINGLY MAKES A FALSE STATEMENT IN WRITING AND WITH THE INTENT TO MISLEAD A PUBLIC SERVANT IN THE PERFORMANCE OF HIS OR HER OFFICIAL DUTY SHALL BE GUILTY OF A MISDEMEANOR OF THE SECOND DEGREE PUNISHABLE PER SECTION 775.082 OR 775.083.

PROJECT TYPE: <input checked="" type="checkbox"/> ONE OR TWO FAMILY	<input type="checkbox"/> MULTI-FAMILY	<input type="checkbox"/> COMMERCIAL	<input type="checkbox"/> NEW	<input checked="" type="checkbox"/> REMODEL
<input type="checkbox"/> CHANGE OF USE / OCCUPANCY	<input checked="" type="checkbox"/> ADDITION	<input type="checkbox"/> SIGNAGE	<input type="checkbox"/> WITHIN FLOOD ZONE <u>AE-7</u>	
<input type="checkbox"/> DEMOLITION	<input checked="" type="checkbox"/> SITE WORK	<input checked="" type="checkbox"/> INTERIOR	<input checked="" type="checkbox"/> EXTERIOR	<input type="checkbox"/> AFTER-THE-FACT

**DETAILED PROJECT: RESUBMISSION OF REVISED PLANS** TO INCLUDE THE RENOVATION OF THE EXISTING FRONT PORTION OF THE HISTORIC STRUCTURE; DEMOLITION OF THE EXTREMELY DETERIORATED EXISTING REAR PORTION OF THE HISTORIC STRUCTURE AND REBUILD IT TO THE SAME THREE DIMENSIONAL FOOTPRINT; DEMOLITION OF A CONCRETE CISTERN, GREENHOUSE STRUCTURE AND OVERHEAD ROOF STRUCTURE AT THE REAR YARD; ADDITION OF A THREE HUNDRED SQUARE FOOT PORTION AT THE REAR OF THE PROPERTY; ADDITION OF A STOOP WITH STEPS AT THE EAST SIDE YARD; REMOVAL OF THE COMPROMISED BOTTLE BRUSH AND SCHEFFLERA TREES AT THE NORTHEAST, FRONT CORNER OF THE PROPERTY; REPLACEMENT OF A FENCE AND GATE AT THE FRONT PROPERTY LINE TO MATCH THE EXISTING; AND SITE WORK TO INCLUDE A REPLACEMENT TREE WHERE THE EXISTING TREES HAVE BEEN REMOVED.

I'VE OBTAINED ALL NECESSARY APPROVALS FROM ASSOCIATIONS, GOV'T AGENCIES AND OTHER PARTIES AS APPLICABLE TO COMPLETE THE DESCRIBED PROJECT:	
ARCHITECT PRINT NAME: <b>DAVID KNOLL</b>	QUALIFIER PRINT NAME:
ARCHITECT SIGNATURE:	QUALIFIER SIGNATURE:
Notary Signature as to architect:	Notary Signature as to qualifier:
STATE OF FLORIDA; COUNTY OF MONROE, SWORN TO AND SCRIBED BEFORE ME THIS <u>24<sup>th</sup></u> DAY OF <u>March</u> , 20 <u>17</u>	STATE OF FLORIDA; COUNTY OF MONROE, SWORN TO AND SCRIBED BEFORE ME THIS _____ DAY OF _____, 20_____
Personally known or produced <u>Driver's License</u> as identification.	Personally known or produced _____ as identification.

**PART B: SUPPLEMENTARY PROJECT DETAILS TO AVOID DELAYS/CALL-BACKS**

PROPERTY STRUCTURES AFFECTED BY PROJECT:  MAIN STRUCTURE  ACCESSORY STRUCTURE  SITE

ACCESSORY STRUCTURES:  GARAGE / CARPORT  DECK  FENCE  OUTBUILDING/SHED

FENCE STRUCTURES:  3 FT.  FT. SOLID  FT./TOP FT. 50% OPEN

POOLS:  INGROUND  ABOVE GROUND  SPA /HOT TUB  PRIVATE  PUBLIC

PUBLIC POOLS REQUIRE BD. OF HEALTH LICENSE APPLICATION AT TIME OF CITY APPLICATION.  
 PUBLIC POOLS REQUIRE BD. OF HEALTH LICENSE PRIOR TO RECEIVING THE CITY CERTIFICATE OF OCCUPANCY.

ROOFING:  NEW  ROOF-OVER  TEAR-OFF  REPAIR   
 5V METAL  ASPLT. SHGLS.  METAL SHGLS.  BLT. UP  TPO  OTHER

FLORIDA ACCESSIBILITY CODE:  20% OF PROJECT FUNDS INVESTED IN ACCESSIBILITY FEATURES.

SIGNAGE:  # OF SINGLE FACE  # OF DOUBLE FACE  REPLACESKIN ONLY  BOULEVARD ZONE  
 POLE  WALL  PROJECTING  AWNING  HANGING  WINDOW  
 SQ. FT. OF EACH SIGN FACE: \_\_\_\_\_

**SUBCONTRACTORS / SPECIALTY CONTRACTORS SUPPLEMENTARY INFORMATION:**

MECHANICAL:  DUCTWORK  COMMERCIAL EXH. HOOD  INTAKE/EXH. FANS  LPG TANKS  
 A/C:  COMPLETE SYSTEM  AIR HANDLER  CONDENSER  MINI-SPLIT

ELECTRICAL:  LIGHTING  RECEPTACLES  HOOK-UP EQUIPMENT  LOW VOLTAGE  
 SERVICE:  OVERHEAD  UNDERGROUND  1 PHASE  3 PHASE  AMPS

PLUMBING:  ONE SEWER LATERAL PER BLDG.  INGROUND GREASE INTCPTRS.  LPG TANKS  
 RESTROOMS:  MEN'S  WOMEN'S  UNISEX  ACCESSIBLE

**PART C: HARC APPLICATION FOR A CERTIFICATE OF APPROPRIATENESS**

APPLICATION FEES: PAINTING SINGLE FAMILY: \$10 STAFF APPROVAL: \$50 COMMISSION REVIEW \$100

PLEASE ATTACH APPROPRIATE VARIANCES / RESOLUTIONS FROM HARC, PLANNING BOARD OR TREE COMMISSION.

ATTENTION: NO BUILDING PERMITS WILL BE ISSUED PRIOR TO HARC APPROVAL.

PLEASE SEND ELECTRONIC SUBMISSIONS TO: [harc@cityofkeywest-fl.gov](mailto:harc@cityofkeywest-fl.gov)

INDICATE TYPE OF CERTIFICATE. OF APPROPRIATENESS:  GENERAL  DEMOLITION  SIGN  PAINTING  OTHER

ADDITIONAL INFORMATION: \_\_\_\_\_

PROJECT SPECIFICATIONS: PLEASE PROVIDE PHOTOS OF EXISTING CONDITIONS, PLANS, PRODUCT SAMPLES, TECHNICAL DATA		
ARCHITECTURAL FEATURES TO BE ALTERED:	ORIGINAL MATERIAL:	PROPOSED MATERIAL:
WINDOWS AND DOORS	WOOD, GLASS, ALUMINUM	WOOD, GLASS, METAL
SIDING	WOOD	WOOD
ROOFING	GALVANIZED METAL	GALVANIZED METAL

DEMOLITION: PLEASE FILL OUT THE HARC APPENDIX FOR PROPOSED DEMOLITION.

DEMOLITION OF HISTORIC STRUCTURES IS NOT ENCOURAGED BY THE HISTORIC ARCHITECTURAL REVIEW COMMISSION.

SIGNAGE: (SEE PART B)  BUSINESS SIGN  BRAND SIGN  OTHER: \_\_\_\_\_

BUSINESS LICENSE # \_\_\_\_\_ F FAÇADE MOUNTED, SQ. FT. OF FAÇADE \_\_\_\_\_

SIGN SPECIFICATIONS		
SIGN COPY:	PROPOSED MATERIALS:	SIGNS WITH ILLUMINATION:
		TYPE OF LTG.:
		LTG. LINEAL FTG.:
MAX. HGT. OF FONTS:		COLOR AND TOTAL LUMENS:
IF USING LIGHT FIXTURES PLEASE INDICATE HOW MANY: INCLUDE SPEC. SHEET WITH LOCATIONS AND COLORS.		

OFFICIAL USE ONLY: HARC STAFF OR COMMISSION REVIEW		
<input type="checkbox"/> APPROVED <input type="checkbox"/> NOT APPROVED <input type="checkbox"/> DEFERRED FOR FUTURE CONSIDERATION <input type="checkbox"/> TABLED FOR ADD'L. INFO.		
HARC MEETING DATE:	HARC MEETING DATE:	HARC MEETING DATE:
REASONS OR CONDITIONS:		
STAFF REVIEW COMMENTS:		
<i>Home is listed as contributing resource.</i> <i>Guidelines for additions/alterations, fences, skylights,</i> <i>Ordinance for historic - and non-historic demolitions.</i>		
HARC PLANNER SIGNATURE AND DATE:	HARC CHAIRPERSON SIGNATURE AND DATE:	

**PART D: STATE OF FLORIDA OFFICIAL NOTIFICATIONS AND WARNINGS**

FLORIDA STATUTE 713.135: WARNING TO OWNER: YOUR FAILURE TO RECORD A 'NOTICE OF COMMENCEMENT' MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. A NOTICE OF COMMENCEMENT MUST BE RECORDED WITH THE COUNTY RECORDER AND A COPY POSTED ON THE JOB SITE BEFORE THE FIRST INSPECTION. IF YOU INTEND TO OBTAIN FINANCING CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING A NOTICE.

FLORIDA STATUTE 469: ASBESTOS ABATEMENT. AS OWNER / CONTRACTOR / AGENT OF RECORD FOR THE CONSTRUCTION APPLIED FOR IN THIS APPLICATION, I AGREE THAT I WILL COMPLY WITH THE PROVISIONS F. S. 469.003 AND TO NOTIFY THE FLORIDA D. E. P. OF MY INTENT TO DEMOLISH / REMOVE ASBESTOS. IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT APPLICATION, THERE MAY BE DEED RESTRICTIONS AND / OR ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF MONROE COUNTY AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENT ENTITIES SUCH AS AQUADUCT AUTHORITY, FLORIDA DEP OR OTHER STATE AGENCIES; ARMY CORPS OF ENGINEERS OR OTHER FEDERAL AGENCIES.

FEDERAL LAW REQUIRES LEAD PAINT ABATEMENT PER THE STANDARDS OF THE USDEP ON STRUCTURES BUILT PRIOR TO 1978.

OFFICIAL USE ONLY BY PLANS EXAMINER OR CHIEF BUILDING OFFICIAL:				CBO OR PL. EXAM. APPROVAL:
HARC FEES:	BLDG. FEES:	FIRE MARSHAL FEE:	IMPACT FEES:	DATE:

**CITY OF KEY WEST**  
**CERTIFICATE OF APPROPRIATENESS**  
**APENDIX FOR DEMOLITIONS**  
APPLICATION NUMBER H-\_\_\_\_-\_\_\_\_-\_\_\_\_-\_\_\_\_\_



This document applies only to those properties located within the City of Key West Historic Zoning Districts, properties outside the historic zoning districts which are listed as contributing in the Historic Architectural Survey and or properties listed in the National Register of Historic Places.

Applications must meet or exceed the requirements outlined by the Secretary of the Interior's Standards for Rehabilitation and Guidelines for Rehabilitation and the Key West's Historic Architectural Guidelines. Once submitted, the application shall be reviewed by staff for completeness and scheduled for presentation to the Historic Architectural Review Commission for the next available meeting, unless the demolition request is for a *bona fide* Code Compliance case, in which case staff may review and approve the demolition request. **The applicant must be present at this meeting. Any person that makes changes to an approved Certificate of Appropriateness must submit a new application with such modifications.**

The filing of this application does not ensure approval as submitted. Applications that do not possess the required submittals or documentation will be considered incomplete and will not be reviewed for approval.

**CRITERIA FOR DEMOLITIONS**

Before any Certificate of Appropriateness may be issued for a demolition request, the Historic Architectural Review Commission must find that the following requirements are met (please review and comment on each criterion that applies);

- (1) If the subject of the application is a contributing or historic building or structure, then it should not be demolished unless its condition is irrevocably compromised by extreme deterioration or it does not meet any of the following criteria:
  - (a) The existing condition of the building or structure is irrevocably compromised by extreme deterioration.

---

---

---

---

**OR THAT THE BUILDING OR STRUCTURE;**

- (a) Embodies no distinctive characteristics of a type, period, or method of construction of aesthetic or historic significance in the city and is not a significant and distinguishable building entity whose components may lack individual distinction.

THE CISTERN MEETS THESE CRITERION

---

---

---

---

- (b) Is not specifically associated with events that have made a significant contribution to local, state, or national history.

THE CISTERN MEETS THESE CRITERION

---

---

---

---



- (c) Has no significant character, interest, or value as part of the development, heritage, or cultural characteristics of the city, state or nation, and is not associated with the life of a person significant in the past.

**THE CISTERN MEETS THESE CRITERION**

---

---

---

- (d) Is not the site of a historic event with a significant effect upon society.

**THE CISTERN MEETS THESE CRITERION**

---

---

---

- (e) Does not exemplify the cultural, political, economic, social, or historic heritage of the city.

**THE CISTERN MEETS THESE CRITERION**

---

---

---

- (f) Does not portray the environment in an era of history characterized by a distinctive architectural style.

**THE CISTERN MEETS THESE CRITERION**

---

---

---

- (g) If a part of or related to a square, park, or other distinctive area, nevertheless should not be developed or preserved according to a plan based on the area's historic, cultural, natural, or architectural motif.

**THE CISTERN MEETS THESE CRITERION**

---

---

---

- (h) Does not have a unique location or singular physical characteristic which represents an established and familiar visual feature of its neighborhood or of the city, and does not exemplify the best remaining architectural type in a neighborhood.

**THE CISTERN MEETS THESE CRITERION**

---

---

---

- (i) Has not yielded, and is not likely to yield, information important in history.

**THE CISTERN MEETS THESE CRITERION**

---

---

---

**CITY OF KEY WEST**  
**CERTIFICATE OF APPROPRIATENESS**  
**APENDIX FOR DEMOLITIONS**  
APPLICATION NUMBER H-\_\_\_\_-\_\_\_\_-\_\_\_\_-\_\_\_\_\_



(2) For a contributing historic or noncontributing building or structure, a complete construction plan for the site is approved by the Historic Architectural Review Commission.

(a) A complete construction plan for the site is included in this application

  X   Yes    Number of pages and date on plans      5 PAGES DATED 3/24/17  

       No    Reason \_\_\_\_\_

The following criteria will also be reviewed by the Historic Architectural Review Commission for proposed demolitions. The Commission shall not issue a Certificate of Appropriateness that would result in the following conditions (please review and comment on each criterion that applies);

(1) Removing buildings or structures that are important in defining the overall historic character of a district or neighborhood so that the character is diminished.

  DEMOLISHING THE NON- HISTORIC GREENHOUSE AND ROOF STRUCTURE WILL NOT    
  DIMINISH THE HISTORIC CHARACTER OF THE DISTRICT OR NEIGHBORHOOD  

\_\_\_\_\_

(2) Removing historic buildings or structures and thus destroying the historic relationship between buildings or structures and open space; and

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**AND**

(3) Removing an historic building or structure in a complex; or removing a building facade; or removing a significant later addition that is important in defining the historic character of a site or the surrounding district or neighborhood.


\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

(4) Removing buildings or structures that would otherwise qualify as contributing.

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**Nothing in this application is intended to alter the authority of the Building Official to condemn for demolition dangerous buildings, as provided in Section 102-218 of the Land Development Regulations and Chapter 14 of the Code of Ordinances.**

*I hereby certify I am the owner of record and that the work shall conform to all applicable laws of this jurisdiction. By receiving a Certificate of Appropriateness, I realize that this project will require a Building Permit, approval **PRIOR** to proceeding with the work outlined above and that there will be a final inspection required under this application. I also understand that any changes to an approved Certificate of Appropriateness must be submitted for review.*



 PROPERTY OWNER'S SIGNATURE:	3/24/17 BILL CALDWELL DATE AND PRINT NAME:
---	---

**OFFICE USE ONLY**



BUILDING DESCRIPTION:			
<input type="checkbox"/> Contributing	Year built _____	Style _____	Listed in the NRHP _____ Year _____
<input type="checkbox"/> Not listed	Year built _____	Comments _____	

<input type="checkbox"/> Reviewed by Staff on _____ <input type="checkbox"/> Notice of hearing posted _____ First reading meeting date _____ Second Reading meeting date _____ <b>TWO YEAR EXPIRATION DATE</b> _____	Staff Comments     
--	------------------------------------


# SANBORN MAPS




1899 Sanborn Map



1912 Sanborn Map




1926 Sanborn Map



1948 Sanborn Map





1962 Sanborn Map

# PROJECT PHOTOS



**724 Caroline Street circa 1965. Monroe County Library.**



**726 Caroline Street in 1966. House under review towards the right side. Monroe County Library.**













VID KING  
C 5  
ET. PL 130511




























# SURVEY

# MAP OF BOUNDARY SURVEY



LOCATION MAP - NTS  
SEC. 06-TG85-R25E



ASSUMED

BEARING BASE:  
ALL BEARINGS ARE BASED  
ON S75°00'00"W ASSUMED  
ALONG THE CENTERLINE OF  
CAROLINE STREET.

ALL ANGLES DEPICTED  
ARE 90 DEGREES UNLESS  
OTHERWISE INDICATED

ALL UNITS ARE SHOWN IN  
U.S. SURVEY FEET


ADDRESS:  
724 CAROLINE STREET  
KEY WEST, FL 33040

COMMUNITY NO.: 120168  
MAP NO.: 12087C-1516K  
MAP DATE: 02-18-05  
FLOOD ZONE: AE  
BASE ELEVATION: 6 # 7

FIRST FLOOR ELEVATION =  
5.4' (NGVD 1929)


ELEVATIONS SHOWN HEREON  
ARE IN FEET AND BASED ON  
THE NATIONAL GEODETIC  
VERTICAL DATUM OF 1929  
(NGVD 1929).

BENCHMARK DESCRIPTION:  
NATIONAL GEODETIC SURVEY  
BENCHMARK "D 121" (P.I.D.  
AA0020), ELEVATION = 3.91'  
(NGVD 1929).



## LEGEND

- WATER METER
- SANITARY SEWER CLEAN OUT
- MAILBOX
- WOOD POWER POLE
- CONCRETE POWER POLE
- SPOT GRADE ELEVATION (TYPICAL)



TOTAL AREA = 3,812.47 SQFT ±

THE SURVEY MAP (SHEET 1 OF 2) IS NOT COMPLETE  
AND VALID WITHOUT THE ATTACHED SURVEY REPORT  
(SHEET 2 OF 2)

CERTIFIED TO -  
William M. Caldwell;  
Stones & Cardenas;  
Chicago Title Insurance Company;

NOTE: FOUNDATIONS BENEATH THE SURFACE ARE NOT SHOWN. MEASURED DIMENSIONS EQUAL  
PLATTED OR DESCRIBED DIMENSIONS UNLESS INDICATED OTHERWISE.

THE FOLLOWING IS A LIST OF ABBREVIATIONS THAT MAY BE FOUND ON THIS SHEET.

- |                                   |  |                                      |
|-----------------------------------|--|--------------------------------------|
| BFP = BACK-FLOW PREVENTER         | GUY = GUY WIRE                                 | POC = POINT OF COMMENCEMENT          |
| BO = BLOW OUT                     | HB = HOSE BIB                                  | PRC = POINT OF REVERSE CURVE         |
| C & G = 2" CONCRETE CURB & GUTTER | IP = IRON PIPE                                 | PRM = PERMANENT REFERENCE MONUMENT   |
| CB = CONCRETE BLOCK               | IR = IRON ROD                                  | PT = POINT OF TANGENT                |
| CBW = CONCRETE BLOCK WALL         | L = ARC LENGTH                                 | R = RADIUS                           |
| CL = CENTERLINE                   | LS = LANDSCAPING                               | RAW = RIGHT OF WAY LINE              |
| CLF = CHAINLINK FENCE             | MB = MAILBOX                                   | SSCO = SANITARY SEWER CLEAN-OUT      |
| CM = CONCRETE MONUMENT            | MEAS = MEASURED                                | SW = SIDE WALK                       |
| CONC = CONCRETE                   | MF = METAL FENCE                               | TBM = TEMPORARY BENCHMARK            |
| CPP = CONCRETE POWER POLE         | MHWL = MEAN HIGH WATER LINE                    | TOB = TOP OF BANK                    |
| CVRD = COVERED                    | NGVD = NATIONAL GEODETIC VERTICAL DATUM (1929) | TOS = TOE OF SLOPE                   |
| DELTA = CENTRAL ANGLE             | NTS = NOT TO SCALE                             | TS = TRAFFIC SIGN                    |
| DEASE = DRAINAGE EASEMENT         | OH = ROOF OVERHANG                             | TYP = TYPICAL                        |
| EL = ELEVATION                    | OHW = OVERHEAD WIRES                           | UR = UNREADABLE                      |
| ENCL = ENCLOSURE                  | PC = POINT OF CURVE                            | UE = UTILITY EASEMENT                |
| EP = EDGE OF PAVEMENT             | PM = PARKING METER                             | WD = WOOD DECK                       |
| FF = FINISHED FLOOR ELEVATION     | PCC = POINT OF COMPOUND CURVE                  | WF = WOOD FENCE                      |
| FH = FIRE HYDRANT                 | PCP = PERMANENT CONTROL POINT                  | WL = WOOD LANDING                    |
| FI = FENCE INSIDE                 | PK = PARKER KALON NAIL                         | WM = WATER METER                     |
| FND = FOUND                       | POB = POINT OF BEGINNING                       | WPP = WOOD POWER POLE                |
| FO = FENCE OUTSIDE                | PI = POINT OF INTERSECTION                     | WRACK LINE = LINE OF DEBRIS ON SHORE |
| FOL = FENCE ON LINE               |  | WV = WATER VALVE                     |

NOTE: LEGAL DESCRIPTIONS HAVE BEEN FURNISHED BY THE CLIENT OR HIS/HER REPRESENTATIVE. PUBLIC RECORDS HAVE NOT BEEN RESEARCHED BY THE SURVEYOR TO DETERMINE THE ACCURACY OF THESE DESCRIPTIONS NOR HAVE ADJOINING PROPERTIES BEEN RESEARCHED TO DETERMINE OVERLAPS OR HIATUS. ADDITIONS OR DELETIONS TO SURVEY MAP OR REPORT BY OTHER THAN THE SIGNING PARTY IS PROHIBITED WITHOUT WRITTEN CONSENT OF THE SIGNING PARTY. THE BOLD LINE SHOWN HEREON REPRESENTS THE SURVEYORS OPINION OF THE DEED LINES. THE MEAN HIGH WATER LINE WAS NOT DETERMINED FOR THIS SURVEY, THE APPARENT MEAN HIGH WATER LINE IS SHOWN FOR REFERENCE ONLY.

SCALE:	1" = 20'
FIELD WORK DATE:	09/08/2015
REVISION DATE:	XX/XX/XXXX
SHEET:	1 OF 2
DRAWN BY:	MPB
CHECKED BY:	-----
INVOICE NO.:	-----

I HEREBY CERTIFY THAT THIS SURVEY WAS MADE UNDER MY RESPONSIBLE CHARGE AND MEETS THE STANDARDS OF PRACTICE AS SET FORTH BY THE FLORIDA BOARD OF PROFESSIONAL SURVEYORS AND MAPPERS IN CHAPTER 5J-17, FLORIDA ADMINISTRATIVE CODE, PURSUANT TO SECTION 472.027, FLORIDA STATUTES AND COMPLIES WITH CHAPTER 177, FLORIDA STATUTES.

SIGNED   
ERIC A. ISAACS, PSM #6783, PROFESSIONAL SURVEYOR AND MAPPER, LB# 7847


NOT VALID WITHOUT THE SIGNATURE AND THE RAISED SEAL OF A FLORIDA SURVEYOR AND MAPPER



## FLORIDA KEYS LAND SURVEYING

19960 OVERSEAS HIGHWAY  
SUGARLOAF KEY, FL 33042  
PHONE: (305) 394-3690  
FAX: (305) 509-7373  
EMAIL: FKL5email@Gmail.com

# REPORT OF BOUNDARY SURVEY



LOCATION MAP - NTS  
SEC. 06-T685-R25E

## LEGAL DESCRIPTION -

### "PARCEL 1"

The following described land, situate, lying and being in the County of Monroe, State of Florida, to-wit: On the Island of Key West, known on Wm. A. Whitehead's map, delineated in February, A.D., 1829, as a part of Lot 2, Square 22, described as follows: Commencing at a point on Caroline Street, distant 65 feet from the corner of Caroline and William Streets and running thence along said Caroline Street in a Southwesterly direction 30 feet; thence at right angles in a Southeasterly direction 115 feet; thence at right angles in a Northeasterly direction 30 feet; thence at right angles in a Northwesterly direction 115 feet to the place of beginning.

### "PARCEL 2"

That certain 3 foot by 115 foot strip of land lying Northeasterly and contiguous to Parcel 1 appearing in Quiet Title Action between William H. Spencer, Bernice Spencer and Tatra, Inc., Case No. 80-121-CA-13, as evidenced by Final Judgment recorded April 10, 1981 in Official Records Book 829, Page 189, and Mandate recorded in Official Records Book 849, Page 747, and Findings of Appeal recorded in Official Records Book 849, Page 748, said lands being described as follows: On the Island of Key West and known on William A. Whitehead's Map of said Island delineated in February, A.D. 1829, as part of Lot 2, Square 22. Commencing at the corner of Caroline and William Streets, as now constructed, and running thence along Caroline Street in a Northwesterly direction a distance of 62 feet to a point of beginning; thence continuing running in a Southwesterly direction 3 feet; thence at right angles in a Southeasterly direction 115 feet; thence at right angles in a Northeasterly direction 3 feet; thence at right angles in a Northwesterly direction 115 feet to the place of beginning.

THE SURVEY REPORT (SHEET 2 OF 2) IS NOT COMPLETE AND VALID WITHOUT THE ATTACHED SURVEY MAP (SHEET 1 OF 2)

### CERTIFIED TO -

William M. Caldwell;  
Stones & Cardenas;  
Chicago Title Insurance Company;

NOTE: FOUNDATIONS BENEATH THE SURFACE ARE NOT SHOWN. MEASURED DIMENSIONS EQUAL PLATTED OR DESCRIBED DIMENSIONS UNLESS INDICATED OTHERWISE. THE FOLLOWING IS A LIST OF ABBREVIATIONS THAT MAY BE FOUND ON THIS SHEET.

BFP = BACK-FLOW PREVENTER	GUY = GUY WIRE	POC = POINT OF COMMENCEMENT
BO = BLOW OUT	HB = HOSE BIB	PRC = POINT OF REVERSE CURVE
C & G = 2' CONCRETE CURB & GUTTER	IP = IRON PIPE	PRM = PERMANENT REFERENCE MONUMENT
CB = CONCRETE BLOCK	IR = IRON ROD	PT = POINT OF TANGENT
CBW = CONCRETE BLOCK WALL	L = ARC LENGTH	R = RADIUS
CL = CENTERLINE	LS = LANDSCAPING	R/W = RIGHT OF WAY LINE
CLF = CHAINLINK FENCE	MB = MAILBOX	SSCO = SANITARY SEWER CLEAN-OUT
CM = CONCRETE MONUMENT	MEAS = MEASURED	SW = SIDE WALK
CONC = CONCRETE	MF = METAL FENCE	TBM = TEMPORARY BENCHMARK
CPP = CONCRETE POWER POLE	MHWL = MEAN HIGH WATER LINE	TOB = TOP OF BANK
CVRD = COVERED	NGVD = NATIONAL GEODETIC VERTICAL DATUM (1929)	TOS = TOE OF SLOPE
DELTA = CENTRAL ANGLE	NTS = NOT TO SCALE	TS = TRAFFIC SIGN
DEASE = DRAINAGE EASEMENT	OH = ROOF OVERHANG	TYP = TYPICAL
EL = ELEVATION	OHW = OVERHEAD WIRES	U/R = UNREADABLE
ENCL = ENCLOSURE	PC = POINT OF CURVE	U/E = UTILITY EASEMENT
EP = EDGE OF PAVEMENT	PM = PARKING METER	WD = WOOD DECK
FF = FINISHED FLOOR ELEVATION	PCC = POINT OF COMPOUND CURVE	WF = WOOD FENCE
FI = FIRE HYDRANT	PCP = PERMANENT CONTROL POINT	WL = WOOD LANDING
FIND = FOUND	PK = PARKER KALON NAIL	WM = WATER METER
FO = FENCE OUTSIDE	POB = POINT OF BEGINNING	WPP = WOOD POWER POLE
FOL = FENCE ON LINE	PI = POINT OF INTERSECTION	WRACK LINE = LINE OF DEBRIS ON SHORE
		WV = WATER VALVE

NOTE: LEGAL DESCRIPTIONS HAVE BEEN FURNISHED BY THE CLIENT OR HIS/HER REPRESENTATIVE, PUBLIC RECORDS HAVE NOT BEEN RESEARCHED BY THE SURVEYOR TO DETERMINE THE ACCURACY OF THESE DESCRIPTIONS NOR HAVE ADJOINING PROPERTIES BEEN RESEARCHED TO DETERMINE OVERLAPS OR HIATUS. ADDITIONS OR DELETIONS TO SURVEY MAP OR REPORT BY OTHER THAN THE SIGNING PARTY IS PROHIBITED WITHOUT WRITTEN CONSENT OF THE SIGNING PARTY. THE BOLD LINE SHOWN HEREON REPRESENTS THE SURVEYORS OPINION OF THE DEED LINES. THE MEAN HIGH WATER LINE WAS NOT DETERMINED FOR THIS SURVEY, THE APPARENT MEAN HIGH WATER LINE IS SHOWN FOR REFERENCE ONLY.

SCALE:	1" = 20'
FIELD WORK DATE	09/08/2015
REVISION DATE	XXXX/XXXX
SHEET	2 OF 2
DRAWN BY:	MPB
CHECKED BY:	-----
INVOICE NO.:	-----

I HEREBY CERTIFY THAT THIS SURVEY WAS MADE UNDER MY RESPONSIBLE CHARGE AND MEETS THE STANDARDS OF PRACTICE AS SET FORTH BY THE FLORIDA BOARD OF PROFESSIONAL SURVEYORS AND MAPPERS IN CHAPTER 5J-17, FLORIDA ADMINISTRATIVE CODE, PURSUANT TO SECTION 472.027, FLORIDA STATUTES AND COMPLIES WITH CHAPTER 177, FLORIDA STATUTES.

SIGNED

ERIC A. ISAACS, FPM #6783, PROFESSIONAL SURVEYOR AND MAPPER, LB# 7847

NOT VALID WITHOUT THE SIGNATURE AND THE RAISED SEAL OF A FLORIDA SURVEYOR AND MAPPER



## FLORIDA KEYS LAND SURVEYING

1996 OVERSEAS HIGHWAY  
SUGARLOAF KEY, FL 33042  
PHONE: (305) 394-3690  
FAX: (305) 509-7373  
EMAIL: FKL5email@Gmail.com




# REVISED DESIGN

# RENOVATION AND ADDITIONS FOR: 724 CAROLINE STREET KEY WEST, FLORIDA


REVISIONS	
NO.	DATE

RENOVATION AND ADDITIONS FOR:  
**724 CAROLINE STREET**  
KEY WEST, FLORIDA



**PROPOSED SITE PLAN**  
1/8" = 1' - 0"

SITE DATA			
1. LAND USE DISTRICT: HNC-2 - HISTORIC NEIGHBORHOOD COMMERCIAL			
2. FLOOD ZONE: AE7 / BUILDING FLOOR ELEVATION: 5.4' NGVD			
3. LOT AREA: 3,812 S.F.			
4. SETBACKS:	REQUIRED	EXISTING	PROPOSED
FRONT	10.0'	15.4'	NO CHANGE
SIDE	5.0'	4.8' + 6.2'	NO CHANGE
REAR	15.0'	2.2'	22.8'
5. LOT COVERAGE:	REQUIRED	EXISTING	PROPOSED
BUILDING	40% MAX. (1,525 S.F.)	1,588 S.F. (42%)	1,509 S.F. (40%)
IMP. SURFACE	60% MAX. (2,287 S.F.)	1,844 S.F. (51%)	1,708 S.F. (47%)
OPEN SPACE	35% MIN. (1,334 S.F.)	1,888 S.F. (49%)	1,888 S.F. (50%)
6. PROPOSED STORMWATER RETENTION: THE WORK DEPICTED IN THESE DRAWINGS WILL DECREASE STORMWATER RUNOFF.			



**EXISTING SITE PLAN**  
1/8" = 1' - 0"


DATE OF ISSUE:  
**5 / 12 / 17**

DAVID KNOLL  
ARCHITECT

KEY WEST, FL. (305) 715-8617

1


SHEET 1 OF 5 SHEETS



UPPER LEVEL LOWER LEVEL

EXISTING FLOOR PLANS


3/16" = 1'-0"



UPPER LEVEL LOWER LEVEL

PROPOSED FLOOR PLANS

3/16" = 1'-0"



REVISIONS	
NO.	DATE

DATE OF ISSUE:  
5 / 12 / 17

SHEET 2 OF 5 SHEETS

RENOVATION AND ADDITIONS FOR:  
**724 CAROLINE STREET**  
KEY WEST, FLORIDA

DAVID KNOWLTON ARCHITECTS

KEY WEST, FL. (305) 715-8617

RENOVATION AND ADDITIONS FOR:

724 CAROLINE STREET

KEY WEST, FLORIDA



DAVID KNOWLL ARCHITECT

KEY WEST, FL. (305) 715-8617

SHEET

3

OF 5 SHEETS





PROPOSED BUILDING ELEVATIONS

1/4" = 1'-0"

DATE OF ISSUE:  
7/3/17





DATE OF ISSUE:  
5 / 12 / 17

**EXISTING BUILDING ELEVATIONS**

1/4" = 1'-0"

RENOVATION AND ADDITIONS FOR:

**724 CAROLINE STREET**

KEY WEST, FLORIDA

DAVID KNOWLL

ARCHITECT

KEY WEST, FL. (305) 715-8617

SHEET

**5**

OF 5 SHEETS

PREVIOUSLY SUBMITTED DESIGN


# RENOVATION AND ADDITIONS FOR:

# 724 CAROLINE STREET

## KEY WEST, FLORIDA


REVISIONS	
NO.	DATE

RENOVATION AND ADDITIONS FOR:  
**724 CAROLINE STREET**  
 KEY WEST, FLORIDA



**PROPOSED SITE PLAN**  
1/8" = 1'-0"

SITE DATA			
1. LAND USE DISTRICT: HNC-2 - HISTORIC NEIGHBORHOOD COMMERCIAL			
2. FLOOD ZONE: AE7 / BUILDING FLOOR ELEVATION: 5.4' NGVD			
3. LOT AREA: 3,812 S.F.			
4. SETBACKS:	REQUIRED	EXISTING	PROPOSED
FRONT	10.0'	15.4'	NO CHANGE
SIDE	5.0'	4.8' + 6.2'	NO CHANGE
REAR	15.0'	2.2'	22.8'
5. LOT COVERAGE:	REQUIRED	EXISTING	PROPOSED
BUILDING	40% MAX. (1,525 S.F.)	1,588 S.F. (42%)	1,509 S.F. (40%)
IMP. SURFACE	60% MAX. (2,287 S.F.)	1,844 S.F. (51%)	1,708 S.F. (47%)
OPEN SPACE	35% MIN. (1,334 S.F.)	1,888 S.F. (49%)	1,888 S.F. (50%)
6. PROPOSED STORMWATER RETENTION: THE WORK DEPICTED IN THESE DRAWINGS WILL DECREASE STORMWATER RUNOFF.			




**EXISTING SITE PLAN**  
1/8" = 1'-0"

DATE OF ISSUE:  
**5 / 12 / 17**

DAVID KNOLL  
 ARCHITECT  
 KEY WEST, FL (305) 715-8617


SHEET  
**1**  
 OF 5 SHEETS






UPPER LEVEL LOWER LEVEL

EXISTING FLOOR PLANS  
3/16" = 1'-0"



UPPER LEVEL LOWER LEVEL

PROPOSED FLOOR PLANS  
3/16" = 1'-0"





REVISIONS	
NO.	DATE

DATE OF ISSUE:  
**5 / 12 / 17**

SHEET  
**2**  
OF 5 SHEETS

RENOVATION AND ADDITIONS FOR:  
**724 CAROLINE STREET**  
KEY WEST, FLORIDA

**DAVID KNOWLTON**  
ARCHITECT  
KEY WEST, FL. (305) 715-8617





REVISIONS	
NO.	DATE
1	
2	
3	


RENOVATION AND ADDITIONS FOR:  
**724 CAROLINE STREET**  
 KEY WEST, FLORIDA

DAVID KNOWLTON  
 ARCHITECT  
 KEY WEST, FL (305) 715-8617

SHEET  
**4**  
 OF 5 SHEETS




DATE OF ISSUE:  
**5 / 12 / 17**



**WEST**

**SOUTH**



**EAST**

**NORTH**

DATE OF ISSUE:  
5 / 12 / 17

**EXISTING BUILDING ELEVATIONS**

1/4" = 1'-0"

RENOVATION AND ADDITIONS FOR:

**724 CAROLINE STREET**

KEY WEST, FLORIDA

DAVID KNOWLL  
ARCHITECT

KEY WEST, FL. (305) 715-8617

SHEET  
**5**  
OF 5 SHEETS

# MISCELLANEOUS INFORMATION

WOOD NAIL & DISK 'LB7760'  
ON LINE & 2.75' NELY

SET 2" IR W/ CAP 'TKLS'

CBW ON LINE


CBW ON LINE  
POB - PARCEL

APPROXIMATE FEMA  
FLOOD ZONE  
DELINICATION LINE

APPROXIMATE FEMA  
FLOOD ZONE  
DELINICATION LINE

SET 2" IR W/ CAP 'TKLS'

SET 2" IR W/ CAP 'TKLS'



# NOTICING

# Public Meeting Notice

The Historic Architectural Review Commission will hold a public meeting at 5:30 p.m., June 27, 2017 at City Hall, 1300 White Street, Key West, Florida. The purpose of the hearing will be to consider a request for:

**RENOVATIONS TO EXISTING HISTORIC HOUSE. TWO-STORY ADDITION AT REAR. SITE IMPROVEMENTS INCLUDING REPLACEMENT OF FRONT FENCE AND GATE TO MATCH EXISTING IN DESIGN AND MATERIALS. DEMOLITION OF REAR WALL AND ONE-STORY REAR ADDITION. DEMOLITION OF CISTERN, GREENHOUSE AND OVERHEAD ROOF STRUCTURE AT THE REAR YARD.**

**724 CAROLINE STREET**

**Applicant – David Knoll, Architect**

**Application #16-03-0033**

If you wish to see the application or have any questions, you may visit the Planning Department during regular office hours at 1300 White Street, call 305-809-3973 or visit our website at [www.cityofkeywest-fl.gov](http://www.cityofkeywest-fl.gov).

**THIS NOTICE CAN NOT BE REMOVED FROM THE SITE UNTIL HARC FINAL DETERMINATION**

ADA ASSISTANCE: It is the policy of the City of Key West to comply with all requirements of the Americans with Disabilities Act (ADA). Please call the TTY number at 800-955-8771 or 800-955-8770 (Voice) or the ADA Coordinator at 305-809-3811 at least five business days in advance for sign language interpreters, assistive listening devices, or materials in accessible format.



# HARC POSTING AFFIDAVIT

STATE OF FLORIDA:  
COUNTY OF MONROE:

BEFORE ME, the undersigned authority, personally appeared David Terry Knoll, who, first being duly sworn, on oath, depose and says that the following statements are true and correct to the best of his/her knowledge and belief:

1. That a legal notice for Public Notice of Hearing of the Historic Architectural Review Commission (HARC) was placed on the following address:  
734 Caroline Street on the 21 day of June, 2017.

This legal notice(s) contained an area of at least 8.5"x11".

The property was posted to notice a public hearing before the Key West Historic Architectural Review Commission to be held on June 27, 2017.

The legal notice(s) is/are clearly visible from the public street adjacent to the property.

The Certificate of Appropriateness number for this legal notice is 16-03-0033

2. A photograph of that legal notice posted in the property is attached hereto.

Signed Name of Affiant:

David Knoll  
Date: 6.21.17

Address: 19501 N. W. 16th St.

City: SUNRISE, FL

State, Zip: FLORIDA 33042

The forgoing instrument was acknowledged before me on this 21 day of June, 2017.

By (Print name of Affiant) David Knoll who is personally known to me or has produced DL K540-178-42-333-0 as identification and who did take an oath.


## NOTARY PUBLIC

Sign Name: Natalie L Hill

Print Name: Natalie Hill

Notary Public - State of Florida (seal)

My Commission Expires: 11/29/2020





Public Meeting Notice

KEEP OUT



# PROPERTY APPRAISER INFORMATION

**qPublic.net**™ Monroe County, FL

**Summary**

Parcel ID 00003550-000000  
 Account # 1003701  
 Property ID 1003701  
 Millage Group 10KW  
 Location 724 CAROLINE ST , KEY WEST  
 Address  
 Legal KW PT LOT 2 SQR 22 OR17-174/75 OR1725-2239/40L/E OR1745-236D/C  
 Description OR1745-237D/C OR1872-1370 OR2757-83ORD OR2757-85ORD OR2770-814/19 OR2770-820/25  
 (Note: Not to be used on legal documents)  
 Neighborhood 6108  
 Property Class MULTI FAMILY LESS THAN 10 UNITS (0800)  
 Subdivision  
 Sec/Twp/Rng 06/68/25  
 Affordable No  
 Housing



**Owner**

CALDWELL WILLIAM M  
 PO BOX 2672  
 KEY WEST FL 33045-2672

**Valuation**

	2016	2015	2014	2013
+ Market Improvement Value	\$184,360	\$179,891	\$178,774	\$181,524
+ Market Misc Value	\$3,421	\$2,975	\$2,723	\$2,740
+ Market Land Value	\$623,657	\$386,438	\$246,760	\$229,544
= Just Market Value	\$811,438	\$569,304	\$428,257	\$413,808
= Total Assessed Value	\$811,438	\$373,130	\$350,401	\$328,734
- School Exempt Value	\$0	(\$25,000)	(\$25,000)	(\$25,000)
= School Taxable Value	\$811,438	\$440,072	\$357,195	\$346,838

**Land**

Land Use	Number of Units	Unit Type	Frontage	Depth
MULTI-FAMILY SUPERIOR (08SD)	3,795.00	Square Foot	33	115

**Buildings**

Building ID	202	Exterior Walls	ABOVE AVERAGE WOOD
Style		Year Built	1908
Building Type	M.F. - R2 / R2	Foundation	WD CONC PADS
Gross Sq Ft	2112	Roof Type	GABLE/HIP
Finished Sq Ft	1832	Roof Coverage	METAL
Stories	2 Floor	Flooring Type	CONC S/B GRND
Condition	POOR	Heating Type	NONE with 0% NONE
Perimeter	280	Bedrooms	3
Functional Obs	0	Full Bathrooms	2
Economic Obs	0	Half Bathrooms	0
Depreciation %	36	Grade	550
Interior Walls	WALL BD/WD WAL	Number of Fire Pl	0

Code	Description	Sketch Area	Finished Area	Perimeter
FLA	FLOOR LIV AREA	1,832	1,832	0
OPU	OP PR UNFIN LL	20	0	0
OPF	OP PRCH FIN LL	120	0	0
OUF	OP PRCH FIN UL	120	0	0
SBU	UTIL UNFIN BLK	20	0	0
<b>TOTAL</b>		<b>2,112</b>	<b>1,832</b>	<b>0</b>

**Yard Items**

Description	Year Built	Roll Year	Quantity	Units	Grade
WROUGHT IRON	1907	1908	1	120 SF	1
PATIO	1965	1966	1	154 SF	2
WATER FEATURE	1984	1985	1	1 UT	1
TILE PATIO	1984	1985	1	136.5 SF	1


**Sales**

Sale Date	Sale Price	Instrument	Instrument Number	Deed Book	Deed Page	Sale Qualification	Vacant or Improved
11/17/2015	\$100	Quit Claim Deed		2770	820	11 - Unqualified	Improved
11/17/2015	\$900,000	Warranty Deed		2770	814	02 - Qualified	Improved

**Permits**

Number ↕	Date Issued ↕	Date Completed ↕	Amount ↕	Permit Type ↕	Notes ↕
B941067	4/1/1994	10/1/1994	\$840		REPLACE FRONT PORCH FLOOR

Sketches (click to enlarge)



Photos



Map



No data available for the following modules: Commercial Buildings, Mobile Home Buildings, Exemptions.

The Monroe County Property Appraiser's office maintains data on property within the County solely for the purpose of fulfilling its responsibility to secure a just valuation for ad valorem tax purposes of all property within the County. The Monroe County Property Appraiser's office cannot guarantee its accuracy for any other purpose. Likewise, data provided regarding one tax year may not be applicable in prior or subsequent years. By requesting such data, you hereby understand and agree that the

Last Data Upload: 6/21/2017 1:33:07 AM



Developed by  
The Schneider  
Corporation