MEMORANDUM FOR THE FILE

DATE: March 25, 2013

RE: 113 and 115 Front St, Harbour Place Condominiums (permit application # 6333)

FROM: Karen DeMaria, Interim Urban Forestry Manager,

City of Key West

An application was received for the removal **of 4-Red Stoppers, 1-Gumbo Limbo, and 1-Geiger tree**. A site inspection was done on March 25, 2013 and documented the following:

1. Tree Species: Red Stopper (Eugenia rhombea)



A. Tree #1: Diameter: 11"

Location: 70%

Species: 100% (on protected tree list)

Condition: 60 % (fair, has been trimmed to be a hedge shape)

Total Average Value = 76%

Value x Diameter = 8 replacement caliper (dbh) inches

B. Tree #2: Diameter: 4"

Location: 70%

Species: 100% (on protected tree list)

Condition: 60% (fair, has been trimmed to be a hedge shape)

Total Average Value = 76%

Value x Diameter = 3 replacement caliper (dbh) inches

C. Tree #3: Diameter: 9"

Location: 70%

Species: 100% (on protected tree list)

Condition: 60% (fair, has been trimmed to be a hedge shape)

Total Average Value = 76%

Value x Diameter = 6 replacement caliper (dbh) inches

D. Tree #4: Diameter: 10"

Location: 70%

Species: 100% (on protected tree list)

Condition: 40% (poor-main trunk diseased, has been trimmed

to be a hedge shape)

Total Average Value = 70%

Value x Diameter = 7 replacement caliper (dbh) inches

2. Tree Species: Gumbo Limbo (Bursera simaruba)



Diameter: 6"

Location: 70% (potential future issues) Species: 100% (on protected tree list)

Condition: 80% (good)
Total Average Value = 83%

Value x Diameter = 5 replacement caliper (dbh) inches

3. Tree Species: Geiger Tree (Cordia sebestena)



Diameter: 2.5" Location: 80%

Species: 100% (on protected tree list)

Condition: 40% (poor) Total Average Value = 73 %


Value x Diameter = 2 replacement caliper (dbh) inches

Recommendations: Recommend approval of the permit to remove 4 red Stopper plants, 1 gumbo limbo tree and 1 Geiger tree to be replaced with a total of 31 caliper inches of Fl #1 native plants.

113 and 115 Front St Permit # 6338 (remove 3 Christmas Palms and 4 Chinese Fan Tail palm rootballs and replace with 7 native palms, 4 ft tall).







Reason(s) for Application {check all that apply}:

() TRANSPLANT

() Tree Health

M REMOVE

Tree(s) Address:

PO Box 1409 Key West, FL 33040 Phone: 305-809-3764 Fax: 305-809-3978

Owner Signature:

attend.

() New Location

() Safety () Other / Explain () Same Property

() Other / Explain

() Crown Reduction

Reason(s) for request:

REMOVES ARE PART OF LANDSCAPE REFUEBLISHMENT FOR HARBONE PLACE CONDINUMENTS. SEE ATTACHED SHEETS/DRAWINGS REPLACEMENTS.

Replacement plant material must be Florida Grade #1. Replacement of a palm with a native palm is required. Replacement of a canopy tree with a native canopy tree is required. If you need assistance with replacements, please call the Landscape Department at 305-809-3764.

Rev. Date: Dec 2007

Side 1 of 2



Post Office Box 1409, Key West, FL 33041-1409 (305) 809-3764

AUTHORIZATION LETTER

| HARBOUR PLACE CONDD. |
|--|
| 201 FRONT ST #103 |
| HARBOUR PLACE COND. 201 FRONT ST #103 KEYWEST, FL 33040 Print clearly, name, address |
| Dear Tree Commissioners: |
| This letter is authorization and confirmation that I, STERLING CHRISTIAN, OP. DIRECTOR. (owner name, print) |
| have retained <u>CARL</u> <u>GILLEY</u> 1207 <u>GRINNELL ST. 305.30</u> (representative name, address and phone number, print) |
| to represent me in the matter of obtaining a permit from the City of Key West Tree Commission for my property at: HARBOUR PLACE CONDO'S TRUMAN ANNEY (tree address, print) |
| You may contact me at 305-296-0556. Thank you. (telephone number) |
| |

113 + 115 Harbor Place

access: met uf Mr. Gilley on-site

1 Palms - 4 clumps chiruse Fan palms +8'
(2 clumps 48' NPR)

3 single X-mas palms

M palms total

Red Stoppers #1 = 36" circ multitranks

#2 = 15" circ bad shapes

#3 = 29" circ

#4 = 32" circ > main trank very

poor condition

3) 6 umbo limbo = 19" circ good condition

@ beiger tree = 8" circ poor condition