

Historic Architectural Review Commission Staff Report for Item 3a

To: Chairman Bryan Green and Historic Architectural Review

Commission Members

From: Enid Torregrosa, MSHP

Historic Preservation Planner

Meeting Date: November 16, 2015

Applicant: William Shepler, Architect

Application Number: H15-01-1525

Address: #811 White Street

Description of Work:

Extend attic area over front porch and change style of handrail on new house.

New roof over second floor front porch.

Site Facts:

The building in question is of new construction. Built in 2014, the new house is located on the southeast corner of White and Petronia Streets.

Guidelines Cited in Review:

• Additions and alterations- New construction (pages 36-38a); specifically guidelines for additions 1, 2, 3, and 7.

Staff Analysis

On October 27, the Commission motioned to postpone this item and gave recommendations to the applicant for a more appropriate design. The applicant submitted revised drawings with a new roof configuration for the second front porch that will not require demolition. The plan also depicts the actual cable railings to be kept at the second floor front porch.

Consistency with Cited Guidelines

The proposed design is for a non-historic new structure. The alterations to the new house will not have any impact on surrounding buildings.

It is staff's opinion that the proposed addition is consistent with the cited guidelines for additions.

APPLICATION

COMBINATION APPLICATION: FLOODPLAIN, CONSTRUCTION AND HARC
\$50.00 APPLICATION FEE NON-REFUNDABLE

HARC PERMIT NUMBER

BUILDING PERMIT NUMBER

INDIAN

	\$50.00 APPLICA	TION FEE NON-REFUNDABL	E	
3140 FLAG KEN WESIT,	Key West LER AVENUE FLORIDA 33040 809.3956	FLOOD ZONE PANEL #	ELEV. L. FL. SUBSTANTIAL	REVISION #
ADDRESS OF PROPOSED PROJECT:	811 W	hire Street	-	# OF UNITS /
RE# OR ALTERNATE REY:	1025968	3		
NAME ON DEED:	PPKW L	LC	PHONE NUMBER Z/9-793	2232
OWNER'S MAILING ADDRESS:	101 GULFV	1ew DR # 705	- EMAIL	
Comment of the Commen	ISCAMORADA	+ A $=$	3036	
CONTRACTOR COMPANY NAME:	PPKW L	cc	PHONE NUMBER 2/9-793-	2732
CONTRACTOR'S CONTACT PERSON:	PAUL 1.	MISCH	EMAIL	e GMBIL.COM
ARCHITECT / ENGINEER'S NAME:	SHEPLER		PHONE NUMBER 219-793-22	232
ARCHITECT / ENGINEER'S ADDRESS:	Key West	Fromos	MISCH 1735E	EG MAIL. CON
HARC: PROJECT LOCATED IN HISTORIC CONTRACT PRICE FOR PROJECT OR ES FLORIDA STATUTE 837.06: WHOEVER KNOWINGLY PERFORMANCE OF HIS OR HER OFFICIAL DUTY S PROJECT TYPE: ONE OR TWO FAM CHANGE OF USE // DEMOLITION DETAILED PROJECT DESCRIPTION INCL	TIMATED TOTAL FOR MATE MAKES A FALSE STATEMENT IN HALL BE GUILTY OF A MISDEME ILY MULTI-FAMILY DCCUPANCY ADDIT SITE WORK INTERIO	CL., LABOR & PROFIT: N WRITING AND WITH THE INTEN ANOR OF THE SECOND DEGREE COMMERCIAL ION SIGNAGE OR EXTERIOR	/0,000.00	NT IN THE
	Airen over	_	in ano ch	- O
STYLE OF HAN	_	· · ·		
/		9		
I'VE OBTAINED ALL NECESSARY APPROVALS FRO OWNER PRINT NAME: PAGE 4.	MASSOCIATIONS, GOV'T AGEN	QUALIFIER PRINT NAME:	•	DESCRIBED PROJECT:
OWNER SIGNATURE:		QUALIFIER SIGNATURE:		2
Notary Signature as to owner: ADMANA LAKE	4	Notary Signature as to qualifier:	LAKE	14
STATE OF FLORIDA; COUNTY OF MONROE, SWORI THIS MARGO NAGY Lake County My Commission Expira December 3, 2018 **Targy Nagy**	20_/5	STATE OF FLORIDA; COUNTY THIS 28 DAY OF	OF-MONROE, SWORN TO AND SEPTEMBER MARGO NAGY Lake County by Commission Expires December 3, 2018 December 3, 2018 December 3, 2018	
· severally movin or produced DK. IVCF3 GIS	as ruennication.	Personally known or produced	KINCH LICENSE	as identification.


Depo fee \$5

PART B:	SUPPLEMENTARY PROJECT DETAILS TO AVOID DELAYS / CALL-BACKS
ACCESSORY FENCE STRI POOLS: PUBLIC POOLS PUBLIC POOLS ROOFING:	AFFECTED BY PROJECT: MAIN STRUCTURE ACCESSORY STRUCTURE SITE STRUCTURES: GARAGE / CARPORT DECK FENCE OUTBUILDING / SHED CTURES: 4 FT. 6 FT. SOLID 6 FT. / TOP 2 FT. 50% OPEN INGROUND ABOVE GROUND SPA / HOT TUB PRIVATE PUBLIC REQUIRE BD. OF HEALTH LICENSE APPLICATION AT TIME OF CITY APPLICATION. REQUIRE BD. OF HEALTH LICENSE PRIOR TO RECEIVING THE CITY CERTIFICATE OF OCCUPANCY. NEW ROOF-OVER TEAR-OFF REPAIR AWNING 5 V METAL ASPLT. SHGLS. METAL SHGLS. BLT. UP TPO OTHER ESSIBILITY CODE: 20% OF PROJECT FUNDS INVESTED IN ACCESSIBILITY FEATURES. # OF SINGLE FACE # OF DOUBLE FACE REPLACE SKIN ONLY BOULEVARD ZONE POLE WALL PROJECTING AWNING HANGING WINDOW SQ. FT. OF EACH SIGN FACE:
PART C: APPLICATION FEES: PAPLEASE ATTACH APPROPR	NICAL: DUCTWORK COMMERCIAL EXH. HOOD INTAKE / EXH. FANS LPG TANKS A / C: COMPLETE SYSTEM AIR HANDLER CONDENSER MINI-SPLIT RICAL: LIGHTING RECEPTACLES HOOK-UP EQUIPMENT LOW VOLTAGE SERVICE: OVERHEAD UNDERGROUND 1 PHASE 3 PHASE AMPS NG: ONE SEWER LATERAL PER BLDG. INGROUND GREASE INTCPTRS. LPG TANKS RESTROOMS: MEN'S WOMEN'S UNISEX ACCESSIBLE HARC APPLICATION FOR A CERTIFICATE OF APPROPRIATENESS INTING SINGLE FAMILY: \$10 STAFF APPROVAL: \$50 COMMISSION REVIEW \$100 PERMITS WILL BE ISSUED PRIOR TO HARC APPROVAL.
	SUBMISSIONS TO: harc@cityofkeywest-fl.gov CATE. OF APPROPRIATENESS: GENERAL DEMOLITION SIGN PAINTING OTHER :
	日本の大学の大学の大学の大学の大学の大学の大学の大学の大学の大学の大学の大学の大学の
ARCHITECTURAL FEATURES TO	PLEASE PROVIDE PHOTOS OF EXISTING CONDITIONS, PLANS, PRODUCT SAMPLES, TECHNICAL DATA BEALTERED: ORIGINAL MATERIAL: PROPOSED MATERIAL:
	<u>ce aver deck</u> some - some
HAND RAIL	
DEMOLITION: PLEASE FILL	OUT THE HARC APPENDIX FOR PROPOSED DEMOLITION.
	DRIC STRUCTURES IS NOT ENCOURAGED BY THE HISTORIC ARCHITECTURAL REVIEW COMMISSION.
	BUSINESS SIGN BRAND SIGN OTHER:
BUSINESS LICENSE #	IF FAÇADE MOUNTED, SQ. FT. OF FAÇADE


Open: KEYWBLD Type: OC Drawer: 1
Date: 9/30/15 53 Receipt no: 39708
2015 1001525
PT * BUILDING PERMITS-NEW
1.00 \$100.00
Trems number: 3069232
VM VISA/MASTERC \$100.00

Trans date: 9/30/15 Time: 15:22:02


IF USING LIGHT FIXTURES PLEASE INDICATE HOW MANY: INCLUDE SPEC. SHEET WITH LOCATION OFFICIAL USE ONLY: APPROVED NOT APPROVED DEFERRED FOR FUTURE CONSIDERATION HARC MEETING DATE: PEASONS OR CONDITIONS: STAFF REVIEW COMMENTS: HARC CHAIRPERSON SIGN HARC PLANNER SIGNATURE AND DATE: HARC PLANNER SIGNATURE AND DATE: HARC PLANNER SIGNATURE AND DATE: HARC CHAIRPERSON SIGN PART D: STATE OF FLORIDA OFFICIAL NOTIFICATIONS FLORIDA STATUTE 713.135: WARNING TO OWNER: YOUR FAILURE TO RECORD A 'NOTICE OF COMMENCEME MEROVEMENTS TO YOUR PROPERTY. A NOTICE OF COMMENCEMENT MUST BE RECORDED WITH THE COUNTERFORE THE FIRST INSPECTION. IF YOU INTEND TO OBTAIN FINANCING CONSULT WITH YOUR LENDER OR A LORIDA STATUTE 469: ABESTOS ABATEMENT. AS OWNER / CONTRACTOR / AGENT OF RECORD FOR THE COARGEE THAT I WILL COMPLY WITH THE PROVISIONS F. S. 469.003 AND TO NOTIFY THE FLORIDA D. E. P. OF 18	NTABLED FOR ADD'L. INFO. HARC MEETING DATE:
IF USING LIGHT FIXTURES PLEASE INDICATE HOW MANY: INCLUDE SPEC. SHEET WITH LOCATION OFFICIAL USE ONLY: APPROVED NOT APPROVED DEFERRED FOR FUTURE CONSIDERATION HARC MEETING DATE: HARC MEETING DATE: HARC MEETING DATE: STAFF REVIEW COMMENTS: HARC CHAIRPERSON SIGN HARC CHAIRPERSON SIGN HARC CHAIRPERSON SIGN PART D: STATE OF FLORIDA OFFICIAL NOTIFICATIONS FLORIDA STATUTE 713.135: WARNING TO OWNER: YOUR FAILURE TO RECORD A 'NOTICE OF COMMENCEME MPROVEMENTS TO YOUR PROPERTY. A NOTICE OF COMMENCEMENT MUST BE RECORDED WITH THE COUN SEFORE THE FIRST INSPECTION. IF YOU INTEND TO OBTAIN FINANCING CONSULT WITH YOUR LENDER OR A LORIDA STATUTE 469: ABESTOS ABATEMENT. AS OWNER / CONTRACTOR / AGENT OF RECORD FOR THE CLARGEE THAT I WILL COMPLY WITH THE PROVISIONS F. S. 469.003 AND TO NOTIFY THE FLORIDA D. E. P. OF 18	LTG, LINEAL FTG.: COLOR AND TOTAL LUMENS: DNS AND COLORS. N TABLED FOR ADD'L. INFO. HARC MEETING DATE:
IF USING LIGHT FIXTURES PLEASE INDICATE HOW MANY: INCLUDE SPEC. SHEET WITH LOCATION OFFICIAL USE ONLY: APPROVED NOT APPROVED DEFERRED FOR FUTURE CONSIDERATION HARC MEETING DATE: HARC MEETING DATE: HARC MEETING DATE: STAFF REVIEW COMMENTS: HARC CHAIRPERSON SIGN HARC CHAIRPERSON SIGN HARC CHAIRPERSON SIGN PART D: STATE OF FLORIDA OFFICIAL NOTIFICATIONS FLORIDA STATUTE 713.135: WARNING TO OWNER: YOUR FAILURE TO RECORD A 'NOTICE OF COMMENCEME MPROVEMENTS TO YOUR PROPERTY. A NOTICE OF COMMENCEMENT MUST BE RECORDED WITH THE COUN SEFORE THE FIRST INSPECTION. IF YOU INTEND TO OBTAIN FINANCING CONSULT WITH YOUR LENDER OR A LORIDA STATUTE 469: ABESTOS ABATEMENT. AS OWNER / CONTRACTOR / AGENT OF RECORD FOR THE CLARGEE THAT I WILL COMPLY WITH THE PROVISIONS F. S. 469.003 AND TO NOTIFY THE FLORIDA D. E. P. OF 18	COLOR AND TOTAL LUMENS: ONS AND COLORS. N TABLED FOR ADD'L. INFO. [HARC MEETING DATE:
APPROVEDNOT APPROVEDDEFERRED FOR FUTURE CONSIDERATION HARC MEETING DATE: REASONS OR CONDITIONS: STAFF REVIEW COMMENTS: HARC CHAIRPERSON SIGN HARC PLANNER SIGNATURE AND DATE: HARC PLANNER SIGNATURE AND DATE: PART D: STATE OF FLORIDA OFFICIAL NOTIFICATIONS PLORIDA STATUTE 713.135: WARNING TO OWNER: YOUR FAILURE TO RECORD A 'NOTICE OF COMMENCEME MPROVEMENTS TO YOUR PROPERTY. A NOTICE OF COMMENCEMENT HUST BE RECORDED WITH THE COUNTY BEFORE THE FIRST INSPECTION. IF YOU INTEND TO OBTAIN FINANCING CONSULT WITH YOUR LENDER OR A PLORIDA STATUTE 469: ABESTOS ABATEMENT. AS OWNER / CONTRACTOR / AGENT OF RECORD FOR THE COMMERCE HART I WILL COMPLY WITH THE PROVISIONS F. S. 469.003 AND TO NOTIFY THE FLORIDA D. E. P. OF 18	NTABLED FOR ADD'L. INFO. [HARC MEETING DATE:
APPROVEDNOT APPROVEDDEFERRED FOR FUTURE CONSIDERATION HARC MEETING DATE: REASONS OR CONDITIONS: STAFF REVIEW COMMENTS: HARC CHAIRPERSON SIGN HARC PLANNER SIGNATURE AND DATE: HARC PLANNER SIGNATURE AND DATE: PART D: STATE OF FLORIDA OFFICIAL NOTIFICATIONS PLORIDA STATUTE 713.135: WARNING TO OWNER: YOUR FAILURE TO RECORD A 'NOTICE OF COMMENCEME MPROVEMENTS TO YOUR PROPERTY. A NOTICE OF COMMENCEMENT HUST BE RECORDED WITH THE COUNTY BEFORE THE FIRST INSPECTION. IF YOU INTEND TO OBTAIN FINANCING CONSULT WITH YOUR LENDER OR A PLORIDA STATUTE 469: ABESTOS ABATEMENT. AS OWNER / CONTRACTOR / AGENT OF RECORD FOR THE COMMERCE HART I WILL COMPLY WITH THE PROVISIONS F. S. 469.003 AND TO NOTIFY THE FLORIDA D. E. P. OF 18	NTABLED FOR ADD'L. INFO. HARC MEETING DATE:
APPROVEDNOT APPROVEDDEFERRED FOR FUTURE CONSIDERATION HARC MEETING DATE: REASONS OR CONDITIONS: STAFF REVIEW COMMENTS: HARC CHAIRPERSON SIGN HARC PLANNER SIGNATURE AND DATE: HARC PLANNER SIGNATURE AND DATE: PART D: STATE OF FLORIDA OFFICIAL NOTIFICATIONS PLORIDA STATUTE 713.135: WARNING TO OWNER: YOUR FAILURE TO RECORD A 'NOTICE OF COMMENCEME MPROVEMENTS TO YOUR PROPERTY. A NOTICE OF COMMENCEMENT HUST BE RECORDED WITH THE COUNTY BEFORE THE FIRST INSPECTION. IF YOU INTEND TO OBTAIN FINANCING CONSULT WITH YOUR LENDER OR A PLORIDA STATUTE 469: ABESTOS ABATEMENT. AS OWNER / CONTRACTOR / AGENT OF RECORD FOR THE COMMERCE HART I WILL COMPLY WITH THE PROVISIONS F. S. 469.003 AND TO NOTIFY THE FLORIDA D. E. P. OF 18	NTABLED FOR ADD'L. INFO. HARC MEETING DATE:
APPROVED NOT APPROVED DEFERRED FOR FUTURE CONSIDERATION HARC MEETING DATE: HARC MEETING DATE: HARC MEETING DATE: STAFF REVIEW COMMENTS: HARC CHAIRPERSON SIGNATURE AND DATE: HARC PLANNER SIGNATURE AND DATE: HARC CHAIRPERSON SIGNATURE TO STATE OF FLORIDA OFFICIAL NOTIFICATIONS FLORIDA STATUTE 713.135: WARNING TO OWNER: YOUR FAILURE TO RECORD A 'NOTICE OF COMMENCEME MPROVEMENTS TO YOUR PROPERTY. A NOTICE OF COMMENCEMENT MUST BE RECORDED WITH THE COUNTY BEFORE THE FIRST INSPECTION. IF YOU INTEND TO OBTAIN FINANCING CONSULT WITH YOUR LENDER OR A STATUTE 469: ABESTOS ABATEMENT. AS OWNER / CONTRACTOR / AGENT OF RECORD FOR THE CARREE THAT I WILL COMPLY WITH THE PROVISIONS F. S. 469.003 AND TO NOTIFY THE FLORIDA D. E. P. OF 18	HARC MEETING DATE:
HARC MEETING DATE: REASONS OR CONDITIONS: STAFF REVIEW COMMENTS: HARC PLANNER SIGNATURE AND DATE: HARC PLANNER SIGNATURE AND DATE: HARC PLANNER SIGNATURE AND DATE: HARC CHAIRPERSON SIGNATURE TO STATE OF FLORIDA OFFICIAL NOTIFICATIONS FLORIDA STATUTE 713.135: WARNING TO OWNER: YOUR FAILURE TO RECORD A 'NOTICE OF COMMENCEME MPROVEMENTS TO YOUR PROPERTY. A NOTICE OF COMMENCEMENT MUST BE RECORDED WITH THE COUNTRECTOR THE FIRST INSPECTION. IF YOU INTEND TO OBTAIN FINANCING CONSULT WITH YOUR LENDER OR A STATUTE 469: ABESTOS ABATEMENT. AS OWNER / CONTRACTOR / AGENT OF RECORD FOR THE CARREET THAT I WILL COMPLY WITH THE PROVISIONS F. S. 469,003 AND TO NOTIFY THE FLORIDA D. E. P. OF 19	HARC MEETING DATE:
STAFF REVIEW COMMENTS: HARC PLANNER SIGNATURE AND DATE: HARC PLANNER SIGNATURE AND DATE: HARC CHAIRPERSON SIGN HARC PLANNER SIGNATURE AND DATE: HARC CHAIRPERSON SIGN HARC CHAIRPERSON SIGN FLORIDA STATUTE 713.135: WARNING TO OWNER: YOUR FAILURE TO RECORD A 'NOTICE OF COMMENCEME MPROVEMENTS TO YOUR PROPERTY. A NOTICE OF COMMENCEMENT MUST BE RECORDED WITH THE COUNTY SEFORE THE FIRST INSPECTION. IF YOU INTEND TO OBTAIN FINANCING CONSULT WITH YOUR LENDER OR A SELORIDA STATUTE 469: ABESTOS ABATEMENT. AS OWNER / CONTRACTOR / AGENT OF RECORD FOR THE CAGREE THAT I WILL COMPLY WITH THE PROVISIONS F. S. 469.003 AND TO NOTIFY THE FLORIDA D. E. P. OF 19	
HARC PLANNER SIGNATURE AND DATE: HARC PLANNER SIGNATURE AND DATE: HARC CHAIRPERSON SIGN	r Hans
HARC PLANNER SIGNATURE AND DATE: HARC CHAIRPERSON SIGN HARC CHAIRP	rt Hans
HARC PLANNER SIGNATURE AND DATE: HARC CHAIRPERSON SIGN PART D: STATE OF FLORIDA OFFICIAL NOTIFICATIONS FLORIDA STATUTE 713.135: WARNING TO OWNER: YOUR FAILURE TO RECORD A 'NOTICE OF COMMENCEME IMPROVEMENTS TO YOUR PROPERTY. A NOTICE OF COMMENCEMENT MUST BE RECORDED WITH THE COUN BEFORE THE FIRST INSPECTION. IF YOU INTEND TO OBTAIN FINANCING CONSULT WITH YOUR LENDER OR A FLORIDA STATUTE 469: ABESTOS ABATEMENT. AS OWNER / CONTRACTOR / AGENT OF RECORD FOR THE CO LAGREE THAT I WILL COMPLY WITH THE PROVISIONS F. S. 469.003 AND TO NOTIFY THE FLORIDA D. E. P. OF I	Harres.
HARC PLANNER SIGNATURE AND DATE: HARC CHAIRPERSON SIGN HARC CHAIRP	Harres.
HARC PLANNER SIGNATURE AND DATE: HARC CHAIRPERSON SIGN HARC CHAIRP	Hares.
HARC PLANNER SIGNATURE AND DATE: HARC CHAIRPERSON SIGN PART D: STATE OF FLORIDA OFFICIAL NOTIFICATIONS FLORIDA STATUTE 713.135: WARNING TO OWNER: YOUR FAILURE TO RECORD A 'NOTICE OF COMMENCEME IMPROVEMENTS TO YOUR PROPERTY. A NOTICE OF COMMENCEMENT MUST BE RECORDED WITH THE COUN BEFORE THE FIRST INSPECTION. IF YOU INTEND TO OBTAIN FINANCING CONSULT WITH YOUR LENDER OR A FLORIDA STATUTE 469: ABESTOS ABATEMENT. AS OWNER / CONTRACTOR / AGENT OF RECORD FOR THE CO LAGREE THAT I WILL COMPLY WITH THE PROVISIONS F. S. 469.003 AND TO NOTIFY THE FLORIDA D. E. P. OF I	stance.
HARC PLANNER SIGNATURE AND DATE: HARC CHAIRPERSON SIGN PART D: STATE OF FLORIDA OFFICIAL NOTIFICATIONS FLORIDA STATUTE 713.135: WARNING TO OWNER: YOUR FAILURE TO RECORD A 'NOTICE OF COMMENCEME IMPROVEMENTS TO YOUR PROPERTY. A NOTICE OF COMMENCEMENT MUST BE RECORDED WITH THE COUN BEFORE THE FIRST INSPECTION. IF YOU INTEND TO OBTAIN FINANCING CONSULT WITH YOUR LENDER OR A FLORIDA STATUTE 469: ABESTOS ABATEMENT. AS OWNER / CONTRACTOR / AGENT OF RECORD FOR THE COLLAGREE THAT I WILL COMPLY WITH THE PROVISIONS F. S. 469.003 AND TO NOTIFY THE FLORIDA D. E. P. OF I	M U B
PART D: STATE OF FLORIDA OFFICIAL NOTIFICATIONS FLORIDA STATUTE 713.135: WARNING TO OWNER: YOUR FAILURE TO RECORD A 'NOTICE OF COMMENCEME IMPROVEMENTS TO YOUR PROPERTY. A NOTICE OF COMMENCEMENT MUST BE RECORDED WITH THE COUN BEFORE THE FIRST INSPECTION. IF YOU INTEND TO OBTAIN FINANCING CONSULT WITH YOUR LENDER OR A FLORIDA STATUTE 469: ABESTOS ABATEMENT. AS OWNER / CONTRACTOR / AGENT OF RECORD FOR THE CO LAGREE THAT I WILL COMPLY WITH THE PROVISIONS F. S. 469.003 AND TO NOTIFY THE FLORIDA D. E. P. OF I	
PART D: STATE OF FLORIDA OFFICIAL NOTIFICATIONS FLORIDA STATUTE 713.135: WARNING TO OWNER: YOUR FAILURE TO RECORD A 'NOTICE OF COMMENCEME IMPROVEMENTS TO YOUR PROPERTY. A NOTICE OF COMMENCEMENT MUST BE RECORDED WITH THE COUN BEFORE THE FIRST INSPECTION. IF YOU INTEND TO OBTAIN FINANCING CONSULT WITH YOUR LENDER OR A FLORIDA STATUTE 469: ABESTOS ABATEMENT. AS OWNER / CONTRACTOR / AGENT OF RECORD FOR THE CO LAGREE THAT I WILL COMPLY WITH THE PROVISIONS F. S. 469.003 AND TO NOTIFY THE FLORIDA D. E. P. OF I	
FLORIDA STATUTE 713.135: WARNING TO OWNER: YOUR FAILURE TO RECORD A 'NOTICE OF COMMENCEME IMPROVEMENTS TO YOUR PROPERTY. A NOTICE OF COMMENCEMENT MUST BE RECORDED WITH THE COUN BEFORE THE FIRST INSPECTION. IF YOU INTEND TO OBTAIN FINANCING CONSULT WITH YOUR LENDER OR A FLORIDA STATUTE 469: ABESTOS ABATEMENT. AS OWNER / CONTRACTOR / AGENT OF RECORD FOR THE CO AGREE THAT I WILL COMPLY WITH THE PROVISIONS F. S. 469.003 AND TO NOTIFY THE FLORIDA D. E. P. OF I	ATURE AND DATE:
FLORIDA STATUTE 713.135: WARNING TO OWNER: YOUR FAILURE TO RECORD A 'NOTICE OF COMMENCEME IMPROVEMENTS TO YOUR PROPERTY. A NOTICE OF COMMENCEMENT MUST BE RECORDED WITH THE COUN BEFORE THE FIRST INSPECTION. IF YOU INTEND TO OBTAIN FINANCING CONSULT WITH YOUR LENDER OR A FLORIDA STATUTE 469: ABESTOS ABATEMENT. AS OWNER / CONTRACTOR / AGENT OF RECORD FOR THE CO AGREE THAT I WILL COMPLY WITH THE PROVISIONS F. S. 469.003 AND TO NOTIFY THE FLORIDA D. E. P. OF I	
IMPROVEMENTS TO YOUR PROPERTY. A NOTICE OF COMMENCEMENT MUST BE RECORDED WITH THE COUN BEFORE THE FIRST INSPECTION. IF YOU INTEND TO OBTAIN FINANCING CONSULT WITH YOUR LENDER OR A FLORIDA STATUTE 469: ABESTOS ABATEMENT. AS OWNER / CONTRACTOR / AGENT OF RECORD FOR THE CI I AGREE THAT I WILL COMPLY WITH THE PROVISIONS F. S. 469.003 AND TO NOTIFY THE FLORIDA D. E. P. OF I	
BEFORE THE FIRST INSPECTION. IF YOU INTEND TO OBTAIN FINANCING CONSULT WITH YOUR LENDER OR A FLORIDA STATUTE 469: ABESTOS ABATEMENT. AS OWNER / CONTRACTOR / AGENT OF RECORD FOR THE C AGREE THAT I WILL COMPLY WITH THE PROVISIONS F. S. 469.003 AND TO NOTIFY THE FLORIDA D. E. P. OF I	
FLORIDA STATUTE 469: ABESTOS ABATEMENT. AS OWNER / CONTRACTOR / AGENT OF RECORD FOR THE CO AGREE THAT I WILL COMPLY WITH THE PROVISIONS F. S. 469.003 AND TO NOTIFY THE FLORIDA D. E. P. OF I	
AGREE THAT I WILL COMPLY WITH THE PROVISIONS F. S. 469.003 AND TO NOTIFY THE FLORIDA D. E. P. OF	
IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT APPLICATION, THERE MAY BE DEED RESTRICTIONS AI	
PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF MONROE COUNTY AND THERE MAY BE ADDIT	
ENTITIES SUCH AS AQUADUCT ATHORITY, FLORIDA DEP OR OTHER STATE AGENCIES; ARMY CORPS OF ENG	
FEDERAL LAW REQUIRES LEAD PAINT ABATEMENT PER THE STANDARDS OF THE USDEP ON STRUCTURES	BUILT PRIOR TO 1978.
THE COLUMN TO AND EVALUATED AD QUIET BUILD DATE OF THE COLUMN THE	
OFFICIAL USE ONLY BY PLANS EXAMINER OR CHIEF BUILDING OFFICIAL: HARC FEES: BLDG FEES: FIRE MARSHAL FEE: IMPACT FEE	COO OD DI EVAM ADDDOVAL
100,122	CBO OR PL. EXAM. APPROVAL:



#811 White Street Sanborn map 1926



#811 White Street Sanborn map 1948



#811 White Street Sanborn map 1962

PROJECT PHOTOS

















REVISED DESIGN

GENERAL NOTES


- 1. CONTRACTOR SHALL COORDINATE ALL WORK, BOTH INTERIOR AND EXTERIOR WITH DRAWINGS BY ENGINEERS FOR ELECTRICAL, MECHANICAL, PLUMBING, STRUCTURAL, CIVIL, AND ALL AFFECTED DISCIPLINES.
- 2. THESE PLANS ARE FOR THE CONSTRUCTION OF THE BUILDING AT THE LOCATION SO DESIGNATED HERON. THESE PLANS ARE NO TO BE REPRODUCED OR USED FOR ANY OTHER LOCATION.
- 3. THERE SHALL BE NO DEVIATION FROM THE INTENT OF THESE PLANS WITHOUT PRIOR APPROVAL FROM THE ARCHITECT.
- 4. ALL WORK SHALL BE PERFORMED TO THE BEST TRADE STANDARDS. ALL CONSTRUCTION IS TO BE PRESSURE TREATED, AND ALL CONNECTORS ARE TO BE GALVANIZED, UNLESS OTHERWISE STATED ON THE DRAWINGS.
- 5. BUILDER IS RESPONSIBLE FOR COORDINATING THE SHUTOFF AND CAPPING OF ALL UTILITIES PROVIDED TO THE SITE. BUILDER SHALL DISPOSE OF ALL RUBBLE AND DEBRIS IN A SAFE MANNER AND IN ADHERENCE TO ALL APPLICABLE LAWS. BUILDER IS RESPONSIBLE FOR ENSURING THAT SUBCONTRACTORS ARE FULLY AWARE OF THE REQUIREMENTS OF THIS PROJECT AND ARE SUPPLIED WITH ALL REQUIRED DRAWINGS.
- 6. PRIOR TO COMMENCEMENT OF CONSTRUCTION, THE CONTRACTOR SHALL FULLY FAMILIARIZE HIMSELF WITH THE SITE CONDITIONS AND COMPARE THEM TO THE CONSTRUCTION DRAWINGS FOR ACCURACY AND COMPLETENESS. ANY DISCREPANCIES OR CONFLICTS SHALL BE BROUGHT TO THE ATTENTION OF THE ARCHITECT. WORK SHALL STOP IN THAT AREA UNTIL THE ISSUE IS RESOLVED.
- 7. THE CONTRACTOR SHALL CHECK AND VERIFY ALL DIMENSIONS AND CONDITIONS OF THE JOB SITE AND REPORT ANY DISCREPANCIES OR CONDITIONS THAT ARE UNSATISFACTORY OR UNSAFE BEFORE PROCEEDING WITH THE WORK.
- 8. THE CONTRACTOR SHALL PROVIDE FOR THE SAFETY, PREVENTION OF INJURY OR LOSS AT THE JOB TO ALL PERSONS EMPLOYED ON THE WORK, PERSONS VISITING THE WORK AND THE GENERAL PUBLIC. HE SHALL ALSO BE RESPONSIBLE FOR THE PREVENTION OF DAMAGE DUE TO THE WORK, TO MATERIALS OR EQUIPMENT AND OTHER PROPERTY AT THE SITE OR ADJACENT THERETO.
- 9. THE GENERAL CONTRACTOR SHALL PROVIDE AN ON SITE DUMPSTER IN A LOCATION COORDINATED WITH THE OWNER FOR THE DISPOSAL OF REMOVED MATERIAL AND CONSTRUCTION DEBRIS. THE DUMPSTER SHALL BE EMPTIED AT APPROPRIATE INTERVALS TO PREVENT OVERFLOW AND UNSIGHTLY
- 10. THE CONTRACTOR SHALL DO ALL WORK IN STRICT CONFORMANCE WITH THE PLANS, FLORIDA BUILDING CODE, LOCAL CODES AND ORDINANCES, MANUFACTURERS RECOMMENDATIONS AND ACCEPTABLE TRADE PRACTICES. IF ANY CONFLICT AMONG THE ABOVE; THE MOST STRINGENT REQUIREMENT
- 11. ANY CHANGES MADE PRIOR TO APPROVAL BY THE OWNER AND/OR ARCHITECT ARE DISALLOWED AS EXTRAS AND THE CONTRACTOR MAY HAVE TO RESTORE ALL CHANGES TO CONFORM TO PLANS WITHOUT ADDITIONAL COMPENSATION. 12. SHOP DRAWINGS OF ALL PREFABRICATED STRUCTURAL FLOOR AND ROOF SYSTEMS SHALL BEAR THE SEAL OF THE REGISTERED FLORIDA PROFESSIONAL ENGINEER AS REQUIRED BY THE BUILDING CODE AND SHALL BE SUBMITTED TO THE ARCHITECT BY THE GENERAL CONTRACTOR FOR APPROVAL

13. THE CONTRACTOR SHALL NOT SCALE DRAWINGS. ANY INFORMATION THAT CANNOT BE OBTAINED BY DIMENSIONS, DETAIL OR SCHEDULE, SHALL BE OBTAINED FROM THE ARCHITECT.

- 14. THE CONTRACTOR SHALL CHECK AND COORDINATE THE WORK OF VARIOUS TRADES TO PREVENT ANY CONFLICTS.
- 15. THE CONTRACTOR SHALL FURNISH ALL SUBCONTRACTORS WITH A COMPLETE SET OF PLANS.
- 16. THESE PLANS AS DRAWN AND NOTED COMPLY WITH THE BUILDING ENVELOPE ENERGY REQUIREMENTS OF THE FLORIDA MODEL ENERGY CODE. THE CONTRACTOR SHALL FAMILIARIZE HIMSELF WITH THE GOVERNING CODE IN ITS ENTIRETY AND BUILD IN ACCORDANCE WITH ALL PROVISIONS OF THIS CODE WHICH MAY BE SPECIFICALLY ADDRESSED ON THE PLANS AND NOTES.
- 17. ALL ELECTRICAL WORK SHALL BE DONE IN COMPLIANCE WITH THE NATIONAL ELECTRIC CODE (CURRENT EDITION) AND THE MONROE COUNTY CODE.
- 18. PORTABLE REST ROOM FACILITIES TO BE PROVIDED AT THE SITE BY THE CONTRACTOR.
- 19. COMPLETE HOT AND COLD WATER SYSTEMS AND VENT WASTE AND DRAIN SYSTEMS ALL TO CODE, SHALL BE FURNISHED.
- 20. PROVIDE PLASTIC SLEEVES IN MASONRY, PARTITIONS, AND FOUNDATIONS, ETC. AS REQUIRED FOR UTILITY SERVICES.
- 21. ALL INTERIOR WALLS WILL HAVE SOUND ATTENUATION BLANKET BETWEEN STUDS.
- 22. ALL PLASTIC PIPES WILL HAVE SOUND INSULATION WRAP AND ALL PENETRATIONS AND STRAPS WILL BE INSULATED FOR SOUND. 23. ALL BOLTS, CLIPS, HANGERS ETC. SHALL BE GALVANIZED (G90 MINIMUM)
- 24. CAST IN PLACE CONCRETE SHALL BE IN ACCORDANCE WITH ACI 318, ACI 301, AND FLORIDA BUILDING CODE, FC'=4.0 KSI IN 28 DAYS OR AS INDICATED IN STRUCTURAL NOTES AND DETAILS.
- 25. ALL TIMBER CONSTRUCTION SHALL CONFORM TO AFTC LATEST EDITION.
- 26. NO PIPE, CONDUIT, OR JUNCTION BOXES TO BE PLACED IN THE SLAB OR COLUMNS UNLESS SPECIFICALLY SHOWN ON THE STRUCTURAL DRAWINGS. 27. NEW CONCRETE EXPOSED TO DIRECT SUN SHALL BE SPRAYED OR MOPPED WITH A CURING COMPOUND TO SEAL IN MOISTURE AFTER THE FINISH HAS SET, OR THE CONCRETE CAN BE COVERED AND SOAKED WITH WATER.
- 28. CONCRETE SHALL NOT BE MIXED IN PLACE IN A WET AUGER HOLE.
- 29. ALL WOOD IN CONTACT WITH CONCRETE OR MASONRY SHALL BE PRESSURE TREATED.
- 30. ALL FORMS SHALL BE WET JUST PRIOR TO PLACING CONCRETE.
- 31. ALL SOILS TO BE TREATED FOR BUG INFESTATION PRIOR TO ANY POURS OR COVERINGS.
- 32. ALL FOUNDATION OPENINGS, WALL OPENINGS, FLOOR OPENINGS, ELECTRICAL BOXES, AND PENETRATIONS OF ANY KIND SHALL BE SEALED WITH NONFLAMMABLE, HIGH DENSITY FOAM.
- 33. THESE PLANS WERE DESIGNED TO MEET FLORIDA BUILDING CODE ASCE 7-98 AND WIND LOAD DESIGN IS BASED ON 180 MILES PER HOUR.
- 34. ALLOWANCE: CONTRACTOR SHALL INCLUDE AND ENUMERATE IN HIS BASE BID THE TOTAL SUMS FOR ALL ALLOWANCES ITEMS. ALLOWANCES SUMS SHALL INCLUDE ITEMS SELECTED BY OWNER. QUANTITIES, PURCHASE, DELIVERY AND INSTALLATION SHALL BE BY CONTRACTOR. ALL OVERAGES OF ALLOWANCE AMOUNTS SHALL BE PAID FOR BY OWNER. ALL SAVINGS OF ALLOWANCE AMOUNTS SHALL BE CREDITED TO OWNER. CONTRACTOR SHALL BE RESPONSIBLE FOR SCHEDULING, DELIVERY AND INSTALLATION DATES. ALLOWANCE ITEMS, IF ANY SHALL BE LISTED IN WRITING BY THE OWNER/ARCHITECT PRIOR TO BIDDING.
- 35. <u>PERMIT:</u> CONTRACTOR SHALL PAY FOR ALL PERMITS, TESTING, FEES, AND INSPECTIONS.
- 36. <u>LIVE LOADS USED IN DESIGN</u>: (SEE STRUCTURAL) A. WIND VELOCITY......180 MPH AS PER ASCE 7-98

GENERAL STRUCTURAL NOTES:

- A. ENGINEER'S APPROVAL MUST BE SECURED FOR ALL STRUCTURAL SUBSTITUTIONS.
- B. VERIFY ALL OPENINGS THROUGH FLOORS, ROOF AND WALLS WITH MECHANICAL AND ELECTRICAL CONTRACTORS. VERIFICATION OF LOCATIONS, SIZES, LINTEL AND REQUIRED CONNECTIONS ARE CONTRACTOR'S COMPLETE RESPONSIBILITY.
- C. PRIOR TO INSTALLATION OF MECHANICAL AND ELECTRICAL EQUIPMENT OR OTHER ITEMS TO BE ATTACHED TO THE STRUCTURE, ENGINEER'S APPROVAL OF CONNECTIONS AND SUPPORTS SHALL BE OBTAINED. UNLESS SPECIFICALLY DETAILED ON ARCHITECTURAL AND STRUCTURAL DRAWINGS, RESPECTIVE SUB-CONTRACTOR SHALL FURNISH ALL HANGERS, CONNECTIONS, ETC., REQUIRED FOR
- INSTALLATION OF HIS ITEMS. D. PROVIDE ALL EMBEDDED ITEMS IN STRUCTURE AS NOTED ON ARCHITECTURAL, MECHANICAL, ELECTRICAL AS WELL AS STRUCTURAL DRAWINGS. MISCELLANEOUS EMBEDDED ITEMS AND ANCHOR BOLTS SHALL BE FURNISHED BY STEEL SUPPLIER AND INSTALLED BY CONCRETE CONTRACTOR, UNLESS
- APPROVED OTHERWISE BY ARCHITECT.
- E. CONTRACTOR TO VERIFY ALL DIMENSIONS BEFORE PROCEEDING WITH ANY WORK. F. PROVIDE TEMPORARY BRACING AND PRECAUTIONS NECESSARY TO WITHSTAND ALL CONSTRUCTION AND/OR WIND LOADS UNTIL ALL FIELD CONNECTIONS ARE COMPLETED AND SHEAR WALLS AND DECKS ARE IN PLACE. BRACING, SHOWING, AND OTHER SAFETY PRECAUTIONS ARE SOLE RESPONSIBILITY OF CONTRACTOR.
- G. SUBMIT SHOP AND ERECTION DRAWING FOR ALL REINFORCING, CONCRETE, STRUCTURAL STEEL, LAMINATED FRAMING MEMBERS AND METAL DECK TO ENGINEER FOR WRITTEN APPROVAL. THE MANUFACTURE OR FABRICATION OF ANY ITEMS PRIOR TO WRITTEN APPROVAL OF SHOP
- DRAWINGS WILL BE ENTIRELY AT THE RISK OF THE CONTRACTOR. H. WATERPROOFING, VAPOR BARRIERS, WATERSTOP, ETC. SHALL BE AS INDICATED IN THE
- SPECIFICATIONS AND OR DETAILS.
- ALL CONCRETE, MAJOR STEEL AND MAJOR WOOD SHOP DRAWINGS SUBMITTED SHALL INCLUDE CALCULATIONS AND BEAR THE STAMP OF A REGISTERED PROFESSIONAL ENGINEER.



PROPOSED SITE PLAN SCALE: 1/8"=1'-0"

DRAWING LIST:

SITE PLAN / SITE DATA/ NOTES / SCHEDULES

AE21 EXISTING ELEVATIONS


PROPOSED ELEVATIONS


EXISTING ELEVATIONS


PROPOSED ELEVATIONS

SITE DATA

	ALLOWED	PROPOSED	COMPLIANCE
HEIGHT	30'	28'-7.5"	Yes
BUILDING COVERAGE	40%	1,497 s.f. (35.7%)	Yes
IMPERVIOUS SURFACE RATIO	60%	2,086 s.f. (49.8%)	Yes
LOT SIZE	Mìn. 4,000 s.f.	4,191.3 s.f.	Yes
LOT WIDTH	Min. 40¹	46.57 '	Yes
LOT DEPTH	Min. 90¹	90'	Yes
FRONT SETBACK	Min. 10'	12'-1"	Yes
SIDE SETBACK	Min. 5	5-5"	Yes
STREET SIDE SETBACK	Min. 7.5'	7'-6"	Yes
REAR SETBACK	Min. 151	25'-11'''	Yes









LOCATION MAP SCALE: NTS

PETRONIA STREET







| william shepler Tel: 305-890-6191

Email: info@wshepler.com

Consultants: | Meridian Engineering 201 Front Street , Key West FL

Tel: 305-293-3263

Submissions / Revisions: H.A.R.C.: 2013.04.11 BID SET: 2013.05.20 PERMIT SET: 2013.07.11 REV.1 - WINDOWS: 2013.09.13 REV.2 - WINDOWS/DRS: 2013.09.23 REV.3 - MASTER CL.: 2013.10.24 REV.4 - MASTER BA.: 2013.11.07

H.A.R.C. REVISION: 2015.09.28

H.A.R.C. REVISION 2: 2015.11.2

TREE

SDIFICATIONS RESIDENCE **2**


Drawing Size | Project #: 13014

SITE PLAN, SITE DATA, NOTES, **SCHEDULES**

Sheet Number:

Date: - AUGUST 31, 2015


©2015 by William Shepler Architect



NORTH (PETRONIA ST.) ELEVATION 2 NORTH (F A3.1 SCALE: 1/4"=1'-0"

> REPLACE CORRUGATED METAL W/ — F.C. BOARD & BATTEN SIDING V-CRIMP GALVALUME ROOFING EXTEND GABLE END FASCIA 6" — NEW V-CRIMP METAL HIP ROOF -ATTIC 2nd FLOOR CEILING NEW WOOD 6x6 POSTS -EXISTING S.S. CABLE —— RAILING SYSTEM, MODIFY AT POSTS AS - FIBER CEMENT CLAPBOARD SIDING, 5" EXPOSURE REQ'D SECOND FLOOR REPLACE CORRUGATED -MTL. PANELS W/ CLAPBOARD SIDING AS SHOWN REPLACE CORRUGATED ALUM. PANELS W/BOARD & BATTEN ACCENT SIDING WOOD STEPS

WEST (WHITE STREET) ELEVATION SCALE: 1/4"=1'-0"



william shepler Tel: 305-890-6191 Email: info@wshepler.com Consultants: Meridian Engineering 201 Front Street , Key West FL Tel: 305-293-3263 Submissions / Revisions:

H.A.R.C.: 2013.04.11 BID SET: 2013.05.20 PERMIT SET: 2013.07.11

REV.1 - WINDOWS: 2013.09.13 REV.2 - WINDOWS/DRS: 2013.09.23 REV.3 - MASTER CL.: 2013.10.24 REV.4 - MASTER BA.: 2013.11.07 H.A.R.C. REVISION: 2015.09.28 H.A.R.C. REVISION 2: 2015.11.2

> ORCH / ROOF MODIFICATIONS SINGLE FAMILY RESIDENCE STREET

 ∞

Drawing Size | Project #: 13014

PROPOSED **ELEVATIONS**

SCALE: 1/4" = 1'-0" Sheet Number:

Date: - AUGUST 31, 2015

©2015 by William Shepler Architect



A3.2 SCALE: 1/4"=1'-0"

SCALE: 1/4"=1'-0"

MAX. ALLOWABLE BUILDING HEIGHT (30') V-CRIMP GALVALUME — ROOFING ATTIC 2nd FLOOR CEILING - FIBER CEMENT CLAPBOARD SIDING, 5" EXPOSURE IMPACT RATED FRENCH DOORS FIBER CEMENT PANELS W/— 1X3 F.C. BATTENS OVER SEAMS - 1X3 FIBER CEMENT TRIM (TYP.) SECOND FLOOR FRAMED POCKET
DOORENCLOSURE W/ F.C.
PANEL SIDING REPLACE CORRUGATED — ALUM, PANELS , W/ F.C. BOARD & BATTEN PETRONIA STI SIDEWALK POOL FORWARD OF VIEW

— SLIDING POCKET DOOR SYSTEM
WITH RESTING PANEL ENCLOSURE EAST ELEVATION GRAPHIC SCALE: 1/4" = 1'-0"

william shepler Tel: 305-890-6191

Email: info@wshepler.com

Consultants: Meridian Engineering 201 Front Street , Key West FL Tel: 305-293-3263

Submissions / Revisions: H.A.R.C.: 2013.04.11 BID SET: 2013.05.20 PERMIT SET: 2013.07.11 REV.1 - WINDOWS: 2013.09.13 REV.2 - WINDOWS/DRS: 2013.09.23 REV.3 - MASTER CL.: 2013.10.24 REV.4 - MASTER BA.: 2013.11.07 H.A.R.C. REVISION: 2015.09.28 H.A.R.C. REVISION 2: 2015.11.2

PORCH / ROOF MODIFICATIONS SINGLE FAMILY RESIDENCE STREE

811

Drawing Size | Project #: 24x36 | 13014

PROPOSED **ELEVATIONS**

SCALE: 1/4" = 1'-0"

PETRONIA STREET LOOKING SOUTH

SCALE: 1/16"=1'-0"





william shepler

Tel: 305.890.6191 Email: info@wshepler.com

811 WHITE STREE RESIDENTIAL PORCH ADDITION PROJECT

Drawing Size | Project #: 11X17 | 13-013

CONTEXTUAL **ELEVATIONS**

Scale:

Sheet Number:

©2015 by William Shepler Architect

PREVIOUSLY SUBMITTED DESIGN

GENERAL NOTES

- 1. CONTRACTOR SHALL COORDINATE ALL WORK, BOTH INTERIOR AND EXTERIOR WITH DRAWINGS BY ENGINEERS FOR ELECTRICAL, MECHANICAL, PLUMBING, STRUCTURAL, CIVIL, AND ALL AFFECTED DISCIPLINES.
- 2. THESE PLANS ARE FOR THE CONSTRUCTION OF THE BUILDING AT THE LOCATION SO DESIGNATED HERON. THESE PLANS ARE NO TO BE REPRODUCED OR USED FOR ANY OTHER LOCATION.
- 3. THERE SHALL BE NO DEVIATION FROM THE INTENT OF THESE PLANS WITHOUT PRIOR APPROVAL FROM THE ARCHITECT.
- 4. ALL WORK SHALL BE PERFORMED TO THE BEST TRADE STANDARDS. ALL CONSTRUCTION IS TO BE PRESSURE TREATED, AND ALL CONNECTORS ARE TO BE GALVANIZED, UNLESS OTHERWISE STATED ON THE DRAWINGS.
- 5. BUILDER IS RESPONSIBLE FOR COORDINATING THE SHUTOFF AND CAPPING OF ALL UTILITIES PROVIDED TO THE SITE. BUILDER SHALL DISPOSE OF ALL RUBBLE AND DEBRIS IN A SAFE MANNER AND IN ADHERENCE TO ALL APPLICABLE LAWS. BUILDER IS RESPONSIBLE FOR ENSURING THAT SUBCONTRACTORS ARE FULLY AWARE OF THE REQUIREMENTS OF THIS PROJECT AND ARE SUPPLIED WITH ALL REQUIRED DRAWINGS.
- 6. PRIOR TO COMMENCEMENT OF CONSTRUCTION, THE CONTRACTOR SHALL FULLY FAMILIARIZE HIMSELF WITH THE SITE CONDITIONS AND COMPARE THEM TO THE CONSTRUCTION DRAWINGS FOR ACCURACY AND COMPLETENESS. ANY DISCREPANCIES OR CONFLICTS SHALL BE BROUGHT TO THE ATTENTION OF THE ARCHITECT. WORK SHALL STOP IN THAT AREA UNTIL THE ISSUE IS RESOLVED.
- 7. THE CONTRACTOR SHALL CHECK AND VERIFY ALL DIMENSIONS AND CONDITIONS OF THE JOB SITE AND REPORT ANY DISCREPANCIES OR CONDITIONS THAT ARE UNSATISFACTORY OR UNSAFE BEFORE PROCEEDING WITH THE WORK.
- 8. THE CONTRACTOR SHALL PROVIDE FOR THE SAFETY, PREVENTION OF INJURY OR LOSS AT THE JOB TO ALL PERSONS EMPLOYED ON THE WORK, PERSONS VISITING THE WORK AND THE GENERAL PUBLIC. HE SHALL ALSO BE RESPONSIBLE FOR THE PREVENTION OF DAMAGE DUE TO THE WORK, TO MATERIALS OR EQUIPMENT AND OTHER PROPERTY AT THE SITE OR ADJACENT THERETO.
- 9. THE GENERAL CONTRACTOR SHALL PROVIDE AN ON SITE DUMPSTER IN A LOCATION COORDINATED WITH THE OWNER FOR THE DISPOSAL OF REMOVED MATERIAL AND CONSTRUCTION DEBRIS. THE DUMPSTER SHALL BE EMPTIED AT APPROPRIATE INTERVALS TO PREVENT OVERFLOW AND UNSIGHTLY
- 10. THE CONTRACTOR SHALL DO ALL WORK IN STRICT CONFORMANCE WITH THE PLANS, FLORIDA BUILDING CODE, LOCAL CODES AND ORDINANCES, MANUFACTURERS RECOMMENDATIONS AND ACCEPTABLE TRADE PRACTICES. IF ANY CONFLICT AMONG THE ABOVE; THE MOST STRINGENT REQUIREMENT
- 11. ANY CHANGES MADE PRIOR TO APPROVAL BY THE OWNER AND/OR ARCHITECT ARE DISALLOWED AS EXTRAS AND THE CONTRACTOR MAY HAVE TO RESTORE ALL CHANGES TO CONFORM TO PLANS WITHOUT ADDITIONAL COMPENSATION. 12. SHOP DRAWINGS OF ALL PREFABRICATED STRUCTURAL FLOOR AND ROOF SYSTEMS SHALL BEAR THE SEAL OF THE REGISTERED FLORIDA PROFESSIONAL ENGINEER AS REQUIRED BY THE BUILDING CODE AND SHALL BE SUBMITTED TO THE ARCHITECT BY THE GENERAL CONTRACTOR FOR APPROVAL

13. THE CONTRACTOR SHALL NOT SCALE DRAWINGS. ANY INFORMATION THAT CANNOT BE OBTAINED BY DIMENSIONS, DETAIL OR SCHEDULE, SHALL BE OBTAINED FROM THE ARCHITECT.


- 14. THE CONTRACTOR SHALL CHECK AND COORDINATE THE WORK OF VARIOUS TRADES TO PREVENT ANY CONFLICTS.
- 15. THE CONTRACTOR SHALL FURNISH ALL SUBCONTRACTORS WITH A COMPLETE SET OF PLANS. 16. THESE PLANS AS DRAWN AND NOTED COMPLY WITH THE BUILDING ENVELOPE ENERGY REQUIREMENTS OF THE FLORIDA MODEL ENERGY CODE. THE CONTRACTOR SHALL FAMILIARIZE HIMSELF WITH THE GOVERNING CODE IN ITS ENTIRETY AND BUILD IN ACCORDANCE WITH ALL PROVISIONS OF THIS
- CODE WHICH MAY BE SPECIFICALLY ADDRESSED ON THE PLANS AND NOTES. 17. ALL ELECTRICAL WORK SHALL BE DONE IN COMPLIANCE WITH THE NATIONAL ELECTRIC CODE (CURRENT EDITION) AND THE MONROE COUNTY CODE.

26. NO PIPE, CONDUIT, OR JUNCTION BOXES TO BE PLACED IN THE SLAB OR COLUMNS UNLESS SPECIFICALLY SHOWN ON THE STRUCTURAL DRAWINGS.

- 18. PORTABLE REST ROOM FACILITIES TO BE PROVIDED AT THE SITE BY THE CONTRACTOR.
- 19. COMPLETE HOT AND COLD WATER SYSTEMS AND VENT WASTE AND DRAIN SYSTEMS ALL TO CODE, SHALL BE FURNISHED.
- 20. PROVIDE PLASTIC SLEEVES IN MASONRY, PARTITIONS, AND FOUNDATIONS, ETC. AS REQUIRED FOR UTILITY SERVICES.
- 21. ALL INTERIOR WALLS WILL HAVE SOUND ATTENUATION BLANKET BETWEEN STUDS. 22. ALL PLASTIC PIPES WILL HAVE SOUND INSULATION WRAP AND ALL PENETRATIONS AND STRAPS WILL BE INSULATED FOR SOUND.
- 23. ALL BOLTS, CLIPS, HANGERS ETC. SHALL BE GALVANIZED (G90 MINIMUM)
- 24. CAST IN PLACE CONCRETE SHALL BE IN ACCORDANCE WITH ACI 318, ACI 301, AND FLORIDA BUILDING CODE, FC'=4.0 KSI IN 28 DAYS OR AS INDICATED IN STRUCTURAL NOTES AND DETAILS.
- 25. ALL TIMBER CONSTRUCTION SHALL CONFORM TO AFTC LATEST EDITION.
- 27. NEW CONCRETE EXPOSED TO DIRECT SUN SHALL BE SPRAYED OR MOPPED WITH A CURING COMPOUND TO SEAL IN MOISTURE AFTER THE FINISH HAS SET, OR THE CONCRETE CAN BE COVERED AND SOAKED WITH WATER. 28. CONCRETE SHALL NOT BE MIXED IN PLACE IN A WET AUGER HOLE.
- 29. ALL WOOD IN CONTACT WITH CONCRETE OR MASONRY SHALL BE PRESSURE TREATED.
- 30. ALL FORMS SHALL BE WET JUST PRIOR TO PLACING CONCRETE.
- 31. ALL SOILS TO BE TREATED FOR BUG INFESTATION PRIOR TO ANY POURS OR COVERINGS.
- 32. ALL FOUNDATION OPENINGS, WALL OPENINGS, FLOOR OPENINGS, ELECTRICAL BOXES, AND PENETRATIONS OF ANY KIND SHALL BE SEALED WITH NONFLAMMABLE, HIGH DENSITY FOAM.
- 33. THESE PLANS WERE DESIGNED TO MEET FLORIDA BUILDING CODE ASCE 7-98 AND WIND LOAD DESIGN IS BASED ON 180 MILES PER HOUR.
- 34. ALLOWANCE: CONTRACTOR SHALL INCLUDE AND ENUMERATE IN HIS BASE BID THE TOTAL SUMS FOR ALL ALLOWANCES ITEMS. ALLOWANCES SUMS SHALL INCLUDE ITEMS SELECTED BY OWNER. QUANTITIES, PURCHASE, DELIVERY AND INSTALLATION SHALL BE BY CONTRACTOR. ALL OVERAGES OF ALLOWANCE AMOUNTS SHALL BE PAID FOR BY OWNER. ALL SAVINGS OF ALLOWANCE AMOUNTS SHALL BE CREDITED TO OWNER. CONTRACTOR SHALL BE RESPONSIBLE FOR SCHEDULING, DELIVERY AND INSTALLATION DATES. ALLOWANCE ITEMS, IF ANY SHALL BE LISTED IN WRITING BY THE
- OWNER/ARCHITECT PRIOR TO BIDDING. 35. <u>PERMIT:</u> CONTRACTOR SHALL PAY FOR ALL PERMITS, TESTING, FEES, AND INSPECTIONS.
- 36. <u>LIVE LOADS USED IN DESIGN</u>: (SEE STRUCTURAL) A. WIND VELOCITY......180 MPH AS PER ASCE 7-98

GENERAL STRUCTURAL NOTES:

- A. ENGINEER'S APPROVAL MUST BE SECURED FOR ALL STRUCTURAL SUBSTITUTIONS.
- B. VERIFY ALL OPENINGS THROUGH FLOORS, ROOF AND WALLS WITH MECHANICAL AND ELECTRICAL CONTRACTORS. VERIFICATION OF LOCATIONS, SIZES, LINTEL AND REQUIRED CONNECTIONS ARE
- CONTRACTOR'S COMPLETE RESPONSIBILITY. C. PRIOR TO INSTALLATION OF MECHANICAL AND ELECTRICAL EQUIPMENT OR OTHER ITEMS TO BE
- ATTACHED TO THE STRUCTURE, ENGINEER'S APPROVAL OF CONNECTIONS AND SUPPORTS SHALL BE OBTAINED. UNLESS SPECIFICALLY DETAILED ON ARCHITECTURAL AND STRUCTURAL DRAWINGS, RESPECTIVE SUB-CONTRACTOR SHALL FURNISH ALL HANGERS, CONNECTIONS, ETC., REQUIRED FOR INSTALLATION OF HIS ITEMS.
- D. PROVIDE ALL EMBEDDED ITEMS IN STRUCTURE AS NOTED ON ARCHITECTURAL, MECHANICAL, ELECTRICAL AS WELL AS STRUCTURAL DRAWINGS. MISCELLANEOUS EMBEDDED ITEMS AND ANCHOR BOLTS SHALL BE FURNISHED BY STEEL SUPPLIER AND INSTALLED BY CONCRETE CONTRACTOR, UNLESS
- APPROVED OTHERWISE BY ARCHITECT. E. CONTRACTOR TO VERIFY ALL DIMENSIONS BEFORE PROCEEDING WITH ANY WORK.
- F. PROVIDE TEMPORARY BRACING AND PRECAUTIONS NECESSARY TO WITHSTAND ALL CONSTRUCTION AND/OR WIND LOADS UNTIL ALL FIELD CONNECTIONS ARE COMPLETED AND SHEAR WALLS AND DECKS ARE IN PLACE. BRACING, SHOWING, AND OTHER SAFETY PRECAUTIONS ARE SOLE RESPONSIBILITY OF CONTRACTOR.
- G. SUBMIT SHOP AND ERECTION DRAWING FOR ALL REINFORCING, CONCRETE, STRUCTURAL STEEL, LAMINATED FRAMING MEMBERS AND METAL DECK TO ENGINEER FOR WRITTEN APPROVAL. THE MANUFACTURE OR FABRICATION OF ANY ITEMS PRIOR TO WRITTEN APPROVAL OF SHOP
- DRAWINGS WILL BE ENTIRELY AT THE RISK OF THE CONTRACTOR. H. WATERPROOFING, VAPOR BARRIERS, WATERSTOP, ETC. SHALL BE AS INDICATED IN THE
- SPECIFICATIONS AND OR DETAILS. ALL CONCRETE, MAJOR STEEL AND MAJOR WOOD SHOP DRAWINGS SUBMITTED SHALL
- INCLUDE CALCULATIONS AND BEAR THE STAMP OF A REGISTERED PROFESSIONAL ENGINEER.




PROPOSED SITE PLAN SCALE: 1/8"=1'-0"


- DRAWING LIST: SITE PLAN / SITE DATA/ NOTES / SCHEDULES
- AE21 EXISTING ELEVATIONS
- PROPOSED ELEVATIONS
- EXISTING ELEVATIONS
- PROPOSED ELEVATIONS

SITE DATA

	ALLOWED	PROPOSED	COMPLIANCE
HEIGHT	30'	28'-7.5"	Yes
BUILDING COVERAGE	40%	1,497 s.f. (35.7%)	Yes
IMPERVIOUS SURFACE RATIO	60%	2,086 s.f. (49.8%)	Yes
LOT SIZE	Min. 4,000 s.f.	4,191.3 s.f.	Yes
LOT WIDTH	Min. 401	46.57	Yes
LOT DEPTH	Min. 901	90'	Yes
FRONT SETBACK	Min. 10'	12'-1"	Yes
SIDE SETBACK	Min. 5	5-5"	Yes
STREET SIDE SETBACK	Min. 7.5'	7'-6"	Yes
REAR SETBACK	Min. 151	25'-11'''	Yes








LOCATION MAP SCALE: NTS







GRAPHIC SCALE: 1/8" = 1'-0"

| william shepler

Tel: 305-890-6191 Email: info@wshepler.com

Consultants:

Meridian Engineering 201 Front Street , Key West FL

Tel: 305-293-3263

Submissions / Revisions: H.A.R.C.: 2013.04.11 BID SET: 2013.05.20 PERMIT SET: 2013.07.11 REV.1 - WINDOWS: 2013.09.13 REV.2 - WINDOWS/DRS: 2013.09.23 REV.3 - MASTER CL.: 2013.10.24 REV.4 - MASTER BA.: 2013.11.07 H.A.R.C. REVISION: 2015.08.31

TREE


ODIFICATION RESIDENCE

Drawing Size | Project #: 24x36 | 13014 24x36


2

SITE PLAN SITE DATA, NOTES, **SCHEDULES**

Sheet Number:



NORTH (PETRONIA ST.) ELEVATION 2 NORTH (F A3.1 SCALE: 1/4"=1'-0"



WEST (WHITE STREET) ELEVATION SCALE: 1/4"=1'-0"

GRAPHIC SCALE: 1/4" = 1'-0"

william shepler Tel: 305-890-6191 Email: info@wshepler.com

Consultants: Meridian Engineering 201 Front Street , Key West FL

Tel: 305-293-3263

Submissions / Revisions: H.A.R.C.: 2013.04.11 BID SET: 2013.05.20

PERMIT SET: 2013.07.11 REV.1 - WINDOWS: 2013.09.13 REV.2 - WINDOWS/DRS: 2013.09.23 REV.3 - MASTER CL.: 2013.10.24 REV.4 - MASTER BA.: 2013.11.07 H.A.R.C. REVISION: 2015.08.31

> ORCH / ROOF MODIFICATIONS SINGLE FAMILY RESIDENCE STREET

 ∞

Drawing Size | Project #: 13014

EXISTING ELEVATIONS

SCALE: 1/4" = 1'-0" Sheet Number:

AE-3.1



SOUTH ELEVATION SCALE: 1/4"=1'-0"

> MAX. ALLOWABLE BUILDING HEIGHT (30') — ALUM. ATTIC VENT V-CRIMP GALVALUME — ROOFING — FIBER CEMENT CLAPBOARD SIDING, 5" EXPOSURE - IMPACT RATED FRENCH DOORS FIBER CEMENT PANELS W/— 1X3 F.C. BATTENS OVER SEAMS \$ — 1X3 FIBER CEMENT TRIM (TYP.) SECOND FLOOR FRAMED POCKET
> DOORENCLOSURE W/ F.C.
> PANEL SIDING CORRUGATED ALUM. — PANELS , ANODIZED (7A) PETRONIA STREE POOL FORWARD OF VIEW — SLIDING POCKET DOOR SYSTEM
> WITH RESTING PANEL ENCLOSURE 16'-0"

EAST ELEVATION GRAPHIC SCALE: 1/4" = 1'-0" william shepler

Tel: 305-890-6191 Email: info@wshepler.com

Consultants: | Meridian Engineering | 201 Front Street , Key West FL

Tel: 305-293-3263

Submissions / Revisions: H.A.R.C.: 2013.04.11 BID SET: 2013.05.20 PERMIT SET: 2013.07.11 REV.1 - WINDOWS: 2013.09.13 REV.2 - WINDOWS/DRS: 2013.09.23 REV.3 - MASTER CL.: 2013.10.24 REV.4 - MASTER BA.: 2013.11.07 H.A.R.C. REVISION: 2015.08.31

STREET

PORCH / ROOF MODIFICATIONS SINGLE FAMILY RESIDENCE **∞**

Drawing Size | Project #: 13014


EXISTING ELEVATIONS

SCALE: 1/4" = 1'-0"

Sheet Number:



SOUTH ELEVATION 2 A3.2 SCALE: 1/4"=1'-0"





william shepler

Tel: 305-890-6191 Email: info@wshepler.com

Consultants: | Meridian Engineering | 201 Front Street , Key West FL

Tel: 305-293-3263

Submissions / Revisions: H.A.R.C.: 2013.04.11 BID SET: 2013.05.20 PERMIT SET: 2013.07.11 REV.1 - WINDOWS: 2013.09.13 REV.2 — WINDOWS/DRS: 2013.09.23 REV.3 — MASTER CL.: 2013.10.24 REV.4 - MASTER BA.: 2013.11.07 H.A.R.C. REVISION: 2015.09.28

STREET

PORCH / ROOF MODIFICATIONS SINGLE FAMILY RESIDENCE WHITE KEY WEST, FI 811

Drawing Size | Project #: 13014

PROPOSED **ELEVATIONS**

SCALE: 1/4" = 1'-0"

PETRONIA STREET LOOKING SOUTH

SCALE: 1/16"=1'-0"





william shepler

Tel: 305.890.6191 Email: info@wshepler.com

811 WHITE STREE RESIDENTIAL PORCH ADDITION PROJECT

Drawing Size | Project #: 11X17 | 13-013

CONTEXTUAL **ELEVATIONS**

Scale:

Sheet Number:

Date: October 22, 2015

©2015 by William Shepler Architect

The Historic Architectural Review Commission will hold a public hearing at 5:30 p.m., October 27, 2015 at Old City Hall, 510 Greene Street, Key West, Florida. The purpose of the hearing will be to consider a request for:

EXTEND ATTIC AREA OVER FRONT PORCH AND CHANGE STYLE OF HANDRAIL ON NEW HOUSE. DEMOLITION OF FRONT GABLE ON NEW HOUSE.

FOR-#811 WHITE STREET

Applicant - William Shepler, Architect

Application #H15-01-1525

If you wish to see the application or have any questions, you may visit the Planning Department during regular office hours at 3140 Flagler Avenue, call 305-809-3973or visit our website at www.cityofkeywest-fl.gov.

THIS NOTICE CAN NOT BE REMOVED FROM THE SITE UNTIL HARC FINAL DETERMINATION

ADA ASSISTANCE: It is the policy of the City of Key West to comply with all requirements of the Americans with Disabilities Act (ADA). Please call the TTY number at 800-955-8771 or 800-955-8770 (Voice) or the ADA Coordinator at 305-809-3731 at least five business days in advance for sign language interpreters, assistive listening devices, or materials in accessible format.

PROPERTY APPRAISER INFORMATION

» Tax Collector

Monroe County Cities

- » City of Key West
- » City of Marathon
- » City of Key Colony Beach
- » City of Layton
- » Islamorada, Village of Islands

First Time Home Buyer (IRS)

- » Cancellation of Debt Flyer (English)
- » Cancellation of Debt Flyer (Spanish)
- » 1st Time Homebuyers Fact Sheet
- » 1st Time Homebuyers Basic Information
- » 1st Time Homebuyers Scenarios
- » 1st Time Homebuyers Q& A's

IRS Links

- » Make Work Pay Credit
- » Energy Conservation Credit

Other Links

- » FL Dept Rev Property Tax Oversight
- <u>» Census Info</u>

Property Record Card -

Maps are now launching the new map application version.

Return to Search Results | Modify Search | New Search | Send Email to MCPA Regarding this Parcel | Estimate Taxes on this Parcel

Previous Record Alternate Key: 1025968 Parcel ID: 00025180-000000 Next Record

Ownership Details

Mailing Address:
PPKW LLC
101 GULFVIEW DR OFC
ISLAMORADA, FL 33036-4140

Property Details

Property Search -- Monroe County Property Appraiser

PC Code: 01 - SINGLE FAMILY

Millage Group: 10KW

Affordable Housing:

Section-

Township- 05-68-25

Range:

Property Location:

811 WHITE ST KEY WEST

KW W C MALONEY DIAGRAM PB1-22 LOT 1 AND PT LOT 2 SQR 6 TR 7 G11-458 H2-341

Legal OR942-935Q/C OR959-1879Q/C OR1038-1240 OR1287-65/66 OR1366-449/51 OR1635-183

Description: OR2113-1003-C OR2114-451 OR2487-501/02 OR2632-1154/56

Click Map Image to open interactive viewer



Land Details


Land Use Code	Frontage	Depth	Land Area
01SD - RES SUPERIOR DRY	47	90	4,179.00 SF

Building Summary

Number of Buildings: 1
Number of Commercial Buildings: 0
Total Living Area: 2305
Year Built: 2014

Building 1 Details

Building Type	R1	Condition	E	Quality Grade	650
Effective Age	1	Perimeter	294	Depreciation %	0
Year Built	2014	Special Arch	0	Grnd Floor Area	2,305
Functional Obs	0	Economic Obs	0		
Inclusions:	R1 includes 1 3-fixture	e bath and 1 kitchen.			
Roof Type	GABLE/HIP	Roof Cover	METAL	Foundation	
Heat 1	FCD/AIR DUCTED	Heat 2		Bedrooms	4
Heat Src 1	ELECTRIC	Heat Src 2			
Extra Features:					
2 Fix Bath	1	Vacuum			0
3 Fix Bath	2	Garbage Disposal			0
4 Fix Bath	0	Compactor			0
5 Fix Bath	0	Security			1
6 Fix Bath	0	Intercom			0
7 Fix Bath	0	Fireplaces			0
Extra Fix	1	Dishwasher			0



Sections:

Nbr	Type	Ext Wall	# Stories	Year Built	Attic A/C	Basement %	Finished Basement %	Area
0	OPX		1	2014				186
0	OPX		1	2014				168
0	OUU		1	2014				84
0	OUF		1	2014				18
0	FLA	10:HARDIE BD	1	2014	Y			1,191
0	FLA	10:HARDIE BD	1	2014	Y			1,114

Misc Improvement Details

Nbr	Type	# Units	Length	Width	Year Built	Roll Year	Grade	Life
0	PO4:RES POOL	144 SF	18	8	2014	2015	4	50
0	WF2:WATER FEATURE	1 UT	0	0	2014	2015	2	20
0	PT2:BRICK PATIO	110 SF	11	10	2014	2015	5	50
0	WD2:WOOD DECK	330 SF	33	10	2014	2015	4	40
0	PT2:BRICK PATIO	230 SF	23	10	2014	2015	5	50
0	PT2:BRICK PATIO	40 SF	8	5	2014	2015	5	50
0	FN2:FENCES	348 SF	87	4	2014	2015	2	30
0	FN2:FENCES	252 SF	42	6	2014	2015	2	30

Appraiser Notes

2014-10-28 MLS \$1,495,000 4/3.5 BRAND NEW HOME IN OLD TOWN.THIS NEWLY BUILT, FOUR BEDROOM, THREE AND A HALF BATH HOME IS APPROXIMATELY 2300 SQUARE FEET AND IS SITUATED ON A SPACIOUS CORNER LOT THAT OFFERS OFF-STREET PARKING. THE HOME HAS BEAUTIFUL ECO FRIENDLY BAMBOO FLOORING AND DESIGNER LIGHT FIXTURES. THE KITCHEN IS AMAZING WITH ITS WHITE CABINETRY, GAS RANGE AND QUARTZ COUNTER TOPS WITH A HUGE CENTER ISLAND. THE FIRST FLOOR HAS A MASTER SUITE ALONG WITH A WIDE OPEN FLOOR PLAN THAT HAS 9' CELINGS AND A 16 FOOT DOOR THAT OPENS ONTO A LARGE PORCH ALONG WITH A BEAUTIFUL POOL AND LANDSCAPING. THE SECOND FLOOR HAS THREE BEDROOMS AND TWO BATHS. THE SECOND FLOOR BEDROOMS HAVE WOOD CATHEDRAL CEILINGS AND PORCHES. THE HOME'S FINISHES ARE MODERN WITH A RELAXING KEYS FLAVOR.

TPP 8909365 - RENTAL

2008-01-28 MLS \$519,000 VACANT. DKRAUSE

2008-01-18 MLS \$529,000 VACANT HARC APPROVED.DKRAUSE

2006-02-10 VACANT LOT FOR SALE FOR \$877,000. HARC APPROVAL AND PERMITS- FROM THE MLS LISTINGS-SKI

2014-03-17 KW CITIZEN HOMES & REAL ESTATE SECTION: \$1,895,000 BRAND NEW HOME IN OLD TOWN MEADOWS. 4/3.5 2300 PLUS SF. 2ND FLOOR HAS 3 BR AND 2 BA, CATHEDRAL CEILINGS AND PORCHES.NEVER BEEN LIVED IN

2009-03-20 MLS \$499,000 VACANT AND CLEARED CORNER LOT IN PRIME OLD TOWN LOCATION IN THE MEADOWS. HARC APPROVED PLANS CONVEY ALONG WITH ONE ROGO UNIT.

2005-08-29 BEING OFFERED FOR \$2,185,000. FROM THE MLS REPORT 3BD/4BA-SKI

Building Permits

Data Data

Bldg	Number	Issued	Completed	Amount	Description	Notes
	13-3118	08/13/2013	3 03/19/2014	385,000		BUILD 2200SF NEW SFR, DECK & PORCH
	13-3294	08/13/2013	3 03/19/2014	8,000		INSTALL ONE 2 TON AND ONE 2.5 TON UNITS 23 DROPS
	13-3292	08/13/2013	3 03/19/2014	10,000		INSTALL PLUMBING 4 TOILETS,3 SHOWERS,5 LAV SINKS, ETC
	14-0170	01/22/2014	4 03/19/2014	2,000		WOOD PICKET FENCE4 ' H FRONT & SIDE. 6'H STARTS WHERE BACK FACADE STARTS
	13-5351	12/30/2014	4 03/19/2014	14,000		8x18 POOL SALT CHLORINATOR
1	B942448	07/01/1994	4 11/01/1994	650	Residential	FENCE
3	9803128	10/22/1998	8 06/10/1998	675	Residential	SECURITY ALARM SYSTEM
2	05-3587	08/29/2003	5 12/20/2005	8,000	Residential	DEMOLISH EXISTING 500SF HOUSE

Parcel Value History

Certified Roll Values.

View Taxes for this Parcel.

Roll Year	Total Bldg Value	0		Total Just (Market) Value	Total Assessed Value	School Exempt Value	School Taxable Value
2015	396,338	37,914	717,325	1,151,577	789,900	0	1,151,577
2014	0	0	323,317	323,317	323,317	0	323,317
2013	0	0	266,261	266,261	248,352	0	266,261
2012	0	0	225,775	225,775	225,775	0	225,775
2011	0	0	243,151	243,151	243,151	0	243,151
2010	0	928	309,463	310,391	310,391	0	310,391
2009	0	1,738	481,387	483,125	483,125 483,125 0		483,125
2008	0	1,797	515,062	516,859 516,83		0	516,859
2007	0	1,876	710,430	712,306	712,306	0	712,306
2006	0	1,935	397,005	398,940	398,940	0	398,940
2005	152,939	1,995	250,740	405,674	405,674	0	405,674
2004	110,940	2,074	250,740	363,754	363,754	0	363,754
2003	125,732	2,133	117,012	244,877	244,877	0	244,877
2002	146,826	2,192	92,983	242,001	242,001	0	242,001
2001	102,778	2,271	92,983	198,032	198,032	0	198,032
2000	81,867	2,044	75,222	159,134	159,134	0	159,134
1999	57,226	1,616	75,222	134,064	134,064	0	134,064
1998	55,447	1,554	75,222	132,223	132,223	0	132,223
1997	50,555	1,454	66,864	118,873	118,873	0	118,873
1996	44,032	1,297	66,864	112,193	112,193	0	112,193
1995	31,018	1,220	70,344	102,582	102,582	0	102,582
1994	27,740	310	70,344	98,394	98,394	0	98,394
1993	27,803	0	70,344	98,147	98,147	0	98,147
1992	27,803	0	70,344	98,147	98,147	0	98,147
1991	27,803	0	70,344	98,147	98,147	0	98,147

1990	37,051	0	59,597	96,648	96,648	0	96,648
1989	33,683	0	58,620	92,303	92,303	0	92,303
1988	18,221	0	44,942	63,163	63,163	0	63,163
1987	10,882	0	26,770	37,652	37,652	0	37,652
1986	10,943	0	25,793	36,736	36,736	0	36,736
1985	10,609	0	15,751	26,360	26,360	0	26,360
1984	9,939	0	15,751	25,690	25,690	0	25,690
1983	9,939	0	15,751	25,690	25,690	0	25,690
1982	10,125	0	15,751	25,876	25,876	0	25,876

Parcel Sales History

NOTE: Sales do not generally show up in our computer system until about two to three months after the date of sale. If a recent sale does not show up in this list, please allow more time for the sale record to be processed. Thank you for your patience and understanding.

Sale Date	Official Records Book/Page	Price	Instrument	Qualification
6/4/2013	2632 / 1154	300,000	WD	02
10/12/2010	2487 / 501	238,500	WD	02
4/27/2005	2114 / 451	727,000	WD	Z
5/24/2000	1635 / 0183	225,000	WD	Q
8/1/1995	1366 / 0449	160,000	WD	Q
12/1/1993	1287 / 0065	1	WD	M
12/1/1987	1038 / 1240	1	WD	M

This page has been visited 390,572 times.

Monroe County Property Appraiser Scott P. Russell, CFA P.O. Box 1176 Key West, FL 33041-1176