


Site D:
Survey and Site Plans

1. Survey
2. Existing and Proposed Site Plans
3. Elevations and Floor Plans
4. Civil Plans
5. Landscape Plans
6. Scooter Parking Plan
7. Life Safety Plan



LOCATION MAP
City of Key West & Stock Island



North Boundary of Parcel 2
"Plot of Survey of Lands" Plat Book 3, Page 35
R=978.72 m. D=10°44'23" VA=183.46 m.
(R=972.99 F.D.O.T.)
(200.79' m. 200' d.)

P.O.C.
Northwest corner
Parcel 2, "Plot of
Survey", P.B. 3, pg. 35

NOTE: Road, sidewalks and utilities
are under construction from the
Right of Way line to the seawall.

Curve number 1
Radius= 974.97' m. (980.95' p.)
Delta= 17°33'46"
Arc= 300.00' m. & d.
Tangent= 151.19'
Chord= 298.83'
Chord Brg.= S.74°04'10"E.

Curve number 1
Radius= 978.72' m. (980.95' p.)
Delta= 17°33'46"
Arc= 300.00' m. & d.
Tangent= 151.19'
Chord= 298.83'
Chord Brg.= S.74°04'10"E.



Curve number 2
Radius= 417.89' m.
Delta= 20°23'05"
Arc= 148.68' m. (150.25' d.)
Tangent= 75.13'
Chord= 147.89'
Chord Brg.= N.75°01'59"W.

Southwest Corner of Parcel
2 ("Plot of Survey of
Lands" Plat Book 3, Page
35)

JL WOOD, LTD - Comfort Inn 3820 North Roosevelt Blvd., Key West, FL.			
BOUNDARY SURVEY		Dwn No.: 12-374D	
Scale: 1"=30'	Ref. 146-59	Flood panel No. 1509 K	Dwn. By: F.H.H.
Date: 9/1/99		Flood Zone: AE	Flood Elev. 8-10'
REVISIONS AND/OR ADDITIONS			
6/27/08: Update			
8/7/06: Update, cert, parking, alta survey			
12/20/12: Updated, trees, grades			
C:\Drawing\Key West\comfort & radisson\comfort			

ISLAND SURVEYING INC.
ENGINEERS PLANNERS SURVEYORS
3152 Northside Drive
Suite 201
Key West, FL. 33040
(305) 293-0466
Fax: (305) 293-0237
flhds61@bellsouth.net
L.B. No. 7700

LEGAL DESCRIPTION:

Parcel No. 1
On the Island of Key West, Monroe County, State of Florida, part of Parcel2 as shown on the Plat of Survey of Lands on the Island of Key West, Monroe County, Florida as recorded in Plat Book 3, Page 35 of the Official Records of Monroe County, Florida, being more particularly described by metes and bounds as follows:
Commence at the Northwest corner of said Parcel 2; said Northwest corner being Northwest of and 2276.93 feet (measure along the South right of way curb line of North Roosevelt Boulevard) distant from the Northwest corner of Block 15 of the "KEY WEST FOUNDATION COMPANY'S PLAT NO. 2" as recorded in Plat Book 1, Page 189 of the Official Records of Monroe County, Florida; and run thence Easterly along the North boundary of said Parcel 2 for a distance of 200 feet to the Point of Beginning of the parcel of land being described herein; thence continue Easterly along the North boundary of said Parcel 2 for a distance of 300 feet; thence run South 17 degrees 59 minutes 56 seconds West for a distance of 315 feet; thence run Northwesterly for a distance of 215 feet, more or less, to a point that bears South 3 degrees 40 minutes 47 seconds West of and 320 feet distant from the Point of Beginning; thence run North 3 degrees 40 minutes 47 seconds East for a distance of 320 feet, back to the Point of Beginning.

Parcel No. 2
On the Island of Key West, Monroe County, State of Florida, part of Parcel 2 as shown on the Plat of Survey of Lands on the Island of Key West, Monroe County, Florida as recorded in Plat Book 3, Page 35, of the Official Records of Monroe County, Florida, being more particularly described by metes and bounds as follows:
Commence at the Northwest corner of said Parcel 2, said Northwest corner being Northwest of and 2276.93 feet (measured along the South right of way curb line of North Roosevelt Boulevard) distant from the Northeast corner of Block 15 of the KEY WEST FOUNDATION COMPANY'S PLAT NO. 2, as recorded in Plat Book 1, page 189 of the Official Records of Monroe County, Florida; and run thence Easterly along the North boundary of said Parcel 2 for a distance of 500 feet; thence run South 17 degrees 59 minutes 56 seconds West for a distance of 315 feet to the Point of Beginning of the parcel of land being described herein; thence continue South 17 degrees 59 minutes 56 seconds West for a distance of 293.17 feet to the South boundary of said Parcel 2; thence run Westerly along the South boundary of said Parcel 2 for a distance of 150.25 feet to a point that lies 97.50 feet distant from and Easterly of the Southwest corner of said Parcel 2, measured along the South boundary of the said Parcel 2; thence run North 3 degrees 41 minutes 40 seconds East for a distance of 291 feet; thence run Southeasterly for a distance of 215, more or less, back to the Point of Beginning.

LESS
Parcel 164
CA Ponion of Parcel ID Nos. 00065540-000000 with a property address of 3800 N. Roosevelt (El Meson De Pepe Property)Blvd. and 00065530000000 with a property address of 3820 N. Roosevelt Blvd (Radisson Inn Property)

On the Island of Key West Monroe County, Florida being a Portion of that certain Exception Area from Parcel 3 of Plat of Survey (on two sheets) Part of Lands formerly owned by Key West Improvement Inc., according to the plat thereof, as recorded in Plat Book 4, at Page 69, of the Public Records of Monroe County, Florida and a portion of Parcel 2 in Plat of Survey of Lands on Island of Key West, Monroe County, Florida, according to the plat thereof, as recorded in Plat Book 3, at Page 35, of the Public Records of Monroe County, Florida, more particularly described as follows:

Beginning at the Point of intersection of the Easterly line of the previously described Exception Area and the Existing Southerly Right-of-Way line of State Road No. 5, North Roosevelt Boulevard, as shown on the Florida Department of Transportation Right-of-Way map for State Road No.5, Section 90010, said Point also being that certain Corner established by John P. Goggin as shown on the above mentioned Plat of Plat of Survey (on two sheets) Part of Lands formerly owned by Key West Improvement Inc., said point also being on a circular curve concave to the South, and said point bears N 03°34'58" W from the center of said curve; Thence Westerly, along the Mc of said curve to the left, and along the Existing Southerly Right-of-Way line of said State Road No. 5, North Roosevelt Boulevard, having a radius of 972.99 feet and a central angle of 00°01'22" for a distance of 0.39 feet to the point of tangency; Thence S 86°23'39" W, along the Existing Southerly Right-of-Way line of said State Road No. 5, North Roosevelt Boulevard, for a distance of 16.47 feet; Thence S03°36'20"E, departing the previously described Right-of-Way line, for a distance of 3.75 feet to a point on a line parallel with and 3.75 feet Southerly of, as measured at right angles, the Existing Southerly Right-of-Way line of said State Road No. 5, North Roosevelt Boulevard; Thence N86°23'40"E, along the previously described line, for a distance of 16.47 feet to a point of curvature of a circular curve concave to the South, said curve also being 3.75 feet Southerly of and concentric with the Existing Southerly Right-of-Way line of said State Road No. 5, North Roosevelt Boulevard; Thence Northeasterly, along the arc of said curve to the right, having a radius of 969.24 feet and a central angle of 28°27'39" for a distance of 481.45 feet; Thence N 20°17'52"E departing the previously described curve, for a distance of 3.76 feet to a point on the Existing Southerly Right-of-Way line of said State Road No. 5, North Roosevelt Boulevard, said point also being on a circular curve wncave to the South and said point bears N 24°50'15" E from the center of said curve; Thence Northwesterly, along the previously described Right-of-Way line, and along the arc of said curve to the left, having a radius of 972.99 feet and a central angle of 28°25'13" for a distance of 482.63 feet to the Point of Beginning.

Containing 1,870 sq.ft, more or less.

ADDITIONAL NOTES:

Zoning 'CG' General Commercial
FIRM: 120168, Panel 1509 K
Zone, AE, Elevation 8'-10'
2/18/05
Setbacks:
Front & Rear. . . . 50'
Sides 20'

Area: 134,331 S.F.
3.08± Acres

Parking: 150 Spaces
6 Handicapped Spaces

Building Height:
A = 50'
B = 15'
C = 14'
D = 15'

Old Title Commitment

SURVEYOR'S CERTIFICATE

This Certificate and the attached survey are made for the benefit of:
Spottswood Hotels, Inc., a Florida corporation, and its assigns
Spottswood Companies, Inc., a Florida corporation, and its assigns
J.L.Woode Ltd., LLC, a Delaware limited liability company, and its assigns
Barry Preston Cooper
Betty Cooper
Betty Cooper Revocable Trust dated February 25, 2004
Marvin Cooper Revocable Trust dated February 25, 2004
Sewaca Inc., a Florida corporation
LaSalle Bank National Association
Baker & Hostetler LLP
Sanford N. Reinhard, P.A.
Chicago Title Insurance Company

I hereby certify

- 1. That the survey was made on the ground and is correct.
2. That the survey shows a complete legal description of the land and any easements appurtenant to the land necessary for access or utilities and an indication of the total acreage or square foot area of the land.
3. That the survey shows the location of the perimeter of the subject property by courses and distances and all lines described by reference to the line of another piece of property.
4. That all field measurements on the survey are balanced, both as to angles and distances, so as to provide a mathematical closure. That the survey shows the point of beginning, if applicable, basis of bearings, assumed or otherwise, the scale and a north arrow. That the survey shows the following information for any curve: length of arc, radius, central angle and bearing to the radius point from the beginning and end points of the curve.
5. That the survey shows the location of all easements and rights-of-way, including all easements and rights-of-way shown as exceptions on Chicago Title Insurance Company commitment for title insurance No. 630600744 dated May 19, 2006 at 5:00 p.m. That the survey shows the location of all easements referred to in the title binder, showing the book and page of recording of all easements on the survey, and stating that all easements are located pursuant to the book and page of the recorded easements.
6. That the survey shows established building lines and setback, height and bulk restrictions of record or disclosed by applicable zoning or building codes (in addition to those recorded in subdivision maps).
7. That the survey shows all dedicated public streets, easements or rights-of-way providing access to the land, and whether such access is paved to the property line of the land and that the width of all of the foregoing are indicated.
8. That the survey shows lines of streets abutting the subject property and the width thereof, and that ingress and egress to the subject property is provided by North Roosevelt Blvd., (U.S. Highway 1) (State Road No. 5), the same being a dedicated public right-of-way maintained by the Island of Key West, and the State of Florida.
9. That the survey shows encroachments and the extent thereof in feet and inches (if practicable) upon the subject property, including, but without limitation, over, under or across buildings, easements and encroachments either way across the boundary lines of the subject property (or if any improvements located upon the land encroach upon other lands).
10. That the survey shows the exterior dimensions of all buildings at ground level and the square footage of the exterior footprint of all buildings, or gross floor area of all buildings at ground level and the height of all buildings above grade at a defined location, if applicable.
11. That the survey shows all substantial, visible improvements (in addition to buildings) such as signs, parking areas or structures, swimming pools, tennis courts, etc.
12. That the survey shows the relation of the improvements by distances to the perimeter of the subject property, the established building lines and the street lines.
13. That the survey shows all parking areas and, if striped, the striping and the type (e.g. handicapped, motorcycle, regular, etc) and number of parking spaces, if applicable.
14. That the survey shows the location of all easements necessary to bring utilities to the Property, together with the location of all utilities (i.e., sewer, water, electric, telephone and gas service) serving or existing on the property as evidenced by on-site observation or as determined by records provided by client, utility companies and other appropriate sources (with reference as to the source of information) (for example): (a) railroad tracks and sidings; (b) manholes, catch basins, valve vaults or other surface indications of subterranean uses; (c) wires and cables (including their function) crossing the surveyed premises, all poles on or within ten feet of the surveyed premises, and the dimensions of all crosswires or overhangs affecting the surveyed premises; and (d) utility company installations on the surveyed premises.
15. That the survey shows the location of all matters affecting the land, including fences, pipelines and streams.
16. That the survey shows all observable evidence of earth moving work, building construction or building additions within recent months.
17. That the survey shows all observable evidence of site use as a solid waste dump, sump or sanitary landfill.
18. That if the subject property is described as being on a field map or plat, a legend relating the survey to said map or plat is on the survey.
19. That the survey shows any coastal body of water or navigable waterway within 150 feet of the subject property, if applicable.
20. That the survey shows all applicable coastal construction lines, bulkhead lines, mean high water marks and erosion control lines must be shown on the survey or a statement contained therein that same do not lie within the boundary of the subject property.
21. That the subject property does not serve any adjoining property for drainage, ingress or egress or any other purpose, except as shown on the survey.
22. That the subject property is within special flood hazard area 120168, Panel 1509 K, AE, Elevation 8'-10', dated 2/18/05 as shown in the most recent Flood Hazard Boundary Maps prepared by the Department of Housing and Urban Development.
23. That the Subject Property is zoned General Commercial under zoning codes of the Island of Key West.
24. That the survey shows any significant observations not otherwise disclosed.
25. That the survey represented hereon meets the "Minimum Standard Detail Requirements for ALTA/ACSM Land Title Surveys," jointly established and adopted by ALTA, ACSM and NSPS in 2005, and pursuant to the Accuracy Standards (as adopted by ALTA and ACSM and in effect on the date of this certification) of an Urban Survey. This instrument is not valid unless it bears an original signature and an embossed surveyor's seal.

DATED: _____

FREDERICK H. HILDEBRANDT
Professional Land Surveyor & Mapper No. 2749
Professional Engineer No. 36810
State of Florida

SURVEYOR'S NOTES:

North arrow based on plat
Reference Bearing: R/W No. Roosevelt Blvd. per deeds
denotes existing elevation
Elevations based on N.G.V.D. 1929 Datum
Bench Mark No.: NOS 1982 Elevation: 5.1440

Field Work performed on: 12/12/12

Monumentation:

- set 1/2" Iron Pipe, P.L.S. No. 2749
Found 1/2" Iron Bar
Set P.K. Nail, P.L.S. No. 2749
Found P.K. Nail

Abbreviations:

- Sty. = Story
R/W = Right-of-Way
fd. = Found
p. = Plat
m. = Measured
d. = Dead
M.H.W. = Mean High Water
O.R. = Official Records
Sec. = Section
Twp. = Township
Rge. = Range
N.T.S. = Not to Scale
C. = Centerline
Elev. = Elevation
B.M. = Bench Mark
P.C. = Point of Curvature
P.T. = Point of Tangency
P.O.C. = Point of Commence
P.O.B. = Point of Beginning
P.B. = Plat Book
pg. = page
Elec. = Electric
Tel. = Telephone
Ench. = Encroachment
O.L. = On Line
C.L.F. = Chain Link Fence
o/h = Overhead
u/g = Underground
F.F.L. = Finish Floor Elevation
L.B. = Low Beam
Rad. = Radial
Irr. = Irregular
conc. = concrete
I.P. = Iron Pipe
I.B. = Iron Bar
B. = Baseline
C.B. = Concrete Block
C.B.S. = Concrete Block Stucco
cov'd. = Covered
P.I. = Point of Intersection
wd. = Wood
R. = Radius
A = Arc (Length)
D = Delta, (Central angle)
w.m. = Water Meter
Bal. = Balcony
Pl. = Planter
Hydt. = Fire Hydrant
F.W. = Fire Well
A/C = Air Conditioner
Area: 135,456 S.F.
3.11 Acres±

- D = Diameter of tree.
H = Height of tree

- Palm
Almond
Buttonwood
Tree, Unknown
Coconut
Pine
Gumbo Limbo
Umbrella
Ficus
Papaya
Rubber
Hong Kong Tulip
Seagrape

- Concrete Utility Pole
Wood utility Pole
Wood Utility Pole with Guy wire
F.W. = Fire Well
M.W. = Monitoring Well
Water Meter
Water Valve
Electric Manhole
Electric Utility Vault
M.H. = Man Hole
San. = Sanitary
C.B. = Storm Water Catch Basin
Inv. = Invert
R.P.Z. = Backflow Prevention Valve
P.V.C. = Polyvinyl Pipe
R.C.P. = Reinforced Concrete pipe
Fire Hydrant
Light
sign
F.D.O.T. = Florida Department of Transportation

Table with 4 columns: Scale, Ref., Flood panel No., Dwn. No., Date, Flood Zone, Flood Elev., Dwn. By, F.H.H. Includes revision history for updates and corrections.

ISLAND SURVEYING INC. logo and contact information: 3152 Northside Drive, Suite 201, Key West, FL 33040. Phone: (305) 293-0466, Fax: (305) 293-0237, Email: fhd1@islandsurveying.net, License No. 7700.



COOPER CARRY

ATLANTA WASHINGTON NEW YORK NEWPORT BEACH

191 Peachtree Street NE
Suite 2400
Atlanta, GA 30303-1770
(404) 237-2000

www.coopercarry.com
FL STATE LICENSE # AA26000496
© Copyright Cooper Carry 2013

SCOPE DOCUMENTS

The Construction Documents have not been completed therefore this drawing may be incomplete or not coordinated. The documents issued indicate the general scope of the Project. The Contractor is responsible for complete and coordinated pricing and Work, and shall include all items necessary for the proper execution and completion of the Project, whether indicated or not. All components of the Project shall comply with any and all requirements of national, state, and local codes. The Contractor shall inform the Owner and Architect of any omissions, inconsistencies or errors in the information provided. If no notice is given and any omissions, inconsistencies or errors are discovered, the Architect's decisions on items of Work included in the scope shall be binding on the Contractor, when consistent with the general scope and quality of the Project.

ISSUANCES		
No.	Drawing Issue Description	Date



HATCHED AREA INDICATES AN AREA THAT IS NOT WITHIN THE SCOPE OF RENOVATION

KEY WEST HOTEL COLLECTION - HAMPTON INN - (SITE D)

3820 North Roosevelt Boulevard
Key West, Florida 33040

J.L. Woode Ltd.

ARCHITECTURAL SITE PLAN



BOB NEAL	20120295
Principal-in-Charge	Project No.
MANNY DOMINGUEZ	02/26/13
Design Director	Date
ANDRES RUBIO	
Project Manager	
T.JACK BAGBY	
Project Architect	

A0.0


NOT ISSUED FOR CONSTRUCTION

SITE D

CHARACTERISTIC	REQUIRED	EXISTING	PROPOSED	REMARKS
ZONING CG - GENERAL COMMERCIAL, BOULEVARD SAFETY/APPEARANCE ZONE				
SITE SIZE	MIN LOT SIZE 15,000 SF	134,331 SF	134,331 SF	
LEGAL DESCRIPTION	ON SURVEY			
FLOOD ELEVATION	ZONES AE 8', 9', & 10'; DFE = 11'-1" NGVD			DIE AT NEW BUILDINGS ONLY; ALL OTHER FEE TO REMAIN
BUILDING SIZE	MAX 107,465 SF PER F.A.R.	89,666 SF	91,931 SF	
BUILDING HEIGHT	MAX 40'-0"	69' - 3"	69' - 3"	MEASUREMENTS FROM CROWN OF ROAD
FLOOR AREA RATIO	MAX 0.8	0.668	0.684	INCLUDES BALCONIES PER CODE
BUILDING COVERAGE	MAX 40%	22,608 / 134,331 = 16.83%	22,627 / 134,331 = 16.84%	INCLUDES BALCONIES AND CANOPIES PER CODE
IMPERVIOUS SURFACE	MAX 60%	110,353 / 134,331 = 82.15%	107,941 / 134,331 = 80.33%	
PERVIOUS SURFACE		23,978 / 134,331 = 17.85%	26,417 / 134,331 = 19.66%	
LANDSCAPE AREA	134,331 X 20% = 26,866 SF	22,192 SF	33,480 SF	
PARKING SPACES	155	150	155	PROP. INCLUDES (6) HOCP AND (60) COMPACTS
BIKE PARKING SPACES	35% HOTEL, 25% RETAIL	52	54	
LOCATION OF STRUCTURES TO BE SHOWN ON SURVEY AND TECHNICAL DRAWINGS				
# AND TYPE OF UNITS		145	145	ALL ARE TRANSIENT LODGING
LAND USE	MAX 1.6 DU/ACRE	145 / 3.08 = 47.1 DU/ACRE	145 / 3.08 = 47.1 DU/ACRE	
CONSUMPTION SPACE		1,880 SF	1,442 SF	EXISTING = DENNY'S & HOTEL BREAKFAST; NEW = JUST BREAKFAST
SETRBACKS PULLED FROM SURVEY				
FRONT	50 FT	48.68 FT	48.68 FT	
REAR	50 FT	307.82 FT	307.82 FT	
SIDE	20 FT	15.91 FT	15.91 FT	
STREET SIDE	20 FT	N/A	N/A	



2 ARCHITECTURAL SITE PLAN PART 2
A0.0 SCALE: 1" = 30'-0"





1 ARCHITECTURAL SITE PLAN PART 1
A0.0 SCALE: 1" = 30'-0"

PROJECT NUMBER: 20120295 PROJECT NAME: KEY WEST HOTEL COLLECTION - HAMPTON INN - (SITE D)
SHEET NUMBER: A0.0 - ARCHITECTURAL SITE PLAN
M:\2012\20120295\47 drawings\47-1 revit\users\20120295_2011_hampton_mcdaniel.rvt
3/20/2013 3:33:54 PM

LEGEND

- EXISTING BUILDING TO REMAIN
- EXISTING BUILDING TO DEMOLISH
- NEW BUILDING
- 1 EXISTING HOTEL TOWER TO BE RENOVATED
- 2 EXISTING MAINTENANCE BUILDING TO BE RENOVATED
- 3 EXISTING FITNESS PAVILION TO BE RENOVATED
- 4 EXISTING POOL BAR TO BE RENOVATED
- 5 EXISTING POOL-SIDE BUILDING TO BE MOSTLY DEMOLISHED



PROJECT N^o 20120295.00 | REVISION N^o 000 | DATE 02 27 2013

Notes

SITE D EXISTING SITE PLAN



KEY WEST DEVELOPMENT PACKAGE
Key West, Florida 33040





SITE D				
CHARACTERISTIC	REQUIRED	EXISTING	PROPOSED	REMARKS
ZONING	CG - GENERAL COMMERCIAL BOULEVARD SAFETY/APPEARANCE ZONE			
SITE SIZE	MIN LOT SIZE 15,000 SF	134,331 SF	134,331 SF	
LEGAL DESCRIPTION	ON SURVEY			
FLOOD ELEVATION	ZONES AE 8', 9', & 10' DFE = 11'-1" NGVD DIE AT NEW BUILDINGS ONLY. ALL OTHER FEE TO REMAIN			
BUILDING SIZE	MAX 107,465 SF PER F.A.R.	89,666 SF	91,931 SF	
BUILDING HEIGHT	MAX 40'-0"	68'-3"	68'-3"	MEASUREMENTS FROM CROWN OF ROAD
FLOOR AREA RATIO	MAX 0.8	0.668	0.684	INCLUDES BALCONIES PER CODE
BUILDING COVERAGE	MAX 40%	22,608 / 134,331 = 16.83%	22,627 / 134,331 = 16.84%	INCLUDES BALCONIES AND CANOPIES PER CODE
IMPERVIOUS SURFACE	MAX 60%	110,353 / 134,331 = 82.15%	107,941 / 134,331 = 80.33%	
PERVIOUS SURFACE		23,978 / 134,331 = 17.85%	26,417 / 134,331 = 19.66%	
LANDSCAPE AREA	134,331 X 20% = 26,866 SF	22,192 SF	33,480 SF	
PARKING SPACES	155	150	155	PROP. INCLUDES (8) HD/CP
BIKE PARKING SPACES	35% HOTEL, 25% RETAIL	0	54	
LOCATION OF STRUCTURES	TO BE SHOWN ON SURVEY AND TECHNICAL DRAWINGS			
# AND TYPE OF UNITS		145	145	ALL ARE TRANSIENT LODGING
LAND USE	MAX 16 DU/ACRE	145 / 3.08 = 47.1 DU/ACRE	145 / 3.08 = 47.1 DU/ACRE	
CONSUMPTION SPACE		1,880 SF	1,442 SF	EXISTING - DENNY'S & HOTEL BREAKFAST NEW - JUST BREAKFAST PULLED FROM SURVEY
SETBACKS				PULLED FROM SURVEY
FRONT	50 FT	48.68 FT	48.68 FT	
REAR	50 FT	307.82 FT	307.82 FT	
SIDE	20 FT	15.91 FT	15.91 FT	
STREET SIDE	20 FT	N/A	N/A	

LEGEND

- EXISTING BUILDING TO REMAIN
- EXISTING BUILDING TO DEMOLISH
- NEW BUILDING

- 1 EXISTING HOTEL TOWER TO BE RENOVATED
- 2 EXISTING MAINTENANCE BUILDING TO BE RENOVATED
- 3 EXISTING FITNESS PAVILION TO BE RENOVATED
- 4 EXISTING POOL BAR TO BE RENOVATED
- 5 EXISTING POOL-SIDE BUILDING TO BE RENOVATED AND ADDED ONTO



PROJECT N^o 20120295.00 | REVISION N^o 000 | DATE 02 27 2013

Notes

SITE D ARCHITECTURAL SITE PLAN



KEY WEST DEVELOPMENT PACKAGE
Key West, Florida 33040




191 Peachtree Street NE
Suite 2400
Atlanta, GA 30303-1770
(404) 237-2000
www.coopercarry.com
FL STATE LICENSE # AA26000496
© Copyright Cooper Carry 2013

SCOPE DOCUMENTS
The Construction Documents have not been completed therefore this drawing may be incomplete or not coordinated. The documents issued indicate the general scope of the Project. The Contractor is responsible for complete and coordinated pricing and Work, and shall include all items necessary for the proper execution and completion of the Project, whether indicated or not. All components of the Project shall comply with any and all requirements of national, state, and local codes. The Contractor shall inform the Owner and Architect of any omissions, inconsistencies or errors in the information provided. If no notice is given and any omissions, inconsistencies or errors are discovered, the Architect's decisions on items of Work included in the scope shall be binding on the Contractor, when consistent with the general scope and quality of the Project.

ISSUANCES		
No.	Drawing Issue Description	Date
	DEVELOPMENT PLAN	02/01/2013



2 SECOND LEVEL FLOOR PLAN
A1.0 SCALE: 1/16" = 1'-0"



1 GROUND FLOOR PLAN
A1.0 SCALE: 1/16" = 1'-0"

**KEY WEST HOTEL
COLLECTION - HAMPTON INN -
(SITE D)**

3820 North Roosevelt Boulevard
Key West, Florida 33040

J.L. Woode Ltd.

FLOOR PLANS

BOB NEAL 20120295
Principal-in-Charge Project No.
MANNY DOMINGUEZ 02/01/2013
Design Director Date
ANDRES RUBIO
Project Manager
T. JACK BAGBY
Project Architect

A1.0

PROJECT NUMBER: 20120295 PROJECT NAME: KEY WEST HOTEL COLLECTION - HAMPTON INN - (SITE D)
SHEET NUMBER: A1.0 - FLOOR PLANS
M:\2012\20120295\4-d-7 drawings\4-d-7_1_hampton_bagby.rvt
2/7/2013 9:27:37 AM

191 Peachtree Street NE
Suite 2400
Atlanta, GA 30303-1770
(404) 237-2000

www.coopercarry.com
FL STATE LICENSE # AA26000496
© Copyright Cooper Carry 2013

SCOPE DOCUMENTS

The Construction Documents have not been completed therefore this drawing may be incomplete or not coordinated. The documents issued indicate the general scope of the Project. The Contractor is responsible for complete and coordinated pricing and Work, and shall include all items necessary for the proper execution and completion of the Project, whether indicated or not. All components of the Project shall comply with any and all requirements of national, state, and local codes. The Contractor shall inform the Owner and Architect of any omissions, inconsistencies or errors in the information provided. If no notice is given and any omissions, inconsistencies or errors are discovered, the Architect's decisions on items of Work included in the scope shall be binding on the Contractor, when consistent with the general scope and quality of the Project.

ISSUANCES		
No.	Drawing Issue Description	Date
	DEVELOPMENT PLAN	02/01/2013



2 FOURTH LEVEL FLOOR PLAN
A2.0 SCALE: 1/16" = 1'-0"



1 THIRD LEVEL FLOOR PLAN
A2.0 SCALE: 1/16" = 1'-0"

KEY WEST HOTEL
COLLECTION - HAMPTON INN -
(SITE D)

3820 North Roosevelt Boulevard
Key West, Florida 33040

J.L. Woode Ltd.

FLOOR PLANS

BOB NEAL	20120295
Principal-in-Charge	Project No.
MANNY DOMINGUEZ	02/01/2013
Design Director	Date
ANDRES RUBIO	
Project Manager	
T. JACK BAGBY	
Project Architect	

A2.0



COOPER CARRY

ATLANTA WASHINGTON NEW YORK NEWPORT BEACH

191 Peachtree Street NE
Suite 2400
Atlanta, GA 30303-1770
(404) 237-2000

www.coopercarry.com
FL STATE LICENSE # AA26000496
© Copyright Cooper Carry 2013

SCOPE DOCUMENTS
The Construction Documents have not been completed therefore this drawing may be incomplete or not coordinated. The documents issued indicate the general scope of the Project. The Contractor is responsible for complete and coordinated pricing and Work, and shall include all items necessary for the proper execution and completion of the Project, whether indicated or not. All components of the Project shall comply with any and all requirements of national, state, and local codes. The Contractor shall inform the Owner and Architect of any omissions, inconsistencies or errors in the information provided. If no notice is given and any omissions, inconsistencies or errors are discovered, the Architect's decisions on items of Work included in the scope shall be binding on the Contractor, when consistent with the general scope and quality of the Project.


ISSUANCES		
No.	Drawing Issue Description	Date
	DEVELOPMENT PLAN	02/01/2013



2 SOUTH ELEVATION
A4.0 SCALE: 1" = 10'-0"



1 NORTH ELEVATION
A4.0 SCALE: 1" = 10'-0"



KEY WEST HOTEL COLLECTION - HAMPTON INN - (SITE D)

3820 North Roosevelt Boulevard
Key West, Florida 33040

J.L. Woode Ltd.

ELEVATIONS

BOB NEAL Principal-in-Charge	20120295 Project No.
MANNY DOMINGUEZ Design Director	02/01/2013 Date
ANDRES RUBIO Project Manager	
T. JACK BAGBY Project Architect	

A4.0

PROJECT NUMBER: 20120295 PROJECT NAME: KEY WEST HOTEL COLLECTION - HAMPTON INN - (SITE D)
SHEET NUMBER: A4.0 ELEVATIONS
M:\2012\20120295\7-drawings\7-1_revt\users\20120295_2011_hampton_jamesa.rvt
3/5/2013 9:24:32 AM



RECEIVED

February 8, 2011

KW Planning Dpt



COOPER CARRY

ATLANTA WASHINGTON NEW YORK NEWPORT BEACH

191 Peachtree Street NE
Suite 2400
Atlanta, GA 30303-1770
(404) 237-2000

www.coopercarry.com


FL STATE LICENSE # AA26000496

© Copyright Cooper Carry 2013


SCOPE DOCUMENTS

The Construction Documents have not been completed therefore this drawing may be incomplete or not coordinated. The documents issued indicate the general scope of the Project. The Contractor is responsible for complete and coordinated pricing and Work, and shall include all items necessary for the proper execution and completion of the Project, whether indicated or not. All components of the Project shall comply with any and all requirements of national, state, and local codes. The Contractor shall inform the Owner and Architect of any omissions, inconsistencies or errors in the information provided. If no notice is given and any omissions, inconsistencies or errors are discovered, the Architect's decisions on items of Work included in the scope shall be binding on the Contractor, when consistent with the general scope and quality of the Project.

ISSUANCES		
No.	Drawing Issue Description	Date
	DEVELOPMENT PLAN	02/01/2013



2 WEST ELEVATION
A5.0 SCALE: 1" = 10'-0"



1 EAST ELEVATION - DEVELOPMENT PLAN
A5.0 SCALE: 1" = 10'-0"

KEY WEST HOTEL COLLECTION - HAMPTON INN - (SITE D)

3820 North Roosevelt Boulevard
Key West, Florida 33040

J.L. Woode Ltd.

ELEVATIONS

BOB NEAL Principal-in-Charge	20120295 Project No.
MANNY DOMINGUEZ Design Director	02/01/2013 Date
ANDRES RUBIO Project Manager	
T. JACK BAGBY Project Architect	

A5.0

NOT ISSUED FOR CONSTRUCTION

PROJECT NUMBER: 20120295 PROJECT NAME: KEY WEST HOTEL COLLECTION - HAMPTON INN - (SITE D)
SHEET NUMBER: A5.0 - ELEVATIONS
M:\2012\20120295\A5.0 drawings\A5.0 drawings\A5.0_hampton_bagby.rvt
2/7/2013 9:28:14 AM



RECEIVED

February 8, 2011

KW Planning Dpt



COOPER CARRY

ATLANTA WASHINGTON NEW YORK NEWPORT BEACH

© Copyright Cooper Carry 2013

SCOPE DOCUMENTS

The Construction Documents have not been completed therefore this drawing may be incomplete or not coordinated. The documents issued indicate the general scope of the Project. The Contractor is responsible for complete and coordinated pricing and Work, and shall include all items necessary for the proper execution and completion of the Project, whether indicated or not. All components of the Project shall comply with any and all requirements of national, state, and local codes. The Contractor shall inform the Owner and Architect of any omissions, inconsistencies or errors in the information provided. If no notice is given and any omissions, inconsistencies or errors are discovered, the Architect's decisions on terms of Work included in the scope shall be binding on the Contractor, when consistent with the general scope and quality of the Project.

ISSUANCES

No.	Drawing Issue Description	Date
	DEVELOPMENT PLAN	2013-02-01



PEREZ ENGINEERING & DEVELOPMENT, INC.
CERTIFICATE OF AUTHORIZATION NO. 8579

1010 Kennedy Drive, Suite 201
Key West, FL 33040
Tel (305) 293-9440
Fax (305) 296-0243
aperez@perezeng.com

KEY WEST HOTEL COLLECTION - HAMPTON INN & SUITES - (SITE D)

3820 North Roosevelt Boulevard
Key West, Florida 33040

J.L. Woode Ltd.


SITE / CONCEPTUAL DRAINAGE PLAN

BOB NEAL	20120295
Principal/Charge	Project No.
MANNY DOMINGUEZ	02/01/13
Design Director	Date
ANDRES RUBIO	
Project Manager	
T.JACK BAGBY	
Project Architect	

C-1

NOT ISSUED FOR CONSTRUCTION



PROJECT STATISTICS				
CHARACTERISTIC	REQUIRED	EXISTING	PROPOSED	REMARKS
ZONING	CG - GENERAL COMMERCIAL, BOULEVARD SAFETY/APPEARANCE ZONE			
SITE SIZE	MIN LOT SIZE 15,000 SF	134,331 SF	134,331 SF	
LEGAL DESCRIPTION	ON SURVEY			
FLOOD ELEVATION	ZONES AE 8', 9', & 10'; DFE = 11'-1" NGVD			
BUILDING SIZE	MAX 107,465 SF PER F.A.R.	89,666 SF	91,931 SF	
FLOOR AREA RATIO	MAX 0.8	0.668	0.684	INCLUDES BALCONIES PER CODE
BUILDING COVERAGE	MAX 40%	22,608 / 134,331 = 16.83%	22,627 / 134,331 = 16.84%	INCLUDES BALCONIES AND CANOPIES PER CODE
IMPERVIOUS SURFACE	MAX 60%	110,353 / 134,331 = 82.15%	107,941 / 134,331 = 80.33%	
PERVIOUS SURFACE		23,978 = 134,331 = 17.85%	26,417 / 134,331 = 19.66%	
LANDSCAPE AREA				
PARKING SPACES	155	150	155	PROP INCLUDES (H)MDCP
BIKE PARKING SPACES	35% HOTEL, 25% RETAIL	0	54	
LOCATION OF STRUCTURES	TO BE SHOWN ON SURVEY AND TECHNICAL DRAWINGS			
LAND USE	MAX 16 DU/ACRE	145 / 3.08 = 47.1 DU/ACRE	145 / 3.08 = 47.1 DU/ACRE	
SETBACKS	FILLED FROM SURVEY			
	FRONT	50 FT	48.68 FT	48.68 FT
	REAR	50 FT	307.82 FT	307.82 FT
	SIDE	20 FT	15.91 FT	15.91 FT
	STREET SIDE	20 FT	N/A	N/A



SCALE 1"=30'
BAR IS TWO INCHES ON ORIGINAL DRAWINGS IF NOT TWO INCHES ON THIS SHEET ADJUST SCALES ACCORDINGLY

LEGEND	
—	PROJECT LIMITS
■	BUILDING AREA
▨	PERVIOUS PARKING MATERIAL
▩	CONCRETE / MISC. IMPERVIOUS
□	DRY RETENTION AREA
—	EXISTING GRADE
—	EXFILTRATION TRENCH
—	STORMWATER PIPE
○	STORMWATER INLET (NYLOPLAST STORM BASIN)
□	STORMWATER INLET (FDOT DITCH BOTTOM)
—	STORMWATER FLOW

CONCEPTUAL DRAINAGE NOTES:
DUE TO THE MINIMAL EXTENTS OF SITE RE-DEVELOPMENT, A STORMWATER MANAGEMENT SYSTEM HAS BEEN DESIGNED TO IMPROVE EXISTING STORMWATER QUANTITY CAPABILITY ONLY.





© Copyright Cooper Carry 2012

SCOPE DOCUMENTS

The Construction Documents have not been completed therefore this drawing may be incomplete or not coordinated. The documents issued indicate the general scope of the Project. The Contractor is responsible for complete and coordinated pricing and Work, and shall include all items necessary for the proper execution and completion of the Project, whether indicated or not. All components of the Project shall comply with any and all requirements of national, state, and local codes. The Contractor shall inform the Owner and Architect of any omissions, inconsistencies or errors in the information provided. If no notice is given and any omissions, inconsistencies or errors are discovered, the Architect's decisions on items of Work indicated in the scope shall be binding on the Contractor, when consistent with the general scope and quality of the Project.

ISSUANCES


No.	Drawing Issue Description	Date
	SCHEMATIC DESIGN	12/17/2012
	DESIGN DEVELOPMENT	02/25/2013

PLANT SCHEDULE

TREES	QTY	BOTANICAL NAME	COMMON NAME	TYPE	SIZE	REMARKS
	12	BURSERIA SIMARUBA	GUMBO LIMBO	B&B OR FG	3" CAL, 13-15' HT	NATIVE
	16	CONOCARPUS ERECTUS	BUTTONWOOD	B&B OR FG	8-10' HT, MULTI-TRUNK	NATIVE
	3	CORDIA SEBESTENA	ORANGE GEIGER TREE	B&B OR FG	8-10' HT.	NATIVE
	58	EXISTING TREE TO REMAIN		NA	VARIES	
	30	ILEX CASSINE	DAHOOON HOLLY	25 GAL	8-10' HT	NATIVE
	2	MAGNOLIA VIRGINIANA	SWEET BAY	B&B OR FG	10-12' HT	NATIVE
	16	PINUS ELLIOTTI 'DENSE'	SLASH PINE	B&B OR FG	10-12' HT	NATIVE
	8	SIMAROUBA GLAUCA	PARADISE TREE	B&B OR FG	8-10' HT	NATIVE
	17	SIWETENIA MAHAGONI	WEST INDIAN MAHOGANY	B&B OR FG	14-16' HT	NATIVE
PALM TREES	QTY	BOTANICAL NAME	COMMON NAME	TYPE	SIZE	REMARKS
	2	PHOENIX DACTYLIFERA 'MEDJOL'	DATE PALM	FG	10' CT	
	49	ROYSTONEA ELATA	FLORIDA ROYAL PALM	FG	14' CT	NATIVE
	9	SABAL PALMETTO	CABBAGE PALMETTO	FG	10' CT	NATIVE
	9	SABAL PALMETTO	CABBAGE PALMETTO	FG	12' CT	NATIVE
	9	SABAL PALMETTO	CABBAGE PALMETTO	FG	14' CT	NATIVE
	2	SYAGRUS ROMANZOFFIANA 'SILVER QUEEN'	SILVER QUEEN PALM	B & B	10-12' HT	
SHRUB AREAS	QTY	BOTANICAL NAME	COMMON NAME	CONT	REMARKS	
	189	BLECHNUM SERRULATUM	SWAMP FERN	3 GAL 18-24" H @ 36" OC		
	258	CHRYSOBALANUS ICACO	COCO PLUM	3 GAL 18-24" H @ 36" OC		
	518	IXORA COCCINEA	RED IXORA	3 GAL 18-24" H @ 30" OC		
	224	NEPHROLEPIS BISERRATA	GIANT SWORDFERN	3 GAL 18-24" H @ 36" OC		
	24	PODOCARPUS MACROPHYLLUS	YEW PINE	30 GAL 6' HT @ 72" OC		
	30	PSYCHOTRIA NERVOSA	WILD COFFEE	3 GAL 18-24" H @ 36" OC		
	1,013	SCHAEFFERIA FRUTESCENS	FLORIDA BOXWOOD	1 GAL 12"H @ 12" OC		
	123	SERENDA REPENS	SAW PALMETTO	3 GAL 14-18" H @ 48" OC		
	630	UNIOILA PANICULATA	SEA OATS	3 GAL @ 12" OC		
	65	ZAMIA FURFURACEA	CARDBOARD PALM	3 GAL 18-24" H @ 42" OC		
	228	ZAMIA PUMILA	COONTIE	3 GAL 12-14" H @ 36" OC		
GROUND COVERS	QTY	BOTANICAL NAME	COMMON NAME	CONT	REMARKS	
	1,669	BLECHNUM SERRULATUM	SWAMP FERN	1 GAL 12"x12" @ 12" OC		
	1,083	ORINUM AMERICANUM	SEVEN SISTERS	1 GAL 12"x12" @ 12" OC		
	2,884 SF	STENOTAPHRUM SECUNDATUM	ST. AUGUSTINE GRASS	SOO		
	747	TRADESCANTIA CHIENSIS 'MRS. LOEWER'	SPIDERWORT	1 GAL 12"x12" @ 12" OC		

TREE PERMIT APPLICATION NOTES
 PALMS TO BE REPLACED:33
 NATIVE PALMS PLANTED:66
 NON NATIVE PALMS TO BE PLANTED:25
 CANOPY TREES TO BE REPLACED:12
 NATIVE CANOPY TREES TO BE PLANTED:97
 NON NATIVE CANOPY TREES TO BE PLANTED:6
 EXISTING TREES TO REMAIN ON SITE:52

NOTE:
 ALL TREES AND PALMS TO BE FLORIDA GRADE #1



1 LANDSCAPE PLAN
 L3.01 SCALE: 1" = 10'-0"



0 10 20 30 feet
 SCALE: 1" = 10'

KEY WEST HOTEL
 COLLECTION - HAMPTON INN
 & SUITES - (SITE D)

3820 North Roosevelt Boulevard
 Key West, Florida 33040

J.L. Woode Ltd.

LANDSCAPE PLAN

BOB NEAL	20120295
Principal-in-Charge	Project No.
MANNY DOMINGUEZ	02/25/12
Design Director	Date
ANDRES RUBIO	
Project Manager	
T. JACK BAGBY	
Project Architect	
GARY WARNER	
Director of Landscape Architecture	

L3.01

PROJECT NUMBER: 20120295 PROJECT NAME: KEY WEST HOTEL COLLECTION - HAMPTON INN & SUITES - (SITE D)
 SHEET NUMBER: L3.01 - COMPOSITE FLOOR PLANS
 M:\2012\20120295\47 drawings\47-1 rev\users\20120295_2011_hampton_peller.rvt
 12/6/2012 5:14:39 AM



TREE PERMIT APPLICATION NOTES
 PALMS TO BE REPLACED:33
 NATIVE PALMS PLANTED:36
 NON NATIVE PALMS TO BE PLANTED:25
 CANOPY TREES TO BE REPLACED:12
 NATIVE CANOPY TREES TO BE PLANTED:97
 NON NATIVE CANOPY TREES TO BE PLANTED:6
 EXISTING TREES TO REMAIN ON SITE:52

NOTE:
 ALL TREES AND PALMS TO BE FLORIDA GRADE #1


© Copyright Cooper Carry 2012

SCOPE DOCUMENTS

The Construction Documents have not been completed therefore this drawing may be incomplete or not coordinated. The documents issued indicate the general scope of the Project. The Contractor is responsible for complete and coordinated pricing and Work, and shall include all items necessary for the proper execution and completion of the Project, whether indicated or not. All components of the Project shall comply with any and all requirements of national, state, and local codes. The Contractor shall inform the Owner and Architect of any omissions, inconsistencies or errors in the information provided. If no notice is given and any omissions, inconsistencies or errors are discovered, the Architect's decisions on items of Work included in the scope shall be binding on the Contractor, when consistent with the general scope and quality of the Project.

ISSUANCES

No.	Drawing Issue Description	Date
	SCHEMATIC DESIGN	12/17/2012
	DESIGN DEVELOPMENT	02/25/2013



PROJECT NUMBER: 20120295 PROJECT NAME: KEY WEST HOTEL COLLECTION - HAMPTON INN & SUITES - (SITE D)
 SHEET NUMBER: A2.01 - COMPOSITE FLOOR PLANS
 M:\2012\20120295\47 drawings\47-1 rev\users\20120295_2011_hampton_peter.rvt
 12/6/2012 9:14:39 AM

1 LANDSCAPE PLAN
 L3.02 SCALE: 1" = 10'-0"



0 10 20 30 feet
 SCALE: 1" = 10'

**KEY WEST HOTEL
 COLLECTION - HAMPTON INN
 & SUITES - (SITE D)**

3820 North Roosevelt Boulevard
 Key West, Florida 33040

J.L. Woode Ltd.

LANDSCAPE PLAN

BOB NEAL Principal-in-Charge	20120295 Project No.
MANNY DOMINGUEZ Design Director	02/25/12 Date
ANDRES RUBIO Project Manager	
T. JACK BAGBY Project Architect	
GARY WARNER Director of Landscape Architecture	

L3.02



SCOPE DOCUMENTS

The Construction Documents have not been completed therefore this drawing may be incomplete or not coordinated. The documents issued indicate the general scope of the Project. The Contractor is responsible for complete and coordinated pricing and Work, and shall include all items necessary for the proper execution and completion of the Project, whether indicated or not. All components of the Project shall comply with any and all requirements of national, state, and local codes. The Contractor shall inform the Owner and Architect of any omissions, inconsistencies or errors in the information provided. If no notice is given and any omissions, inconsistencies or errors are discovered, the Architect's decisions on items of Work indicated in the scope shall be binding on the Contractor, when consistent with the general scope and quality of the Project.

ISSUANCES

No.	Drawing Issue Description	Date
	SCHEMATIC DESIGN	12/17/2012
	DESIGN DEVELOPMENT	02/25/2013


PLANT SCHEDULE

TREES	QTY	BOTANICAL NAME	COMMON NAME	TYPE	SIZE	REMARKS
	12	BURSERIA SIMARUBA	GUMBO LIMBO	B&B OR FG	3" CAL. 13-15' HT	NATIVE
	16	CONOCARPUS ERECTUS	BUTTONWOOD	B&B OR FG	8-10' HT, MULTI-TRUNK	NATIVE
	3	CORDIA SEBESTENA	ORANGE GEIGER TREE	B&B OR FG	8-10' HT.	NATIVE
	58	EXISTING TREE TO REMAIN		NA	VARIES	
	30	ILEX CASSINE	DAHOON HOLLY	25 GAL	8-10' HT	NATIVE
	2	MAGNOLIA VIRGINIANA	SWEET BAY	B&B OR FG	10-12' HT	NATIVE
	16	PINUS ELLIOTTI 'DENSE'	SLASH PINE	B&B OR FG	10'-12' HT	NATIVE
	8	SIMAROUBA GLAUCA	PARADISE TREE	B&B OR FG	8-10' HT	NATIVE
	17	SWIETENIA MAHAGONI	WEST INDIAN MAHOGANY	B&B OR FG	14-16' HT	NATIVE
PALM TREES	QTY	BOTANICAL NAME	COMMON NAME	TYPE	SIZE	REMARKS
	2	PHOENIX DACTYLIFERA 'MEDJOO'	DATE PALM	FG	10' CT	
	49	ROYSTONIA ELATA	FLORIDA ROYAL PALM	FG	14' CT	NATIVE
	9	SABAL PALMETTO	CABBAGE PALMETTO	FG	10' CT	NATIVE
	9	SABAL PALMETTO	CABBAGE PALMETTO	FG	12' CT	NATIVE
	9	SABAL PALMETTO	CABBAGE PALMETTO	FG	14' CT	NATIVE
	2	SYAGRUS ROMANZOFFIANA 'SILVER QUEEN'	SILVER QUEEN PALM	B & B	10-12' HT	
SHRUB AREAS	QTY	BOTANICAL NAME	COMMON NAME	CONT	REMARKS	
	189	BLECHNUM SERRULATUM	SWAMP FERN	3 GAL. 18-24" H@ 36" OC		
	258	CHRYSOBALANUS ICACO	COCO PLUM	3 GAL. 18-24" H@ 36" OC		

	518	IXORA COCCINEA	RED IXORA	3 GAL. 18-24" H@ 30" OC	
	224	NEPHROLEPIS BISERRATA	GIANT SWORDFERN	3 GAL. 18-24" H@ 36" OC	
	24	PODOCARPUS MACROPHYLLUS	YEW PINE	30 GAL. 6" HT@ 72" OC	
	30	PSYCHOTRIA NERVOSA	WILD COFFEE	3 GAL. 18-24" H@ 36" OC	
	1,013	SCHAEFFERIA FRUTESCENS	FLORIDA BOXWOOD	1 GAL. 12"H @ 12" OC	
	123	SERENOA REPENS	SAW PALMETTO	3 GAL. 14-18" H @ 48" OC	
	636	UNICOLA PANICULATA	SEA OATS	3 GAL@ 12" OC	
	65	ZAMIA FURFURACEA	CARDBOARD PALM	3 GAL. 18-24" H@ 42" OC	
	228	ZAMIA PUMILA	COONTIE	3 GAL. 12-14" H@ 36" OC	
GROUND COVERS	QTY	BOTANICAL NAME	COMMON NAME	CONT	REMARKS
	1,669	BLECHNUM SERRULATUM	SWAMP FERN	1 GAL. 12"X12" @ 12" OC	
	1,083	CRINUM AMERICANUM	SEVEN SISTERS	1 GAL. 12"X12" @ 12" OC	
	2,884 SF	STENOTAPHRUM SECUNDATUM	ST. AUGUSTINE GRASS	SOD	
	747	TRADESCANTIA OHIENSIS 'MRS. LOEWER'	SPIDERWORT	1 GAL. 12"X12" @ 12" OC	


TREE PERMIT APPLICATION NOTES
 PALMS TO BE REPLACED:33
 NATIVE PALMS PLANTED:66
 NON NATIVE PALMS TO BE PLANTED:25
 CANOPY TREES TO BE REPLACED:12
 NATIVE CANOPY TREES TO BE PLANTED:97
 NON NATIVE CANOPY TREES TO BE PLANTED:6
 EXISTING TREES TO REMAIN ON SITE:52

NOTE:
 ALL TREES AND PALMS TO BE FLORIDA GRADE #1



ROOSEVELT BOULEVARD

1 LANDSCAPE PLAN
 L3.03 SCALE: 1" = 10'-0"



KEY WEST HOTEL
 COLLECTION - HAMPTON INN
 & SUITES - (SITE D)

3820 North Roosevelt Boulevard
 Key West, Florida 33040


J.L. Woode Ltd.

LANDSCAPE PLAN


BOB NEAL	20120295
Principal-in-Charge	Project No.
MANNY DOMINGUEZ	02/25/12
Design Director	Date
ANDRES RUBIO	
Project Manager	
T. JACK BAGBY	
Project Architect	
GARY WARNER	
Director of Landscape Architecture	

L3.03

PROJECT NUMBER: 20120295 PROJECT NAME: KEY WEST HOTEL COLLECTION - HAMPTON INN & SUITES - (SITE D)
 SHEET NUMBER: A2.01 - COMPOSITE FLOOR PLANS
 M:\2012\20120295\4-7 drawings\4-7-1 rev\itusers\20120295_2011_hampton_peter.rvt
 12/6/2012 9:14:39 AM



KEY PLAN



SCOOTER PARKING AREA

PROJECT N° 20120295.00 | REVISION N° 000 | DATE 03 06 2013

Notes

SCOOTER PARKING AREA

PAGE 1



KEY WEST HOTEL COLLECTION - TOWNEPLACE SUITES
 3820 North Roosevelt Blvd, Key West, Florida 33040

© 2013 Cooper Carry, Inc., 191 Peachtree Street NE, Suite 2400, Atlanta, Georgia 30303 Tel. 404-237-2000 Fax 404-237-0276





COOPER CARRY

ATLANTA WASHINGTON NEW YORK NEWPORT BEACH

191 Peachtree Street NE
Suite 2400
Atlanta, GA 30303-1770
(404) 237-2000

www.coopercarry.com
FL STATE LICENSE # AA26000496


© Copyright Cooper Carry 2013

SCOPE DOCUMENTS

The Construction Documents have not been completed therefore this drawing may be incomplete or not coordinated. The documents issued indicate the general scope of the Project. The Contractor is responsible for complete and coordinated pricing and Work, and shall include all items necessary for the proper execution and completion of the Project, whether indicated or not. All components of the Project shall comply with any and all requirements of national, state, and local codes. The Contractor shall inform the Owner and Architect of any omissions, inconsistencies or errors in the information provided. If no notice is given and any omissions, inconsistencies or errors are discovered, the Architect's decisions on items of Work included in the scope shall be binding on the Contractor, when consistent with the general scope and quality of the Project.

ISSUANCES

No.	Drawing Issue Description	Date
DESIGN DEVELOPMENT		02/25/2013



2
G1.01
MEANS OF EGRESS - SITE PLAN PARKING
SCALE: 1" = 20'-0"

1
G1.01
MEANS OF EGRESS - SITE PLAN
SCALE: 1" = 20'-0"

EMERGENCY GATE FOR FIRE DEPT.
ACCESS FITTED WITH A PERMANENT
GE KEYSAFE AND PADLOCK ON EXTERIOR

EXISTING FDC
(APPROX. LOCATION)

PROPOSED
HYDRANT
APPROX. LOCATION

FIRE PROTECTION VEHICLE
CIRCULATION

ROOSEVELT BOULEVARD

HATCHED AREA INDICATES AN AREA THAT IS NOT
WITHIN THE SCOPE OF RENOVATION

KEY WEST HOTEL COLLECTION - HAMPTON INN - (SITE D)

3820 North Roosevelt Boulevard
Key West, Florida 33040

J.L. Woode Ltd.

MEANS OF EGRESS PLAN - SITE

BOB NEAL	20120295
Principal-in-Charge	Project No.
MANNY DOMINGUEZ	02/25/13
Design Director	Date
ANDRES RUBIO	
Project Manager	
T.JACK BAGBY	
Project Architect	

G1.01

MEANS OF EGRESS LEGEND

WALL RATINGS 1 HOUR SEPARATION ASSEMBLY OR FIRE PARTITION 2 HOUR SEPARATION ASSEMBLY OR FIRE PARTITION 3 HOUR SEPARATION ASSEMBLY OR FIRE PARTITION 4 HOUR SEPARATION ASSEMBLY OR FIRE PARTITION SMOKE SEPARATION ASSEMBLY	PORTABLE EXTINGUISHER SYMBOLS RECESSED FIRE EXTINGUISHER CABINET FIRE EXTINGUISHER FIRE EXTINGUISHER CABINET ON POST	DISTANCES COMMON PATH OF TRAVEL (XX FT. MAX) DEAD END CORRIDOR (XX FT. MAX) TRAVEL DISTANCE MAX DIAGONAL DISTANCE EXIT SEPARATION	LEVEL EXIT LOAD / CAPACITY LEVEL EXIT LOAD / CAPACITY @ DOORWAY EXIT CAPACITY = (DOOR WIDTH - REDUCTION TO ACHIEVE CLEAR OPENING) X LOAD FACTOR LEVEL EXIT LOAD / CAPACITY @ CORRIDOR EXIT CAPACITY = CLEAR OPENING X LOAD FACTOR OCCUPANT LOAD EXIT CAPACITY	STAIR EXIT LOAD / CAPACITY MEASUREMENT OF MEANS OF EGRESS: THE WIDTH OF MEANS OF EGRESS SHALL BE MEASURED IN THE CLEAR AT THE NARROWEST POINT OF THE EGRESS COMPONENT UNDER CONSIDERATION. PROJECTIONS WITHIN THE MEANS OF EGRESS OF NOT MORE THAN 4 1/2" IN STAIR (4" OTHERWISE) ON EACH SIDE SHALL BE PERMITTED AT A HEIGHT OF 38" AND BELOW. CLEAR EXIT WIDTH: FACE OF WALL TO FACE OF GUARD 38" HIGH X 4.5" WIDE ALLOWABLE PROJECTION AREA ON EACH SIDE 42" HIGH GUARD RAIL 34" HIGH HANDRAIL LOCATED WITHIN PROJECTION AREA RAISED STRINGER: LOCATED WITHIN PROJECTION AREA OCCUPANT LOAD EXIT CAPACITY STAIR EXIT LOAD / CAPACITY
--	--	---	--	---

GENERAL NOTES

BUILDING TO BE FULLY SPRINKLERED

PROJECT NUMBER: 20120295
PROJECT NAME: KEY WEST HOTEL COLLECTION - HAMPTON INN - (SITE D)
SHEET NUMBER: G1.01 - MEANS OF EGRESS PLAN - SITE
M:\2012\20120295\47 drawings\7-1 rev\users\20120295_2011_hampton_peter.nt
3/13/2013 3:49:49 PM





SCOPE DOCUMENTS

The Construction Documents have not been completed therefore this drawing may be incomplete or not coordinated. The documents issued indicate the general scope of the Project. The Contractor is responsible for complete and coordinated pricing and Work, and shall include all items necessary for the proper execution and completion of the Project, whether indicated or not. All components of the Project shall comply with any and all requirements of national, state, and local codes. The Contractor shall inform the Owner and Architect of any omissions, inconsistencies or errors in the information provided. If no notice is given and any omissions, inconsistencies or errors are discovered, the Architect's decisions on items of Work included in the scope shall be binding on the Contractor, when consistent with the general scope and quality of the Project.

ISSUANCES

No.	Drawing Issue Description	Date
	DESIGN DEVELOPMENT	02/25/2013

MEANS OF EGRESS OCCUPANCY LEGEND



1 GROUND LEVEL EGRESS PLAN
G2.01 SCALE: 1/8" = 1'-0"

GENERAL NOTES

BUILDING TO BE FULLY SPRINKLERED


EXIT CAPACITY: FLOOR LEVEL 1

LEVEL EXITS: EGRESS WIDTH (inches per occupant)	DOOR CAPACITY (@ 20)	OCCUPANT LOAD @ LEVEL EXIT
LEVEL EXIT NO. 1	170	10
LEVEL EXIT NO. 2	170	10
LEVEL EXIT NO. 3	170	10
LEVEL EXIT NO. 4	170	20
LEVEL EXIT NO. 5	170	56
LEVEL EXIT NO. 6	350	79
LEVEL EXIT NO. 7	350	79
LEVEL EXIT NO. 8	170	17
LEVEL EXIT NO. 9	170	17
LEVEL EXIT NO. 10	170	18
LEVEL EXIT NO. 11	170	4
LEVEL EXIT NO. 12	170	1
LEVEL EXIT NO. 13	350	1
LEVEL EXIT NO. 14	350	78
LEVEL EXIT NO. 15	170	1
LEVEL EXIT NO. 16	170	55
LEVEL EXIT FROM GUESTROOMS	8	
TOTAL EXIT CAPACITY FOR FLOOR:	3,440	464

NFPA 101 LSC - OCCUPANCY LOAD SCHEDULE-FLOOR LEVEL 1

NAME	OCCUPANT USE GROUP (LSC TABLE 7.3.1.2)	AREA	OCC. LOAD FACTOR	SQFT TYPE	FIXED OCC. LOAD	OCCUPANT LOAD
DINING	ASSEMBLY - LESS CONCENTRATED USE, W/O FIXED SEATING	3,437 SF	15	NET		230
LOBBY	ASSEMBLY - LESS CONCENTRATED USE, W/O FIXED SEATING	1,299 SF	15	NET		87
MEETING ROOM	ASSEMBLY - LESS CONCENTRATED USE, W/O FIXED SEATING	594 SF	15	NET		40
ADMIN	BUSINESS	551 SF	100	GROSS		6
BUSINESS CENTER	BUSINESS	132 SF	100	GROSS		2
SHELL RETAIL#1	MERCANTILE - SALES AREA ON STREET FLOOR	880 SF	30	GROSS		30
SHELL RETAIL#2	MERCANTILE - SALES AREA ON STREET FLOOR	1,540 SF	30	GROSS		52
GUESTROOM#1	RESIDENTIAL - HOTELS AND DORMITORIES	1,501 SF	200	GROSS		8
ELEC. RM.	STORAGE - IN OTHER THAN MERCANTILE OCCUPANCIES	146 SF	500	GROSS		1
W.H.	STORAGE - IN OTHER THAN MERCANTILE OCCUPANCIES	198 SF	500	GROSS		1
MECH. RM.	STORAGE - IN OTHER THAN MERCANTILE OCCUPANCIES	106 SF	500	GROSS		1
FOOD PREP	STORAGE - IN OTHER THAN MERCANTILE OCCUPANCIES	212 SF	500	GROSS		1
HOTEL STORAGE	STORAGE - IN OTHER THAN MERCANTILE OCCUPANCIES	412 SF	500	GROSS		1
MAIN ELEC. RM.	STORAGE - IN OTHER THAN MERCANTILE OCCUPANCIES	330 SF	500	GROSS		1
STORAGE	STORAGE - IN OTHER THAN MERCANTILE OCCUPANCIES	54 SF	500	GROSS		1
AHU RM.	STORAGE - IN OTHER THAN MERCANTILE OCCUPANCIES	143 SF	500	GROSS		1
GUEST LAUNDRY	STORAGE - IN OTHER THAN MERCANTILE OCCUPANCIES	119 SF	500	GROSS		1

MEANS OF EGRESS LEGEND



KEY WEST HOTEL COLLECTION - HAMPTON INN - (SITE D)

3820 North Roosevelt Boulevard
Key West, Florida 33040

J.L. Woode Ltd.

MEANS OF EGRESS PLAN - GROUND LEVEL

BOB NEAL Principal-in-Charge	20120295 Project No.
MANNY DOMINGUEZ Design Director	02/25/13 Date
ANDRES RUBIO Project Manager	
T. JACK BAGBY Project Architect	

G2.01

PROJECT NUMBER: 20120295 PROJECT NAME: KEY WEST HOTEL COLLECTION - HAMPTON INN - (SITE D)
SHEET NUMBER: G2.01 - MEANS OF EGRESS PLAN - GROUND LEVEL
M:\2012\20120295\47 Drawings\20120295_2011_hampton_peter.rvt
3/13/2013 3:49:52 PM




SCOPE DOCUMENTS

The Construction Documents have not been completed therefore this drawing may be incomplete or not coordinated. The documents issued indicate the general scope of the Project. The Contractor is responsible for complete and coordinated pricing and Work, and shall include all items necessary for the proper execution and completion of the Project, whether indicated or not. All components of the Project shall comply with any and all requirements of national, state, and local codes. The Contractor shall inform the Owner and Architect of any omissions, inconsistencies or errors in the information provided. If no notice is given and any omissions, inconsistencies or errors are discovered, the Architect's decisions on items of Work included in the scope shall be binding on the Contractor, when consistent with the general scope and quality of the Project.

ISSUANCES		
No.	Drawing Issue Description	Date
	DESIGN DEVELOPMENT	02/25/2013

MEANS OF EGRESS OCCUPANCY LEGEND



1 2ND LEVEL EGRESS PLAN
G2.02 SCALE: 1/8" = 1'-0"

HATCHED AREA INDICATES AN AREA THAT IS NOT WITHIN THE SCOPE OF RENOVATION


KEY WEST HOTEL
COLLECTION - HAMPTON INN -
(SITE D)

3820 North Roosevelt Boulevard
Key West, Florida 33040

J.L. Woode Ltd.

MEANS OF EGRESS PLAN - 200
LEVEL

MEANS OF EGRESS LEGEND



GENERAL NOTES

BUILDING TO BE FULLY SPRINKLERED

EXIT CAPACITY:

FLOOR LEVEL 2

STAIR NO.	STAIR CAPACITY (0.30)	DOOR CAPACITY (0.20)	GOVERNING CAPACITY	OCCUPANT LOAD @ STAIR EXIT
STAIR NO. 1	153	180	153	85
STAIR NO. 2	140	NA	140	76
STAIR NO. 3	140	NA	140	76

NFPA 101 LSC - OCCUPANCY LOAD SCHEDULE-FLOOR LEVEL 2						
NAME	OCCUPANT USE GROUP (LSC TABLE 7.3.1.2)	AREA	OCC. LOAD FACTOR	SQFT TYPE	FIXED OCC. LOAD	OCCUPANT LOAD
ELEC. RM.	STORAGE - IN OTHER THAN MERCANTILE OCCUPANCIES	176 SF	500	GROSS		1
GUESTROOMS#2	RESIDENTIAL - HOTELS AND DORMITORIES	2,124 SF	200	GROSS		11
GUESTROOMS#3	RESIDENTIAL - HOTELS AND DORMITORIES	2,354 SF	200	GROSS		12
GUESTROOMS#4	RESIDENTIAL - HOTELS AND DORMITORIES	3,082 SF	200	GROSS		16
GUESTROOMS#5	RESIDENTIAL - HOTELS AND DORMITORIES	3,000 SF	200	GROSS		15

BOB NEAL	20120295
Principal-in-Charge	Project No.
MANNY DOMINGUEZ	02/25/13
Design Director	Date
ANDRES RUBIO	
Project Manager	
T. JACK BAGBY	
Project Architect	

G2.02

PROJECT NUMBER: 20120295 PROJECT NAME: KEY WEST HOTEL COLLECTION - HAMPTON INN - (SITE D)
SHEET NUMBER: G2.02 - MEANS OF EGRESS PLAN - 200 LEVEL
M:\2012\20120295\47 drawings\g2-1 rev\users\20120295_2011_hampton_peter.nt
3/13/2013 3:50:48 PM




SCOPE DOCUMENTS

The Construction Documents have not been completed therefore this drawing may be incomplete or not coordinated. The documents issued indicate the general scope of the Project. The Contractor is responsible for complete and coordinated pricing and Work, and shall include all items necessary for the proper execution and completion of the Project, whether indicated or not. All components of the Project shall comply with any and all requirements of national, state, and local codes. The Contractor shall inform the Owner and Architect of any omissions, inconsistencies or errors in the information provided. If no notice is given and any omissions, inconsistencies or errors are discovered, the Architect's decisions on items of Work included in the scope shall be binding on the Contractor, when consistent with the general scope and quality of the Project.

ISSUANCES

No.	Drawing Issue Description	Date
	DESIGN DEVELOPMENT	02/25/2013

MEANS OF EGRESS OCCUPANCY LEGEND



KEY WEST HOTEL
COLLECTION - HAMPTON INN -
(SITE D)

3820 North Roosevelt Boulevard
Key West, Florida 33040

J.L. Woode Ltd.

MEANS OF EGRESS PLAN - 300
LEVEL

1 3RD LEVEL EGRESS PLAN
G2.03 SCALE: 1/8" = 1'-0"

MEANS OF EGRESS LEGEND

WALL RATINGS	DISTANCES	LEVEL EXIT LOAD / CAPACITY	STAIR EXIT LOAD / CAPACITY
1 HOUR SEPARATION ASSEMBLY OR FIRE PARTITION 2 HOUR SEPARATION ASSEMBLY OR FIRE PARTITION 3 HOUR SEPARATION ASSEMBLY OR FIRE PARTITION 4 HOUR SEPARATION ASSEMBLY OR FIRE PARTITION SMOKE SEPARATION ASSEMBLY	COMMON PATH OF TRAVEL (XX FT. MAX) DEAD END CORRIDOR (XX FT. MAX) TRAVEL DISTANCE MAX DIAGONAL DISTANCE EXIT SEPARATION	LEVEL EXIT LOAD / CAPACITY @ DOORWAY EXIT CAPACITY = (DOOR WIDTH - REDUCTION TO ACHIEVE CLEAR OPENING) X LOAD FACTOR LEVEL EXIT LOAD / CAPACITY @ CORRIDOR EXIT CAPACITY = CLEAR OPENING X LOAD FACTOR	MEASUREMENT OF MEANS OF EGRESS: THE WIDTH OF MEANS OF EGRESS SHALL BE MEASURED IN THE CLEAR AT THE NARROWEST POINT OF THE EGRESS COMPONENT UNDER CONSIDERATION. PROJECTIONS WITHIN THE MEANS OF EGRESS OF NOT MORE THAN 4 1/2" IN STAIR (4" OTHERWISE) ON EACH SIDE SHALL BE PERMITTED AT A HEIGHT OF 38" AND BELOW. CLEAR EXIT WIDTH: FACE OF WALL TO FACE OF GUARD 38" HIGH X 4.5" WIDE ALLOWABLE PROJECTION AREA ON EACH SIDE 42" HIGH GUARD RAIL 34" HIGH HANDRAIL LOCATED WITHIN PROJECTION AREA RAISED STRINGER, LOCATED WITHIN PROJECTION AREA

GENERAL NOTES

BUILDING TO BE FULLY SPRINKLERED

EXIT CAPACITY: FLOOR LEVEL 3

STAIR NO.	STAIR CAPACITY (0.30)	DOOR CAPACITY (0.20)	GOVERNING CAPACITY	OCCUPANT LOAD @ STAIR EXIT
STAIR NO. 1	153	180	153	67
STAIR NO. 2	140	NA	140	57
STAIR NO. 3	140	NA	140	57

NFPA 101 LSC - OCCUPANCY LOAD SCHEDULE-FLOOR LEVEL 3

NAME	OCCUPANT USE GROUP (LSC TABLE 7.3.1.2)	AREA	OCC. LOAD FACTOR	SQFT TYPE	FIXED OCC. LOAD	OCCUPANT LOAD
ELEC. RM.	STORAGE - IN OTHER THAN MERCANTILE OCCUPANCIES	177 SF	500	GROSS		1
GUESTROOM#6	RESIDENTIAL - HOTELS AND DORMITORIES	2,123 SF	200	GROSS		11
GUESTROOM#7	RESIDENTIAL - HOTELS AND DORMITORIES	2,351 SF	200	GROSS		12
GUESTROOM#8	RESIDENTIAL - HOTELS AND DORMITORIES	3,071 SF	200	GROSS		16
GUESTROOM#9	RESIDENTIAL - HOTELS AND DORMITORIES	3,000 SF	200	GROSS		15

BOB NEAL	20120295
Principal-in-Charge	Project No.
MANNY DOMINGUEZ	02/25/13
	Date
ANDRES RUBIO	
Design Director	
T. JACK BAGBY	
Project Architect	

G2.03

Drawing No.

PROJECT NUMBER: 20120295 PROJECT NAME: KEY WEST HOTEL COLLECTION - HAMPTON INN - (SITE D)
SHEET NUMBER: G2.03 - MEANS OF EGRESS PLAN - 300 LEVEL
M:\2012\20120295\47 drawings\g2-7-1 rev\users\20120295_2011_hampton_peter.dwg
3/13/2013 3:51:05 PM




SCOPE DOCUMENTS

The Construction Documents have not been completed therefore this drawing may be incomplete or not coordinated. The documents issued indicate the general scope of the Project. The Contractor is responsible for complete and coordinated pricing and Work, and shall include all items necessary for the proper execution and completion of the Project, whether indicated or not. All components of the Project shall comply with any and all requirements of national, state, and local codes. The Contractor shall inform the Owner and Architect of any omissions, inconsistencies or errors in the information provided. If no notice is given and any omissions, inconsistencies or errors are discovered, the Architect's decisions on items of Work included in the scope shall be binding on the Contractor, when consistent with the general scope and quality of the Project.

ISSUANCES		
No.	Drawing Issue Description	Date
	DESIGN DEVELOPMENT	02/25/2013

MEANS OF EGRESS OCCUPANCY LEGEND



1 4TH LEVEL EGRESS PLAN
G2.04 SCALE: 1/8" = 1'-0"



KEY WEST HOTEL
COLLECTION - HAMPTON INN -
(SITE D)

3820 North Roosevelt Boulevard
Key West, Florida 33040

J.L. Woode Ltd.

MEANS OF EGRESS PLAN - 400
LEVEL

MEANS OF EGRESS LEGEND

<p>WALL RATINGS</p> <p>1 HOUR SEPARATION ASSEMBLY OR FIRE PARTITION</p> <p>2 HOUR SEPARATION ASSEMBLY OR FIRE PARTITION</p> <p>3 HOUR SEPARATION ASSEMBLY OR FIRE PARTITION</p> <p>4 HOUR SEPARATION ASSEMBLY OR FIRE PARTITION</p> <p>SMOKE SEPARATION ASSEMBLY</p>	<p>DISTANCES</p> <p>COMMON PATH OF TRAVEL (XX FT. MAX)</p> <p>DEAD END CORRIDOR (XX FT. MAX)</p> <p>TRAVEL DISTANCE</p> <p>MAX DIAGONAL DISTANCE</p> <p>EXIT SEPARATION</p>	<p>LEVEL EXIT LOAD / CAPACITY</p> <p>LEVEL EXIT LOAD / CAPACITY @ DOORWAY</p> <p>EXIT CAPACITY = (DOOR WIDTH - REDUCTION TO ACHIEVE CLEAR OPENING) X LOAD FACTOR</p> <p>LEVEL EXIT LOAD / CAPACITY @ CORRIDOR</p> <p>EXIT CAPACITY = CLEAR OPENING X LOAD FACTOR</p>	<p>STAIR EXIT LOAD / CAPACITY</p> <p>MEASUREMENT OF MEANS OF EGRESS: THE WIDTH OF MEANS OF EGRESS SHALL BE MEASURED IN THE CLEAR AT THE NARROWEST POINT OF THE EGRESS COMPONENT UNDER CONSIDERATION. PROJECTIONS WITHIN THE MEANS OF EGRESS OF NOT MORE THAN 4 1/2" IN STAIR (4" OTHERWISE) ON EACH SIDE SHALL BE PERMITTED AT A HEIGHT OF 36" AND BELOW.</p>
<p>OCCUPANCY AREA LABELS</p> <p>AREA NAME 150 SF</p>	<p>PORTABLE EXTINGUISHER SYMBOLS</p> <p>RECESSED FIRE EXTINGUISHER CABINET</p> <p>FIRE EXTINGUISHER</p> <p>FIRE EXTINGUISHER CABINET ON POST</p>	<p>REFERENCE 'MEASUREMENT OF MEANS OF EGRESS' UNDER STAIR EXIT CAPACITY</p>	<p>STAIR EXIT LOAD / CAPACITY</p>

GENERAL NOTES

BUILDING TO BE FULLY SPRINKLERED

EXIT CAPACITY: FLOOR LEVEL 4
(LSC TABLE 7.3.3.1)

STAIR NO.	STAIR CAPACITY (0.30)	DOOR CAPACITY (0.20)	GOVERNING CAPACITY	OCCUPANT LOAD @ STAIR EXIT
STAIR NO. 1	153	180	153	48
STAIR NO. 2	140	NA	140	38
STAIR NO. 3	140	NA	140	38

NFPA 101 LSC - OCCUPANCY LOAD SCHEDULE-FLOOR LEVEL 4					
NAME	OCCUPANT USE GROUP (LSC TABLE 7.3.1.2)	AREA	OCC. LOAD FACTOR	SQFT TYPE	OCC. LOAD
ELEC. RM.	STORAGE - IN OTHER THAN MERCANTILE OCCUPANCIES	177 SF	500	GROSS	1
GUESTROOM#10	RESIDENTIAL - HOTELS AND DORMITORIES	2,133 SF	200	GROSS	11
GUESTROOM#11	RESIDENTIAL - HOTELS AND DORMITORIES	2,355 SF	200	GROSS	12
GUESTROOM#12	RESIDENTIAL - HOTELS AND DORMITORIES	3,091 SF	200	GROSS	16
GUESTROOM#13	RESIDENTIAL - HOTELS AND DORMITORIES	3,017 SF	200	GROSS	16

BOB NEAL 20120295
Principal-in-Charge
MANNY DOMINGUEZ 02/25/13
Design Director
ANDRES RUBIO
Project Manager
T. JACK BAGBY
Project Architect

G2.04

NOT ISSUED FOR CONSTRUCTION

PROJECT NUMBER: 20120295 PROJECT NAME: KEY WEST HOTEL COLLECTION - HAMPTON INN - (SITE D)
SHEET NUMBER: G2.04 MEANS OF EGRESS PLAN - 400 LEVEL
M:\2012\20120295\47 drawings\g2-1 rev\users\20120295_2011_hampton_peter.nt
3/13/2013 3:51:20 PM




SCOPE DOCUMENTS

The Construction Documents have not been completed therefore this drawing may be incomplete or not coordinated. The documents issued indicate the general scope of the Project. The Contractor is responsible for complete and coordinated pricing and Work, and shall include all items necessary for the proper execution and completion of the Project, whether indicated or not. All components of the Project shall comply with any and all requirements of national, state, and local codes. The Contractor shall inform the Owner and Architect of any omissions, inconsistencies or errors in the information provided. If no notice is given and any omissions, inconsistencies or errors are discovered, the Architect's decisions on items of Work included in the scope shall be binding on the Contractor, when consistent with the general scope and quality of the Project.

ISSUANCES

No.	Drawing Issue Description	Date
	DESIGN DEVELOPMENT	02/25/2013

MEANS OF EGRESS OCCUPANCY LEGEND



HATCHED AREA INDICATES AN AREA THAT IS NOT WITHIN THE SCOPE OF RENOVATION

KEY WEST HOTEL
COLLECTION - HAMPTON INN -
(SITE D)


3820 North Roosevelt Boulevard
Key West, Florida 33040

J.L. Woode Ltd.

MEANS OF EGRESS PLAN - 500
LEVEL

1 5TH LEVEL EGRESS PLAN
SCALE: 1/8" = 1'-0"

MEANS OF EGRESS LEGEND



GENERAL NOTES

BUILDING TO BE FULLY SPRINKLERED

EXIT CAPACITY: FLOOR LEVEL 5

STAIR NO.	STAIR CAPACITY (0.30)	DOOR CAPACITY (0.20)	GOVERNING CAPACITY	OCCUPANT LOAD @ STAIR EXIT
STAIR NO. 1	153	180	153	31
STAIR NO. 2	140	NA	140	19
STAIR NO. 3	140	NA	140	19

NFPA 101 LSC - OCCUPANCY LOAD SCHEDULE-FLOOR LEVEL 5					
NAME	OCCUPANT USE GROUP (LSC TABLE 7.3.1.2)	AREA	OCC. LOAD FACTOR	SQFT TYPE	OCCUPANT LOAD
ELEC. RM.	STORAGE - IN OTHER THAN MERCANTILE OCCUPANCIES	177 SF	500	GROSS	1
GUESTROOM#14	RESIDENTIAL - HOTELS AND DORMITORIES	2,133 SF	200	GROSS	11
GUESTROOM#15	RESIDENTIAL - HOTELS AND DORMITORIES	2,328 SF	200	GROSS	12
GUESTROOM#16	RESIDENTIAL - HOTELS AND DORMITORIES	3,037 SF	200	GROSS	16
GUESTROOM#17	RESIDENTIAL - HOTELS AND DORMITORIES	3,013 SF	200	GROSS	16

BOB NEAL	20120295
Principal-in-Charge	Project No.
MANNY DOMINGUEZ	02/25/13
Design Director	Date
ANDRES RUBIO	
Project Manager	
T. JACK BAGBY	
Project Architect	

G2.05

PROJECT NUMBER: 20120295 PROJECT NAME: KEY WEST HOTEL COLLECTION - HAMPTON INN - (SITE D)
SHEET NUMBER: G2.05 - MEANS OF EGRESS PLAN - 500 LEVEL
M:\2012\20120295\47 drawings\g2-7-1 rev\users\20120295_2011_hampton_peter.nt
3/13/2013 3:51:38 PM




SCOPE DOCUMENTS

The Construction Documents have not been completed therefore this drawing may be incomplete or not coordinated. The documents issued indicate the general scope of the Project. The Contractor is responsible for complete and coordinated pricing and Work, and shall include all items necessary for the proper execution and completion of the Project, whether indicated or not. All components of the Project shall comply with any and all requirements of national, state, and local codes. The Contractor shall inform the Owner and Architect of any omissions, inconsistencies or errors in the information provided. If no notice is given and any omissions, inconsistencies or errors are discovered, the Architect's decisions on items of Work included in the scope shall be binding on the Contractor, when consistent with the general scope and quality of the Project.

ISSUANCES		
No.	Drawing Issue Description	Date
	DESIGN DEVELOPMENT	02/25/2013

MEANS OF EGRESS OCCUPANCY LEGEND



HATCHED AREA INDICATES AN AREA THAT IS NOT WITHIN THE SCOPE OF RENOVATION

KEY WEST HOTEL
COLLECTION - HAMPTON INN -
(SITE D)

3820 North Roosevelt Boulevard
Key West, Florida 33040

J.L. Woode Ltd.

MEANS OF EGRESS PLAN - 600
LEVEL

BOB NEAL 20120295
Principal-in-Charge
MANNY DOMINGUEZ 02/25/13
Design Director
ANDRES RUBIO
Project Manager
T. JACK BAGBY
Project Architect

G2.06

NOT ISSUED FOR CONSTRUCTION

1 6TH FLOOR EGRESS PLAN
G2.06 SCALE: 1/8" = 1'-0"

MEANS OF EGRESS LEGEND

WALL RATINGS	DISTANCES	LEVEL EXIT LOAD / CAPACITY	STAIR EXIT LOAD / CAPACITY
1 HOUR SEPARATION ASSEMBLY OR FIRE PARTITION 2 HOUR SEPARATION ASSEMBLY OR FIRE PARTITION 3 HOUR SEPARATION ASSEMBLY OR FIRE PARTITION 4 HOUR SEPARATION ASSEMBLY OR FIRE PARTITION SMOKE SEPARATION ASSEMBLY	COMMON PATH OF TRAVEL (XX FT. MAX) DEAD END CORRIDOR (XX FT. MAX) TRAVEL DISTANCE MAX DIAGONAL DISTANCE EXIT SEPARATION	LEVEL EXIT LOAD / CAPACITY @ DOORWAY EXIT CAPACITY = (DOOR WIDTH - REDUCTION TO ACHIEVE CLEAR OPENING) X LOAD FACTOR CLEAR EXIT WIDTH OCCUPANT LOAD EXIT CAPACITY * REFERENCE "MEASUREMENT OF MEANS OF EGRESS" UNDER STAIR EXIT CAPACITY	MEASUREMENT OF MEANS OF EGRESS: THE WIDTH OF MEANS OF EGRESS SHALL BE MEASURED IN THE CLEAR AT THE NARROWEST POINT OF THE EGRESS COMPONENT UNDER CONSIDERATION. PROJECTIONS WITHIN THE MEANS OF EGRESS OF NOT MORE THAN 4 1/2" IN STAIR (4" OTHERWISE) ON EACH SIDE SHALL BE PERMITTED AT A HEIGHT OF 36" AND BELOW. CLEAR EXIT WIDTH: FACE OF WALL TO FACE OF GUARD 38" HIGH X 4.5" WIDE ALLOWABLE PROJECTION AREA ON EACH SIDE 42" HIGH GUARD RAIL 34" HIGH HANDRAIL LOCATED WITHIN PROJECTION AREA RAISED STRINGER: LOCATED WITHIN PROJECTION AREA STAIR EXIT LOAD / CAPACITY OCCUPANT LOAD EXIT CAPACITY
OCCUPANCY AREA LABELS AREA NAME 150 SF	PORTABLE EXTINGUISHER SYMBOLS RECESSED FIRE EXTINGUISHER CABINET FIRE EXTINGUISHER FIRE EXTINGUISHER CABINET ON POST		

GENERAL NOTES

BUILDING TO BE FULLY SPRINKLERED

EXIT CAPACITY:

FLOOR LEVEL 6

STAIR EXITS: EGRESS WIDTH (inches per occupant):	STAIR CAPACITY	DOOR CAPACITY	GOVERNING CAPACITY	OCCUPANT LOAD @ STAIR EXIT
STAIR NO. 1	153	180	153	13

NFPA 101 LSC - OCCUPANCY LOAD SCHEDULE-FLOOR LEVEL 6

NAME	OCCUPANT USE GROUP (LSC TABLE 7.3.1.2)	AREA	OCC. LOAD FACTOR	SQFT TYPE	FIXED OCC. LOAD	OCCUPANT LOAD
GUESTROOM#18 RESIDENTIAL - HOTELS AND DORMITORIES		2,596 SF	200	GROSS		13

PROJECT NUMBER: 20120295 PROJECT NAME: KEY WEST HOTEL COLLECTION - HAMPTON INN - (SITE D)
SHEET NUMBER: G2.06 - MEANS OF EGRESS PLAN - 600 LEVEL
M:\2012\20120295\G2.06 Drawings\G2.06-1_13\1301313_351452.PLT
3/13/2013 3:51:52 PM