

MEMORANDUM FOR THE FILE

DATE: January 25, 2013


RE: **59 Spoonbill Way**

FROM: Paul Williams, Urban Forestry Manager, City of Key West

An application was received for the removal **of one (1) Crape Myrtle tree.** A site inspection was done on January 16, 2013 and documented the following:

Tree Species: **Crape Myrtle** (*Lagerstroemia indica*)





Diameter: 5.7 inches dbh

Location: 60% - fence area

Species: 50% - not on protected or non-protected lists

Condition: 40% - poor condition

Total Average Value = 50%

Value x Diameter = replacement caliper (dbh) inches

$.50 \times 5.7'' \text{dbh} = \underline{\mathbf{3}}$ replacement caliper (dbh) inches

Recommendations: Staff recommends **approval** of the removal.



AGENDA ITEM #

City of Key West Tree Commission

Tree Permit Application

PO Box 1409
Key West, FL 33040
Phone: 305-809-3764
Fax: 305-809-3978

Home/Property Owner: EDGAR WATSON, JR Date: 8 JAN 2013

Mailing Address: 82 S. LAKE ST. GRAYSLAKE, FL

Owner Signature: [Signature] Owner Ph#: (847) 970-1702

Represented by: _____ Rep. Ph#: (____) _____

Represented by mailing address: _____

Attendance at the Tree Commission meeting on the date when your request will be discussed is necessary in order to expedite the resolution of your application.
A letter of representation from the owner must accompany this application if the owner is unable to attend.

Letter of Representation ()

Tree(s) Address: 59 SPOONBILL WAY Cross/Corner Street: KESTRAL

Common Name(s): CREPE MYRTLE Scientific Name(s): _____

Species Type(s) {check all that apply}: () Palm Flowering () Fruit () Shade

- Reason(s) for Application {check all that apply}:
- REMOVE () TRANSPLANT () HEAVY MAINTENANCE
 - Tree Health () New Location () Branch Removal
 - () Safety () Same Property () Crown Cleaning/Thinning
 - () Other / Explain () Other / Explain () Crown Reduction

Reason(s) for request:
TREE IS DISEASED / BARK AND MAIN TRUNK CRUMBLING


Replacement plant material must be Florida Grade #1. Replacement of a palm with a native palm is required. Replacement of a canopy tree with a native canopy tree is required. If you need assistance with replacements, please call the Landscape Department at 305-809-3764



<<<<< Sketch location of tree in this area including cross/corner Street >>>>>

Provide access for viewing tree(s) prior to meeting
Identify tree(s) with colored tape

AGENDA ITEM #



Tree Species CREPE MYRTLE

Circumference _____ ÷ 3.14 = diameter 5"

Location _____ % Species _____ % Condition _____ % Total Average Value _____ %

Avg. value _____ X _____ Diameter = _____

Replacement Inches

LOCATION: OLD CITY HALL, 510 GREENE STREET, 5:00 p.m.

FOR TREE COMMISSION USE ONLY.

() TABLED () APPROVED () DENIED () FURTHER ACTION

COMMENTS: _____

CHAIRPERSONS SIGNATURE/DATE

City Engineer comments if required: _____

ENGINEER'S SIGNATURE/DATE