

MEMORANDUM FOR THE FILE

DATE: December 20, 2012

RE: **810 Georgia Street**

FROM: Paul Williams, Urban Forestry Manager, City of Key West

An application was received for the removal **of one (1) Autograph tree**. A site inspection was done on December 20, 2012 and documented the following:

Tree Species: Autograph Tree (Calusia rosea)





Diameter: **15 inches dbh**

Location: 40% - Foundation issues

Species: 100% - On protected tree list

Condition: 60% - Fair condition

Total Average Value = 67%

Value x Diameter = replacement caliper (dbh) inches

.67 x 15" dbh = **10 replacement caliper (dbh) inches**

Recommendations: **Staff recommends approval of the removal.**



AGENDA ITEM #

City of Key West Tree Commission

Tree Permit Application

PO Box 1409
Key West, FL 33040
Phone: 305-809-3764
Fax: 305-809-3978

6244

OK
Staff Report
ready for
T.C.
PKW
12/20/12

Home/Property Owner: DAN SUJAK Date: 12-17-12

Mailing Address: 810 GEORGIA

Owner Signature: _____ Owner Ph#: (____) _____

Represented by: NATIVE LANDSCAPE DESIGN Rep. Ph#: 305 393-5026

Represented by mailing address: PO Box 2847 - Key West - 33045

Attendance at the Tree Commission meeting on the date when your request will be discussed is necessary in order to expedite the resolution of your application.

A letter of representation from the owner must accompany this application if the owner is unable to attend.

Letter of Representation ()

Tree(s) Address: 810 GEORGIA Cross/Corner Street: PINE

Common Name(s): 1. SCHEFFLERA No permit needed 2. PITCH APPLE Scientific Name(s): 1. SCHEFFLERA ACTINOPHYLLA 2. CLUSIA ROSEA

Species Type(s) {check all that apply}: () Palm () Flowering () Fruit () Shade

Reason(s) for Application {check all that apply}:
() REMOVE () TRANSPLANT () HEAVY MAINTENANCE
() Tree Health () New Location () Branch Removal
() Safety () Same Property () Crown Cleaning/Thinning
() Other / Explain () Other / Explain () Crown Reduction

Reason(s) for request:
TREES HAVE OVERTAKEN FRONT OF HOUSE. ROOTS
POSE THREAT TO FOUNDATION / SEWER & WATER.
DESIRE TO RE-LANDSCAPE W/ NATIVE PLANTS.


Replacement plant material must be Florida Grade #1. Replacement of a palm with a native palm is required. Replacement of a canopy tree with a native canopy tree is required. If you need assistance with replacements, please call the Landscape Department at 305-809-3764.

<<<< Sketch location of tree in this area including cross/corner Street >>>>

Provide access for viewing tree(s) prior to meeting
Identify tree(s) with colored tape

AGENDA ITEM #

PIPE



Tree Species Autograph tree (Calusia rosea)

Circumference _____ ÷ 3.14 = diameter 15" dbh

12/20/12

Location 40 % Species 100 % Condition 60 % Total Average Value 67 %

Avg. value .67 X 15" Diameter = 10
Replacement Inches

PGW
12/20/12

LOCATION: OLD CITY HALL, 510 GREENE STREET, 5:00 p.m.

FOR TREE COMMISSION USE ONLY.

() TABLED () APPROVED () DENIED () FURTHER ACTION

COMMENTS:

CHAIRPERSONS SIGNATURE/DATE

City Engineer comments if required:

ENGINEER'S SIGNATURE/DATE