

Historic Architectural Review Commission Staff Report for Item 3

To: Chairman Haven Burkee and Historic Architectural Review

Commission Members

From: Daniela Salume, MFA

Historic Architectural Preservationist

Meeting Date: December 17, 2024

Applicant: Jonathan Ring

Application Number: H2024-0043


Address: 1208 Virginia Street

Description of Work:

Addition of two dormers to a section of the roofline.

Site Facts:

The building under review was demolished in August 2023 without a Certificate of Appropriateness. The original structure was a historic and contributing structure to the historic district which appears on the 1912 Sanborn Map. In November 2022, the Commission approved the demolition of a non-historic rear addition and renovations to the historic house. Engineer Bob Hulec indicated that the rear addition was unsound and unsalvageable but did not comment on the historic section. Currently, the house consists of a one and a half story frame structure featuring a gabled roof and metal shingles. It is currently elevated on concrete piers and located within an X flood zone.




1912 Sanborn Map.



Photo of house circa 1965. Monroe County Library.



Front of the house before demolition.



1962 Sanborn Map and survey.

Guidelines Cited on Review:

- Roofing (page 26), specifically guidelines 3 and 5.
- Roof Secondary Structures: Dormers (page 27), specifically first sentence, guidelines 1, 2, 3, 4, and 5.
- Additions and alterations on contributing, non-contributing, and non-historic buildings and structures (pages 37a-37k), specifically guidelines 6 (first two sentences), 8, 9 (second sentence), 13, 14 (first sentence), 19, 22, 25, and 30.
- New construction (pages 38a-38q), specifically guidelines 1 (first sentence), 2, 12, 14, 18 and 21.

Staff Analysis:

A Certificate of Appropriateness is currently under review for the addition of two dormers with a shed roof to the west elevation of a new single-family residence. The applicant proposes to modify the previously approved design for a new one and a half story structure by adding two shed-roof dormers on the west elevation roofline which will be 6" below the ridgeline. The dormers will be set back behind the 10-foot front yard setback and will be visible from the street as the property beside it is the parking lot for Fausto's.



Proposed West Elevation.



Proposed North Elevation.



Proposed South Elevation.

In this area, there are a few buildings featuring dormers. The building at 1210 Virginia Street (built circa 1906), adjacent to this property, features a full-length "dormer", as depicted in a historic photograph from 1965 available through the Monroe County Library. The building in front, located at 1205 Virginia Street (built possibly in 1947) features one dormer on the right elevation that is not visible from the street and portrays traditional massing and scale. The gable roof with one dormer was added in 2005. Additionally, the building located at 1219 Eliza Street (built circa 1912) has three dormers, which also portrays traditional massing and scale of dormer designs. These dormers were added in 2001.



Map of surrounding context.



Photo of 1210 Virginia Street circa 1965 with full length "dormer" adjacent to building under review (built circa 1906). Monroe County Library.



Photo of 1210 Virginia Street with full length "dormer", adjacent to building under review.



Photo of 1205 Virginia Street circa 1965, in front of building under review before gabled roof with dormer was added.



Photo of 1205 Virginia Street with dormer not visible from the street, in front of building under review.



Photo of 1219 Virginia Street circa 1965, located at the rear of building under review. Monroe County Library.



Photo of 1219 Virginia Street, located at the rear of building under review.

Consistency with Guidelines Cited Guidelines:

This new one and a half story frame structure featuring two dormers with a shed roof on the west elevation are visible from the public right-of-way and is located within the historic district. The proposed design for the dormers differs from other dormers found in the same building typology within the area since they have a shed roof. However, considering that the dormers are visible from the street, a shed roof makes the dormers less prominent. Staff opines that the overall design will be cohesive with the surrounding context and that it meets cited guidelines.

APPLICATION

HARC MAJOR PROJECTS CERTIFICATE OF APPROPRIATENESS

\$463.05 NON-REFUNDABLE BASE APPLICATION FEE - OTHER FEES MAY BE APPLICABLE Rev 10/02/2022 ET



City of Key West 1300 White Street Key West, Florida 33040

REVISION#	INITIAL & DATE		
13			
ZONING DISTRICT	BLDG PERMIT#		
ZONNO DIOTNIOT	DEDOT ERRITT		
	13	13	

A PRE-APPLICATION MEETING WITH HARC STAFF IS REQUIRED PRIOR TO SUBMITTAL

ADDRESS OF PROPOSED PROJECT:	SS OF PROPOSED PROJECT: 1208 VIRGINIA STREET						
NAME ON DEED:	JONATHAN RING	PHONE NUMBER 5/2-845-4417					
OWNER'S MAILING ADDRESS:	1075 DUVAL STREET, STE C21	EMAIL INFO@SANDBARDESIGNSTUDIO.COM					
	KEY WEST, FL 33040						
APPLICANT NAME:	JONATHAN RING	PHONE NUMBER 512-845-4417					
APPLICANT'S ADDRESS:	3108 Riviera Drive	EMAIL Ring. jonainan Oppotan Ne 1					
	KEY WEST. FL 33040	,					
APPLICANT'S SIGNATURE:	- norther has	DATE 9/5/24					
ANY PERSON THAT MAKES CHANGES	TO AN APPROVED CERTIFICATE OF APPROPRIATE	NESS MUST SUBMIT A NEW APPLICATION.					
AND THE SUBMITTED PLANS, THE AFORE PROJECT INCLUDES: REPLACEMENT (PROJECT INVOLVES A CONTRIBUTING S PROJECT INVOLVES A STRUCTURE THA	T IS INDIVIDUALLY LISTED ON THE NATIONAL RE	RE ELEVATION OF A STRUCTURE A HISTORIC STRUCTURE: YES NO_X GISTER: YES NO_X					
	IN INCLUDING MATERIALS, HEIGHT, DIMENSIONS,						
RESIDENCE.	ON A PORTION OF THE SOUTH ROOF LINE T	O EXISTING SINGLE FAMILY					
MAIN BUILDING:							
MAIN BUILDING:							
MAIN BUILDING:							
MAIN BUILDING: DEMOLITION (PLEASE FILL OUT AND A	TTACH DEMOLITION APPENDIX):						
	TTACH DEMOLITION APPENDIX):						
	TTACH DEMOLITION APPENDIX):						
	TTACH DEMOLITION APPENDIX):						

APPLICATIONS MUST BE SUBMITTED IN PERSON WITH HARD COPIES BY 3PM ON THE SCHEDULED DEADLINE PLEASE SEND AN ELECTRONIC COPY OF ALL DOCUMENTS CITY_HARC@CITYOFKEYWEST-FL.GOV

ACCESSORY STRUCTUR	E(S):		
N/A			
PAVERS:		FENCES:	
DECKS:		PAINTING:	
SITE (INCLUDING GRADIN	IG, FILL, TREES, ETC):	POOLS (INCLUDING EQUIPMENT):
		N/A	
ACCESSORY EQUIPMENT	(GAS, A/C, VENTS, ETC):	OTHER:	
		N/A	
OFFICIAL USE ONLY:	HADC	COMMISSION REVIEW	EVELDED AN
	HARC	COMMINISSIOM KEAIEAA	EXPIRES ON:
MEETING DATE:		. 1	INITIAL:

OFFICIAL USE ONLY:	HARC COMMISSION REVIEW	EXPIRES ON:
MEETING DATE:	7	INITIAL:
11.18.24	APPROVED NOT APPROVEDDEFERRED FOR FUTURE CONSIDERATION	11/5
MEÈTING DATE:	APPROVED NOT APPROVED PEFFERENCE FOR FUTURE CONCIDENTATION	INITIAL:
MEETING DATE:	APPROVEDNOT APPROVEDDEFERRED FOR FUTURE CONSIDERATION	0.07111
MEETING DATE.	APPROVED NOT APPROVED DEFERRED FOR FUTURE CONSIDERATION	INITIAL:
REASONS OR CONDITIONS:		1
No	APPLEISET	
STAFF REVIEW COMMENTS:		
FIRST READING FOR DEMO:	SECOND READING FOR DEMO:	
HARC STAFF SIGNATURE AND D	ATE: HARC CHAIRPERSON SIGNATURE AND DATE:	

THIS APPLICATION MAY BE REVIEWED BY PLANNING DEPARTMENT STAFF.

HARC CERTIFICATE OF APPROPRIATENESS: DEMOLITION APPENDIX




HARC COA #	INITIAL & DATE
ZONING DISTRICT	BLDG PERMIT#


ADDRESS OF PROPOSED PROJECT:	1208 Virginia Street
PROPERTY OWNER'S NAME:	Jonathon Ring
APPLICANT NAME:	Smith Hawks, PL
Appropriateness, I realize that this project	and that the work shall conform to all applicable laws of this jurisdiction. By receiving a Certificate of will require a Building Permit approval PRIOR to proceeding with the work outlined above and that a lication. I also understand that any changes to an approved Certificate of Appropriateness must be
PROPERTY OWNER'S SIGNATURE	another Ring JONATHAN RINGOATE AND PRINT NAME
	DETAILED PROJECT DESCRIPTION OF DEMOLITION
Demolish portion of roof to cor	nstruct two dormers as shown in architectural plans
CRITERIA	FOR DEMOLITION OF CONTRIBUTING OR HISTORIC STRUCTURES:
	eness may be issued for a demolition request, the Historic Architectural Review Commission nents are met (please review and comment on each criterion that applies):
	ontributing or historic building or structure, then it should not be demolished unless its condition is e deterioration or it does not meet any of the following criteria:
(a) The existing condition of the	he building or structure is irrevocably compromised by extreme deterioration.
(0) 0	
(2) Or explain how the building or structu	
	haracteristics of a type, period, or method of construction of aesthetic or historic significance in the transfer and distinguishable building entity whose components may lack individual distinction.

	this application is intended to alter the authority of the Building Official to condemn for demolition dangerous buildings, as provided in Section 102-218 of the Land Development Regulations and Chapter 14 of the Code of Ordinances.
(b)	Is not specifically associated with events that have made a significant contribution to local, state, or national history.
(c)	Has no significant character, interest, or value as part of the development, heritage, or cultural characteristics of the city, state or nation, and is not associated with the life of a person significant in the past.
(d)	Is not the site of a historic event with significant effect upon society.
(2)	December of the cultural multipal accompanies assist on historic hardway of the city.
(e)	Does not exemplify the cultural, political, economic, social, or historic heritage of the city.
(f)	Does not portray the environment in an era of history characterized by a distinctive architectural style.
(g)	If a part of or related to a square, park, or other distinctive area, nevertheless should not be developed or preserved according to a plan based on the area's historic, cultural, natural, or architectural motif.
(h)	Does not have a unique location or singular physical characteristic which represents an established and familiar visual feature of its neighborhood or of the city, and does not exemplify the best remaining architectural type in a neighborhood.


provided in Section 102-218 of the Land Development Regulations and Chapter 14 of the Code of Ordinances.
(i) Has not yielded, and is not likely to yield, information important in history,
() the stay of the
CRITERIA FOR DEMOLITION OF NON-CONTRIBUTING OR NON-HISTORIC STRUCTURES:
The following criteria will also be reviewed by the Historic Architectural Review Commission for proposed demolitions. The Commission shall not issue a Certificate of Appropriateness that would result in the following conditions (please review and comment on each criterion that applies):
(1) Removing buildings or structure that are important in defining the overall historic character of a district or neighborhood so that the character is diminished.
It will not remove a building or structure that is important to defining the overall character of the district or neibhborhoold
(2) Removing historic buildings or structures and thus destroying the historic relationship between buildings or structures and open space.
N/A
(3) Removing an historic building or structure in a complex; or removing a building façade; or removing a significant later addition that is
important in defining the historic character of a site or the surrounding district or neighborhood.
N/A
(4) Removing buildings or structures that would otherwise qualify as contributing.
N/A

Nothing in this application is intended to alter the authority of the Building Official to condemn for demolition dangerous buildings, as







1912 Sanborn Map



1926 Sanborn Map



1948 Sanborn Map



1962 Sanborn Map

PROJECT PHOTOS



Front of House taken from Virginia St.



Left side of house from Virginia St.

This is the only porch and the front door is on this side.




North side of house, Front door and Porch are on this side, looking at the house from the back corner of the yard.



South side of house that faces Fausto's looking from the back of the lot. The Shed Dormer will be on this side.

There will be landscaping so that you cannot see the house or shed dormer from Fausto's.



South side of house that faces Fausto's looking from Virginia St.

The Shed Dormer will be on this side. There will be landscaping so that you cannot see the house or shed dormer from Fausto's.



South side of house that faces Fausto's looking from Virginia St.

The Shed Dormer will be on this side. It will be setback 10' from the front and end before the back section.

There will be landscaping so that you cannot see the house or shed dormer from Fausto's.

1210 Virginia


This house has a full-length dormer and a set of stairs going up to the dormer. It is setback from the front less than two feet and runs the full length of the house.



1210 Virginia Front View from Virginia St. showing Shed Dormer



1210 Virginia Close up view of Shed Dormer taken from Virginia St.



NOTES:

- 1. The legal description shown hereon was furnished by the client or their agent.
- 2. Underground foundations and utilities were not located.
- 3. All angles are 90° (Measured & Record) unless otherwise noted.
- 4. Street address: 1208 Virginia Street, Key West, FL.
- 5. This survey is not valid without the signature and the original raised seal of a Florida licensed surveyor and mapper.
- 6. Lands shown hereon were not abstracted for rights-of-way, easements, ownership, or other instruments of record.
- 7. North Arrow is assumed and based on the legal description.
- 8. All concrete and bricking is not shown.
- 9. Date of field work: April 6, 2022
- 10. Ownership of fences is undeterminable, unless otherwise noted.

BOUNDARY SURVEY OF: On the Island of Key West, and known on William A. Whitehead's map, delineated in February, A.D. 1829, as a part of Tract Fourteen (14), and now better known as Lot Five (5) in Square One (1) of said Tract Fourteen (14).

COMMENCE at a point on the Southeast side of Virginia Street, distant Ninety (90) feet from the corner of White and Virginia Streets and running thence along Virginia Street in a Northeasterly direction Forty—six (46) feet, Two (2) inches; thence at right angles in a Southeasterly direction Eighty—one (81) feet, Nine (9) inches; thence at right angles in a Southwesterly direction Forty—six (46) feet, Two (2) inches; thence at right angles in a Northwesterly direction Eighty—one (81) feet, Nine (9) inches to the Point of Beginning.


BOUNDARY SURVEY FOR: Johnathan Ring;

I HEREBY CERTIFY that this survey was made under my responsible charge and meets the Standard of Practice as set forth by the Florida Board of Professional Surveyors & Mappers in Chapter 5J-17, Florida Administrative Code, pursuant to Section 472.027, Florida Statutes.

J. LYNN FLYNN, INC.

J. Lynn O'Flynn, PSM Florida Reg. #6298

April 22, 2022 Revised 8/2/22 to show block shortage THIS SURVEY
IS NOT
ASSIGNABLE



Professional Surveyor & Mapper PSM #6298

3430 Duck Ave., Key West, FL 33040 (305) 296–7422 FAX (305) 296–2244

PROPOSED DESIGN

LOCATION MAP Family Services

BUILDING DATA

X-ZONE

HMDR - HISTORIC MEDIUM DENSITY RESIDENTIAL

KW ISLAND CITY SUB PB 1-26 LOT 5 SQR 1 TR 14

RE #: 00033940-000000

LEGAL DESCRIPTION:

ADDRESS: 1208 VIRGINIA STREET; KEY WEST, FL 33040

OCCUPANCY: R3
TYPE OF CONSTRUCTION: VB

SQUARE FOOTAGES PER FLOOR:

FIRST FLOOR 1,426 SF FIRST FLOOR 1,026 SF TOTAL SF 2,452 SF

CONTRACTOR GENERAL NOTES:

- ALL WORK TO BE IN ACCORDANCE WITH APPLICABLE CODES.

- WORKMANSHIP TO MEET OR EXCEED ACCEPTED STANDARDS OF RESPECTIVE TRADES. · VERIFY ALL DIMENSIONS, ELEVATIONS, AND FIELD CONDITIONS BEFORE START OF

CONSTRUCTION. NOTIFY ARCHITECT IF ANY CONFLICTS EXIST PRIOR TO COMMENCEMENT OF WORK

- FOR ANY TYPE I OR TYPE II CONSTRUCTION PROJECTS FIRE RETARDANT TREATED WOOD (EXTERIOR OR INTERIOR GRADE) MUST BE USED IN ALL WOOD

CONSTRUCTION MATERIALS. - FOR ALL WALL SYSTEMS WITH EIFS USE EXTERIOR GRADE GLASS MATT SHEATHING OR CEMENTITIOUS BOARD ONLY.

FIRE EXTINGUISHERS WILL BE PROVIDED AS REQUIRED BY AUTHORITY HAVING JURISDICTION OR AS DIRECTED BY THE LOCAL FIRE DEPARTMENT.

WALL R-VALUE (CONTINUOUS) = 6 WALL R-VALUE (CAVITY) = 13 ROOF R-VALUE = 39

CONTRACTOR TO PROVIDE ESR REPORTS FOR CLOSED-CELL SPRAY FOAM SELECTED FOR REVIEW BY DESIGN PROFESSIONAL.

SCOPE OF WORK:

ADD SHED DORMER ON A PORTION OF THE SOUTH ROOF LINE TO APPROVED PLANS FOR "REBUILD RESIDENCE"

GENERAL NOTES

1. THESE PLANS ARE FOR THE CONSTRUCTION OF THE BUILDING AT THE LOCATION SO

2. NO CHANGES IN THE PLANS SHALL BE MADE WITHOUT PRIOR APPROVAL OF THE DESIGN PROFESSIONAL.

3. THE CONTRACTOR SHALL CHECK AND VERIFY ALL DIMENSIONS AND CONDITIONS OF THE JOB SITE AND REPORT ANY DISCREPANCIES OR UNSATISFACTORY CONDITIONS TO THE ARCHITECT BEFORE PROCEEDING WITH THE WORK.

4. THE CONTRACTOR SHALL PROVIDE FOR THE SAFETY, PREVENTION OF INJURY, OR LOSS AT THE JOB SITE TO ALL PERSONS EMPLOYED TO DO WORK, PERSONS VISITING THE SITE AND THE GENERAL PUBLIC. CONTRACTOR SHALL ALSO BE RESPONSIBLE FOR THE PREVENTION OF DAMAGE TO MATERIALS OR EQUIPMENT AND OTHER PROPERTY AT THE SITE OR ADJACENT THERETO.

5. THE CONTRACTOR SHALL DO ALL THE WORK IN STRICT CONFORMANCE TO THE PLAN, 2024 FLORIDA BUILDING CODE (8TH EDITION), LOCAL CODES AND ORDINANCES, MANUFACTURING'S RECOMMENDATIONS AND ACCEPTABLE TRADE PRACTICES. THE MOST STRINGENT REQUIREMENTS SHALL GOVERN WHEN CONDITIONS CONFLICT, HOWEVER THE ARCHITECT SHALL BE NOTIFIED OF

6. SHOP DRAWINGS OF ALL PREFABRICATED STRUCTURAL SYSTEMS SHALL HAVE THE SEAL OF A

REGISTERED FLORIDA ENGINEER AS REQUIRED BY BUILDING CODE AND SHALL BE SUBMITTED TO THE ARCHITECT/ENGINEER BY THE CONTRACTOR FOR REVIEW PRIOR TO CONSTRUCTION.

7. CONTRACTOR SHALL NOT SCALE DRAWINGS. ANY INFORMATION THAT HE CANNOT OBTAIN FROM DIMENSIONS, DETAILS, OR SCHEDULES, HE SHALL NOTIFY THE ARCHITECT.

8. CONTRACTOR SHALL CHECK AND COORDINATE WORK OF VARIOUS TRADES TO PREVENT CONFLICTS.

9. CONTRACTOR SHALL FURNISH SUBCONTRACTORS WITH A COMPLETE SET OF PLANS. 10. PLUMBING AND A/C SHALL CONFORM TO THE STATE OF FLORIDA ENERGY CODE.

11. ALL ELECTRICAL WORK SHALL CONFORM TO THE NATIONAL ELECTRIC CODE AND FLORIDA BUILDING CODE.

12. PORTABLE REST ROOM FACILITIES SHALL BE PROVIDED AT SITE BY CONTRACTOR.

13. COMPLETE HOT AND COLD WATER SYSTEMS, VENTS, WASTE AND DRAIN SYSTEMS TO SEPTIC

14. PROVIDE PLASTIC SLEEVES IN MASONRY, PARTITIONS, FOUNDATIONS, ETC., AS REQUIRED FOR

15. ALL BOLTS, CLIPS, HANGERS, ETC., SHALL BE GALVANIZED OR STAINLESS.

16. NO PIPES, CONDUITS OR JUNCTION BOXES ARE TO BE PLACED IN SLABS OR COLUMNS, UNLESS SPECIFICALLY SHOWN ON STRUCTURAL DRAWINGS.

17. CONTRACTOR IS RESPONSIBLE FOR THE PROPER REMOVAL OF ALL DEBRIS.

18. ALL ELEVATIONS ARE MEASURED FROM NGVD 1929.

CODE INFORMATION

BUILDING CODE **MECHANICAL CODE:** PLUMBING CODE ELECTRICAL CODE **FUEL GAS CODE ENERGY CODE:** STANDARD LOAD DESIGN CRITERIA

LOCAL BUILDING REQUIREMENTS: FEMA REQUIREMENTS: **DESIGN FLOOD ELEVATION: CURRENT ZONING:**

MAX BUILDING HEIGHT:

2023 FLORIDA BUILDING CODE, 6TH EDITION 2023 FLORIDA MECHANICAL CODE 2023 FLORIDA PLUMBING CODE 2020 NATIONAL ELECTRIC CODE (NEC) NFPA 2023 FLORIDA FUEL GAS CODE 2023 FLORIDA ENERGY CONSERVATION CODE **ASCE 7-22**


CITY OF KEY WEST CODES AND ORDINANCES FLOOD ZONE: X-ZONE NGVD 1929 FLOOD ZONE: X-ZONE NGVD 1929 HMDR - HISTORIC MEDIUM DENSITY RESIDENTIAL 35' FROM COR/LAG


ALL ELEVATIONS PROVIDED IN NGVD 1929.


ABBREVIATIONS


AFF	ABOVE FINISHED FLOOR	
AHU	AIR HANDLING UNIT	
A/V	AUDIO VISUAL	
BO	BOTTOM OF	
CL	CENTERLINE	
CLG	CEILING	
CMU	CONCRETE MASONRY UNIT	
CO	CLEAN OUT	
CONC	CONCRETE	
D	DRYER	
DIA	DIAMETER	
DTLS	DETAILS	
DW	DISHWASHER	
E	ELECTRICAL METER	
FBC	FLORIDA BUILDING CODE	
FEC	FIRE EXTINGUISHER CABINET	
GA	GAUGE	
GAL	GALLON	
GFI	GROUND FLOOR IMPACT	
GWB	GYPSUM WALL BOARD	
HB	HOSE BIB	
HVAC	HEATING, VENTILATION, & AIR CONDITIONING	
LHM	LOWEST HORIZONTAL MEMBER	
MAX	MAXIMUM	
	MECHANICAL, ELECTRICAL, PLUMBING	
MEP		
MIN	MINIMUM	
NIC	NOT IN CONTRACT	
NTS	NOT TO SCALE	
O.C.	ON CENTER	
PSI	POUNDS PER SQUARE INCH	
PT	PRESSURE TREATED	
RCP	REFLECTED CEILING PLAN	
RE	REFERENCE	
REF	REFRIGERATOR	
REQ'D	REQUIRED	
RO	ROUGH OPENING	
STL	STEEL	
THK	THICK	
TO	TOP OF	
TOP	TOP OF PILE	
TOW	TOP OF WALL	
TYP	TYPICAL	
U.N.O.	UNLESS OTHERWISE NOTES	
VTR	VENT TO ROOF	
W	WASHER	
WC	WATER CLOSET	
WD	WOOD	
W/D	WASHER/DRYER	
WP	WATERPROOF	
WH	WATER HEATER	


SYMBOLS DRAWING INDEX











ERICA HELEN POOLE - ARCHITECT #AR98525


ANY ELECTRONIC COPIES.




WWW.SANDBARDESIGNSTUDIO.COM 847|903|5854

> del Remo esidential


COVER SHEET



PROJECT NO. DRAWN BY: Author LAK2022B APPROVED BY: Checker



WINDOW SCHEDULE							
Mark	Manufacturer	Model	Assembly Description	Туре	Individual Unit Width	Individual Unit Height	
1	CGI WINDOWS & DOORS, INC.	SENTINEL SERIES	IMPACT RATED DOUBLE HUNG WINDOW	ĪΛ	2' - 8"	5' - 3"	
2	CGI WINDOWS & DOORS, INC.	SENTINEL SERIES	IMPACT RATED DOUBLE HUNG WINDOW	A	2' - 8"	5' - 3"	
3	CGI WINDOWS & DOORS, INC.	SENTINEL SERIES	IMPACT RATED DOUBLE HUNG WINDOW	A	2' - 8"	5' - 3"	
3	CGI WINDOWS & DOORS, INC.	SENTINEL SERIES	IMPACT RATED DOUBLE HUNG WINDOW	A	2' - 8"	5' - 3"	
4	CGI WINDOWS & DOORS, INC.	SENTINEL SERIES	IMPACT RATED DOUBLE HUNG WINDOW	A	2' - 8"	5' - 3"	
5	CGI WINDOWS & DOORS, INC.	SENTINEL SERIES	IMPACT RATED DOUBLE HUNG WINDOW	-	2' - 8"	5' - 3"	
6	,	SENTINEL SERIES		A	2' - 8"	5' - 3"	
/	CGI WINDOWS & DOORS, INC.		IMPACT RATED DOUBLE HUNG WINDOW	A	2' - 8"	5' - 3"	
8	CGI WINDOWS & DOORS, INC.	SENTINEL SERIES	IMPACT RATED DOUBLE HUNG WINDOW	A	2' - 8"		
9	CGI WINDOWS & DOORS, INC.	SENTINEL SERIES	IMPACT RATED DOUBLE HUNG WINDOW	A	-	5' - 3"	
10	CGI WINDOWS & DOORS, INC.	SENTINEL SERIES	IMPACT RATED DOUBLE HUNG WINDOW	A	2' - 8"	5' - 3"	
11	CGI WINDOWS & DOORS, INC.	SENTINEL SERIES	IMPACT RATED SIDELITE	В	1' - 6"	6' - 7"	
12	CGI WINDOWS & DOORS, INC.	SENTINEL SERIES	IMPACT RATED SIDELITE	В	1' - 6"	6' - 7"	
13	CGI WINDOWS & DOORS, INC.	SENTINEL SERIES	IMPACT RATED DOUBLE HUNG WINDOW	Α	2' - 8"	5' - 3"	
14	CGI WINDOWS & DOORS, INC.	SENTINEL SERIES	IMPACT RATED DOUBLE HUNG WINDOW	Α	2' - 8"	5' - 3"	
15	CGI WINDOWS & DOORS, INC.	SENTINEL SERIES	IMPACT RATED DOUBLE HUNG WINDOW	Α	2' - 8"	5' - 3"	
16	CGI WINDOWS & DOORS, INC.	SENTINEL SERIES	IMPACT RATED DOUBLE HUNG WINDOW	Α	2' - 8"	5' - 3"	
17	CGI WINDOWS & DOORS, INC.	SENTINEL SERIES	IMPACT RATED DOUBLE HUNG WINDOW	Α	2' - 8"	5' - 3"	
18	CGLWINDOWS & DOORS, INC.	SENTINEL SERIES	IMPACT BATED DOUBLE HUNG WINDOW	Α	2' - 8"	5' - 3"	
19 🗸	CGI WINDOWS & POORS, INC.	SENTIMEL SERIES	IMPACT RATED POUBLE HUNG WINDOW \	A A	2/-8"	5'-3"	
22	CGI WINDOW AND DOORS, INC.	SENTINEL SERIES	IMPACT RATED DOUBLE HUNG WINDOW	Α	2' - 8"	4' - 5"	
23	CGI WINDOW AND DOORS, INC.	SENTINEL SERIES	IMPACT RATED DOUBLE HUNG WINDOW	Α	2' - 8"	4' - 5"	
24	CGI WINDOW AND DOORS, INC.	SENTINEL SERIES	IMPACT RATED TRIANGULAR FIXED WINDOW	С	8' - 0"	5' - 4"	
25	CGI WINDOW AND DOORS, INC.	SENTINEL SERIES	IMPACT RATED TRIANGULAR FIXED WINDOW	С	8' - 0"	5' - 4"	
26	CGI WINDOW AND DOORS, INC.	SENTINEL SERIES	IMPACT RATED CASEMENT WINDOW	D	3' - 0"	3' - 4"	
27	CGI WINDOW AND DOORS, INC.	SENTINEL SERIES	IMPACT RATED CASEMENT WINDOW	D	3' - 0"	3' - 4"	
28	,	SENTINEL SERIES	IMPACT RATED CASEMENT WINDOW	D	3' - 0"	3' - 4"	
29	· · · · · · · · · · · · · · · · · · ·	SENTINEL SERIES	IMPACT RATED CASEMENT WINDOW	D	3' - 0"	3' - 4"	



TYPE "B" SINGLE IMPACT

RATED SIDELITE

TRIANGULAR FIXED

WINDOW

TYPE "A"
IMPACT RATED
DOUBLE HUNG

WINDOW


NOTE: ALL BEDROOM WINDOWS ARE TO MEET FL. BLDG. CODE 2020 FOR EGRESS. A MIN. 5 SQ. FT. NET CLEAR OPENING IS REQUIRED WITH A MIN. NET CLEAR HEIGHT OF 24" & MIN. NET CLEAR WIDTH OF 20".


WINDOW/DOOR ADDITIONAL NOTES: 1. CONTRACTOR TO PROVIDE THE NOA'S.


2. CONTRACTOR TO FIELD VERIFY ALL WINDOW DIMENSIONS.
3. CONTRACTOR TO FOLLOW ALL MANUF. INSTRUCTIONS FOR INSTALLATION.

ALL DOORS AND WINDOWS TO MATCH HARC APPROVED MUNTIN STYLE OF 6 OVER 6. ALL EXTERIOR WINDOW & DOOR TRIM TO MATCH EXISTING, AND BE CONSTRUCTED OF PT LUMBER, PTD. TO MATCH EXISTING.

	DOOR SCHEDULE							
	DOON SCHEDULE							
Mark	Manufacturer	Model	Туре	Description	Width	Height	Comments	
	7, 7, 22 , 7, 22 , 23 , 24 , 25 , 25 , 25 , 25 , 25 , 25 , 25							
	CGI WINDOWS & DOORS, INC.	SENTINEL SERIES	Α	IMPACT RATED SINGLE OUTSWING DOOR	3' - 0"	6' - 8"		
	CGI WINDOWS & DOORS, INC.	SENTINEL SERIES	В	IMPACT RATED DOUBLE OUTSWING DOOR	5' - 8"	6' - 8"		
	TBD BY CLIENT/CONTRACTOR	TBD BY CLIENT/CONTRACTOR	С	INTERIOR WOOD SINGLE SWING DOOR	2' - 0"	6' - 8"		
	TBD BY CLIENT/CONTRACTOR	TBD BY CLIENT/CONTRACTOR	С	INTERIOR WOOD SINGLE SWING DOOR	2' - 6"	6' - 8"		
	TBD BY CLIENT/CONTRACTOR	TBD BY CLIENT/CONTRACTOR	D	INTERIOR WOOD POCKET DOOR	2' - 6"	6' - 8"		
	TBD BY CLIENT/CONTRACTOR	TBD BY CLIENT/CONTRACTOR	E	INTERIOR WOOD DOUBLE BIFOLD DOOR	4' - 0"	6' - 8"		
	TBD BY CLIENT/CONTRACTOR	TBD BY CLIENT/CONTRACTOR	E	INTERIOR WOOD DOUBLE BIFOLD DOOR	5' - 0"	6' - 8"		
	TBD BY CLIENT/CONTRACTOR	TBD BY CLIENT/CONTRACTOR	С	INTERIOR WOOD SINGLE SWING DOOR	3' - 0"	6' - 8"		
	TBD BY CLIENT/CONTRACTOR	TBD BY CLIENT/CONTRACTOR	С	INTERIOR WOOD SINGLE SWING DOOR	3' - 0"	6' - 8"		
	TBD BY CLIENT/CONTRACTOR	TBD BY CLIENT/CONTRACTOR	E	INTERIOR WOOD DOUBLE BIFOLD DOOR	6' - 0"	6'-8"		
Υ	TBD BY CLIENT/CONTRACTOR	TBD BY/CLIENT/CONTRACTOR/	D Y	INTERIÖR WOOD POCKET DOÖR	3' - 0"	6' - 8 ^y	Y	
	TBD BY CLIENT/CONTRACTOR	TBD BY CLIENT/CONTRACTOR	С	INTERIOR WOOD SINGLE SWING DOOR	2' - 6"	6' - 8"		
	TBD BY CLIENT/CONTRACTOR	TBD BY CLIENT/CONTRACTOR	С	INTERIOR WOOD SINGLE SWING DOOR	2' - 6"	6' - 8"		
•	TBD BY CLIENT/CONTRACTOR	TBD BY CLIENT/CONTRACTOR	D	INTERIOR WOOD POCKET DOOR	2' - 6"	6' - 8"		
			F		3' - 0"	4' - 2"		








NOT VALID FOR CONSTRUCTION UNLESS SIGNED/SEALED IN THIS BLOCK THIS ITEM HAS BEEN DIGITALLY SIGNED AND SEALED BY ERICA HELEN POOLE USING A DIGITAL SIGNATURE. PRINTED COPIES OF THIS DOCUMENT ARE NOT CONSIDERED SIGNED AND SEALED AND THE SHA AUTHENTICATION CODE MUST BE VERIFIED ON ANY ELECTRONIC COPIES.

ERICA HELEN POOLE - ARCHITECT #AR98525



Residential Remodel 1208 Virginia Street Key West, FL 33040

ROOF PLAN & SCHEDULES



PROJECT NO.
LAK2022B

APPROVED BY: Checker



The Historic Architectural Review Commission will hold a public meeting at <u>5:00 p.m.</u>, <u>December 17, 2024 at City Hall, 1300 White Street</u>, Key West, Florida. The purpose of the hearing will be to consider a request for:

ADDITION OF TWO DORMERS TO A SECTION OF THE ROOFLINE. PARTIAL DEMOLITION OF ROOF TO ACCOMMODATE DORMERS.

#1208 VIRGINIA STREET

Applicant – Jonathan Ring Application #H2024-0043

If you wish to see the application or have any questions, you may visit the Planning Department during regular office hours at 1300 White Street, call 305-809-3973 or visit our website at www.citvofkevwest-fl.gov.

THIS NOTICE CAN NOT BE REMOVED FROM THE SITE UNTIL HARC FINAL DETERMINATION

ADA ASSISTANCE: It is the policy of the City of Key West to comply with all requirements of the Americans with Disabilities Act (ADA). Please call the TTY number at 800-955-8771 or 800-955-8770 (Voice) or the ADA Coordinator at 305-809-3811 at least five business days in advance for sign language interpreters, assistive listening devices, or materials in accessible format.

HARC POSTING AFFIDAVIT


STATE OF FLORIDA: **COUNTY OF MONROE:** BEFORE ME, the undersigned authority, personally appeared _____ JONATHAN RING , who, first being duly sworn, on oath, depose and says that the following statements are true and correct to the best of his/her knowledge and belief: 1. That a legal notice for Public Notice of Hearing of the Historic Architectural Review Commission (HARC) was placed on the following address: 1208 VIRGINIA STREET, KEY WEST, FLORIDA 33040 on the 11 day of <u>DECEMBER</u>, 20 24. This legal notice(s) contained an area of at least 8.5"x11". The property was posted to notice a public hearing before the Key West Historic Architectural Review Commission to be held on ______DECEMBER 17 20 24 . The legal notice(s) is/are clearly visible from the public street adjacent to the property. The Certificate of Appropriateness number for this legal notice is ______ 2. A photograph of that legal notice posted in the property is attached hereto. Signed Name of Affiant: Jonasan Inn Date: 12/11/2024 Address: 1208 VIRGINIA STREET City: KEY WEST State, Zip: FLORIDA 33040 The forgoing instrument was acknowledged before me on this <u>11TH</u> day of <u>DECEMBER</u> , 20_24 . By (Print name of Affiant) JONATHAN RING personally known to me or has produced NIA identification and who did take an oath. NOTARY PUBLIC Notary Public State of Florida Sign Name: Www Xreen

Brandl Green

Expires 6/29/2028

My Commission HH 511317

Print Name: BRANDI GŘEEN Notary Public - State of Florida (seal) My Commission Expires: 00 29 2028







PROPERTY APPRAISER INFORMATION

PROPERTY RECORD CARD

Disclaimer

The Monroe County Property Appraiser's office maintains data on property within the County solely for the purpose of fulfilling its responsibility to secure a just valuation for ad valorem tax purposes of all property within the County. The Monroe County Property Appraiser's office cannot guarantee its accuracy for any other purpose. Likewise, data provided regarding one tax year may not be applicable in prior or subsequent years. By requesting such data, you hereby understand and agree that the data is intended for ad valorem tax purposes only and should not be relied on for any other purpose.

By continuing into this site you assert that you have read and agree to the above statement.

Summary

Parcel ID 00033940-000000
Account# 1034843
Property ID 1034843
Millage Group 10KW

Location 1208 VIRGINIA St, KEY WEST

Address

 Legal
 KW ISLAND CITY SUB PB 1-26 LOT 5 SQR 1 TR 14 G11-544 OR539-489 OR890

 Description
 439/440 OR970-1936 OR988-2149 OR1427-2406/08 OR3036-1085 OR3159-0831

(Note: Not to be used on legal documents.)

Neighborhood 6096

Property Class MULTI-FAMILY DUPLEX (0802)

Subdivision
Sec/Twp/Rng 05/68/25
Affordable No

Housing



Owner

RING JONATHAN 1075 Duval St Ste C21 Key West FL 33040

Valuation

	2024 Certified Values	2023 Certified Values	2022 Certified Values	2021 Certified Values
+ Market Improvement Value	\$241,470	\$239,532	\$251,815	\$225,679
+ Market Misc Value	\$904	\$904	\$904	\$904
+ Market Land Value	\$670,932	\$494,592	\$426,575	\$340,085
= Just Market Value	\$913,306	\$735,028	\$679,294	\$566,668
= Total Assessed Value	\$808,531	\$735,028	\$623,335	\$566,668
- School Exempt Value	\$0	\$0	\$0	\$0
= School Taxable Value	\$913,306	\$735,028	\$679,294	\$566,668

Historical Assessments

Year	Land Value	Building Value	Yard Item Value	Just (Market) Value	Assessed Value	Exempt Value	Taxable Value	Maximum Portability
2024	\$670,932	\$241,470	\$904	\$913,306	\$808,531	\$0	\$913,306	\$0
2023	\$494,592	\$239,532	\$904	\$735,028	\$735,028	\$0	\$735,028	\$0
2022	\$426,575	\$251,815	\$904	\$679,294	\$623,335	\$0	\$679,294	\$0
2021	\$340,085	\$225,679	\$904	\$566,668	\$566,668	\$0	\$566,668	\$0
2020	\$354,360	\$176,313	\$904	\$531,577	\$531,577	\$0	\$531,577	\$0
2019	\$351,001	\$181,351	\$904	\$533,256	\$533,256	\$0	\$533,256	\$0
2018	\$312,374	\$183,869	\$876	\$497,119	\$497,119	\$0	\$497,119	\$0

The Maximum Portability is an estimate only and should not be relied upon as the actual portability amount. Contact our office to verify the actual portability amount.

Land

Land Use	Number of Units	Unit Type	Frontage	Depth
MULTI RES DRY (080D)	3,774.00	Square Foot	0	0

Buildings

Building ID 2 STORY ELEV FOUNDATION Style

Building Type M.F. - R2 / R2

Building Name Gross Sq Ft 2451 Finished Sq Ft 1329 Stories 2 Floor Condition **AVERAGE** Perimeter 176 Functional Obs 0 **Economic Obs**

Depreciation % 26 Interior Walls WALL BD/WD WAL

ABOVE AVERAGE WOOD **Exterior Walls**

Year Built 1928 EffectiveYearBuilt 2006

CONC BLOCK GABLE/HIP Foundation Roof Type Roof Coverage METAL Flooring Type SFT/HD WD

Heating Type

Bedrooms 3 2 Full Bathrooms Half Bathrooms 500 Grade Number of Fire PI 0

Code	Description	Sketch Area	Finished Area	Perimeter
FHS	FINISH HALF ST	760	0	116
FLA	FLOOR LIV AREA	1,329	1,329	176
OPU	OP PR UNFIN LL	146	0	74
OPF	OP PRCH FIN LL	216	0	84
TOTAL	·	2.451	1.329	450

Yard Items

Description	Year Built	Roll Year	Size	Quantity	Units	Grade
FENCES	1927	1928	0 x 0	1	31 SF	4
CONC PATIO	1964	1965	0 x 0	1	90 SF	2
LC UTIL BLDG	1981	1982	7 x 10	1	70 SF	1
WALL AIR COND	1984	1985	0 x 0	1	1UT	1

Sales

Sale Date	Sale Price	Instrument	Instrument Number	Deed Book	Deed Page	Sale Qualification	Vacant or Improved	Grantor	Grantee
3/7/2022	\$835,000	Warranty Deed	2364657	3159	0831	01 - Qualified	Improved		
7/29/2020	\$100	Quit Claim Deed	2276408	3036	1085	30 - Unqualified	Improved		
9/1/1986	\$105,000	Warranty Deed		988	2149	Q - Qualified	Improved		
8/1/1983	\$67,500	Warranty Deed		890	439	Q - Qualified	Improved		
2/1/1973	\$14,200	Conversion Code		539	489	Q - Qualified	Improved		


Permits

Number	Date Issued	Status	Amount	Permit Type	Notes
23- 0448	03/15/2023	Active	\$390,000	Residential	Exterior Renovation - per plans. New foundation system. Replacement/restoration of roof system. Replacement of all interior framing members.
22- 1182	06/03/2022	Expired	\$18,000	Residential	Labor and disposal to selective remove Interior wall. Labor and disposal to selective remove Interior wall, Ceiling surfaces to expose the structure for observation, exploration of structural framing, support members. **NOC required**
12- 2948	08/14/2012	Completed	\$600	Residential	REPLACE 100 AMP / 240 VOLT FUSE PANEL WITH OUTDOOR R.T. 100 AMP / 240 VOLT BREAKER PANEL.
10- 0139	01/22/2010	Completed	\$5,881	Residential	INSTALL 300SF VICTORIAN METAL SHINGLES & 300SF OF VCRIMP ROOFING

View Tax Info

View Taxes for this Parcel


Sketches (click to enlarge)



Photos



Мар



TRIM Notice

2024 TRIM Notice (PDF)

The Monroe County Property Appraiser's office maintains data on property within the County solely for the purpose of fulfilling its responsibility to secure a just valuation for ad valorem tax purposes of all property within the County. The Monroe County Property Appraiser's office cannot guarantee its accuracy for any other purpose. Likewise, data provided regarding one tax year may not be applicable in prior or subsequent years. By requesting such data, you hereby understand and agree that the

| User Privacy Policy | GDPR Privacy Notice Last Data Upload: 11/15/2024, 6:14:44 AM Contact Us

