City of Key West Attn: Richard Sarver







REF: Florida Sheriff's Association Contract quote Term: October 1, 2023 - September 30, 2025 Contract: FSA23-EQU21.0, Equipment **Group: LIFT: Cushion Tire Lift**

Item: 133, Caterpillar EC25N

One new Caterpillar EC25N Electric 4-Wheel Cushion Tire Lift Truck 5,000lbs capacity equipped with:

	Base Unit per Contract		
	Base Machine Unit		\$31,470
	Non-Specified Options		
Upgrade to:	EC25N3	5,000 lb. Capacity 36/48 Volt Electric 4-Wheel Cushion Tire Lift Truck	\$1,065
	3C25C48EC	188.5" MFH / 83.5" OAL / 35.0" FFH Triplex Mast	\$7,505
	ULE-STD1I	UL Rated Type E	N/C
	FKHP42-25I	1.6" X 3.9" X 42" Hook Type - Pallet Forks	\$800
	ECBAT-STD1I	36/48V Lead Acid Battery Prep	N/C
	BC30-STD1I	30.5X39.5X23.3" - Battery Compartment	N/C
	BATSL20ECI	Battery Side Rail Extraction	\$715
	CARR37-STD1I	37.0" Wide ITA Class II Hook Type Carriage	N/C
	DTLEC-STD1I	Lugged Electric Compound Drive Tires	N/C
	STSEC-STD11	Smooth Electric Compound Steer Tires	N/C
	TC-2110I	36" Load Backrest Extension	\$220
	VLV4W25ECI	4-Section Valve With Levers	\$685
	4V-TRI25ECI	Dual Function Internal Hosing - Triplex Mast	\$1,330
	TILT-STD1I	Standard Tilt Cylinders	N/C
	OHG-EC25-STD1I	Standard Overhead Guard - 88.0" To Top	N/C
	ALARM-STD11	Electronic Back-up Alarm	N/C
	WKLT-STD1I	Two Forward LED Working Lights On OHG	N/C
	AMBSTRBI	Amber Strobe Light - Mounted Below OHG	\$450
	FWDABSLECI	Forward Activated Blue Spotlight	\$470
	RVSABSLECI	Reverse Activated Blue Spotlight	\$460
	SEATFSV-STD1I	Full Suspension Vinyl Seat	N/C
	RFM-STD1I	Rubber Floor Mat	N/C
	RVMIRI	Rear View Mirror Kit	\$230
	LANGENG-STD11	English Language Markings North/South America	N/C
	WAR-STD	Standard Warranty-12 Mo/2000 Hrs Full Coverage;24 Mo/4000 Hrs Powertrain	N/C
		List Price Total	\$45,400
		Less 8% Contract Discount	-\$3,632
		Less Additional Dealer Discount	<u>-\$3,454</u>
		Non-Specified Options Total	\$38,314
	55K-FPS-A051	Side-Shifting Fork Positioner	\$2,930
	24C85-19	48 Battery W Watering System	\$9,885
	ETPG48-483/3/140	Charger 48v 3 Phase (208-29A/240-25A/480-13A)	\$1,960
		QUOTE GRAND TOTAL:	\$53,089
		FOB: City of Key West	

Thank you for your consideration of our product. Quote is valid for thirty days.

Greg Bennett

Governmental Sales

(305) 592-5360 Office

(786) 579-2651 Direct

(786) 229-7037 Cell

greg_bennett@kellytractor.com

www.kellytractor.com/Governmental

Bid Award

Contract: FSA23-EQU21.0, Equipment

Group: Forklift: Cushion Tire - 4,000 lbs. Capacity

Item: 133, Caterpillar, 2CC4000, 2CC4000

Zone	Rank	Vendor	Price	Build File	Options File
Western	Primary	Ring Power Corporation	\$45,844.00	Build	Options
Northern	Primary	Ring Power Corporation	\$45,844.00	Build	Options
Central	Primary	Ring Power Corporation	\$45,844.00	Build	Options
Southern	Primary	Kelly Tractor Co	\$31,470.00	Build	Options

FSA23-EQU21.0: Equipment

Group: Forklift: Cushion Tire - 4,000 lbs. Capacity

Item: 133, Caterpillar 2CC4000



m Number	Code	Description	Price - Southern Zone
	MODEL OPTIONS		HERESE, LINES
133	2C3000	MODEL DOWNGRADE TO BASE 2C3000 LP CUSHION TIRE 3,000 LBS CAPACITY LIFT TRUCK W/FREIGHT & PREP ONLY	(\$2,52
133	EC15N	MODEL DOWNGRADE TO BASE EC15N ELECTRIC 4-WHEEL CUSHION TIRE 3,000 LBS CAPACITY LIFT TRUCK W/FREIGHT & PREP ONLY	(\$1,97
133	GP15N	MODEL DOWNGRADE TO BASE GP15N LP PNEUMATIC TIRE 3,000 LBS CAPACITY LIFT TRUCK W/FREIGHT & PREP ONLY	(\$1,53
PGRADE MO	DEL OPTIONS		
133	2ET3000	MODEL UPGRADE TO BASE 2ET3000 ELECTRIC 36V PNEUMATIC TIRE 3-WHEEL 3,000 LBS CAPACITY LIFT TRUCK W/FREIGHT & PREP ONLY	\$7,57
133	2C5000	MODEL UPGRADE TO BASE 2C5000 LP CUSHION TIRE 5,000 LBS CAPACITY LIFT TRUCK W/FREIGHT & PREP ONLY	\$10,644
133	2C6000	MODEL UPGRADE TO BASE 2C6000 LP CUSHION TIRE 6,000 LBS CAPACITY LIFT TRUCK W/FREIGHT & PREP ONLY	\$15,50
133	GP25N	MODEL UPGRADE TO BASE GP25N LP PNEUMATIC TIRE 5,000 LBS CAPACITY LIFT TRUCK W/FREIGHT & PREP ONLY	\$13,92
133	2EPC5000	MODEL UPGRADE TO BASE 2EPC5000 ELECTRIC PNEUMATIC TIRE 4-WHEEL 5,000 LBS CAPACITY LIFT TRUCK W/FREIGHT & PREP ONLY	\$19,359
133	GP35N	MODEL UPGRADE TO BASE GP35N LP PNEUMATIC TIRE 7,000 LBS CAPACITY LIFT TRUCK W/FREIGHT & PREP ONLY	\$21,499
133	DP40N	MODEL UPGRADE TO BASE DP40N DIESEL PNEUMATIC TIRE 8,000 LBS CAPACITY LIFT TRUCK W/FREIGHT & PREP ONLY	\$40,573
133	DP55N	MODEL UPGRADE TO BASE DP55N DIESEL PNEUMATIC TIRE 12,000 LBS CAPACITY LIFT TRUCK W/FREIGHT & PREP ONLY	\$55,253
133	DP70N	MODEL UPGRADE TO BASE DP70N DIESEL PNEUMATIC TIRE 15,500 LBS CAPACITY LIFT TRUCK W/FREIGHT & PREP ONLY 8% DISCOUNT OFF LIST PRICE ON ALL CAT LIFT TRUCK MODELS	\$85,548
133	8% DISCOUNT	& OEM NON-SPECIFIED OPTIONS	
C4000 BASI	E OPTIONS		
CHOOL DASI	L OF HONS	8% DISCOUNT OFF LIST PRICE ON ALL CAT LIFT TRUCK MODELS	
133	8% DISCOUNT	& OEM NON-SPECIFIED OPTIONS	

Chassis Options

Manufacturer Chassis Code	Chassis Description	Power	Price \$
Cat Lift Trucks			
EC15N3-AC	3,000 lb. Capacity 36/48 Volt Electric 4-Wheel Cushion Tire Lift Truck	36/48 Volt Electric	\$28,410
EC18N3-AC	3,500 lb. Capacity 36/48 Volt Electric 4-Wheel Cushion Tire Lift Truck	36/48 Volt Electric	\$30,990
EC18LN3-AC	4,000 lb. Capacity 36/48 Volt Electric 4-Wheel Cushion Tire Lift Truck	36/48 Volt Electric	\$33,240
EC23N3-AC	4,500 lb. Capacity 36/48 Volt Electric 4-Wheel Cushion Tire Lift Truck	36/48 Volt Electric	\$30,685
EC25N3-AC	5,000 lb. Capacity 36/48 Volt Electric 4-Wheel Cushion Tire Lift Truck	36/48 Volt Electric	\$32,535
EC25EN3-AC	5,000 lb. Capacity 36/48 Volt Electric 4-Wheel Cushion Tire Lift Truck (Extended Battery Compartment)	36/48 Volt Electric	\$33,115
EC25LN3-AC	5,500 lb. Capacity 36/48 Volt Electric 4-Wheel Cushion Tire Lift Truck	36/48 Volt Electric	\$34,975
EC30N3-AC	6,000 lb. Capacity 36/48 Volt Electric 4-Wheel Cushion Tire Lift Truck	36/48 Volt Electric	\$36,540
EC30LN3-AC	6,500 lb. Capacity 36/48 Volt Electric 4-Wheel Cushion Tire Lift Truck	36/48 Volt Electric	\$38,035

Prices valid from: 9/17/2024

					EC15N	EC18N	8LN	23N	25N	SEN	SLN	EC30N	EC30LN	
Mast Options Mast Code	MFH	OAL	FFH	TILT	5	E	ECI	EC	EC	EC2	EC	EC	ដ	Price \$
DUPLEX														
Masts To Be Deta When The Follow Shipping To US/C Any Other Region Additional Shippi Logistics For Mon Free Fork Height LBR Is Used. All N Installed" At The	ving Col CAN/MI n in the ing Cha re Deta (FFH) A Masts A	nditions EX With World rges Mi ils. Assume re Avai	Are M OAL > With O ay App The Sta lable "I	let; 108" Or AL > 102". ly. Contact andard 48"										
3B15C28EC	111.0	73.5	25.0	5°F/6°B	0	0	o	-	-	-	-	-	-	\$4,995
3B15C30EC	119.0	77.5	29.0	5°F/6°B	0	0	0	-	-	-	-	-	-	\$4,995
3B15C33EC	131.0	83.0	34.5	5°F/6°B	0	0	o	-	-	-	-	-	-	\$4,995
3B25C28EC	112.5	74.0	25.5	5°F/5°B	-	-	-	0	0	o	0	-	-	\$6,155
3B25C30EC	119.5	77.5	29.0	5°F/5°B	-	-	-	o	0	0	o	-	-	\$6,155
3B25C33EC	131.5	83.5	35.0	5°F/5°B	-	-	-	0	0	o	0	-	-	\$6,155
3B30C28EC	110.5	74.0	25.5	5°F/5°B	-	-	-	-	- 1	-	-	0	-	\$5,955
3B30C33EC	129.5	83.5	35.0	5°F/5°B	-	-	-	-	-	-	-	0	-	\$5,955
3B33C30EC	120.0	83.5	35.0	5°F/5°B	-	-	-	-	-	-	-	-	o	\$5,955
3B33C33EC	131.5	88.0	40.0	5°F/5°B	-	-	-	-	-	-	-	-	0	\$5,955
TRIPLEX														
Masts To Be Deta When The Follow Shipping To US/O Any Other Region Additional Shippi Logistics For Mor Free Fork Height LBR Is Used. All N Installed" At The	ving Col CAN/MI In in the ing Cha re Deta (FFH) A Masts A	nditions EX With World rges Mo ils. Assume re Avail	Are M OAL > with O ay Appl The Sta lable "I	let; 108" Or AL > 102". ly. Contact andard 48"										
3C15C40EC	159.0	73.5	25.0	5°F/6°B	0	0	0	-	-	-	-	-	-	\$6,555
3C15C43EC	171.0	77.5	29.0	5°F/6°B	0	0	0	-			-	-	-	\$6,870
3C15C48EC	188.0		35.0	5°F/6°B	0	0	0	-		-	-	-	-	\$6,410
3C15C51EC	201.0	88.0	39.5	5°F/6°B	0	0	0	-	-	-	-	-	-	\$6,665
3C15C55EC	217.0		45.0	5°F/6°B	0	0	0	-	-	-	-	-	-	\$6,770
3C25C40EC	160.0	74.0	25.5	5°F/5°B	-	-	-	0	0	0	0	-	-	\$7,640
3C25C43EC	170.5	77.5	29.0	5°F/5°B	-	-	-	0	0	0	0	-	-	\$8,040
3C25C48EC	188.5	83.5	35.0	5°F/5°B	2.	3	-	0	0	0	0		-	\$7,505
3C25C51EC	200.5	88.0	40.0	5°F/5°B	-	•	-	0	0	0	0	-	-	\$7,810
3C25C55EC	218.0	94.0	45.5	5°F/5°B	-	-	-	o	0	0	0	-	-	\$8,070
3C25C60EC	237.0	101.0	52.5	5°F/5°B	-	-	-	0	0	0	0		-	\$8,130
3C30C43EC	171.5	78.5	30.5	5°F/5°B	-	-	-	-	-	-	-	0	-	\$8,560
3C30C47EC	186.5	83.5	35.0	5°F/5°B	-	-	-	-	-	-	-	0	-	\$7,995

Fork Options Fork Code	Fork Description	EC15N	EC18N	EC18LN	EC23N	EC25N	EC25EN	EC25LN	EC30N	EC30LN	Price \$
	LLET (ITA CLASS II)										
6,000lb - 8,000lb	: Only for use with quad mast										
FKHP36-18I	1.4" X 3.9" X 36" Hook Type - Pallet	0	o	-	-	-	-	-	-	-	\$720
FKHP42-18I	1.4" X 3.9" X 42" Hook Type - Pallet	o	0	-	-	-	-	-	-	-	\$765
FKHP48-18I	1.4" X 3.9" X 48" Hook Type - Pallet	О	o	-	-	-	-	-	-	-	\$785
FKHP54-18I	1.4" X 3.9" X 54" Hook Type - Pallet	o	o	-	-	-	-	-	-	-	\$855
FKHP36-25I	1.6" X 3.9" X 36" Hook Type - Pallet	-	-	o	o	0	o	0	0	0	\$765
FKHP42-251	1.6" X 3.9" X 42" Hook Type - Pallet	-	2	0	o	o	0	0	0	0	\$800
FKHP48-25I	1.6" X 3.9" X 48" Hook Type - Pallet	-	-	0	О	o	o	0	o	0	\$875
FKHP54-251	1.6" X 3.9" X 54" Hook Type - Pallet	-	-	o	0	o	o	0	o	0	\$925
HOOK TYPE - PA	LLET (ITA CLASS III)										
Not For Use With	Quad Mast Options										
FKHP36-30I	1.8" X 4.9" X 36" Hook Type - Pallet	-	-	-	-	-	-	-	o	0	\$970
FKHP42-30I	1.8" X 4.9" X 42" Hook Type - Pallet	_	-	-	-	-	-	-	o	0	\$1,000
FKHP48-30I	1.8" X 4.9" X 48" Hook Type - Pallet	-	-	-	-	-	-	-	o	О	\$1,030
FKHP54-30I	1.8" X 4.9" X 54" Hook Type - Pallet	-	-	-	-	-	-	-	o	0	\$1,140
FKHP60-30I	1.8" X 4.9" X 60" Hook Type - Pallet	-	-	-	-	-	-	-	o	0	\$1,215
FULLY TAPERED	& POLISHED (ITA CLASS II)										
Only Class II Forl	ks Available For Quad Masts										
FKFTP36-18I	1.8" X 3.9" X 36" Hook Type - Fully Tapered & Polished	o	o	-	-	-	-	-	-	-	\$990
FKFTP42-18I	1.8" X 3.9" X 42" Hook Type - Fully Tapered & Polished	o	0	-	-	-	-	-	-	-	\$1,045
FKFTP48-18I	1.8" X 3.9" X 48" Hook Type - Fully Tapered & Polished	o	0	-	-	-	-	-	-	-	\$1,130
FKFTP54-18I	1.8" X 3.9" X 54" Hook Type - Fully Tapered & Polished	0	o	-	-	-	-	-	-	-	\$1,215
FKFTP36-25I	1.8" X 4.9" X 36" Hook Type - Fully Tapered & Polished	-	-	o	o	0	o	0	0	o	\$1,155
FKFTP42-25I	1.8" X 4.9" X 42" Hook Type - Fully Tapered & Polished	-	-	o	o	0	0	0	0	0	\$1,215
FKFTP48-25I	1.8" X 4.9" X 48" Hook Type - Fully Tapered & Polished	-	-	o	o	0	o	0	0	o	\$1,280
FKFTP54-25I	1.8" X 4.9" X 54" Hook Type - Fully Tapered & Polished	-	-	o	o	0	0	o	0	o	\$1,395
FULLY TAPERED	& POLISHED (ITA CLASS III)										
Not For Use With	Quad Mast Options										
FKFTP36-35I	2.0" X 4.9" X 36" Hook Type - Fully Tapered & Polished	-	-	-	-	-	-	-	o	o	\$1,260
FKFTP42-35I	2.0" X 4.9" X 42" Hook Type - Fully Tapered & Polished	-	-	-	-	-	-		o	0	\$1,340

Prices valid from: 9/17/2024

Installed Options Option Code	Option Description	EC15N	EC18N	EC18LN	EC23N	EC25N	EC25EN	EC25EN	EC25LN	EC30N	EC30LN	Price \$
RATINGS & STA	NDARDS											
ULE-STD1I	UL Rated Type E	•			•	•		9			•	\$0
ULESI	UL Rated Type ES	o	o	o	o	o	o	0	0	0	0	\$325
ULEEUECI	UL Rated Type EE (For Use With Uncovered Batteries)	o	o	o	o	o	o	0	o	o	o	\$1,965
ULEECECI	Battery height must be between 22.1" (564 mm) and 22.6" (576 mm). This option may reduce performance levels, refer to model sales manuals for details. Includes raised battery tray. Not for use with side battery extraction option, seat operated parking break or Lithium Ion battery prep.											
ULEECECI	UL Rated Type EE (For Use With Covered Batteries)	o	o	o	o	o	o	0	0	o	o	\$1,665
	UL battery type EE583 must be used to retain EE rating. This option may reduce performance levels, refer to model sales manual for details. Not for use with side battery extraction option or seat operated parking brake.											
BATTERY / CHAI	RGER ACCESSORIES											
	HEAVIER BATTERY RATING											
HEAVBATTI	2900lb Battery Rating (In Lieu Of Standard 2600lb Minimum Battery) - Routing OPER Only	-	-	-	-	o	-	-	-	-	-	\$0
	For Use With 5000 lb. Standard (Not Extended Battery Compartment) Chassis Only. Order Requires Indicate 2900lb Minimum Battery Weight To Be Printed On Capacity Plate.											
BATTERY COMP	ARTMENT SIZES											
BC27-STD1I	27.8X35.8X23.3" - Battery Compartment	•			-	-	-	- [-	-	-	\$0
BC30-STD1I	30.5X39.5X23.3" - Battery Compartment	-	-	-	•	0	-	- 1	-	-	-	\$0
BC34-STD1I	34.4X39.5X23.3" - Battery Compartment	-	-	-	-	-		D			•	\$0
BATTERY EXTRA	CTION											Milet
BATSL20ECI	Battery Side Rail Extraction	0	0	o	o	0	0	0	0	0	o	\$715
	Reduces Battery Compartment Dimensions To: 3,000-4,000 lb - 27.6" (702 mm) L x 35.6" (906 mm) W x 22.6" (576 mm) H 4,500-5,000 lb - 30.2" (769 mm) L x 38.6" (982 mm) W x 22.6" (576 mm) H 5,000 Ext-6,500 lb - 34.2" (869 mm) L x 38.6" (982 mm) W x 22.6" (576 mm) H Not For Use With UL Type EE Options.											
BATRL20ECI	Battery Side Roller Extraction	-	-	-	o	0	0	0	0	0	О	\$1,215

Installed Options Option Code	Option Description	EC15N	EC18N	EC18LN	EC23N	EC25N	EC25EN	EC25LN	EC30N	EC30LN	Price \$
STEER WHEELS	Name and Address of the Owner, where the Owner, which is the Owner,										
TC-3115I	Lugged Non-Marking Steer Tires	-	-	-	-	0	0	o	0	0	\$240
	Nominal Tire Size: 16 x 6 x 10.5										
LOAD BACKREST											
LBR-STD1I	48" High Load Backrest							•		•	\$0
	Included With All Carriage Widths And Hydraulic Attachments, Factory Installed										
LBR6025ECI	60" High Load Backrest Extension	o	o	o	o	o	o	o	-	-	\$505
	For Use With 36" Wide ITA Class II Carriage (37" Width Over LBR). Not For Use With Quad Masts.										
LBR6030ECI	60" High Load Backrest Extension	-	-	-	-	-	-	-	0	0	\$600
	For Use With 38" Wide, ITA Class III carriage (39.5" Width Over LBR). Not For Use With Quad Masts.										
TC-2110I	36" Load Backrest Extension	•	=	.=	0	0	0	o	0	0	\$220
	Not for use with quad mast options										
LBR-DELEI	Delete Load Backrest Extension	o	o	o	o	o	o	О	o	0	\$0
	Includes Fork Stops & "No Backrest" Warning Label. A Completed "Load Backrest Extension Affirmation Form" Must Be Submitted For Each Truck Ordered Without A Load Backrest Extension.										
LBR60Q30ECI	60" High Load Backrest Extension	o	o	0	o	0	o	o	o	0	\$540
	For use with Quad Mast Only										
LBR36Q30ECI	36" High Load Backrest Extension	o	o	o	О	0	0	o	0	o	\$220
	For use with Quad Mast Only										
HYDRAULIC ACT	IVATION										Milite.
VLV3SS-STD1I	3-Section Valve With Levers		•		•	0	0	0	•		\$0
VLV4W25ECI	4-Section Valve With Levers	0	0	0	0	0	0	0	0	0	\$685
	Main Relief Pressure For Lift And Tilt Set At 2630 psi. Relief Pressure For 3rd And 4th Sections Set At 2250 psi. Not For Use With DIR OHG.										
VLV3WFCECI	3-Section Valve With Fingertip Control Armrest	-	-	-	o	o	o	o	o	0	\$1,755
	Not For Use With Rear Grab Handle, Drive-In Rack OHG Or Lowered OHG. Includes FNR Switch, Except When Foot Directional Control Is Ordered. Not compatible with TELAI - Telematics.										
VLV4WFCECI	4-Section Valve With Fingertip Control Armrest	-	-	-	0	o	o	0	o	0	\$2,495
	Not For Use With Rear Grab Handle, Drive-In Rack OHG Or Lowered OHG. Includes FNR Switch, Except When Foot Directional Control Is Ordered. Not compatible with TELAI - Telematics.										

Installed Options		EC15N	EC18N	EC18LN	EC23N	EC25N	EC25EN	EC25LN	EC30N	EC30LN	Price \$
Option Code	Option Description										Price 3
HYDRAULIC HOS											
	SINGLE FUNCTION INTERNAL HOSING 1 Pair Of #6 Hoses & Fittings Terminating At The										
	Back Of The Carriage Bottom Plate										
3V-SIM25ECI	Single Function Internal Hosing - Simplex Mast	o	0	0	0	0	0	0	0	0	\$635
3V-DUP25ECI	Single Function Internal Hosing - Duplex Mast	0	0	0	0	0	0	0	0	0	\$965
3V-TRI25ECI	Single Function Internal Hosing - Triplex Mast	o	o	0	0	0	0	o	0	0	\$925
3V-QUAD25ECI	Single Function Internal Hosing - Quad Mast	0	o	o	o	o	О	o	0	0	\$985
	DUAL FUNCTION INTERNAL HOSING										
	2 Pairs of #6 Hoses & Fittings Terminating At The Back Of The Carriage Bottom Plate. Requires Optional 4-Section Valve.										
4V-SIM25ECI	Dual Function Internal Hosing - Simplex Mast	0	o	0	o	0	o	o	o	0	\$1,020
4V-DUP25ECI	Dual Function Internal Hosing - Duplex Mast	o	0	0	0	o	o	o	o	0	\$1,385
4V-TRI25ECI	Dual Function Internal Hosing - Triplex Mast	0	0	0	0	0	0	0	0	0	\$1,330
4V-QUAD25ECI	Dual Function Internal Hosing - Quad Mast	0	0	0	o	0	o	o	o	0	\$1,450
HYDRAULIC SYS	TEM OPTIONS										
CLAMPLOCKMCI	Load Bearing Clamp Lockout: Manual Lever Controls	o	o	o	0	o	o	o	o	o	\$510
	Includes DCDC Converter. 3-Section Valve With Single Function Internal Hosing Or 4-Section Valve With Dual Function Internal Hosing Required. Operator Must Activate Hydraulic Lever-Mounted Button In Conjunction With Forward Movement Of The Lever To Unclamp. Not For Use With Quad Mast.										
CLAMPLOCKFCI	Load Bearing Clamp Lockout: Fingertip Control	-	-	-	О	0	0	0	0	0	\$0
	Operator Must Depress Thumb Actuated Auxiliary Button On Armrest In Conjunction With 3rd Or 4th Section Mini Lever To Unclamp. Not For Use With Quad Mast. Not compatible with TELAI - Telematics.										
HYDRAULIC STEI	EL SUPPLY LINES										
SFSSL325ECI	Single Function Steel Supply Lines	0	0	0	0	0	0	0	0	0	\$230
	For use with single function, carriage-mounted attachment. Terminates at right-hand side of carriage top plate. Not for use with factory installed sideshifter & quad masts.										
SFSSL425ECI	Single Function Steel Supply Lines - 4 Way Valve	o	o	o	o	o	o	0	0	o	\$230
	For use with factory-installed sideshifter and single function, sideshift-mounted attachment. Terminates at left-hand side of carriage top plate. Not for use with quad masts.										
DFSSL425ECI	Dual Function Steel Supply Lines	o	0	o	0	o	o	o	o	o	\$330

Installed Options Option Code	Option Description	EC15N	EC18N	EC18LN	EC23N	EC25N	EC25EN	EC25LN	EC30N	EC30LN	Price \$
OVERHEAD GUA	Name and Address of the Owner, where the Owner, while the										
	OVERHEAD GUARDS										
DIROHG25ECI	Provides standard height full width grill type top and legs 30" across at 52" To 84.5" above the floor; Not for use with 4-Section Valve with Levers, 3-Section Valve with Fingertip Control, 4-Section Valve with Fingertip Control, Load Bearing Clamp Lockout, Rear View Mirror, Fire Extinguisher, Clipboard Holder and Rear Grab Handle. Installation eliminates cowl plastic. Not compatible with TELAI - Telematics.										
PRODUCTIVITY	OPTIONS										
FDCI	Foot Direction Control	0	0	0	0	0	o	o	o	0	\$400
	Includes Steering Column With a Knob										
RGH30ECI	Rear Grab Handle With Horn Button	-	-	-	o	o	o	o	o	0	\$225
	Not For Use With Drive-In Rack, Lower OHG, or Fingertip Control Options.										
STKNBI	Steering Wheel Knob	О	o	o	o	o	o	o	o	О	\$260
	Not For Use With Steering Column With a Knob.										
SPECIAL APPLIC	ATIONS OPTIONS										
OILFRZI	Hydraulic Oil For Freezer Application	o	0	o	o	o	0	o	0	0	\$370
	For Intermittent Use In Freezer Below 14 Degree Fahrenheit. Features Exxon Univis N 32 Oil.										
SOPB25ECI	Seat-Operated Parking Brake	-	-	-	0	o	0	o	0	0	\$1,525
	Not For Use With UL EE Rating.										
TC-6805I	Soft Stop Forward Tilt Lockout	-	-	-	o	О	0	0	0	О	\$2,395
	Not For Use With Fingertip Control										
TC-2115I	Food Grade Oil	-	-	-	o	o	0	0	0	0	\$765
WARNING / LIG	HT OPTIONS										
ALARM-STD1I	Electronic Back-up Alarm	•	•			•	•	0	•	•	\$0
WKLT-STD1I	Two Forward LED Working Lights On OHG	•	•	•	•	•	•		•	•	\$0
WKLTRLCLI	Two Forward and One Rear LED Combination Working Lights With LED Stop/Tail/Back-Up Light	o	o	o	o	o	0	o	o	o	\$1,045
WKLTRLI	Two Forward and One Rear LED Working Lights	o	o	o	o	o	0	0	0	0	\$285
AMBSTRBI	Amber Strobe Light - Mounted Below OHG	0	0	o	o	o	0	0	0	0	\$450
BLUSTRBI	Blue Strobe Light - Mounted Below OHG	o	0	o	o	o	0	0	0	0	\$395
BUALRSMTI	Electronic Backup "Smart" Alarm	o	0	o	o	o	0	o	o	0	\$230
oorenom i	Alarm Tone Automatically Adjusts To Ambient Sound Levels. Replaces Standard Electronic Backup Alarm.										
FWDABSLECI	Forward Activated Blue Spotlight	0	0	0	0	0	0	0	0	0	\$470
RVSABSLECI	Reverse Activated Blue Spotlight	0	0	0	0	0	0	0	0	0	\$460

Installed Options Option Code	Option Description	EC15N	EC18N	EC18LN	EC23N	EC25N	EC25EN	EC25LN	EC30N	EC30LN	Price \$
WARNING / LIGH											10 mm
TC-6755I	Rear Mounted Spotlight (Forward Facing)	-	-	-	0	0	0	o	o	o	\$445
TC-2105I	Key-On Lights	-	-	-	o	o	0	o	o	o	\$430
TC-2022I	Seat Belt Ignition Interlock	-	-	-	0	0	o	o	o	0	\$265
SEAT											W 1
	for use with full suspension seats only. Full not for use with lowered OHG.										
SEATFSV-STD1I	Full Suspension Vinyl Seat	•	•		•			•		•	\$0
SEATVI	Comfort (Non-Suspension) Vinyl Seat	o	o	o	o	0	o	o	o	o	\$0
	Must select in combination with lowered OHG option.										
SEATCI	Comfort (Non-Suspension) Cloth Seat	0	o	0	o	0	0	o	0	0	\$230
	Not For Use With Fingertip Control Or Adjustable Armrest.										
SEATFSCCI	Full Suspension Cloth Seat	0	0	0	o	0	o	o	o	0	\$230
DC/DC CONVERT	TER										
DCCON300I	DC/DC Converter 300W Output	o	0	0	o	0	0	o	0	0	\$510
ACCESSORIES											
RFM-STD1I	Rubber Floor Mat	•	•	•	•		•		•		\$0
RVMIRI	Rear View Mirror Kit	0	0	0	0	0	0	0	0	0	\$230
	Not For Use With Drive-In Rack										
CLIPECI	Clipboard Holder	o	o	o	О	o	o	0	0	0	\$230
	Not for use with lower than standard Overhead Guard, DIR OHG or 4-section hydraulic valve										
DRWPINI	Drawbar Pin	o	0	o	o	0	0	0	0	0	\$295
USB25ECI	USB Charger	o	0	o	o	0	0	0	o	0	\$230
PHOOKUPI	Power Hook-Up - 36V/48V	o	o	o	o	0	o	0	0	0	\$395
	Battery Voltage Power Tap For Accessory Hookup (RT Units, Scan Guns, etc.)										
TC-2090I	Power Hook-Up - 12 Volt	-	-	-	o	0	0	0	0	0	\$280
	12 Volts Bullet Connectors Mounted To Right-Front OHG Leg. Requires DC/DC Converter Option Electric Models. Cushion < 7,000 lb and all Pneumatic: Not compatible with TELAI - Telematics.										
FIREEXTCOVI	Fire Extinguisher - Battery Cover Mounted	0	0	o	0	0	0	0	0	0	\$235
	Not for use with DIR OHG option										
TC-6703I	Operator Fan - 36 Volt	-	-	-	0	0	0	o	o	0	\$450
	Not compatible with TELAI - Telematics.										
TC-67061	Operator Fan - 48 Volt	-	Ŀ	-	0	0	0	0	o	0	\$450
	Not compatible with TELAI - Telematics.										