



THE CITY OF KEY WEST
Tree Commission
Post Office Box 1409 Key West, FL 33041-1409
Telephone: 305-809-3764

October 15, 2012

Deborah Romano
208 Front Street
Key West, FL 33040

Your request for Tree Commission ruling is being processed. The tree on the application have been measured and evaluated for tree replacement caliper inches as per **Sec. 110-324** Key West City code. This information which is listed below, has been submitted to the Tree Commission for their consideration at the October 24th, meeting.

Key West City code **Sec.110-323 Application of criteria.** The Tree Commission shall determine whether to approve each tree removal permit application by weighing its findings made pursuant to sections 110-327, 110-328, and 110-329. Determinations of equivalency shall include evaluation of the species, age, condition, historical significance, dimension and setting of the tree.*

This request will be considered at the October 24th, Tree Commission Meeting, 5:00 pm, Old City Hall, 510 Greene Street. **Your attendance is required.**

You can use the following link to review the October 24th Tree Commission package under the Tree Commission Calendar <http://keywest.legistar.com/Calendar.aspx>

**1012 Southard St.
1-Spanish Lime**

**Value x Diameter = replacement caliper (dbh) inches
.67 x 33.2" = 22 replacement caliper (dbh) inches**

Tree replacements will be planted in area of choice within the property line of tree address.

If you have any questions please call the office at (305) 809-3768.

A handwritten signature in blue ink that reads "Paul Williams".

Paul Williams
Urban Forestry Manager
pwilliams@keywestcity.com

* Tree Commission will make final determination. The values charged may be different than what is expressed herein the preliminary worksheet.

Key to the Caribbean – average yearly temperature 77 ° Fahrenheit.