



**THE CITY OF KEY WEST
TREE COMMISSION
P.O. BOX 1409
KEY WEST, FL 33041-1409**

March 29, 2012

Hyatt Windward Point
3675 South Roosevelt Blvd.
Key West, FL 33040

Dear Sir or Madam:

Your request for tree commission ruling is being processed. The tree(s) on the application will be measured and evaluated for tree replacement caliper inches as per **Sec. 110-324** Key West City code.

Key West City code **Sec. 110-330 Application of criteria**. The tree commission shall determine whether to approve each tree removal permit application by weighing its findings made pursuant to sections 110-327, 110-328, and 110-329. Determinations of equivalency shall include evaluation of the species, age, condition, historical significance, dimension and setting of the tree.*

This request will be considered at the **April 09, 2012**, Tree Commission Meeting, 5:00pm, Old City Hall, 510 Greene Street. **Your attendance is required.**

Agenda item #

Tree Address

11

3675 S. Roosevelt Blvd.

Tree Species:	Short Leaf Fig	(DBH) 120"
Location	60%	
Species	100%	
Condition	40%	
Avg. value	66.7%	

Avg. value .667 x Diameter (DBH) 120" = **80 Replacement inches**

Total Caliper Inch Replacement = 80

Tree replacements will be planted in area of choice within the property line of tree address.

* Tree Commission will make final determination. The values charged may be different than what is expressed here in the preliminary worksheet

Paul Williams
Urban Forestry Manager
pwilliams@keywestcity.com

If you have any questions please call the office at (305) 809-3768 or 809-3764.