

**TREE COMMISSION TREE REMOVAL REPORT  
CITY of KEY WEST**

**PROPERTY: 409 Julia St.**

**APPLICATION NUMBER: T2025-0274**

**REQUEST:** The applicant is requesting removal of (2) Mahogany trees.

**TREE ASSESSMENT and PHOTOS**



**Tree #1 and tree #2 growing up against the fence.**



Tree #2



**Tree #1 looking West**



**Tree #1 looking East**



Tree #1

**Mahogany Tree #1**

**Diameter: 15.5"**

**Location: 50% (The location of Julia Street is not highly traveled nor are these trees highly appreciated as they are recessed on the property)**

**Species: 100%**

**Condition: 70%**

**Value: 73.3%**

**Recommended Mitigation: 11.4 Caliper Inches**

**Diameter: 12.5"**

**Location: 50%**

**Species: 100%**

**Condition: 70%**

**Value: 73.3%**

**Recommended Mitigation: 9.2 Caliper Inches**

**NOTES: These trees are in the emerging adulthood phase of life. As they approach early and middle adulthood they could become a problem for the maintenance of the fence. In general, it is not recommended to plant large canopy trees abutting a fence for property boundary line.**

**PREPARED BY:**

***Brett Mayle* Urban Forestry Manager**

**&**

***Zach Bentley* Asst. Urban Forestry Manager**

**City of Key West  
305-809-3957**

