



MACKINNON

EQUIPMENT & SERVICES

Formerly Known as Yale Lift Trucks of Florida and Georgia



CUSTOMER FIRST IN ALL WE DO



Model: GP050VX

Proposal To:

**Mr. Shane Harmon
City of Key West**

Investment Proposal



MACKINNON
EQUIPMENT
SERVICES

TAMPA

2230 N. U.S. Highway 301
Tampa, FL 33619-2690
(813) 621-4671
(800) 780-4671
Fax (813) 628-9501

ORLANDO

1915 N. Orange Blossom Trail
Orlando, FL 32804
(407) 843-0134
(800) 330-0134
Fax (407) 648-8923

JACKSONVILLE

6907 Broadway Ave
Jacksonville, FL 32254
(904) 693-9200
(800) 340-0451
Fax (904) 693-0155

TIFTON

2755 Marshall Drive
Tifton, GA 31793
(229) 388-8120
(866) 388-8120
Fax (229) 388-8121

FT MYERS

5566 6th Street W
Lehigh Acres, FL 33971
(239) 458-5005
(855) 503-0152
Fax (239) 368-1329

www.MackinnonEquipment.com

- Yale Forklifts
- JCB Construction Equipment
- Attachments
- Batteries & Chargers
- Dock Boards & Equipment
- Factory Cat Sweepers
- Magliner Hand Trucks
- Pallet Jacks
- Princeton "Piggy-Backs"
- Racking & Shelving
- Taylor-Dunn Carriers
- Warehouse Layout & Design Specialist

Customer:

City of Key West
627 Palm Avenue
Key West, FL -33040
Ph No: 305-923-0870

SHIP TO:

City of Key West
627 Palm Avenue
Key West, FL -33040

Quote To: Mr. Shane Harmon
Quote No: 82-44205682
Series: D875
Model: GP050VX
Quantity: 1
Date: 16 Oct 2015
Expires: 14 Jan 2016



Yale

JCB

Selling, Servicing, and Renting Equipment Since 1961.



MACKINNON EQUIPMENT & SERVICES

TAMPA

2230 N. U.S. Highway 301
Tampa, FL 33619-2690
(813) 621-4671
(800) 780-4671
Fax (813) 628-9501

ORLANDO

1915 N. Orange Blossom Trail
Orlando, FL 32804
(407) 843-0134
(800) 330-0134
Fax (407) 648-8923

JACKSONVILLE

6907 Broadway Ave
Jacksonville, FL 32254
(904) 693-9200
(800) 340-0451
Fax (904) 693-0155

TIFTON

2755 Marshall Drive
Tifton, GA 31793
(229) 388-8120
(866) 388-8120
Fax (229) 388-8121

FT MYERS

5566 6th Street W
Lehigh Acres, FL 33971
(239) 458-5605
(855) 503-0152
Fax (239) 368-1329

www.MackinnonEquipment.com

- Yale Forklifts
- JCB Construction Equipment
- Attachments
- Batteries & Chargers
- Dock Boards & Equipment
- Factory Cat Sweepers
- Maginer Hand Trucks
- Pallet Jacks
- Princeton "Piggy-Backs"
- Racking & Shelving
- Taylor-Dunn Carriers
- Warehouse Layout & Design Specialist



Selling, Servicing, and Renting Equipment Since 1980

Highlights

Yale Veracitor Pneumatic Tire Forklift Model GP050VX: Nominal 5000 lb capacity at 24" load center. Veracitor trucks feature Industrial Grade Critical Components that maximize productive value and economic life of the lift truck. Rugged powertrains and cooling systems are designed specifically for tough lift truck applications. Highly reliable electrical systems provide sophisticated control of truck functionality leading to outstanding efficiency. Robust hydraulic systems and heavy duty masts provide excellent load moving capability. Truck frames provide optimal strength and rigidity, including maximum protection to internal components. Standard Equipment includes: Continuous Stability Enhancement System, Integrated Dashboard Display, Operator Restraint System, Operator Presence System (OPS), Low Fuel Indicator, Infinitely Adjustable Steering Column and Floor mat.

POWERTRAIN: Kubota 2.4L EPA Tier 4 Final Certified Turbo Diesel Engine provides excellent power, torque and fuel economy. Durability and reliability endures through a simple, yet robust industrial design. Features two (2) individual performance modes to optimize productivity and fuel economy. Powershift 1-speed Transmission features Electronic Inching improving operating costs by eliminating inching adjustments, and Industrial Grade clutch packs, gears, shafts and drive train components for exceptional durability. Self Energizing Drum brakes provide excellent stopping power with minimal brake pedal effort.

MAST: 3 Stage Full Free Lift. 200" Max Fork Lift / 90" Lowered / 66" Free Lift / 249" Ext Ht. (5100mm / 2270mm / 1690mm / 6320mm).

CARRIAGE: 42" (1070mm) Class II Hook Integral Sideshifter

FORKS: 48" Long Class II Hook Type (1.6"x3.9") Standard Taper, 1220mm Long, (40mm x 100mm).

LOAD BACKREST EXTENSION: 48" High x 42" Wide

MAST TILT: 6 Degrees Forward / 6 Degrees Back

HYDRAULIC CONTROLS: 3 FUNCTION Cowl Mounted Levers

HYDRAULIC CONTROL: Arranged to support Non-Clamping Attachments

PRODUCTIVITY - WITHOUT RTS

HOSE GROUP: 1 Aux Function - Internal Mounted

UL APPROVAL: TYPE LP, GAS OR DIESEL

RADIATOR: Heavy Duty Anti-clog. Provides enhanced cooling capacity with a clog resistant core design

EXHAUST: Counterweight Rear Exhaust

TREAD WIDTH: Narrow Tread

DRIVE TIRES: Drive Tires - Pneumatic-Shaped Solid (PSS) 7.00 x 12

STEER TIRES: Pneumatic Shaped Solid (PSS) 6.00 x 9

OVERHEAD GUARD: Tall - 86" High (2185mm)

STEERING WHEEL: Steering Wheel with Wheel Spinner Knob

ENGINE START: Key switch Start

DIRECTIONAL CONTROL: Directional Lever mounted on the left side of the steering column.

SEAT: Non Suspension Vinyl, includes Operator Restraint with No-Cinch Seatbelt

SEAT ACCESSORY: Black Seat Belt with No-Cinch ELR (Emergency Locking Retractor) mechanism. Seat belt locks only when necessary. Allows seat belt to move with operator and improves operator comfort, especially when driving in reverse.

INCHING CONTROL: Single Inch/Brake Pedal

AIR INTAKE: High Air Intake with Precleaner

AUDIBLE ALARM: Reverse direction activated. Self-adjusting between 82-102 dB(A).

LIGHTS: Non-Illuminated Rear Reflector Bar Only

MONITORING SYSTEM: System Monitoring provides superb control over truck functionality and systems enabling maximum system efficiency for excellent durability and serviceability.

HOOD: Non-Vented Hood

LITERATURE: (Decals, Marking and Operator Manual): English

Investment Proposal Price Information

	<u>Price Each</u>	<u>Extended</u>
Total Selling Price	\$32,855.00	\$32,855.00

Terms: Net Upon Receipt



MACKINNON EQUIPMENT & SERVICES

TAMPA

2230 N. U.S. Highway 301
Tampa, FL 33619-2690
(813) 621-4671
(800) 780-4671
Fax (813) 628-9501

ORLANDO

1915 N. Orange Blossom Trail
Orlando, FL 32804
(407) 843-0134
(800) 330-0134
Fax (407) 648-8923

JACKSONVILLE

6907 Broadway Ave
Jacksonville, FL 32254
(904) 693-9200
(800) 340-0451
Fax (904) 693-0155

TIFTON

2755 Marshall Drive
Tifton, GA 31793
(229) 388-8120
(866) 388-8120
Fax (229) 388-8121

FT MYERS

5566 6th Street W
Lehigh Acres, FL 33971
(239) 458-5005
(855) 503-0152
Fax (239) 368-1329

www.MacKinnonEquipment.com

- Yale Forklifts
- JCB Construction Equipment
- Attachments
- Batteries & Chargers
- Dock Boards & Equipment
- Factory Cat Sweepers
- Magliner Hand Trucks
- Pallet Jacks
- Princeton "Piggy-Backs"
- Racking & Shelving
- Taylor-Dunn Carriers
- Warehouse Layout & Design Specialist



Selling, Servicing, and Renting Equipment Since 1980

Warranty

WARRANTY: 12 Months/2,000 Hours Manufacturer's Warranty 36 Months/6,000 Hours Manufacturer's Powertrain Warranty

**PRICE INCLUDES 72 INCH FORK EXTENSIONS
FOB DELIVERED
APPROX 12 WEEKS LEAD TIME FROM FACTORY ORDER**

Terms and Conditions

TERMS & CONDITIONS

ACCEPTANCE

All quotations are subject to prompt acceptance and transmittal of order. Prices are subject to change without notice unless otherwise stated. Contract and agreements are not valid unless approved and accepted in writing in the corporate office in Tampa, FL. However, all contracts shall be deemed to have been executed in Florida.

DELIVERIES

Promises of delivery are given as accurately as conditions will permit, but seller does not guarantee to accomplish shipments on date or dates mentioned.

DELAYS

Deliveries under all contracts and agreements are contingent upon acts of providence, strikes, accidents, governmental priority regulations and other causes of delay beyond the seller's control, and in no event will the seller be liable for consequential delays or losses.

CANCELLATIONS

Orders cannot be scheduled, cancelled, specifications changed or goods returned without seller's prior permission. Acceptance is conditional upon reimbursement for consequential loss to the seller. A 30% restocking fee will be charged for any and all cancelled orders.

WARRANTIES

The seller's liability is limited to making good defects in workmanship or material under the manufacturer's warranty and shall not exceed the purchase price of the defective item. The seller in no event shall be liable for damages to persons or property arising out of the use of items sold. This warranty supersedes all prior assurances, written or oral made by the seller, its agents or representatives.

PERFORMANCE

Information provided concerning performance of equipment listed hereon are engineering estimates only and no guarantee to meet such specifications is to be implied.

CONFIDENTIAL INFORMATION

This proposal as well as all information therein, including prints, brochures, etc., are confidential and intended only for the purchaser's use and are not to be used in any way detrimental to the seller.

PAYMENT BY CREDIT CARD

MacKinnon Equipment & Services charges transaction fees when payment is received by credit card. This policy applies to all equipment purchases and accounts with balances. The fees are 3% for American Express and 2% for Visa/MasterCard.

TERMS OF SALE

Unless otherwise specifically stated, terms are net on invoice based on the date of invoice. F.O.B. Factory, sales or use taxes, any type of property tax or any manufacturer's or other excise tax levied by federal, state or municipal government or any sub-division thereof, are the liability of the purchaser and if paid by the seller are rechargeable to the purchase. All sales are subject to approval of our credit department. This and all subsequent purchases are payable to MacKinnon Equipment & Services located in Tampa, FL. The seller reserves the right to cancel this contract and collect fees as noted in "cancellations" upon:

1. Breach of contract by the purchaser.
2. Failure by purchaser to make payments as required.
3. Insolvency or bankruptcy of the purchaser the seller may require advance payment for security or may cancel an order if the seller, in good faith, doubts the purchaser's ability to pay in general.

No terms contained in the purchaser's purchase order, shipping request or other communications shall vary the terms and conditions of this agreement, expressed herein, whether or not shipment of the goods followed receipt of such purchase order or any other communication.

Proposal By :

John Christiansen
jchristiansen@mackinnonequipment.com
Phone: (813) 621-4671
Fax: (813) 628-9501

Accepted By :

Shane Harmon

President _____

Customer Representative _____

Date _____

Date _____



**MACKINNON
EQUIPMENT
SERVICES**

TAMPA

2230 N. U.S. Highway 301
Tampa, FL 33619-2690
(813) 621-4671
(800) 780-4671
Fax (813) 628-9501

ORLANDO

1915 N. Orange Blossom Trail
Orlando, FL 32804
(407) 843-0134
(800) 330-0134
Fax (407) 648-8923

JACKSONVILLE

6907 Broadway Ave
Jacksonville, FL 32254
(904) 693-9200
(800) 340-0451
Fax (904) 693-0155

TIFTON

2755 Marshall Drive
Tifton, GA 31793
(229) 388-8120
(866) 388-8120
Fax (229) 388-8121

FT MYERS

5566 6th Street W
Lehigh Acres, FL 33971
(239) 458-5005
(855) 503-0152
Fax (239) 368-1329

www.MackInnonEquipment.com

- Yale Forklifts
- JCB Construction Equipment
- Attachments
- Batteries & Chargers
- Dock Boards & Equipment
- Factory Cat Sweepers
- Magliner Hand Trucks
- Pallet Jacks
- Princeton "Piggy-Backs"
- Racking & Shelving
- Taylor-Dunn Carriers
- Warehouse Layout & Design Specialist



Selling, Servicing, and Renting Equipment Since 1980.



Model: GP050VX

Proposal To:

National Lift Truck Service, Inc. is pleased to offer the following information on a NEW Yale Forklift for your material handling needs, consideration and approval.

Customer:

City of Key West
627 Palm Avenue
Key West, FL -33040
Ph No: 305-923-0870

SHIP TO:

City of Key West
627 Palm Avenue
Key West, FL -33040

Quote To:

Mr. Shane Harmon
Quote No: 89-41624689
Series: D875
Model: GP050VX
Quantity: 1
Date: 13 Mar 2015
Expires: 22 May 2015

**Highlights**

G00102	Yale Veracitor Pneumatic Tire Forklift Model GP050VX: Nominal 5000 lb capacity at 24" load center. Veracitor trucks feature Industrial Grade Critical Components that maximize productive value and economic life of the lift truck. Rugged powertrains and cooling systems are designed specifically for tough lift truck applications. Highly reliable electrical systems provide sophisticated control of truck functionality leading to outstanding efficiency. Robust hydraulic systems and heavy duty masts provide excellent load moving capability. Truck frames provide optimal strength and rigidity, including maximum protection to internal components. Standard Equipment includes: Continuous Stability Enhancement System, Integrated Dashboard Display, Operator Restraint System, Operator Presence System (OPS), Low Fuel Indicator, Infinitely Adjustable Steering Column and Floor mat.
G003DM	POWERTRAIN: Kubota 2.4L EPA Tier 4 Final Certified Turbo Diesel Engine provides excellent power, torque and fuel economy. Durability and reliability endures through a simple, yet robust industrial design. Features two (2) individual performance modes to optimize productivity and fuel economy. Powershift 1-speed Transmission features Electronic Inching improving operating costs by eliminating inching adjustments, and Industrial Grade clutch packs, gears, shafts and drive train components for exceptional durability. Self Energizing Drum brakes provide excellent stopping power with minimal brake pedal effort.
G10525	MAST: 3 Stage Full Free Lift. 200" Max Fork Ht / 90" Lowered / 66" Free Lift / 249" Ext Ht. (5100mm / 2270mm / 1690mm / 6320mm).
G12022	CARRIAGE: 42" (1070mm) Class II Hook Integral Sideshifter
G15904	FORKS: 48" Long Class II Hook Type (1.6"x3.9") Standard Taper, 1220mm Long, (40mm x 100mm).
G1500X	LOAD BACKREST EXTENSION: 48" High x 42" Wide
G1472X	MAST TILT: 6 Degrees Forward / 6 Degrees Back
G2070X	HYDRAULIC CONTROLS: 3 FUNCTION Cowl Mounted Levers
G20801	HYDRAULIC CONTROL: Arranged to support Non-Clamping Attachments
G20901	PRODUCTIVITY - WITHOUT RTS
G14421	HOSE GROUP: 1 Aux Function - Internal Mounted
G0930X	UL APPROVAL: TYPE LP, GAS OR DIESEL
G0301X	RADIATOR: Heavy Duty Anti-clog. Provides enhanced cooling capacity with a clog resistant core design
G0270X	EXHAUST: Counterweight Rear Exhaust
G19201	TREAD WIDTH: Narrow Tread
G1984X	DRIVE TIRES: Drive Tires - Pneumatic-Shaped Solid (PSS) 7.00 x 12
G20120	STEER TIRES: Pneumatic Shaped Solid (PSS) 6.00 x 9
G17711	OVERHEAD GUARD: Tall - 86" High (2185mm)
G23101	STEERING WHEEL: Steering Wheel with Wheel Spinner Knob

Highlights

G02201 ENGINE START: Key switch Start
 G0601X DIRECTIONAL CONTROL: Directional Lever mounted on the left side of the steering column.
 G2040X SEAT: Non Suspension Vinyl, includes Operator Restraint with No-Cinch Seatbelt
 G20501 SEAT ACCESSORY: Black Seat Belt with No-Cinch ELR (Emergency Locking Retractor) mechanism. Seat belt locks only when necessary. Allows seat belt to move with operator and improves operator comfort, especially when driving in reverse.
 G0990X INCHING CONTROL: Single Inch/Brake Pedal
 G05401 AIR INTAKE: High Air Intake
 G28301 AUDIBLE ALARM: Reverse direction activated. Self-adjusting between 82-102 dB(A).
 G2229X LIGHTS: Non-Illuminated Rear Reflector Bar Only
 G0100X MONITORING SYSTEM: System Monitoring provides superb control over truck functionality and systems enabling maximum system efficiency for excellent durability and serviceability.
 G0180X HOOD: Non-Vented Hood
 G23701 LITERATURE: (Decals, Marking and Operator Manual): English
 R00001 YALE SURCHARGE

Investment Proposal Price Information

	<u>Price Each</u>	<u>Extended</u>
Total Selling Price	\$33,676.98	\$33,676.98

Warranty

WARRANTY: 12 Months/2,000 Hours Manufacturer's Warranty 36 Months/6,000 Hours Manufacturer's Powertrain Warranty

PRICE INCLUDES ONE PAIR OF 72" LONG FORK EXTENSIONS

PRICE DELIVERED TO KEY WEST, FLORIDA ON ROLL BACK FLATBED

Grand Total : 33,676.98

Proposal By : Peter Cayon

Accepted By :

Sales Representative _____

Date _____

Customer Representative _____

Date _____

QUOTATION

KELLY TRACTOR



8255 NW 58 ST
MIAMI, FLORIDA 33166

PREPARED FOR

Customer: CITY OF KEY WEST
Address: 627 PALM AVE
KEY WEST, FL 33040
Attn: SHANE HARMON

REFERENCE

Effective From: Thursday, October 29, 2015
Effective To: Saturday, November 28, 2015
Quote #: 221675
Account Manager: Greg Bennett
Direct Phone: (786) 229-7037

E-mail: greg_bennett@kellytractor.com



DP25N5 - 5,000 lb. Capacity Tier 4 Final Compliant Diesel Pneumatic Tire Lift Truck

HIGHLIGHTS

Uncompromising Performance

Engine

- 4EG 3.3L 4-cylinder tier 4 final engine
- EPA Emission Compliant Fuel System
- U.L. Approved Model
- Single Speed Powershift Automatic Transmission
- Transmission Oil Cooler
- Transmission Pressure Ports (Main, Torque Converter &

Clutch)

Transmission Return To Neutral for Start

Designed for Maximum Runtime

Engine Protection System:

- Engine Coolant Temperature Cutback
- Transmission Oil Temperature Cutback
- Engine oil Pressure Cutback
- Brake Fluid Level Monitoring
- Periodic Maintenance Alerts

Isolated (Rubber mounted) Key Components:

- Hydraulic Control Valves
- Transmission
- Engine
- Radiator
- Exhaust System
- Secondary Lift Cylinders on Mast

Hydrostatic Power Steering

Separate Brake and Inching Pedals

Cyclone Air Filter

High Position Air Intake

Aluminum Core Corrugated Fin Radiator

Maintenance Free Battery

Anti Restart Ignition Key Switch

Fully Insulated Steel Engine Hood

500 Hour Service Intervals

Quick and Convenient Daily Service Checks

Standard Warranty (for MCFA sales territories only)

- 1 year / 2,000 hour standard warranty
- 2 year / 4,000 hour powertrain warranty

Separate extended warranty for emissions components (US only)





Parts fast or parts free guarantee (US & Canada only)

Superior Operator Comfort

- Tilt Steering Column With Mechanical Quick Return
- Elongated Grab Bar
- Open Step with Anti Slip Plate
- Electronic Direction Control

Increased Operator Awareness

- High Visibility Mast
- Premium LCD/LED Display
- Travel Direction Indicator
- Combination Parking Brake and Fluid Level Warning
- Transmission Oil Warning
- Engine Oil Pressure Warning
- Seat Belt Reminder
- Diagnostic Warning
- Alternator (Battery Charging Status) Warning
- Fuel Gauge
- Transmission Interlock Indicator
- Mast Interlock Indicator
- Engine Coolant Temperature Gauge
- Combination Hour Meter & On Board Diagnostic Display
- Service Indicator Light
- Speedometer and Clock Display
- Operator Passcode Functionality (Optional Activation)

Added Operator Protection

- Presence Detection System (PDS)
- Transmission Interlock Indicator
- Mast & Auxiliary Hydraulic Lockout
- Parking Brake Warning
- Seat Belt Reminder Warning
- Dual Action Parking Brake Handle

KEY FEATURES & BENEFITS

ENHANCED PERFORMANCE	The Mitsubishi 3.3L 4EG Tier 4 final diesel engines provide reliable performance in even the toughest conditions. They are engineered to produce minimal vibration, noise and emissions. The engine protection system (EPS) also monitors the entire system to ensure maximum production.
OPERATOR COMFORT	The operator compartment is designed with the comfort of the operator in mind. From the standard full suspension seat to the numerous features built in for noise and vibration reduction, the lift truck is made to allow the operator to perform at high levels for the entire shift without unnecessary fatigue or discomfort.
PRESENCE DETECTION SYSTEM	The PDS system standard on all Cat lift trucks ensures that the operator is operating the truck how it is supposed to be. Full transmission and hydraulic function lockout, accompanied by audible alarms, make sure that potential risks in operating the lift trucks are kept to a minimum.
STANDARD FEATURES TO PROTECT YOUR INVESTMENT	The truck comes equipped with premium standard features such as fuel saver mode, ground speed control, LED worklights.
PREMIUM LED/LCD DISPLAY	The standard premium display allows the operator to keep all of the systems of the forklift in check. If there should be an error, the operator is notified through one of the many icons that monitor truck performance. This helps prevent more damage to the truck and allows for quick rectification, preventing excessive downtime.



DP25N5 - 5,000 lb. Capacity Tier 4 Final Compliant Diesel Pneumatic Tire Lift Truck

CONFIGURATION

CHASSIS	1	5,000 lb. Capacity Tier 4 Final Compliant Diesel Pneumatic Tire Lift Truck
RATINGS & STANDARDS	1	UL Approved
MAST	1	188.0" MFH / 84.5" OAL / 36.0" FFH Triplex
FORKS	1	1.6" X 3.9" X 48" Hook Type - Pallet
CARRIAGE	1	39.5" Wide ITA Class II Hook Type Carriage
LOAD BACKREST	1	48" High Load Backrest Extension
HYDRAULIC ACTIVATION	1	3-Section Valve With Cowl Mounted Levers
TILT CYLINDERS	1	6°F/6°B Standard Tilt Cylinders
OVERHEAD GUARD	1	Standard Overhead Guard
SEAT	1	Full -Suspension Vinyl Seat
PRODUCTIVITY OPTIONS	1	Ground Speed Control
SPECIAL APPLICATIONS OPTIONS	1	Fuel Saver Mode
SPECIAL APPLICATIONS OPTIONS	1	Heavy Duty Counterweight Grill
WARNING / LIGHT OPTIONS	1	Electronic Back-up Alarm
WARNING / LIGHT OPTIONS	1	Rear LED Stop/Tail/Back-up Combination Lights
WARNING / LIGHT OPTIONS	1	2 Forward LED Working Lights With Guards Mounted to Overhead Guard
ACCESSORIES	1	Rubber Floor Mat
ACCESSORIES	1	Operator Convenience Tray with Clipboard Holder
LANGUAGE MARKINGS	1	English Language Markings North/South America
SIDESHIFTER	1	39.5" Wide ITA Class II Hang-On Sideshifter
HYDRAULIC HOSE OPTIONS	1	Single Function Internal Hosing - Triplex Mast
DRIVE & STEER TIRES	1	Solid Pneumatic Single Drive & Steer Tires
OPTIONS	1	CASCADE® 72" FORK EXTENSIONS

WARRANTY

DP25N5 Standard Warranty - 12 Months, 2000 Hours Full Coverage; 24 Months, 4000 Hours Powertrain

SPECIFIED EQUIPMENT INVESTMENT

REF.	QTY	DESCRIPTION	UNIT PRICE	EXTENDED PRICE	ACCEPTED
DP25N5	1	CAT 5,000 lb. Capacity Tier 4 Final Compliant Diesel Pneumatic Tire Lift Truck	\$36,300.00	\$36,300.00	
SPECIFIED INVESTMENT TOTAL: 1 UNITS				\$36,300.00	

ACCEPTANCE AS CONTRACT OF SALE

Authorized agent understands and agrees to terms as set forth in "Terms For Acceptance of Proposal and Attachments"

CITY OF KEY WEST

Kelly Tractor Co.

Authorized Agent Signature

Authorized Agent Signature

Date Signed

Date Signed

Printed name

Greg Bennett

Printed name

Title/Position

Governmental Sales

Title/Position

Customer Purchase Order Number

Please consult with your accountant, tax professional, or equivalent to confirm characterization of equipment and tax implications. Other financing options and terms may be available (including financing sales tax). Please consult with your product specialist representative for additional financing options.

