

Quote

Petersen Industries, Inc.
 4000 SR 60 W
 Lake Wales, FL 33859
 Phone: (800) 930-5623
 email: parts-service@petersenind.com



Quote No 20242105
Quote Date 9/19/2024
Page 1

Sourcewell No. #040621-PII

Bill To

KEY WEST, CITY OF
 1300 WHITE STREET
 KEY WEST, FL 33040
 US

Ship to

KEY WEST, CITY OF
 1300 WHITE STREET
 KEY WEST, FL 33040
 US

END USER: Key West, City of (FL)

| Customer No | Slpsn | Payment terms | Loc | PPD/COL | Ship via | Ship Date | Delivery Date: | Unit price | Disc | Extended price |
|--------------------|----------------|----------------|-----|---------|------------|-----------|-------------------------|------------|------|----------------|
| 6269 | Daniel Andrews | Net 30 | LW | | DRIVE AWAY | A.S.A.P. | 90-120 Days After Chass | | | |
| Qty Ordered | UOM | Item No | | | | | | | | |

| | | | | | |
|---------------------|----|--------|-----------|------|-----------|
| 1.00 | EA | LOADER | 66,628.00 | 2.00 | 65,295.44 |
| AS CONFIGURED BELOW | | | | | |

Feature/Kit Components- LOADER

| | | | | |
|------|----|---|------|-----------|
| 1.00 | EA | 0.TL3 | 1.00 | 65,147.00 |
| | | MODEL TL3 BASE LOADER | | |
| 1.00 | EA | 03.11SAI | 1.00 | 0.00 |
| | | HEAVY DUTY SWING MOTOR | | |
| 1.00 | EA | 03.12 STD HT PED | 1.00 | 0.00 |
| | | STANDARD HEIGHT PEDESTAL | | |
| 1.00 | EA | 01.10LVR | 1.00 | 0.00 |
| | | PUSH PULL LEVER CONTROLS (STANDARD OPTION) | | |
| 1.00 | EA | 01.24 | 1.00 | 479.00 |
| | | GRATING HEAT SHIELD (FOR DUAL CONTROLS ONLY) | | |
| 1.00 | EA | 10.16 HDHI | 1.00 | 592.00 |
| | | HDHI OUTRIGGER STROBE | | |
| 1.00 | EA | 07.10SB60 | 1.00 | 0.00 |
| | | STANDARD BUCKET 60" | | |
| 1.00 | EA | 10.04 BUWL | 1.00 | 0.00 |
| | | BOOM-UP WARNING LIGHT/AUDIBLE ALARM | | |
| 1.00 | EA | 12.05 HG | 1.00 | 410.00 |
| | | HOSE GUARDS- HEAD & VALVE BANK | | |
| 1.00 | EA | 12.36 HD | 1.00 | 0.00 |
| | | HD CONTROL BOX THROTTLE ENGINE KILL & HORN | | |
| 1.00 | EA | 12.02 TP | 1.00 | 0.00 |
| | | TANDEM PUMP IN LIEU OF SINGLE 18 GMP | | |
| 1.00 | EA | 11.02 LBPIO | 1.00 | 0.00 |
| | | LOADER SINGLE COLOR PI ORANGE | | |

| | | | | | |
|---------------------|----|---------------|-----------|------|-----------|
| 1.00 | EA | 8.0 DUMP BODY | 41,783.00 | 2.00 | 40,947.34 |
| AS CONFIGURED BELOW | | | | | |

Feature/Kit Components- 8.0 DUMP BODY

| | | | | |
|------|----|---|------|-----------|
| 1.00 | EA | 8.28 1824-HDX | 1.00 | 36,747.00 |
| | | MODEL HDX-1824 HARDOX BODY 1/8" SIDES, 3/16" FLOOR | | |
| 1.00 | EA | 8.36 PISWLCD | 1.00 | 1,353.00 |
| | | PI SELF-WINDING LOAD COVERING DEVICE (ADD-ON) | | |
| 1.00 | EA | 8.72 OPRD | 1.00 | 1,445.00 |
| | | SINGLE PIECE REAR DOOR (REPLACES STND BARN DOORS) | | |

Petersen Industries, Inc.
 4000 SR 60 W
 Lake Wales, FL 33859
 Phone: (800) 930-5623
 email: parts-service@petersenind.com



Quote No 20242105
Quote Date 9/19/2024
Page 2

Sourcewell No. #040621-PII

Bill To

KEY WEST, CITY OF
 1300 WHITE STREET
 KEY WEST, FL 33040
 US

Ship to

KEY WEST, CITY OF
 1300 WHITE STREET
 KEY WEST, FL 33040
 US

END USER: Key West, City of (FL)

| Customer No | Slpsn | Payment terms | | | |
|-------------|----------------|---|------------|----------------|-------------------------|
| 6269 | Daniel Andrews | Net 30 | | | |
| Loc | PPD/COL | Ship via | Ship Date | Delivery Date: | 90-120 Days After Chass |
| LW | | DRIVE AWAY | A.S.A.P. | | |
| Qty Ordered | UOM | Item No | Unit price | Disc | Extended price |
| 1.00 | EA | 8.47 WL-BW WIRE LOOM FOR BODY WIRING | 1.00 | | 0.00 |
| 1.00 | EA | 10.09 LED LED TYPE BODY LIGHTS, 15 EA. | 1.00 | | 0.00 |
| 1.00 | EA | 10.10 LED FLASH AMBER LED FLASHERS IN REAR CORNER POST | 1.00 | | 430.00 |
| 1.00 | EA | 8.77ANSI ANSI Z245 PACKAGE | 1.00 | | 0.00 |
| 1.00 | EA | 8.76 RCMTL REAR CAMERA MOUNTED IN REAR MARKER LIGHT-TV-550 | 1.00 | | 1,808.00 |
| 1.00 | EA | 11.02B BODY COLOR: BLACK | 1.00 | | 0.00 |
| 1.00 | EA | CHASSIS-OTHER CHASSIS, FOR NEW LOADER 2024 Mack MD7-42R Cummins 300HP / 660 LB-FT Torque Allison 2500 RDS 33K GVWR | 96,098.25 | 2.00 | 94,176.29 |

Richard Sarver 305-304-2397

SubTotal **200,419.07**
 Delivery 700.00
 Tax 0.00
 Total Quote **201,119.07**

Signature

Date

THE QUOTE TOTAL MAY NOT REFLECT MISCELLANEOUS CHARGES, FREIGHT OR SALES TAX

3% Surcharge if paid by Credit card

Credit Card Total

207,152.64

CUSTOMER PROPOSAL



PREPARED FOR

PETERSEN INDUSTRIES, INC.
4000 State Road 60 W
LAKE WALES
FL 338598201

DATE

8/2/2022

PREPARED BY

NEXTRAN CORPORATION
2200 W LANDSTREET RD
ORLANDO
FL 328097900

QUOTE INFORMATION

NEXT2022000332C669
MD7 42R
Qty: 6





Thank you for giving us this opportunity to provide a quote.

This proposal contains the complete specification and performance details of the Mack model configured for your application. Every proposed spec from Mack is prepared with lowest total cost of ownership and highest return on investment as the key objectives for our customers.

This reflects Mack's focus on application excellence to deliver uptime and fuel economy, reduced maintenance, driver satisfaction, productivity and high resale value. The enclosed spec and recommendations have been carefully designed to meet all these objectives.

Beyond the technical specifications contained in this proposal, it's important to remember that each Mack truck is backed by Mack Connect, the industry's leading uptime and productivity solution, plus a coast-to-coast network of dealer service locations. I think that after reviewing this proposal you will realize why Mack is "The American Truck You Can Count On."

I look forward to meeting with you and to discuss any questions you might have regarding this proposal.

Yours sincerely

PREPARED FOR

PETERSEN INDUSTRIES, INC.
4000 State Road 60 W
LAKE WALES
FL 338598201

DATE

8/2/2022

PREPARED BY

NEXTRAN CORPORATION
2200 W LANDSTREET RD
ORLANDO
FL 328097900

QUOTE INFORMATION

NEXT2022000332C669
MD7 42R
Qty: 6

RICHARD SGUEGLIA

NEXTRAN CORPORATION

TECHNICAL SPECIFICATION

MD7 42R



| CUSTOMER/VEHICLE INFO | | DESCRIPTION |
|-----------------------|---------------------------------|---|
| S | CHASSIS (BASE MODEL) | MD742 - 42R MEDIUM DUTY, CLASS 7 w/ 6.7L, (MAX 33,000lbs GVWR) |
| S | ASSEMBLY PLANT | FACTORY USA (RV, MACK) |
| | VEHICLE USE & BODY/TRAILER TYPE | DUMP TRUCK |
| | VEHICLE VOCATION | CONSTRUCTION SERVICE |
| S | CUSTOMER FLEET SIZE | DEALER FLEET WITH LESS THAN 25 VEHICLES IN OWN FLEET OF ANY VEHICLE BRAND |
| S | TYPE OF SERVICE | COMMERCIAL |
| S | WARRANTY REGISTRATION LOCATION | USA - WARRANTY REGISTRATION LOCATION |
| | EMISSION WARRANTY CERTIFICATION | EPA (only) Cummins Diesel |
| S | INITIAL REGISTRATION LOCATION | USA REGISTRATION |
| S | LANGUAGE-PUBS/DECAL/SIGNS | ENGLISH |
| S | TERRAIN GRADE | CITY, STARTING GRADES<6% |
| S | LOADING SURFACE | ASPHALT LOADING AND / OR UNLOADING SURFACE |
| S | OPERATING CLASS | OPERATING CLASS 7 |

| ENGINE & TRANSMISSION | | DESCRIPTION |
|-----------------------|--------------------------------|--|
| | ENGINE / MOTOR | ISB6.7-300 DIESEL CUMMINS 300HP @ 2600RPM (GOV) 660 LB-FT, US21 |
| | TRANSMISSION | 2500 RDS 6 SP-ALLISON RUGGED DUTY SERIES GEN 6 (WITH PTO PROVISIONS) |
| S | FUELSENSE CALIBRATION | ALLISON FUELSENSE, NEUTRAL AT STOP |
| S | TRANSM AUTO NEUTRAL ON P-BRAKE | AUTO NEUTRAL SINGLE INPUT WITH SHIFT SELECTOR OVERRIDE |

| ENGINE & TRANSMISSION EQUIPMENT | | DESCRIPTION |
|---------------------------------|---------------------------|--|
| | ENGINE BRAKE TYPE | ENGINE BRAKE |
| | CRUISE CONTROL | CRUISE CONTROL |
| S | ALTERNATOR | DELCO 12V 160A (28SI) BRUSH-TYPE |
| | BATTERY DISCONNECT SWITCH | BATTERY DISCONNECT SWITCH |
| S | STARTER MOTOR | 12 VOLT MELCO STARTER (MITSUBISHI ELECTRIC) |
| | ENGINE BLOCK HEATER | 120 VOLT / 0.75 KW, ENGINE BLOCK HEATER |
| | POWER TAKE OFF CONTROL | POWER TAKE OFF TRANSMISSION CONTROL, PREP KIT F/SINGLE PTO |

| AXLE & SUSPENSION | | DESCRIPTION |
|-------------------|---|---|
| S | FRONT AXLE | 12,000LB MERITOR MFS+ 5400 KG |
| S | SPRINGS - FRONT | MACK TAPERLEAF 12300# (5500 KG) GROUND LOAD RATING |
| S | FRONT AXLE BRAKES | MERITOR "S" CAM TYPE 16.5" x 5" Q+ |
| S | REAR AXLE - SINGLE | 21000# (9525 kg) MERITOR MS-21-13X, (W/O DIFF LOCK) CASING 11.0mm |
| S | REAR SUSPENSION - SINGLE | 21000# (9525kg) MULTILEAF |
| | SUSPENSION LEVELLING DEVICE (CA in PC29 only) | WITHOUT SUSPENSION LEVELLING DEVICE |
| S | BRAKES - REAR | MERITOR "S" CAM 16.5"x7" Q+ |
| | REAR AXLE RATIO | RATIO 5.83, REAR AXLE |

| CHASSIS EQUIPMENT | | DESCRIPTION |
|-------------------|-------------------------------|--|
| S | IDLE EMISSION CERTIFICATION | IDLE EMISSION CERTIFICATION, CARB 08 |
| | DPF DIESEL PARTICULATE FILTER | CUMMINS SINGLE MODULE E.A.T.S. RH SIDE UNDER CAB US17 (7L over 271HP only!!) |
| S | EXHAUST | UNDERFRAME RIGHT SIDE INBOARD MOUNTED (Diesel engines only) |

TECHNICAL SPECIFICATION *(cont.)*



FRAME EQUIPMENT & FUEL TANKS DESCRIPTION

| | | |
|---|---------------------|--|
| | WHEELBASE | 251" Wheelbase (188" CA) 90" After-frame |
| S | FRAME RAILS | STEEL - 260MM X 70MM X 8MM -- (10.24" X 2.75" X 0.31"); RBM 1,580,000 LB-IN |
| S | PRIMARY FUEL FILTER | FUEL FILTER & WATER SEPARATOR (Diesel engines only) |
| S | FUEL TANK - LH | 50 GALLON (190 L) 22" ALUMINUM ROUND |

CAB INTERIOR DESCRIPTION

| | | |
|---|--------------------------------|--|
| S | GAUGES - UNIT OF MEASURE | U.S. UNITS (PREDOMINANT) |
| | BACK-UP ALARM | BACK-UP ALARM |
| S | AIR RESTRICTION INDICATOR | MECHANICAL, GRADUATED, ON FILTER |
| S | DAYTIME RUNNING LIGHTS | DRL WHEN ENGINE RUNNING & PARK BRAKE OFF |
| S | FIRE EXTINGUISHER | HAND FIRE EXTINGUISHER 1.1 KG (2.5LB) ENGLISH DECAL, ABC |
| S | AUDIO SYSTEM | RADIO, AM/FM, MP3, WEATHER BAND |
| S | AUDIO INTEGRAT. PHONE HANDSFRE | AUDIO INTEGRATED HANDSFREE PHONE, BLUETOOTH |
| S | AUDIO COMMUNICATION CONNECTOR | AUDIO COMMUNICATION CONNECTOR, USB AUDIO |
| S | COMMUNICATION EQUIPMENT | FACTORY INSTALLED GEOTAB FLEET MANAGEMENT SYSTEM |
| S | DRIVER SEAT | MACK DRIVERS SEAT, AIR SUSPENDED |
| S | DRIVERS SEAT UPHOLSTERY | DRIVERS SEAT UPHOLSTERY, VINYL |
| | PASSENGER SEAT | FIXED BENCH SEAT SUPPORT, INTEGRATED STORAGE BOX |
| S | PASSENGERS SEAT UPHOLSTRY | PASSENGERS SEAT UPHOLSTERY, VINYL |
| S | SEAT BELT(S) | ALL SEAT BELTS, BLACK |

CAB EXTERIOR DESCRIPTION

| | | |
|---|------------------------------|--|
| S | HOOD RADIATOR GRILLE, FINISH | HOOD RADIATOR GRILLE FINISH, MATTE BLACK |
| S | FRONT BUMPER FINISH | FRONT BUMPER FINISH PAINTED GLOSS BLACK |
| S | MIRRORS - EXTERIOR | STANDARD MANUAL MIRROR BOTH SIDES, BLACK (Anthem mirror) |

WHEELS & TIRES DESCRIPTION

| | | |
|--|----------------------------------|--|
| | TIRES BRAND/TYPE - FRONT | 11R22.5 H BRIDGESTONE R268 ECOPIA (13220 lbs) (Total for QTY = 2) |
| | WHEELS - FRONT | 22.5x8.25 ACCURIDE, POWDER COATED WHITE STEEL DISC (Total for QTY = 2) |
| | FRONT AXLE TIRE & WHEEL QUANTITY | TWO FRONT TIRES & WHEELS |
| | TIRES BRAND/TYPE - REAR | 11R22.5 G BRIDGESTONE M760 ECOPIA (23360 lbs) (DRIVE ONLY) (Total for QTY = 4) |
| | WHEELS - REAR | 22.5x8.25 ACCURIDE, POWDER COATED WHITE STEEL DISC (Total for QTY = 4) |
| | REAR AXLE TIRE & WHEEL QUANTITY | FOUR REAR AXLE TIRES & WHEELS |

PAINT DESCRIPTION

| | | |
|---|---------------------------|----------------------|
| S | PAINT COLOR - FIRST COLOR | GLACIER WHITE; P3029 |
|---|---------------------------|----------------------|

BASE WARRANTY & PURCHASED COVERAGES DESCRIPTION

| | | |
|---|------------------------|--|
| S | ENGINE TOWING WARRANTY | CUMMINS ENGINES (Contact Cummins for Standard Warranty and Extended Coverage Details) |
| S | MACK ONECALL BUNDLE | 12 MONTH - ASIST AND MACK ONECALL |
| S | VEHICLE WARRANTY TYPE | NORMAL DUTY WARRANTY CLASSIFICATION |
| S | BASIC CHASSIS COVERAGE | CHASSIS PLAN 24 MO/UNLIMITED MI NORMAL DUTY PROTECTION PLAN |
| S | ENGINE WARRANTY | CUMMINS ENGINES B6.7 (Contact Cummins for Standard Warranty and Extended Coverage Details) |

TECHNICAL SPECIFICATION *(cont.)*




| BASE WARRANTY & PURCHASED COVERAGES | | DESCRIPTION |
|-------------------------------------|-----------------------------|---|
| S | EMISSION COMPONENT COVERAGE | CUMMINS ENGINES (Contact Cummins for Standard Warranty and Extended Coverage Details) |
| S | TRANSMISSION WARRANTY | ALLISON TRANSMISSIONS (Contact Allison Transmission for standard warranty and extended coverage data) |
| S | AIR CONDITIONING WARRANTY | AIR CONDITIONING STANDARD COVERAGE (Sealed System Only) 24 MONTHS UNLIMITED MILEAGE |
| S | CHASSIS TOWING WARRANTY | STANDARD CHASSIS TOWING 90 DAYS OR 5,000 MILES |
| S | PARTNERED SERVICES | GEOTAB FOR MACK TRUCKS - 12 MONTH |




VEHICLE SPECIFICATION/CALCULATED PERFORMANCE SUMMARY

| Description | Sales Code | Dwg Ref | Length | UOM |
|--------------------------------|------------|---------|--------|--------|
| Front Frame Extension | N/A | FE | 0.0 | INCHES |
| Bumper to Front Axle | N/A | BA | 40.0 | INCHES |
| Wheelbase | N/A | WB | 251.0 | INCHES |
| Rear Overhang | N/A | OH | 90.0 | INCHES |
| Overall Length | N/A | OL | 380.9 | INCHES |
| Bumper to Back of Cab | N/A | BBC | 103.0 | INCHES |
| Eff. Bumper to Back of Cab | N/A | EBBC | 103.0 | INCHES |
| Eff. Cab to Rear Axle | N/A | ECA | 188.0 | INCHES |
| Eff. Front Axle to Back of Cab | N/A | EAC | 63.0 | INCHES |
| Eff. Cab to End of Frame | N/A | ECEF | 277.9 | INCHES |
| Unladen 5th Wheel Height | 001AA3 | 5W | 0.0 | INCHES |
| Unladen Frame Height | N/A | FH | 40.9 | INCHES |
| Cab Height | N/A | CH | 69.1 | INCHES |
| Overall Height | N/A | OVH | 110.0 | INCHES |
| Driver CG | N/A | DCG | 59.1 | INCHES |
| Second Front Axle Spacing | 001AA3 | SFAS | 0.0 | INCHES |



VEHICLE SPECIFICATION/CALCULATED PERFORMANCE SUMMARY

| Description | Sales Code | Dwg Ref | Left Value(in) | Right Value(in) |
|--|-----------------|---------|----------------|-----------------|
| Wheelbase | N/A | WB | 251.0 | 251.0 |
| Available Rail Space Right | N/A | ARSR | N/A | 168.9 |
| Available Rail Space Left | N/A | ARSL | 158.8 | N/A |
| Eff. Front Axle to Back of Cab | N/A | REF | 63.0 | 63.0 |
| Front Axle To Fender | 001AA3 | N/A | 30.0 | 30.0 |
| Battery Box | 001AA3 | N/A | 0.0 | 25.0 |
| 50 GALLON (190 L) 22" ALUMINUM ROUND / TRUCK | 288AC2 / 001AA3 | N/A | 41.0 | 0.0 |
| Ad-Blue Tank | 001AA3 | N/A | 0.0 | 6.0 |
| Drive Tire Radius | 901090 | N/A | 21.1 | 21.1 |



Top View image is intended for illustration purposes only and is not presented to scale. Wheelbase, Axle Spacing and After frame are not shown as specified, but are a representation. Customer Adaptation (CA) options and relocated components are not represented in these images. Most CA options impact the variation of the image, thus an image may not populate. Calculations are approximate to a tolerance of ± 4 inches due to component mounting variation. Certain chassis component options are NOT represented in the Top View image, such as, but not exclusive to, Front Frame Extensions, Fuel Water Separators, Air Dryers, PTOs, Fifth Wheels, Chassis Fairings, Toolboxes, Trailer Connections. For further information on these items and their respective locations on your specification, please refer to the data sheets associated with those items in the configurator.



Mack Trucks
www.macktrucks.com