

TREE COMMISSION TREE REMOVAL REPORT
CITY of KEY WEST

PROPERTY: 2012 Roosevelt Dr.

APPLICATION NUMBER: T2025-0201

REQUEST: Property owner is seeking Tree Commission approval to remove (1) Gumbo Limbo Tree in ROW

APPLICATION SUMMARY: An application was submitted to request Tree Commission approval to remove (1) Gumbo Limbo Tree

TREE ASSESSMENT and PHOTOS



Small canopy for a tree of this height and caliper



Branch shows signs of stress.



Trunk is girdled from shade cloth strap.



Old scar from a branch that snapped off or was improperly removed?



Tree leans and the elevated canopy is growing in the same direction as the lean. Not a good combination.

Diameter: 10"

]Condition: 60% (the tree is in fair health)

Location: 80% (growing in ROW)

Species: 100% (on City of KW protected tree list)

Tree Value: 80%

Required Mitigation: 8 caliper inches

RECOMMENDATION/NOTES: The tree has been girdled by a shade cloth strap. The canopy is also unbalanced making it vulnerable to wind placing undue tension on the main leaders. It is a hazard tree that poses a moderate risk to persons and or property.

PREPARED BY:

Zach Bentley
Asst. Urban Forestry Manager
City of Key West
305-809-3957