

Historic Architectural Review Commission

Staff Report Item 7

Meeting Date:	April 24, 2014
Applicant:	City of Key West/Bender and Associates, Architects
Application Number:	H13-01-984
Address:	#1300 White Street
Description of Work:	Major Development Plan- Renovation of historic two story school complex into the new City Hall, with all associated landscape and site work.
Building Facts:	<p>Glynn Archer School has been listed as a contributing resource since 1977. The architectural style of the buildings is neoclassical. The complex was built in stages. The cornerstone for building “A” or front building and the auditorium was laid on May 30, 1923 and construction was finished in September of that same year. Building “B”, which is located behind the auditorium and is a replica of building “A”, was built in 1927. The Gymnasium was also built in 1927 and its main façade was facing Whalton Street. In 1961 a one story addition was built on the back of building “B” and facing United Street. The new building obscured the west façade of building “B”.</p> <p>On August 1, 2013 Monroe School Board signed documents transferring the complex to the City of Key West, with the exception of the Gymnasium and Boys and Girls Club buildings. The school will be rehabilitated and re adapted as the City Hall.</p> <p>On August 2013 the Commission approved the demolition of the one story back addition structure as well as the removal of pavements. The Planning Board approved the proposed Major Development Plan, conditional use and necessary variances on March 20, 2014.</p>

Guidelines Cited in Review:

Secretary of the Interior's Standards (pages 16-23), specifically Standards 1, 2, 5, 6, 9 and 10.

Solar Collectors (page 28).

Windows (pages 29-30), specifically guideline 3.

Additions, alterations and new construction (pages 36-38a), specifically guidelines 1 through 8 of page 37 and guidelines 1 through 7 of pages 38-38a.

Staff Analysis

The Certificate of Appropriateness proposes the rehabilitation and re adapted use of the old Key West High School into the City Hall. The plans include a new two story structure located on the south side of the complex and the addition of a second floor over the existing corridor also on the Seminary Street elevation. In order to comply with ADA ramps are proposed on the main façade as well as on the back façade, facing the parking area. A new feature to the site will be the construction of three solar arrays that will serve as cover structures to several parking spaces, facing United Street.

The new proposed two story addition on Seminary Street will be used as a service building, where the chiller units will be located as well as storage and electrical room. The exterior facades of the building are simple in line with four columns; two historic medallions found in the interior will be replicated and installed in the mid-section on each column. This structure will be lower in height than the existing main buildings and will have a stucco finish.

Also on the Seminary Street elevation an existing one story corridor will be altered with a second story, creating a corridor that will connect building "A" and building "B" on their second floor. The corridor will have glass panels facing the street and will maintain the same rhythm of the first floor corridor's columns.

The proposed solar arrays are designed as solar canopies. The proposal, contemporary in design, will optimize solar efficiency while protecting the cars that are parked under them. The solar canopies will reach a maximum height of 18'-6" and will be made of metal structural components with photovoltaic panels.

The plans also include the replacement of existing non-historic awning windows with new steel windows that will be of similar design as the historic windows the building once had. The new windows will be operable.

For the site a parking area is proposed on the back of the lot with extensive vegetation. Towards the corner of United and Grinnell Streets a butterfly garden pocket park is proposed.

Consistency with Guidelines

1. The proposed new addition of the service structure as well as the second floor addition over the corridor, both facing Seminary Street will have a compatible mass, proportions and scale to the existing buildings.
2. The proposed additions will be built on a secondary elevation.
3. The new additions on Seminary Street will not destroy historic materials that characterize the buildings.
4. The proposed improvements to the site will be in keeping with the historic fabric and its surrounding urban context.
5. The proposed new solar arrays, although visible from United Street, will be significantly distant from any historic building. Although the frame structure is contemporary in design it will be perceived as a weightless element and it will be lower in height than the surrounding structures.
6. The proposed solar canopies will have the optimum angle required to collect the necessary solar energy to power all of the parking lot lighting.
7. The proposed new steel windows will practically replicate the historic ones in design, materials and construction. These new windows will bring the buildings to their appropriate character and integrity.
8. The new additions will not mimic any features found in the exterior of the existing historic buildings; by the opposite the additions are design on a contemporary style with simple architectural elements that will blend with the historic fabric through rhythm, construction materials and textures.

The overall design promotes the rehabilitation of the historic buildings to their original design with minimum additions and alterations that will not obscure or overshadow any character defining element that makes the buildings contributing and so unique. The re adaptive use design incorporates contemporary elements that will not compromise the exterior historic fabric of the buildings nor the surrounding historic urban context. It is staff opinion that the proposed design is consistent with many of the historic architectural guidelines and the Secretary of the Interior's Standards and Guidelines for Rehabilitation. The proposed design will not have an effect on the historic buildings or the surrounding historic urban context. Moreover the design creates a fine balance between historic and contemporary; between sustainability and the reuse of a historic building. It is the desire of the city and the design team to obtain Gold LEED Certification for the design.

Application



**CITY OF KEY WEST
BUILDING DEPARTMENT
CERTIFICATE OF APPROPRIATENESS**

07-31-2014 010580

APPLICATION # _____

OWNER'S NAME: **City of Key West / Mike Vieux** DATE: **26 March 2014**

OWNER'S ADDRESS: **3132 Flagler Ave.** PHONE #: **809-3964**

APPLICANT'S NAME: **Bender & Associates Architects** PHONE #: **296-1347**

APPLICANT'S ADDRESS: **410 Angela Street**

ADDRESS OF CONSTRUCTION: **1300 White Street** # OF UNITS: **1**

THERE WILL BE A FINAL INSPECTION REQUIRED UNDER THIS PERMIT

DETAILED DESCRIPTION OF WORK:
Renovation of historic two story school complex into new City Hall, with all associated landscape and sitework.

Chapter 837.06 F.S.-False Official Statements - Whoever knowingly makes a false statement in writing with the intent to mislead a public servant in the performance of his or her official duty shall be guilty of a misdemeanor of the second degree punishable as provided in s. 775.082 or 775.083

This application for Certificate of Appropriateness must precede applications for building permits, right of way permits, variances, and development review approvals. Applications must meet or exceed the requirements outlined by the Secretary of the Interior's Standards for Rehabilitation and Key West's Historic Architectural Guidelines.

Once completed, the application shall be reviewed by staff for completeness and either approved or scheduled for presentation to the Historic Architectural Review Commission at the next available meeting. The applicant must be present at this meeting. The filing of this application does not ensure approval as submitted.

Applications that do not possess the required Submittals will be considered incomplete and will not be reviewed for approval.

Date: 26 March 2014

Applicant's Signature:  9.5.14.

Required Submittals

<input checked="" type="checkbox"/>	TWO SETS OF SCALED DRAWINGS OF FLOOR PLAN, SITE PLAN AND EXTERIOR ELEVATIONS (for new buildings and additions)
<input type="checkbox"/>	TREE REMOVAL PERMIT (if applicable)
<input checked="" type="checkbox"/>	PHOTOGRAPHS OF EXISTING BUILDING (repairs, rehabs, or expansions)
<input checked="" type="checkbox"/>	PHOTOGRAPHS OF ADJACENT BUILDINGS (new buildings and additions)
<input type="checkbox"/>	ILLUSTRATIONS OF MANUFACTURED PRODUCTS TO BE USED SUCH AS SHUTTERS, DOORS, WINDOWS, PAINT COLOR CHIPS, AND AWNING FABRIC SAMPLES

Staff Use Only

Date: _____

Staff Approval: _____

Fee Due: \$ _____

HISTORIC ARCHITECTURAL REVIEW APPLICATION

HISTORIC ARCHITECTURAL REVIEW COMMISSION USE ONLY

Approved _____

Denied _____

Deferred _____

Reason for Deferral or Denial:

HARC Comments:

*Buildings are listed as contributing. Neoclassical architecture
built between 1923 to 1927.*

Secretary of the Interior's standards

Solar collectors guidelines

Windows Guidelines

addition/alterations/new construction guidelines.

Limit of Work Approved, Conditions of Approval and/or Suggested
Changes:


Date: _____

Signature: _____


Historic Architectural
Review Commission

Sanborn Maps


KEY WEST CITY HALL - SANBORN MAPS



The 1926 Sanborn Map. Building A along White Street and the Auditorium have been constructed. The map depicts a vocational school at the SW corner of the property which was never built.




The 1948 Sanborn Map, Part A. Buildings A and B are visible, as well as the Auditorium. The covered walkways have been constructed along the north and south sides of the Auditorium. The building is listed as Key West High School.




The 1948 Sanborn Map, part B, showing the rear portion of the site. Walton Street still extends through the site, and the Key West High School Gymnasium can be seen in blue. The area to the north of the Gym (which is now the school playground) is still privately owned, with frame houses on the lots.


CITY HALL AT GLYNN ARCHER – HARC SUBMITTAL - SANBORN MAPS



The 1962 Sanborn Map. The building can be seen at upper left. Building C can be seen for the first time. The description on Building C reads "noncombustible built 1951-59 concrete frame and floor, concrete roof on steel joists & curtain walls. M.L. P ceiling."



An enlarged version of the 1962 Sanborn map.



The 1962 Sanborn map, part B, showing the Gymnasium Building at upper right. The caption on the building reads 'Key West High School Gym C.B. (concrete block) steel truss roof pilastered to walls built 1927.'

Project Photos

HISTORIC PHOTOS



The front façade of Building A is shown in a 1924 photo, taken from the corner of White and Seminary. Construction had been completed that year. The historic fire escape stairs can be seen at the sides of the building.



The front and side façades of Building A, as seen in 1928. This photo was taken from the corner of White Street and United. The newly constructed Building B can be seen in the background. The two buildings are joined by a covered walkway visible in the photo.



Another photo of the front (White Street) façade taken shortly after construction (mid 1920's). The historic metal windows can be seen clearly. The windows were steel framed, and were divided into thirds. The top and bottom panels of the windows were operable, and the center panel was fixed. Two historic windows still exist, located at the rear of the Auditorium.



A page from the 1928 Monroe County High School yearbook, with a description of the building's construction.

Page 8




Nineteen



The first Key West High School was founded in 1900 on Simonton Street, near Fleming, in a wooden building, and was known as the Sears School. Amidst favorable surroundings, the students worked until 1908, when it was moved to the present Harris Grammar School. This was a great improvement, but it was soon evident that a larger and more modern school was needed.


During 1914 the demand for a larger school was felt, and resulted in the present Johnson Street Grammar School. In 1921 the citizens of Monroe County felt the need for a larger and more modern building, and therefore voted to erect the present building that is now occupied by the Junior High School.



Another page from the 1928 Monroe County High School yearbook, with a further description of the building's construction.

Amid great activities, the cornerstone was laid on May 30, 1925, and it was ready for the students to enter in September. The building, beautiful in every respect, and the pride of the county, was large enough for the time being, but soon the citizens decided that Monroe County must not only be up with other counties, but must be a leader in education, offering her sons and daughters all the can in this line.

This could be done only by another building, and at the beginning of the present year the Annex was completed and occupied by the Senior High School. In addition to all Senior High Classes being conducted in the Annex, it has a laboratory, manual training shop, cooking and sewing rooms, laboratory, and a lecture room.



A third page from the 1928 Monroe County High School yearbook, with a description of the construction of the Gymnasium.

Key West High School had already made a name for itself among the eight schools of the State on account of its athletic teams, but the students were greatly handicapped because of lack of a gymnasium. This was soon remedied, and in a few months, after the completion of the Annex, the gymnasium was ready to be used.


It is equipped for basketball, indoor football, and all indoor sport activities, and has all the latest apparatus of the kind. Shower baths, hot and cold, are provided in both boys' and girls' dressing rooms, including locker space for every student in the school.

In brief, Key West High School is about all a school should be, and the members of the Class of '28 feel a pang of regret to their hearts these buildings which they have spent some of the precious moneys of their lives.

CITY HALL AT GLYNN ARCHER – HARC SUBMITTAL - HISTORIC PHOTOS



The 1930 graduating class of Key West High School. The photo was taken at the main entrance to the school on White Street.



The 1934 Key West High Debating Society. This photo was taken outside the front of the school.

CITY HALL AT GLYNN ARCHER – HARC SUBMITTAL - HISTORIC PHOTOS



A school club photo taken at the side entrance of the building in 1939. The configuration of the side doors can be seen in the background.



The Key West High School 9th grade class of 1941-42. This photo was taken on the front lawn of the school. The school's main entrance porch can be seen in the background. At far right, the cornerstone of the building can be seen.

CITY HALL AT GLYNN ARCHER – HARC SUBMITTAL - HISTORIC PHOTOS



A photo of the students relaxing on the front lawn of the school in 1942.



A photo of the Key West High graduating class of 1943. Photo is taken at the front entrance to the building.

CITY HALL AT GLYNN ARCHER – HARC SUBMITTAL - HISTORIC PHOTOS



The next series of 5 remarkable photos was taken on Wednesday, October 29, 1947, on the front lawn of the High School. The photos depict cheerleaders rehearsing, but the building can be seen quite clearly in the background. The building was used as a background in many of the photos of graduating classes and clubs. This formal front lawn has always been a major civic space in the City of Key West.



Cheerleaders posing on the front lawn of the High School.
Wednesday, October 29, 1947.

CITY HALL AT GLYNN ARCHER – HARC SUBMITTAL - HISTORIC PHOTOS



Cheerleader posing on the front lawn of the High School. Wednesday, October 29, 1947.



Cheerleader posing on the front lawn of the High School. Wednesday, October 29, 1947.

CITY HALL AT GLYNN ARCHER – HARC SUBMITTAL - HISTORIC PHOTOS



Cheerleader posing on the front lawn of the High School. Wednesday, October 29, 1947.




This photo of Building A was taken about 1970, when the Building was called Memorial Elementary School. (A 1966 Cadillac sits out front)

The original windows have been removed and replaced with the aluminum awning windows seen today. The front doors of the building are still original.

CITY HALL AT GLYNN ARCHER – HARC SUBMITTAL - HISTORIC PHOTOS



This photo of the United Street façade of Building B was taken in 1970. The auditorium can be seen at left. The shed in the foreground at left has been removed.



A photo of the NE corner of Building C, taken in 1970. Historic building B can be seen in the background. This building was removed in 2014.

CITY HALL AT GLYNN ARCHER – HARC SUBMITTAL - HISTORIC PHOTOS



A photo of the SW corner of Building C, taken in 1970. The photo was taken from the corner of Walton and Seminary streets. The building looks much the same today. This building was removed in 2014.



A photo of the Gymnasium taken in 1970.

CITY HALL AT GLYNN ARCHER – HARC SUBMITTAL - HISTORIC PHOTOS



This aerial photo was taken in 2000. The photo is looking east down United Street. The roofs of Buildings A and B and the Auditorium can be seen at the bottom of the photo. At the time, a Navy trailer park existed across White Street from Glynn Archer School. The National Weather Service Weather station now occupies this property.

EXISTING CONDITIONS PHOTOS – GLYNN ARCHER BUILDINGS



Building C, rear (west) elevation. Building C was removed in Spring 2014.



Building 'C', north elevation. Historic building 'B' can be seen in the background. Building 'C' was removed in Spring 2014.

CITY HALL AT GLYNN ARCHER – HARC SUBMITTAL - EXISTING CONDITIONS PHOTOS



Building 'C', south elevation along Seminary Street. This building was removed in Spring 2014.



The rear of the property, looking west towards Grinnell Street. The rear consists of a playground and a parking lot, both of which were removed in Spring 2014.

CITY HALL AT GLYNN ARCHER – HARC SUBMITTAL - EXISTING CONDITIONS PHOTOS



Building A, north elevation. Photo taken from across United Street.



Building 'B', north Elevation.

CITY HALL AT GLYNN ARCHER – HARC SUBMITTAL - EXISTING CONDITIONS PHOTOS



North elevation of Buildings B and C. Building C was removed in Spring 2014.



Building A, front façade at White Street.

CITY HALL AT GLYNN ARCHER – HARC SUBMITTAL - EXISTING CONDITIONS PHOTOS



Building A, west façade.



Building C, east façade, showing loading area along Seminary Street. Both Building C and the covered walkway are being removed in Spring 2014. Building B, at left, shall remain.

CITY HALL AT GLYNN ARCHER – HARC SUBMITTAL - EXISTING CONDITIONS PHOTOS



Shed and a/c overhang between Buildings A and B. Both are to be removed in Spring 2014.

EXISTING CONDITIONS PHOTOS – ADJACENT BUILDINGS



The corner of United and White Streets.



White Street, with the National Weather Service Weather Station across the street from Glynn Archer.

CITY HALL AT GLYNN ARCHER – HARC SUBMITTAL - EXISTING CONDITIONS PHOTOS



The intersection of White and United Streets, looking west. Glynn Archer is at left corner.



United Street, looking east. The Glynn Archer property is at right.

CITY HALL AT GLYNN ARCHER – HARC SUBMITTAL - EXISTING CONDITIONS PHOTOS



United Street, looking east. The Glynn Archer property is at right.



United Street, looking east. Picture is taken near the corner of White Street.

CITY HALL AT GLYNN ARCHER – HARC SUBMITTAL - EXISTING CONDITIONS PHOTOS



Seminary Street, near White Street.



The corner of White and Seminary Streets. Glynn Archer is at right.

CITY HALL AT GLYNN ARCHER – HARC SUBMITTAL - EXISTING CONDITIONS PHOTOS



Seminary Street, looking west. Photo is taken near the corner of Seminary and White.




Seminary Street, looking east. The Glynn Archer property is across the street.

CITY HALL AT GLYNN ARCHER – HARC SUBMITTAL - EXISTING CONDITIONS PHOTOS



Seminary Street, looking west. Building A is at right, Building B is at left.

Survey




LOCATION MAP

Blocks 1 & 2, "Tract 18, G.W. NICHOLS SUB." (P.B. 1, pg. 47)
 Block 8, "WEBB REALTY (P.B. 1, pg. 42)

LEGAL DESCRIPTION:
 On the Island of Key West, Monroe County, Florida and being a part of Tract 18, according to William A. Whitehead's map delineated in February, 1829, but better known as Lots 1, 2, 3, 4, 9, 10, 13, 14, 17, 18, 21, 22, 25, 26, 29, 30, 31, & 32, Square 1 and Lots 1, 2, 3, 4, 9, 10, & 13, Square 2, Tract 18, "GEORGE W. NICHOLS SUBDIVISION", according to the plat thereof, as recorded in Plat Book 1, at page 42 of the Public Records of Monroe County, Florida.
 AND
 On the Island of Key West, Monroe County, Florida and being a part of Tract 18, according to William A. Whitehead's map delineated in February, 1829, but better known as Lots 1, 2, 3, & 4, Square 8, "DIAGRAM OF THE WEBB REALTY COMPANY, of part of Tract 18", according to the plat thereof, as recorded in Plat Book 1, at page 42 of the Public Records of Monroe County, Florida.
 AND
 Whalton Street, being 50 feet wide lying between United and Seminary Streets.

LESS OUT (Gym and Arts Bldg.):
 On the Island of Key West, Monroe County, Florida and being a part of Tract 18, according to William A. Whitehead's map delineated in February, 1829, but better known as Lots 3, 4, & 10, Square 2, Tract 18, "GEORGE W. NICHOLS SUBDIVISION", according to the plat thereof, as recorded in Plat Book 1, at page 42 of the Public Records of Monroe County, Florida, and being more particularly described as follows:
 Commence at the intersection of the Northeastery Right-of-Way Line of Grinnell Street and the Northwestery Right-of-Way line of Seminary Street; thence in a Northeastery direction along the said Northwestery Right-of-Way Line of Seminary Street for a distance of 240.32 feet to the Point of Beginning; thence at a right angle and in a Northwestery direction for a distance of 83.57 feet; thence at a right angle and in a Northeastery direction for a distance of 108.76 feet; thence at a right angle and in a Northwestery direction for a distance of 9.90 feet; thence at a right angle and in a Northeastery direction for a distance of 26.72 feet; thence at a right angle and in a Southeastery direction for a distance of 93.47 feet to the said Northwestery Right-of-Way Line of Seminary Street; thence at a right angle and in a Southwestery direction along the said Northwestery Right-of-Way Line of Seminary Street for a distance of 135.48 feet to the Point of Beginning.
 Containing 11,586.59 square feet, more or less.



CERTIFICATION made to:
 Larry R. Erskine, P.A.
 Old Republic National Title Insurance Company
 City of Key West

SURVEYOR'S NOTES:
 North arrow based on assumed median
 +3.4 denotes existing elevation
 Elevations based on N.G.V.D. 1929 Datum
 Bench Mark No.: Basic Elevation: 14.324

Monumentation:
 ⊙ = set 1/2" Iron Pipe, P.L.S. No. 2749
 ▲ = Set P.K. Nail, P.L.S. No. 2749

Abbreviations:
 Sly. = Story
 R/W = Right-of-Way
 fd. = Found
 p. = Plat
 m. = Measured
 d. = Deed
 O.R. = Official Records
 N.T.S. = Not to Scale
 C. = Centerline
 Elev. = Elevation
 B.M. = Bench Mark

o/h = Overhead
 u/g = Underground
 F.F.L. = Finish Floor Elevation
 L.B. = Low Beam
 Rad. = Radial
 Irr. = Irregular
 conc. = concrete
 I.P. = Iron Pipe
 I.B. = Iron Bar
 B. = Baseline
 C.B. = Concrete Block
 C.B.S. = Concrete Block Stucco
 cov'd. = Covered
 P.I. = Point of Intersection
 wd. = Wood
 ⚡ = Hydt.

+ = Fire Hydrant
 * = Light
 ⊙ = sign
 w.m. = Water Meter
 Bal. = Balcony
 W.U.P. = Wood Utility Pole
 Hydt. = Fire Hydrant
 F.W. = Fire Well
 A/C = Air Conditioner

P.O.C. = Point of Commence
 P.O.B. = Point of Beginning
 P.B. = Plat Book
 pg. = page
 Elec. = Electric
 Tel. = Telephone
 Ench. = Encroachment
 O.L. = On Line
 C.L.F. = Chain Link Fence

Field Work performed on: 5/31/13

CERTIFICATION:
 I HEREBY CERTIFY that the attached BOUNDARY SURVEY is true and correct to the best of my knowledge and belief; that it meets the minimum technical standards adopted by the Florida Board of Land Surveyors, Chapter 5J-17, Florida Statute Section 472.027, and the American Land Title Association, and that there are no visible encroachments unless shown hereon.

FREDERICK H. HINDSBRANDT
 Professional Land Surveyor No. 2749
 Professional Engineer No. 36810
 State of Florida

NOT VALID UNLESS EMBOSSED WITH RAISED SEAL & SIGNATURE

Glynn Archer School White Street, Key West, FL 33040			
BOUNDARY SURVEY		Dwn No.: 13-213	
Scale: 1"=30'	Def. 136-23	Flood Risk No.	Dwn. By: F.H.H.
Date: 6/8/98	136-55	Flood Zone: X	Flood Elev. --
REVISIONS AND/OR ADDITIONS			
5/31/13: Updated trees, grades, conc.			
7/12/13: add. grades, bldg height, White st. curbs, less out			
7/31/13: correct legal, cert.			
7/31/13: add. grades, bldg height, White st. curbs, less out			

ISLAND SURVEYING INC.
 ENGINEERS PLANNERS SURVEYORS

3152 Northside Drive
 Suite 201
 Key West, FL 33040

(305) 293-0466
 Fax: (305) 293-0237
 fhd@islandsurveying.com
 L.B. No. 7700

Planning Board Resolution

**PLANNING BOARD
RESOLUTION NO. 2014-18**

A RESOLUTION OF THE KEY WEST PLANNING BOARD GRANTING MAJOR DEVELOPMENT PLAN, CONDITIONAL USE AND LANDSCAPE WAIVER APPROVALS PURSUANT TO SECTIONS 108-91.A.2., 108-517, 122-62 AND 122-958 OF THE LAND DEVELOPMENT REGULATIONS OF THE CODE OF ORDINANCES OF THE CITY OF KEY WEST, FLORIDA FOR THE ADAPTIVE REUSE OF A FORMER SCHOOL INTO NEW CITY GOVERNMENT OFFICES WITH RELATED CULTURAL AND CIVIC ACTIVITIES ON PROPERTY LOCATED AT 1300 WHITE STREET (RE # 00040100-000000, AK # 1040827) IN THE HISTORIC PUBLIC AND SEMIPUBLIC SERVICES (HPS) ZONING DISTRICT; PROVIDING FOR AN EFFECTIVE DATE

WHEREAS, Section 108-91 of the Code of Ordinances (the “Code”) of the City of Key West, Florida (the “City”) provides that within the Historic District, a Major Development Plan is required for the addition or reconstruction of equal to or greater than 2,500 square feet of gross floor area; and

WHEREAS, the proposed use of the property is new City government offices with related cultural and civic activities, which is a conditional use within the Historic Public and Semipublic Services (HPS) Zoning District pursuant to Code Section 122-958(2); and

WHEREAS, waivers to the City’s landscaping requirements are request pursuant to City Code Section 108-517; and

WHEREAS, Code Sections 108-196(a) and 122-62(a) require the Planning Board to review and approve, approve with conditions or deny the proposed Major Development Plan and Conditional Use in an advisory capacity to the City Commission; and

WHEREAS, Code Section 108-517(a) requires the Planning Board to consider the landscape

 Chairman

 Planning Director

waiver request and render the final action; and

WHEREAS, this matter came before the Planning Board at a duly noticed public hearing on March 20, 2014; and

WHEREAS, the granting of a Major Development Plan, Conditional Use and Landscape Waiver application is consistent with the criteria of the Code of Ordinances; and

WHEREAS, the Planning Board finds that the granting of a Major Development Plan, Conditional Use and Landscape Waiver application is in harmony with the general purpose and intent of the Land Development Regulations, and will not be injurious to the neighborhood, or otherwise detrimental to the public welfare.

NOW, THEREFORE, BE IT RESOLVED by the Planning Board of the City of Key West, Florida:

Section 1. That the above recitals are incorporated by reference as if fully set forth herein.

Section 2. The Major Development Plan, Conditional Use and Landscape Waiver for the adaptive reuse of a former school into new city government offices with related cultural and civic activities on property located at 1300 White Street (RE # 00040100-000000, AK # 1040827) in the HPS Zoning District pursuant to Sections 108-91.A.2., 108-517, 122-62 and 122-958 of the Land Development Regulations of the Code of Ordinances of the City of Key West, Florida, as shown in the attached plans dated March 3, 2014, is hereby approved with the following conditions:

General conditions:

1. This approval shall not become effective until the concurrent applications for height variance and petition for vacation of City property are approved and effective.

2. All sidewalks and walkways shall have a minimum 36-inch width and clearance from objects and landscaping. Five feet is preferred wherever possible.

3. All landscaping shall comply with clear sight requirements pursuant to City Code Section 108-452 and 122-1406.

Conditions prior to issuance of a building permit:

4. Approval of a Public Art Plan shall be obtained from the AIPP Board, pursuant to City Code Section 2-487, and may include payment of an in-lieu fee.

Conditions prior to issuance of a Certificate of Occupancy:

5. On-site artwork shall be installed and inspected by the City pursuant to Code Section 2-487.

6. All on-site and off-site improvements shall be completed in order to provide the required ADA-accessible route extending 800 linear feet out and leading to the parking area.

Section 3. Full, complete and final application for all permits required for which this resolution is wholly or partly necessary, shall be submitted in its entirety within 12 months after the date hereof.

Section 4. This Major Development Plan, Conditional Use and Landscape Waiver application approval by the Planning Board does not constitute a finding as to ownership or right to possession of the property, and assumes, without finding, the correctness of the applicant's assertion of legal authority respecting the property.

Section 5. This resolution shall go into effect immediately upon its passage and adoption and

PWK Chairman

OCT Planning Director

authentication by the signatures of the presiding officer and the Clerk of the Board.

Section 6. This resolution is subject to appeal periods as provided by the City of Key West Code of Ordinances (including the Land Development Regulations). After the City appeal period has expired, this permit or development order shall be rendered to the Florida Department of Economic Opportunity. Pursuant to Chapter 73C-44, F.A.C., this permit or development order is not effective for 45 days after it has been properly rendered to the DEO with all exhibits and applications attached to or incorporated by reference in this approval; that within the 45-day review period, the DEO can appeal the permit or development order to the Florida Land and Water Adjudicatory Commission; and that such an appeal stays the effectiveness of the permit until the appeal is resolved by agreement or order.


(This space left intentionally blank.)


Chairman

Planning Director


Read and passed on first reading at a regularly scheduled meeting held this 20th day of March, 2014.

Authenticated by the Chairman of the Planning Board and the Planning Director.


Richard Klitenick, Planning Board Chairman 3/26/2014
Date

Attest:

Donald Leland Craig, AICP, Planning Director 3-24-14
Date

Filed with the Clerk:

Cheryl Smith, City Clerk 3-31-14
Date

Chairman
 Planning Director


SITE DATA TABLE

EXISTING	PROPOSED	FINISHED PROPOSED	NOTES
CONCRETE FLOOR	CONCRETE FLOOR	CONCRETE FLOOR	
CEMENT MORTAR FLOOR	CEMENT MORTAR FLOOR	CEMENT MORTAR FLOOR	
FLOOR FINISH	FLOOR FINISH	FLOOR FINISH	
CEILING	CEILING	CEILING	
WALLS	WALLS	WALLS	
ROOF	ROOF	ROOF	
DRIVEWAY	DRIVEWAY	DRIVEWAY	
LANDSCAPING	LANDSCAPING	LANDSCAPING	
WATER	WATER	WATER	
SEWER	SEWER	SEWER	
STREET TYPE OF ADJACENT STREETS	STREET TYPE OF ADJACENT STREETS	STREET TYPE OF ADJACENT STREETS	

FORMER BRACK CLOSD	EXISTING	PROPOSED	FINISHED PROPOSED	NOTES
BRACK 1	3,124 S.F.	3,124 S.F.	3,124 S.F.	
BRACK 2	2,792 S.F.	2,792 S.F.	2,792 S.F.	
BRACK 3	66 S.F.	66 S.F.	66 S.F.	
BRACK 4	745 S.F.	745 S.F.	745 S.F.	
BRACK 5	1,590 S.F.	1,590 S.F.	1,590 S.F.	
BRACK 6	88 S.F.	88 S.F.	88 S.F.	
BRACK 7	1,590 S.F.	1,590 S.F.	1,590 S.F.	
BRACK 8	1,590 S.F.	1,590 S.F.	1,590 S.F.	
TOTAL BRACK AREA	21,118 S.F.	21,118 S.F.	21,118 S.F.	

LEGAL DESCRIPTION (FROM 6/8/76 SURVEY FROM ISLAND SURVEYING, CORRECTED TO 7/12/78)

LEGAL DESCRIPTION:
 On the Island of Key West, Monroe County, Florida and being a part of Tract 16, according to William A. Widdowson map submitted to Planning, Zoning, and better known as Lots 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932, 933, 934, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950, 951, 952, 953, 954, 955, 956, 957, 958, 959, 960, 961, 962, 963, 964, 965, 966, 967, 968, 969, 970, 971, 972, 973, 974, 975, 976, 977, 978, 979, 980, 981, 982, 983, 984, 985, 986, 987, 988, 989, 990, 991, 992, 993, 994, 995, 996, 997, 998, 999, 1000.



ARCHITECTURAL SITEPLAN

Handwritten notes:
 22914
 28
 Park
 3/21/14

KEY WEST CITY HALL
 AT GYNN ARCHER
 1300 WHITE STREET KEY WEST, FLORIDA
 CITY OF KEY WEST

Blender & Associates
 ARCHITECTS

60% CONSTRUCTION DOCUMENTS SUBMITTAL

A1.1




SHEET NOTES:
1. USE PLANT LIST AND NOTES FOR ALL PLANT SPECIFICATIONS.

SYMBOLS LEGEND

2 / CH
PLANT SYMBOL
PLANT QUANTITY

LOW GROUNDCOVER
MEDIUM/LARGE SHRUBS
NATIVE ORNAMENTAL GRASSES
BUTTERFLY GARDEN PLANTS



UNITED STREET (TOP) 600 LINEAR FT. BUFFERYARD TYPE (B) 9' MOUTH
REQ'D:
3 CANOPY TREES/600 LF = 20 TREES
1 UNDERSTORY TREES/600 LF = 5 TREES
10 SHRUBS/600 LF = 40 SHRUBS
PROVIDED:
26 CANOPY TREES, 9' DIA., 17' HT. PIN.
50 UNDERSTORY TREES, 9' HT. PIN.
200 SHRUBS, 36" HT. PIN.

PLANT UNIT CALCULATION- SECTION 60-347(4) (4)
UNITED STREET BUFFERYARD- 600 LF TYPE (B) 9' MOUTH
REQ'D:
300 LF OF BUFFER / 600- 300 X 40 PLANT POINTS= 324 PLANT POINTS
PROVIDED:
26 CANOPY TREES @ 10 POINTS= 260 POINTS
50 UNDERSTORY TREES @ 5 POINTS= 250 POINTS
200 SHRUBS @ 1 POINT= 200 POINTS
GRAND TOTAL BUFFERYARD POINTS: 710 POINTS

1 LF PER 4-5' PAL PLANTING AREA PROVIDED, POTENTIAL MAINTENANCE REQUIRED

PLANTING AREA VARIES ALONG WHITE STREET, POTENTIAL MAINTENANCE REQUIRED

SEMINARY STREET (BOTTOM) 400 L. FT. BUFFERYARD TYPE (B) 9' MOUTH
REQ'D:
3 CANOPY TREES/400 LF = 14 TREES
1 UNDERSTORY TREES/400 LF = 6 TREES
10 SHRUBS/400 LF = 40 SHRUBS
PROVIDED:
14 CANOPY TREES, 9' DIA., 17' HT. PIN.
10 UNDERSTORY TREES, 9' HT. PIN.
40- SHRUBS, 36" HT. PIN.
PARKING LOT PLANTING LANDSCAPE:
BUILDING SITE 60. FT. = 37,922 POINTS
REQ'D 750 TREE M DIA.
PROVIDED 1000 TREE AND 10 SHRUBS/400 LINEAR FT.
PROVIDED 14 CANOPY TREES AND 40- SHRUBS/400 LINEAR FT.


PLANT UNIT CALCULATION- SECTION 60-347(4) (4)
SEMINARY STREET BUFFERYARD- 400 LF TYPE (B) 9' MOUTH
REQ'D:
300 LF OF BUFFER / 400- 300 X 40 PLANT POINTS= 324 PLANT POINTS
PROVIDED:
14 CANOPY TREES @ 10 POINTS= 140 POINTS
10 UNDERSTORY TREES @ 5 POINTS= 50 POINTS
40 SHRUBS @ 1 POINT= 40 POINTS
GRAND TOTAL BUFFERYARD POINTS: 290 POINTS

SEMINARY STREET (TOP) 250 L. FT. BUFFERYARD TYPE (B) 9' MOUTH
REQ'D:
3 CANOPY TREES/250 LF = 14 TREES
1 UNDERSTORY TREES/250 LF = 5 TREES
10 SHRUBS/250 LF = 40 SHRUBS
PROVIDED:
14 CANOPY TREES, 9' DIA., 17' HT. PIN.
10 UNDERSTORY TREES, 9' HT. PIN.
60- SHRUBS, 36" HT. PIN.

WHITE STREET (RIGHT) 800 LINEAR FT. BUFFERYARD TYPE (B) 9' MOUTH
REQ'D:
3 CANOPY TREES/800 LF = 8 TREES
1 UNDERSTORY TREES/800 LF = 2 TREES
10 SHRUBS/800 LF = 40 SHRUBS
PROVIDED:
5 CANOPY TREES, 9' DIA., 17' HT. PIN.
5 UNDERSTORY TREES, 9' HT. PIN.
60- SHRUBS, 36" HT. PIN.

LANDSCAPE PLAN
SCALE: 1"=20'-0"

3/22/14
Rulk
3/22/14



SPANNEL STREET (NORTH) 10 LINEAR FT. BUFFERYARD TYPE (B) 5' MOUTH WIDTH

3 CANOPY TREES/100 LF - 3 TREES
1 UNDERSTORY TREES/100 LF - 1 TREE
10 SHRUBS/100 LF - 8 SHRUBS

PROVIDED:
3 CANOPY TREES, 3' DIA., 12' HT., 12" DBH
1 UNDERSTORY TREES, 5' HT., 12" DBH
10 SHRUBS, 36" HT., 12" DBH

PLANT LIST CALCULATION- SECTION 100-547(C) (4)

SPANNEL STREET BUFFERYARD- 10 LF TYPE (B) 5' MOUTH

REQD:
10 LF OF BUFFER / 100- 10 X 40 PLANT POINTS= 37.2 PLANT POINTS

PROVIDED:
3 CANOPY TREES @ 10 POINTS= 30 POINTS
1 UNDERSTORY TREES @ 5 POINTS= 5 POINTS
10 SHRUBS @ 1 POINT= 10 POINTS

GRAND TOTAL BUFFERYARD POINTS PROVIDED= 45 POINTS

PLANT LIST CALCULATION- SECTION 100-547(C) (4)

UNITED STREET BUFFERYARD- 205 LF TYPE (B) 5' MOUTH

REQD:
205 LF OF BUFFER / 100- 100 X 40 PLANT POINTS= 834 PLANT POINTS

PROVIDED:
20 CANOPY TREES @ 30 POINTS= 260 POINTS
20 UNDERSTORY TREES @ 5 POINTS= 200 POINTS
200 SHRUBS @ 1 POINT= 200 POINTS

GRAND TOTAL BUFFERYARD POINTS PROVIDED= 760 POINTS

UNITED STREET (NORTH) 205 LINEAR FT. BUFFERYARD TYPE (B) 5' MOUTH

REQD:
205 CANOPY TREES/100 LF = 30 TREES
1 UNDERSTORY TREES/100 LF = 1 TREE
10 SHRUBS/100 LF = 8 SHRUBS

PROVIDED:
20 CANOPY TREES, 3' DIA., 12' HT., 12" DBH
10 UNDERSTORY TREES, 5' HT., 12" DBH
200 SHRUBS, 36" HT., 12" DBH

PARKING LOT PERIMETER LANDSCAPING

BUILDING SITE 500 FT. - 57,122
REQD 2.5' PER. WIDTH
PROVIDED WIDTH 2.5'

REQD 1 CANOPY TREE AND 10 SHRUBS/25 LINEAR FT.
PROVIDED 1 CANOPY TREES AND 10 SHRUBS/25 LINEAR FT.

PROPERTY LINE ADJACENT TO EXISTING RESIDENTIAL (NORTH) 300 L. FT. BUFFERYARD TYPE (B) 5' MOUTH

REQD:
3 CANOPY TREES/100 LF = 3 TREES
1 UNDERSTORY TREES/100 LF = 1 TREE
10 SHRUBS/100 LF = 8 SHRUBS

PROVIDED:
14 CANOPY TREES, 3' DIA., 12' HT., 12" DBH
5 UNDERSTORY TREES, 5' HT., 12" DBH
10 SHRUBS, 36" HT., 12" DBH

PARKING LOT PERIMETER LANDSCAPING

BUILDING SITE 500 FT. - 57,122
REQD 2.5' PER. WIDTH
PROVIDED WIDTH 2.5'

REQD 1 CANOPY TREE AND 10 SHRUBS/25 LINEAR FT.
PROVIDED 1 CANOPY TREES AND 10 SHRUBS/25 LINEAR FT.

PLANT LIST CALCULATION- SECTION 100-547(C) (4)

PROPERTY LINE ADJACENT TO EXISTING RESIDENTIAL BUFFERYARD- 300 LF TYPE (B) 5' MOUTH

REQD:
300 LF OF BUFFER / 100- 120 X 40 PLANT POINTS= 150 PLANT POINTS

PROVIDED:
14 CANOPY TREES @ 10 POINTS= 140 POINTS
5 UNDERSTORY TREES @ 5 POINTS= 25 POINTS
10 SHRUBS @ 1 POINT= 10 POINTS

GRAND TOTAL BUFFERYARD POINTS PROVIDED= 175 POINTS

SPANNEL STREET (NORTH) 205 L. FT. BUFFERYARD TYPE (B) 5' MOUTH

REQD:
205 CANOPY TREES/100 LF = 30 TREES
1 UNDERSTORY TREES/100 LF = 1 TREE
10 SHRUBS/100 LF = 8 SHRUBS

PROVIDED:
14 CANOPY TREES, 3' DIA., 12' HT., 12" DBH
10 UNDERSTORY TREES, 5' HT., 12" DBH
100 SHRUBS, 36" HT., 12" DBH

PARKING LOT PERIMETER LANDSCAPING

BUILDING SITE 500 FT. - 57,122
REQD 2.5' PER. WIDTH
PROVIDED WIDTH 2.5'

REQD 1 CANOPY TREE AND 10 SHRUBS/25 LINEAR FT.
PROVIDED 1 CANOPY TREES AND 10 SHRUBS/25 LINEAR FT.

SHEET NOTES:
1. SEE PLANT LIST AND NOTES FOR ALL PLANT SPECIFICATIONS.

SYMBOLS LEGEND

2/00
PLANT SYMBOL
PLANT QUANTITY

LOW GROUND COVER

MEDIUM/LARGE SHRUBS

NATIVE ORNAMENTAL GRASSES

BUTTERFLY GARDEN PLANTS

80% CONSTRUCTION DOCUMENTS SUBMITTAL

REVISOR
DATE

**KEY WEST CITY HALL
AT GLYNN ARCHER**

1300 WHITE STREET KEY WEST, FLORIDA
CITY OF KEY WEST

ENCLOSURE AND SEALS

LANDSCAPE ARCHITECTURE
REGISTERED
ENGINEERED
BIOLOGICAL
ECOLOGICAL

40 EAST VINE STREET
GLYNN ARCHER (KEY WEST)

40 EAST VINE STREET
KEY WEST, FLORIDA 33401

409 3RD ST. #204
KEY WEST, FLORIDA 33401

**Bender & Associates
ARCHITECTS**

DATE: 02/05/10



L-51

32414
R

PRINT
3/2/10

LEGEND	
	PROJECT LIMITS
	ASPHALT PAVEMENT
	SIDEWALK
	ROOF AREA
	PERVIOUS PAVERS
	KEY NOTE MARKER

- SITE PLAN KEY NOTES**
- ① PROJECT LIMITS
 - ② ASPHALT PAVEMENT (NEW)
 - ③ CONCRETE SIDEWALK
 - ④ TRIPLE CHAMBER BAFFLE BOX W/ WELL
 - ⑤ STORMWATER INLET (SDOT TYPE), TYP. (SEE CIVIL SHEET FOR COORDINATION)
 - ⑥ STORMWATER STRUCTURE
 - ⑦ 8" TYPE 'D' CURB
 - ⑧ INFILTRATION TRENCH
 - ⑨ STORMWATER MANHOLE, TYP.
 - ⑩ HANDICAP PARKING
 - ⑪ TRASH / RECYCLE
 - ⑫ DETECTABLE WARNING



Handwritten notes:
 DC
 329K
 Park
 gravel

KEY WEST CITY HALL
 AT GYNN ARCHER
 1300 WHITE STREET KEY WEST, FLORIDA
 CITY OF KEY WEST

ARCHITECTS

Bender & Associates

Project # 1300
 CIVIL
 SITE PLAN
 Date: 1/17

C-2

60% CONSTRUCTION DOCUMENTS SUBMITTAL

Proposed design

KEY WEST CITY HALL

AT GLYNN ARCHER

HARC SUBMITTAL

1300 WHITE STREET - KEY WEST

REVISIONS:

KEY WEST CITY HALL
AT GLYNN ARCHER
1300 WHITE STREET KEY WEST, FLORIDA
CITY OF KEY WEST

<p>SITE MAP - KEY WEST</p> <p>SITE LOCATION 1300 WHITE ST. KEY WEST</p> <p>Not to Scale</p>	<p>PROJECT DIRECTORY</p>	<p>GENERAL NOTES</p> <ol style="list-style-type: none"> All work shall comply with the Florida Building Code, latest edition, and all applicable laws, codes and ordinances of the City, County, and the State of Florida. In the City of Key West, applicable Codes forming the basis of this design and compliance requirements for the Contractor include: FLORIDA BUILDING CODE - Building 2010 EDITION FLORIDA BUILDING CODE - Existing 2010 EDITION FLORIDA BUILDING CODE - Residential 2010 EDITION FLORIDA BUILDING CODE - Plumbing 2010 FLORIDA BUILDING CODE - Fuel Gas 2010 EDITION FLORIDA BUILDING CODE - Mechanical 2010 EDITION NATIONAL ELECTRICAL CODE 2008 EDITION NFPA 101 LIFE SAFETY CODE w/ Florida Modifications 2006 EDITION FLORIDA FIRE PREVENTION CODE 2007 EDITION NFPA 1 2006 EDITION This project is designed in accordance with A.S.C.E. 7-10 to resist wind loads of 180 mph (gale). Prior to submitting a bid, verify all existing conditions and dimensions on the jobsite, and also after award, but prior to the start of construction. Contours and/or existing grades shown are approximate. Verify with field conditions. Final grading shall provide gradual slopes and grades. Slope all grades away from the building. Planting areas shall be graded with soil suitable for planting. Rock and debris will not be allowed. Where discrepancies between drawings, specifications, and code requirements occur, adhere to the most stringent requirement. Dimensions shall take precedence over scale. All new utilities shall be underground. Drawings and specifications are complementary. Refer to all sheets of drawings and applicable sections of the specifications for interfaces of work with related trades. After completion of construction remove all debris and construction equipment. Restore site to original condition. Notify owner of any possible artifacts uncovered during site grading and throughout the course of construction. Furnish a receptacle on site to contain construction debris and maintain the site in an orderly manner to ensure public safety and prevent blowing debris. Comply with all requirements for selective demolition as specified, shown on the Demolition Plan, or called for in the selective Demolition Notes. 61G1-6.003 Use of Seal: The personal seal, signature and date of the architect or interior designer shall appear on all architectural or interior design documents to be filed for public record and shall be construed to obligate his partners or his corporation. A corporate seal alone is insufficient. Documents shall be signed personally and sealed by the responsible architect or interior designer. Final official record documents (not tracings, etc.) shall be so signed. The signing and sealing of the specification index sheets shall be considered adequate. All drawing sheets and pages shall be so signed and sealed. An architect or interior designer shall not affix, or permit to be affixed, his seal or name to any plan, specifications, drawings, or other related document which was not prepared by him or under his responsible supervising control as provided in Rule Chapter 61G1-23, F.A.C. An architect or interior designer shall not use his seal or do any other act as an architect or interior designer unless holding at the time a certificate of registration and all required renewals thereof. Specific Authority 481.2055, 481.221 FS. Law Implemented 481.221, 481.225(1)(e), (g), (j), 481.225(1)(g), (h), (i) FS. History-New 12-23-79, Formerly 21B-16.03, Amended 7-27-89, Formerly 21B-16.003, Amended 11-21-94, 4-18-00.
---	---------------------------------	---

<p>ABBREVIATIONS</p> <table border="0"> <tr> <td>AB ANCHOR BOLT</td> <td>MIN MINIMUM</td> </tr> <tr> <td>ABC AGGREGATE BASE COURSE</td> <td>NTS NOT TO SCALE</td> </tr> <tr> <td>A/C AIR CONDITIONING</td> <td>OA OVERALL</td> </tr> <tr> <td>BLKG BLOCKING</td> <td>OC ON CENTER</td> </tr> <tr> <td>BUR BILT UP ROOF</td> <td>OD OUTSIDE DIAMETER</td> </tr> <tr> <td>CAB CABINET</td> <td>PCF POUNDS PER CUBIC FOOT</td> </tr> <tr> <td>CER CERAMIC</td> <td>PL PROPETRY LINE</td> </tr> <tr> <td>CL CENTER LINE</td> <td>PLM PLASTIC LAMINATE</td> </tr> <tr> <td>CLG CEILING</td> <td>PLF POUNDS PER LINEAL FOOT</td> </tr> <tr> <td>CMU CONCRETE MASONRY UNIT</td> <td>PNL PANEL</td> </tr> <tr> <td>COL COLUMN</td> <td>PT CCA PRESSURE TREATED</td> </tr> <tr> <td>CONC CONCRETE</td> <td>PT POINT</td> </tr> <tr> <td>DBL DOUBLE</td> <td>PVC POLYVINYLCHLORIDE</td> </tr> <tr> <td>DIAG DIAGONAL</td> <td>R RADIUS (OR) RISER</td> </tr> <tr> <td>DS DOWNSPOUT</td> <td>R/A RETURN AIR</td> </tr> <tr> <td>DTL DETAIL</td> <td>R/B REBAR</td> </tr> <tr> <td>DNR DRAWER</td> <td>REFR. REFRIGERATOR</td> </tr> <tr> <td>EJ EXPANSION JOINT</td> <td>SF SQUARE FOOT (FEET)</td> </tr> <tr> <td>EL ELEVATION</td> <td>SS STAINLESS STEEL</td> </tr> <tr> <td>ELEC ELECTRIC</td> <td>SPEC SPECIFICATION</td> </tr> <tr> <td>EQ EQUAL</td> <td>T TYPICAL</td> </tr> <tr> <td>EXH EXHAUST</td> <td>TNO UNLESS NOTED OTHERWISE</td> </tr> <tr> <td>FV FIELD VERIFY</td> <td>VCT VINYL COMPOSITION TILE</td> </tr> <tr> <td>GALV GALVANIZED</td> <td>VERT VERTICAL</td> </tr> <tr> <td>GI GALVANIZED IRON</td> <td>WD WOOD</td> </tr> <tr> <td>HORZ HORIZONTAL</td> <td>WHF WELDED WIRE FABRIC</td> </tr> <tr> <td>HDW HARDWARE</td> <td>WH WATER HEATER</td> </tr> <tr> <td>HVAC HEATING VENTILATING & AIR CONDITIONING</td> <td>W/O WITHOUT</td> </tr> <tr> <td>FOC FACE OF CONCRETE</td> <td></td> </tr> <tr> <td>FOS FACE OF STUD</td> <td></td> </tr> <tr> <td>FIN FINISH</td> <td></td> </tr> <tr> <td>FE FIRE EXTINGUISHER</td> <td></td> </tr> <tr> <td>FND FOUNDATION</td> <td></td> </tr> <tr> <td>FTG FOOTING</td> <td></td> </tr> <tr> <td>ID INSIDE DIAMETER</td> <td></td> </tr> <tr> <td>MAX MAXIMUM</td> <td></td> </tr> </table>	AB ANCHOR BOLT	MIN MINIMUM	ABC AGGREGATE BASE COURSE	NTS NOT TO SCALE	A/C AIR CONDITIONING	OA OVERALL	BLKG BLOCKING	OC ON CENTER	BUR BILT UP ROOF	OD OUTSIDE DIAMETER	CAB CABINET	PCF POUNDS PER CUBIC FOOT	CER CERAMIC	PL PROPETRY LINE	CL CENTER LINE	PLM PLASTIC LAMINATE	CLG CEILING	PLF POUNDS PER LINEAL FOOT	CMU CONCRETE MASONRY UNIT	PNL PANEL	COL COLUMN	PT CCA PRESSURE TREATED	CONC CONCRETE	PT POINT	DBL DOUBLE	PVC POLYVINYLCHLORIDE	DIAG DIAGONAL	R RADIUS (OR) RISER	DS DOWNSPOUT	R/A RETURN AIR	DTL DETAIL	R/B REBAR	DNR DRAWER	REFR. REFRIGERATOR	EJ EXPANSION JOINT	SF SQUARE FOOT (FEET)	EL ELEVATION	SS STAINLESS STEEL	ELEC ELECTRIC	SPEC SPECIFICATION	EQ EQUAL	T TYPICAL	EXH EXHAUST	TNO UNLESS NOTED OTHERWISE	FV FIELD VERIFY	VCT VINYL COMPOSITION TILE	GALV GALVANIZED	VERT VERTICAL	GI GALVANIZED IRON	WD WOOD	HORZ HORIZONTAL	WHF WELDED WIRE FABRIC	HDW HARDWARE	WH WATER HEATER	HVAC HEATING VENTILATING & AIR CONDITIONING	W/O WITHOUT	FOC FACE OF CONCRETE		FOS FACE OF STUD		FIN FINISH		FE FIRE EXTINGUISHER		FND FOUNDATION		FTG FOOTING		ID INSIDE DIAMETER		MAX MAXIMUM		<p>SYMBOLS LEGEND</p> <p>NORTH ARROWS TRUE NORTH PROJECT NORTH</p> <p>BUILDING SECTION LETTER FOR SECT. DESIGNATION NUMBER FOR DETAIL DESIGNATION SHEET WHERE SECTION IS SHOWN</p> <p>WALL SECTION LETTER FOR SECT. DESIGNATION NUMBER FOR DETAIL DESIGNATION SHEET WHERE SECTION IS SHOWN</p> <p>CUT DETAIL INDICATOR NUMBER FOR DETAIL DESIGNATION SHEET WHERE DETAIL IS SHOWN</p> <p>BLOWN-UP DETAIL INDICATOR (PERTAINS TO DETAIL PLAN INDICATOR ON SMALLER SCALE PLAN)</p>	<p>CROSS SECTION DWG. # ON SHEET REFERENCE SHEET 1/4"=1'-0" DRAWING SCALE DWG. TITLE</p> <p>SECTION & DETAIL DRWG. TITLES POCHE ONLY WHERE ELEVATIONS ARE INDICATED SHT. A8 INDICATES # OF ELEVATION</p> <p>WALL ELEVATION INDICATOR (SHOWN WITHIN ROOM ON PLAN)</p> <p>ROOM NUMBER INDICATOR (SHOWN BESIDE OR UNDER ROOM NAME)</p> <p>DOOR OPENING INDICATOR (EACH OPENING SCHEDULED SEPARATELY)</p> <p>WINDOW INDICATOR (EACH WINDOW TYPE & SIZE SCHEDULED)</p> <p>PARTITION/WALL TYPE INDICATOR (COMMERCIAL & INSTITUTIONAL PROJECTS)</p>	<p>MATERIAL DESIGNATIONS</p> <ul style="list-style-type: none"> CONCRETE MASONRY UNITS IN PLAN CONC., STUCCO, PLASTER IN ELEV.;POURED CONC. IN PLAN METAL IN ELEVATION METAL IN SECTION FINISH WOOD IN ELEV. # IN SECTION DIMENSION LUMBER IN SECTION (CONTINUOUS) WOOD BLOCKING IN SECTION (DISCONTINUOUS) GYPHUM WALL BOARD IN SECTION (LARGE SCALE) EARTH, NATURAL SUBSTRATE GRAVEL, AGGREGATE BASE COURSE, FILL FIBERGLASS BATT INSULATION RIGID INSULATION <p>PARTITIONS & WALLS</p> <ul style="list-style-type: none"> CONCRETE MASONRY UNITS POURED CONCRETE WOOD FRAME METAL STUDS EXISTING CONSTRUCTION TO REMAIN EXISTING CONSTRUCTION TO BE DEMOLISHED 	<p>SHEET INDEX</p> <p>EXISTING CONDITIONS DRAWINGS:</p> <table border="0"> <tr> <td>COVER</td> <td>COVER SHEET, NOTES, PROJECT DESCRIPTION</td> <td>SANBORN MAPS</td> </tr> <tr> <td>EX1</td> <td>EXISTING SITEPLAN</td> <td>HISTORIC BUILDING PHOTOS</td> </tr> <tr> <td>EX2</td> <td>EXISTING FLOOR PLANS</td> <td>ADJACENT BUILDINGS PHOTOS</td> </tr> <tr> <td>EX3</td> <td>EXISTING EXTERIOR ELEVATIONS</td> <td>EXISTING BUILDING PHOTOS</td> </tr> <tr> <td>EX4</td> <td>EXISTING EXTERIOR ELEVATIONS</td> <td>PERSPECTIVE DRAWING FROM WHITE STREET</td> </tr> <tr> <td></td> <td></td> <td>PERSPECTIVE DRAWING OF SOLAR ARRAYS FROM UNITED STREET</td> </tr> <tr> <td></td> <td></td> <td>COLOR EAST ELEVATION</td> </tr> <tr> <td></td> <td></td> <td>COLOR WEST ELEVATION</td> </tr> <tr> <td></td> <td></td> <td>COLOR NORTH ELEVATION</td> </tr> <tr> <td></td> <td></td> <td>COLOR SOUTH ELEVATION</td> </tr> </table> <p>SELECTIVE DEMOLITION DRAWINGS:</p> <table border="0"> <tr> <td>D1</td> <td>DEMOLITION SITEPLAN</td> </tr> <tr> <td>D2</td> <td>FIRST FLOOR DEMOLITION FLOOR PLAN</td> </tr> <tr> <td>D3</td> <td>SECOND FLOOR DEMOLITION PLAN</td> </tr> <tr> <td>D4</td> <td>ROOF DEMOLITION PLAN</td> </tr> </table> <p>PROPOSED DRAWINGS:</p> <table border="0"> <tr> <td>A1.1</td> <td>PROPOSED SITEPLAN</td> </tr> <tr> <td>A2.1</td> <td>OVERALL FIRST FLOOR PLAN</td> </tr> <tr> <td>A2.1A</td> <td>FIRST FLOOR PLAN - WING A</td> </tr> <tr> <td>A2.1B</td> <td>FIRST FLOOR PLAN - WING B</td> </tr> <tr> <td>A2.2</td> <td>OVERALL SECOND FLOOR PLAN</td> </tr> <tr> <td>A2.2A</td> <td>SECOND FLOOR PLAN - WING A</td> </tr> <tr> <td>A2.2B</td> <td>SECOND FLOOR PLAN - WING B</td> </tr> <tr> <td>A3.1</td> <td>ROOF PLAN</td> </tr> <tr> <td>A5.1</td> <td>EXTERIOR ELEVATIONS</td> </tr> <tr> <td>A5.2</td> <td>EXTERIOR ELEVATIONS</td> </tr> <tr> <td>A5.3</td> <td>EXTERIOR ELEVATIONS</td> </tr> <tr> <td>A6.1</td> <td>BUILDING SECTIONS</td> </tr> <tr> <td>A6.2</td> <td>BUILDING SECTIONS</td> </tr> <tr> <td>A6.3</td> <td>BUILDING SECTIONS</td> </tr> <tr> <td>A7.1</td> <td>PARKING LOT SOLAR ARRAY DRAWINGS</td> </tr> </table> <p>LANDSCAPE DRAWINGS:</p> <table border="0"> <tr> <td>L10</td> <td>SITE HARDSCAPE PLAN</td> </tr> <tr> <td>L11</td> <td>SITE HARDSCAPE PLAN</td> </tr> <tr> <td>L50</td> <td>SITE LANDSCAPE PLAN</td> </tr> <tr> <td>L51</td> <td>SITE LANDSCAPE PLAN</td> </tr> </table> <p>DESCRIPTION OF WORK: RENOVATION OF EXISTING HISTORIC TWO STORY BUILDING INTO NEW CITY HALL, WITH ALL ASSOCIATED LANDSCAPE AND SITEMARK.</p>	COVER	COVER SHEET, NOTES, PROJECT DESCRIPTION	SANBORN MAPS	EX1	EXISTING SITEPLAN	HISTORIC BUILDING PHOTOS	EX2	EXISTING FLOOR PLANS	ADJACENT BUILDINGS PHOTOS	EX3	EXISTING EXTERIOR ELEVATIONS	EXISTING BUILDING PHOTOS	EX4	EXISTING EXTERIOR ELEVATIONS	PERSPECTIVE DRAWING FROM WHITE STREET			PERSPECTIVE DRAWING OF SOLAR ARRAYS FROM UNITED STREET			COLOR EAST ELEVATION			COLOR WEST ELEVATION			COLOR NORTH ELEVATION			COLOR SOUTH ELEVATION	D1	DEMOLITION SITEPLAN	D2	FIRST FLOOR DEMOLITION FLOOR PLAN	D3	SECOND FLOOR DEMOLITION PLAN	D4	ROOF DEMOLITION PLAN	A1.1	PROPOSED SITEPLAN	A2.1	OVERALL FIRST FLOOR PLAN	A2.1A	FIRST FLOOR PLAN - WING A	A2.1B	FIRST FLOOR PLAN - WING B	A2.2	OVERALL SECOND FLOOR PLAN	A2.2A	SECOND FLOOR PLAN - WING A	A2.2B	SECOND FLOOR PLAN - WING B	A3.1	ROOF PLAN	A5.1	EXTERIOR ELEVATIONS	A5.2	EXTERIOR ELEVATIONS	A5.3	EXTERIOR ELEVATIONS	A6.1	BUILDING SECTIONS	A6.2	BUILDING SECTIONS	A6.3	BUILDING SECTIONS	A7.1	PARKING LOT SOLAR ARRAY DRAWINGS	L10	SITE HARDSCAPE PLAN	L11	SITE HARDSCAPE PLAN	L50	SITE LANDSCAPE PLAN	L51	SITE LANDSCAPE PLAN
AB ANCHOR BOLT	MIN MINIMUM																																																																																																																																																							
ABC AGGREGATE BASE COURSE	NTS NOT TO SCALE																																																																																																																																																							
A/C AIR CONDITIONING	OA OVERALL																																																																																																																																																							
BLKG BLOCKING	OC ON CENTER																																																																																																																																																							
BUR BILT UP ROOF	OD OUTSIDE DIAMETER																																																																																																																																																							
CAB CABINET	PCF POUNDS PER CUBIC FOOT																																																																																																																																																							
CER CERAMIC	PL PROPETRY LINE																																																																																																																																																							
CL CENTER LINE	PLM PLASTIC LAMINATE																																																																																																																																																							
CLG CEILING	PLF POUNDS PER LINEAL FOOT																																																																																																																																																							
CMU CONCRETE MASONRY UNIT	PNL PANEL																																																																																																																																																							
COL COLUMN	PT CCA PRESSURE TREATED																																																																																																																																																							
CONC CONCRETE	PT POINT																																																																																																																																																							
DBL DOUBLE	PVC POLYVINYLCHLORIDE																																																																																																																																																							
DIAG DIAGONAL	R RADIUS (OR) RISER																																																																																																																																																							
DS DOWNSPOUT	R/A RETURN AIR																																																																																																																																																							
DTL DETAIL	R/B REBAR																																																																																																																																																							
DNR DRAWER	REFR. REFRIGERATOR																																																																																																																																																							
EJ EXPANSION JOINT	SF SQUARE FOOT (FEET)																																																																																																																																																							
EL ELEVATION	SS STAINLESS STEEL																																																																																																																																																							
ELEC ELECTRIC	SPEC SPECIFICATION																																																																																																																																																							
EQ EQUAL	T TYPICAL																																																																																																																																																							
EXH EXHAUST	TNO UNLESS NOTED OTHERWISE																																																																																																																																																							
FV FIELD VERIFY	VCT VINYL COMPOSITION TILE																																																																																																																																																							
GALV GALVANIZED	VERT VERTICAL																																																																																																																																																							
GI GALVANIZED IRON	WD WOOD																																																																																																																																																							
HORZ HORIZONTAL	WHF WELDED WIRE FABRIC																																																																																																																																																							
HDW HARDWARE	WH WATER HEATER																																																																																																																																																							
HVAC HEATING VENTILATING & AIR CONDITIONING	W/O WITHOUT																																																																																																																																																							
FOC FACE OF CONCRETE																																																																																																																																																								
FOS FACE OF STUD																																																																																																																																																								
FIN FINISH																																																																																																																																																								
FE FIRE EXTINGUISHER																																																																																																																																																								
FND FOUNDATION																																																																																																																																																								
FTG FOOTING																																																																																																																																																								
ID INSIDE DIAMETER																																																																																																																																																								
MAX MAXIMUM																																																																																																																																																								
COVER	COVER SHEET, NOTES, PROJECT DESCRIPTION	SANBORN MAPS																																																																																																																																																						
EX1	EXISTING SITEPLAN	HISTORIC BUILDING PHOTOS																																																																																																																																																						
EX2	EXISTING FLOOR PLANS	ADJACENT BUILDINGS PHOTOS																																																																																																																																																						
EX3	EXISTING EXTERIOR ELEVATIONS	EXISTING BUILDING PHOTOS																																																																																																																																																						
EX4	EXISTING EXTERIOR ELEVATIONS	PERSPECTIVE DRAWING FROM WHITE STREET																																																																																																																																																						
		PERSPECTIVE DRAWING OF SOLAR ARRAYS FROM UNITED STREET																																																																																																																																																						
		COLOR EAST ELEVATION																																																																																																																																																						
		COLOR WEST ELEVATION																																																																																																																																																						
		COLOR NORTH ELEVATION																																																																																																																																																						
		COLOR SOUTH ELEVATION																																																																																																																																																						
D1	DEMOLITION SITEPLAN																																																																																																																																																							
D2	FIRST FLOOR DEMOLITION FLOOR PLAN																																																																																																																																																							
D3	SECOND FLOOR DEMOLITION PLAN																																																																																																																																																							
D4	ROOF DEMOLITION PLAN																																																																																																																																																							
A1.1	PROPOSED SITEPLAN																																																																																																																																																							
A2.1	OVERALL FIRST FLOOR PLAN																																																																																																																																																							
A2.1A	FIRST FLOOR PLAN - WING A																																																																																																																																																							
A2.1B	FIRST FLOOR PLAN - WING B																																																																																																																																																							
A2.2	OVERALL SECOND FLOOR PLAN																																																																																																																																																							
A2.2A	SECOND FLOOR PLAN - WING A																																																																																																																																																							
A2.2B	SECOND FLOOR PLAN - WING B																																																																																																																																																							
A3.1	ROOF PLAN																																																																																																																																																							
A5.1	EXTERIOR ELEVATIONS																																																																																																																																																							
A5.2	EXTERIOR ELEVATIONS																																																																																																																																																							
A5.3	EXTERIOR ELEVATIONS																																																																																																																																																							
A6.1	BUILDING SECTIONS																																																																																																																																																							
A6.2	BUILDING SECTIONS																																																																																																																																																							
A6.3	BUILDING SECTIONS																																																																																																																																																							
A7.1	PARKING LOT SOLAR ARRAY DRAWINGS																																																																																																																																																							
L10	SITE HARDSCAPE PLAN																																																																																																																																																							
L11	SITE HARDSCAPE PLAN																																																																																																																																																							
L50	SITE LANDSCAPE PLAN																																																																																																																																																							
L51	SITE LANDSCAPE PLAN																																																																																																																																																							

410 Angela Street
Key West, Florida 33040
Telephone (305) 296-1347
Facsimile (305) 296-2727
Florida License AAC02022

Bender & Associates
ARCHITECTS
P.A.


Project No: 1305
Date: 3/28/14

COVER

1 OF 28

REVISIONS:

KEY WEST CITY HALL
AT GLYNN ARCHER
1300 WHITE STREET KEY WEST, FLORIDA
CITY OF KEY WEST




MCHARRYASSOCIATES
ARCHITECTURE / ENGINEERING / INTERIORS
AACC00784 EB0003643
2780 SW DOUGLAS ROAD, SUITE 302
MIAMI, FLORIDA 33133 (305) 445-3745
WWW.MCHARRY.COM

410 Angela Street
Key West, Florida 33040
Telephone (305) 296-1347
Facsimile (305) 296-2727
Florida License AAC002022

Bender & Associates
ARCHITECTS
P.A.


Project No: 1305
EXISTING SITEPLAN
Date: 3/28/14

EX1
2 OF 28




1 EXISTING SITEPLAN
EX1 1" = 30'-0"






2 SECOND FLOOR EXISTING PLAN
EX2 1/16"=1'-0"



1 FIRST FLOOR EXISTING PLAN
EX2 1/16"=1'-0"

REVISIONS:

KEY WEST CITY HALL
AT GLYNN ARCHER
1300 WHITE STREET KEY WEST, FLORIDA
CITY OF KEY WEST



MCHARRY ASSOCIATES
ARCHITECTURE / ENGINEERING / INTERIORS
AACC00786 EB0003663
2780 SW DOUGLAS ROAD, SUITE 302
MIAMI, FLORIDA 33133 (305) 445-3765
WWW.MCHARRY.COM

410 Angela Street
Key West, Florida 33040
Telephone (305) 296-1347
Facsimile (305) 296-2727
Florida License AAC002022

Bender & Associates
ARCHITECTS p.c.

Project No: 1305
EXISTING FLOOR PLANS
Date: 3/28/14


EX2
3 OF 28






4 EXISTING NORTH EXTERIOR ELEVATION

EX: 1/8"=1'-0"




3 BUILDING A - EXISTING REAR (WEST) EXTERIOR ELEVATION

EX: 1/8"=1'-0"



2 EXISTING SOUTH EXTERIOR ELEVATION

EX: 1/8"=1'-0"




1 BUILDING 'A' - EXISTING FRONT (EAST) EXTERIOR ELEVATION

EX3 1/8"=1'-0"

REVISIONS:

**KEY WEST CITY HALL
AT GLYNN ARCHER**
1300 WHITE STREET KEY WEST, FLORIDA
CITY OF KEY WEST



MCHARRY ASSOCIATES
ARCHITECTURE / ENGINEERING / INTERIORS
7260 SW DOUGLAS ROAD, SUITE 302
MIAMI, FLORIDA 33133 (305) 445-3765
WWW.MCHARRY.COM

410 Angela Street
Key West, Florida 33040
Telephone (305) 296-1347
Facsimile (305) 296-2727
Florida License JAC002022

Bender & Associates
ARCHITECTS p.c.


Project No: 1305
EXISTING ELEVATIONS

Date: 3/28/14


EX3

REVISIONS:


KEY WEST CITY HALL
AT GLYNN ARCHER
1300 WHITE STREET KEY WEST, FLORIDA
CITY OF KEY WEST




3 AUDITORIUM - EXISTING WEST (REAR) EXTERIOR ELEVATION



2 BUILDING 'B' - EXISTING WEST EXTERIOR ELEVATION



1 BUILDING 'B' - EXISTING EAST EXTERIOR ELEVATION




MCHARRYASSOCIATES
ARCHITECTURE / ENGINEERING / INTERIORS
2780 SW DOUGLAS ROAD, SUITE 302
MIAMI, FLORIDA 33133 (305) 445-3765
WWW.MCHARRY.COM


410 Angela Street
Key West, Florida 33840
Telephone (305) 296-1347
Facsimile (305) 296-2727
Florida License AAC002022

Bender & Associates
ARCHITECTS p.c.

Project No: 1305
EXISTING EXTERIOR
ELEVATIONS
Date: 3/28/14




1 SITE DEMOLITION PLAN
D1 1" = 30'-0"



REVISIONS:

**KEY WEST CITY HALL
AT GLYNN ARCHER**
1300 WHITE STREET KEY WEST, FLORIDA
CITY OF KEY WEST



MCHARRYASSOCIATES
ARCHITECTURE / ENGINEERING / INTERIORS
AACC00786 EB0003663

2780 SW DOUGLAS ROAD, SUITE 302
MIAMI, FLORIDA 33133 Telephone (305) 296-1347
Facsimile (305) 296-2727
Florida License AAC02022
WWW.MCHARRY.COM

410 Angela Street
Key West, Florida 33040
Telephone (305) 296-1347
Facsimile (305) 296-2727
Florida License AAC02022

Bender & Associates
ARCHITECTS p.c.


Project No: 1305

DEMOLITION PLAN


Date: 3/28/14

D2

7 OF 28




1 FIRST FLOOR DEMOLITION PLAN
D2 1/8"=1'-0"



1 SECOND FLOOR DEMOLITION PLAN
 D3 1/8"=1'-0"

REVISIONS:

**KEY WEST CITY HALL
 AT GLYNN ARCHER**
 1300 WHITE STREET KEY WEST, FLORIDA
 CITY OF KEY WEST




MCHARRY ASSOCIATES
 ARCHITECTURE / ENGINEERING / INTERIORS
 AAC000784 EB0003643
 2780 SW DOUGLAS ROAD, SUITE 502
 MIAMI, FLORIDA 33133 (305) 445-3745
 WWW.MCHARRY.COM

410 Angela Street
 Key West, Florida 33040
 Telephone (305) 296-1347
 Facsimile (305) 296-2727
 Florida License AAC002022

Bender & Associates
ARCHITECTS p.c.

Project No: 1305
DEMOLITION PLAN
 Date: 3/28/14


D3
 8 OF 28



1 ROOF DEMOLITION PLAN
 D4 1/8"=1'-0"

REVISIONS:

**KEY WEST CITY HALL
 AT GLYNN ARCHER**
 1300 WHITE STREET KEY WEST, FLORIDA
 CITY OF KEY WEST




MCHARRY ASSOCIATES
 ARCHITECTURE / ENGINEERING / INTERIORS
 A.A.C.000784 EB0003643
 2780 SW DOUGLAS ROAD, SUITE 502
 MIAMI, FLORIDA 33133 (305) 445-3765
 WWW.MCHARRY.COM

410 Angela Street
 Key West, Florida 33040
 Telephone (305) 296-1347
 Facsimile (305) 296-2727
 Florida License AAC02022

Bender & Associates
ARCHITECTS p.c.

Project No: 1305
 DEMOLITION PLAN
 Date: 3/28/14

D4
 9 OF 28



SITE DATA TABLE

	CODE REQUIREMENT	EXISTING	PROPOSED	VARIANCE REQUEST	NOTES
ZONING	HPS				
FLOOD ZONE	ZONE X				
SIZE OF SITE	120,909 S.F. (2.77 ACRES)				
HEIGHT	25' MAX.	46.7' (53.9' - 7.2')	NO CHANGE	YES	HIGHEST TOP OF PEDIMENT +53.9'. CROWN OF ROAD +7.2
FRONT SETBACK	20'	41.2'	41.2'		
SIDE SETBACK	5' OR 10% OF WIDTH TO 15'	15% OF 92.5' = 13.87'	14.5' (SOUTH PL. TO GENERATOR)		
STREET SIDE SETBACK	10'	28.29' (SOUTH), 27.29' (NORTH)	28.29' (SOUTH), 27.29' (NORTH)		
REAR SETBACK	20'	442.41'	573.58'		
F.A.R.	1.0 MAX.	57,967 / 120,909 = 48%	57,051 / 120,909 = 47%		
BUILDING COVERAGE	40% MAXIMUM	43,117 / 120,909 = 35.6%	24,784 / 120,909 = 20.5%		
IMPERVIOUS SURFACE	50% MAXIMUM	92,658 / 120,909 = 76.6%	74,792 / 120,909 = 61.9%	YES	75,121 / 120,909 = 62.1% WITHOUT PARKING SHELTERS
PARKING	37061 / 300 = 124 SPACES	30 SPACES	124 SPACES		
HANDICAP PARKING	5 SPACES	0 SPACES	5 SPACES		
BICYCLE PARKING	32 SPACES	0 SPACES	32 SPACES		
OPEN SPACE / LANDSCAPING	20% MINIMUM	28,251 / 120,909 = 23.3%	41,117 / 120,909 = 34.2%		
NUMBER & TYPE OF UNITS					
CONSUMPTION AREAS					

PARKING SPACE COUNT:


REGULAR (9' X 18') PARKING SPACES:	97 SPACES
COMPACT (7.5' X 15') PARKING SPACES:	18 SPACES
ACCESSIBLE (12' X 18') PARKING SPACES:	5 SPACES
EVV PARKING SPACES:	4 SPACES
TOTAL PARKING SPACES:	124 SPACES

GROSS FLOOR AREA (MEASURED TO INSIDE OF EXTERIOR WALLS):

FIRST FLOOR BUILDING A + AUDITORIUM:	10,741 S.F.
FIRST FLOOR AUDITORIUM COVERED EXTERIOR WALKWAYS:	2,192 S.F.
FIRST FLOOR FRONT PORCH:	284 S.F.
FIRST FLOOR MECHANICAL ROOM:	538 S.F.
FIRST FLOOR BUILDING B:	7,602 S.F.
SECOND FLOOR BUILDING A:	7,262 S.F.
SECOND FLOOR COVERED INTERIOR WALKWAY:	830 S.F.
SECOND FLOOR BUILDING B:	7,602 S.F.
TOTAL GROSS BUILDING AREA:	57,061 S.F.

LEGAL DESCRIPTION (FROM 6/8/98 SURVEY FROM ISLAND SURVEYING, CORRECTED TO 7/12/13.)


LEGAL DESCRIPTION:
 On the Island of Key West, Monroe County, Florida and being a part of Tract 18, according to William A. Whitehead's map delineated in February, 1828, but better known as Lots 1, 2, 3, 4, 9, 10, 13, 14, 17, 18, 21, 22, 25, 26, 29, 30, 31, & 32, Square 1 and Lots 1, 2, 3, 4, 9, 10, & 13, Square 2, Tract 18, "GEORGE W. NICHOLS SUBDIVISION", according to the plat thereof, as recorded in Plat Book 1, at page 42 of the Public Records of Monroe County, Florida.
 AND
 On the Island of Key West, Monroe County, Florida and being a part of Tract 18, according to William A. Whitehead's map delineated in February, 1828, but better known as Lots 1, 2, 3, & 4, Square 8, "DIAGRAM OF THE WEBB REALTY COMPANY, of part of Tract 18", according to the plat thereof, as recorded in Plat Book 1, at page 42 of the Public Records of Monroe County, Florida.
 AND
 Whelton Street, being 60 feet wide lying between United and Seminary Streets.
 LESS OUT (Gym and Arts Bldg.):
 On the Island of Key West, Monroe County, Florida and being a part of Tract 18, according to William A. Whitehead's map delineated in February, 1828, but better known as Lots 3, 4, & 9, Square 2, Tract 18, "GEORGE W. NICHOLS SUBDIVISION", according to the plat thereof, as recorded in Plat Book 1, at page 42 of the Public Records of Monroe County, Florida, and being more particularly described as follows:
 Commence at the intersection of the Northeastery Right-of-Way Line of Grinnell Street and the Northwestery Right-of-Way Line of Seminary Street; thence in a Northeastery direction along the said Northeastery Right-of-Way Line of Seminary Street for a distance of 240.32 feet to the Point of Beginning; thence at a right angle and in a Northwestery direction for a distance of 83.57 feet; thence at a right angle and in a Northeastery direction for a distance of 108.78 feet; thence at a right angle and in a Northwestery direction for a distance of 9.50 feet; thence at a right angle and in a Northeastery direction for a distance of 28.72 feet; thence at a right angle and in a Southeastery direction for a distance of 93.47 feet to the said Northwestery Right-of-Way Line of Seminary Street; thence at a right angle and in a Southwestery direction along the said Northwestery Right-of-Way Line of Seminary Street for a distance of 135.48 feet to the Point of Beginning.
 Containing 11,586.59 square feet, more or less.



1 ARCHITECTURAL SITEPLAN
 A1.1 1" = 30'-0"

REVISIONS:

**KEY WEST CITY HALL
 AT GYNN ARCHER**
 1300 WHITE STREET KEY WEST, FLORIDA
 CITY OF KEY WEST




MCHARRY ASSOCIATES
 ARCHITECTURE / ENGINEERING / INTERIORS
 2780 SW DOUGLAS ROAD, SUITE 302
 MIAMI, FLORIDA 33133 (305) 445-3765
 WWW.MCHARRY.COM

410 Angela Street
 Key West, Florida 33040
 Telephone (305) 296-1347
 Facsimile (305) 296-2727
 Florida License AAC002022


Bender & Associates
ARCHITECTS
 P.C.

Project No: 1305
 PROPOSED ARCHITECTURAL SITEPLAN
 Date: 3/28/14

A1.1
 10 OF 28




1 OVERALL 1ST FLOOR PLAN
A2.1 3/32" = 1'-0"



60% CONSTRUCTION DOCUMENTS SUBMITTAL

REVISIONS:

KEY WEST CITY HALL
AT GLYNN ARCHER
PHASE 2
1300 WHITE STREET KEY WEST, FLORIDA
CITY OF KEY WEST



MCHARRY ASSOCIATES
ARCHITECTURE / INTERIORS / INTERIORS
ARCHITECTS

2780 SW DOUGLAS ROAD, SUITE 202
MIAMI, FLORIDA 33135
WWW.MCHARRY.COM

410 Angela Street
Key West, Florida 33640
Telephone (305) 296-1347
Facsimile (305) 296-2727
Florida License AAC002022



Bender & Associates
ARCHITECTS
P.A.

Project No: 1305
OVERALL 1ST FLOOR PLAN
Date: 3/3/14

A2.1
OF

REVISIONS:

KEY WEST CITY HALL
AT GLYNN ARCHER
PHASE 2
1300 WHITE STREET KEY WEST, FLORIDA
CITY OF KEY WEST



410 Angela Street
Key West, Florida 33640
Telephone (305) 296-1347
Facsimile (305) 296-2727
Florida License AAC02022

Bender & Associates
ARCHITECTS
P.A.

Project No: 1305
1ST FLOOR PLAN - WING A
Date: 3/3/14

A2.1A
OF




GENERAL NOTES

SOIL TREATMENT, PER FBC-B SECTION 1816.1:

1. TERMITE PROTECTION SHALL BE PROVIDED BY REGISTERED TERMITICIDES, INCLUDING SOIL APPLIED PESTICIDES, BAITING SYSTEMS, AND PESTICIDES APPLIED TO WOOD, OR OTHER APPROVED METHODS FOR TERMITE PROTECTION LABELED FOR USE AS A PREVENTATIVE TREATMENT TO NEW CONSTRUCTION. SEE FBC-B SECTION 302, REGISTERED TERMITICIDE. UPON COMPLETION OF THE APPLICATION OF THE TERMITE PROTECTIVE TREATMENT, A CERTIFICATE OF COMPLIANCE SHALL BE ISSUED TO THE BUILDING DEPARTMENT BY THE LICENSED PEST CONTROL COMPANY THAT CONTAINS THE FOLLOWING STATEMENT:
"THE BUILDING HAS RECEIVED A COMPLETE TREATMENT FOR THE PREVENTION OF SUBTERRANEAN TERMITES. TREATMENT IS IN ACCORDANCE WITH RULES AND LAWS ESTABLISHED BY THE FLORIDA DEPARTMENT OF AGRICULTURE AND CONSUMER SERVICES."
2. ALL INTERIOR DIMENSIONS ARE SHOWN TO THE FACE OF FINISH SURFACES, UNLESS OTHERWISE NOTED.
3. PER FBC-B SECTION 719: INSULATING MATERIALS, WHERE CONCEALED AS INSTALLED IN BUILDINGS OF ANY TYPE OF CONSTRUCTION, SHALL HAVE A FLAME SPREAD INDEX OF NOT MORE THAN 25 AND A SMOKE-DEVELOPED INDEX OF NOT MORE THAN 450.


LEGEND

- 8" CMU WALL
- 1 HR FIRE RATED PARTITION ASSEMBLY
- GYPSUM WALLBOARD PARTITION
- EXISTING CONCRETE WALL/COLUMN TO REMAIN
- REFRIGERATOR
- STOREFRONT
- WINDOW
- DOOR TAG
- WINDOW TAG
- WALL TAG



1 1st FLOOR - WING A
A2.1A 1/8" = 1'-0"

60% CONSTRUCTION DOCUMENTS SUBMITTAL





1 1st FLOOR - WING B
A2.1B 1/8" = 1'-0"

GENERAL NOTES

- SOIL TREATMENT, PER FBC-B SECTION 1816.1:
1. TERMITE PROTECTION SHALL BE PROVIDED BY REGISTERED TERMITICIDES, INCLUDING SOIL APPLIED PESTICIDES, BAITING SYSTEMS, AND PESTICIDES APPLIED TO WOOD, OR OTHER APPROVED METHODS FOR TERMITE PROTECTION LABELED FOR USE AS A PREVENTATIVE TREATMENT TO NEW CONSTRUCTION. SEE FBC-B SECTION 202, REGISTERED TERMITICIDE, UPON COMPLETION OF THE APPLICATION OF THE TERMITE PROTECTIVE TREATMENT, A CERTIFICATE OF COMPLIANCE SHALL BE ISSUED TO THE BUILDING DEPARTMENT BY THE LICENSED PEST CONTROL COMPANY THAT CONTAINS THE FOLLOWING STATEMENT:
"THE BUILDING HAS RECEIVED A COMPLETE TREATMENT FOR THE PREVENTION OF SUBTERRANEAN TERMITES. TREATMENT IS IN ACCORDANCE WITH RULES AND LAWS ESTABLISHED BY THE FLORIDA DEPARTMENT OF AGRICULTURE AND CONSUMER SERVICES."
 2. ALL INTERIOR DIMENSIONS ARE SHOWN TO THE FACE OF FINISH SURFACES, UNLESS OTHERWISE NOTED.
 3. PER FBC-B SECTION 710: INSULATING MATERIALS, WHERE CONCEALED AS INSTALLED IN BUILDINGS OF ANY TYPE OF CONSTRUCTION, SHALL HAVE A FLAME SPREAD INDEX OF NOT MORE THAN 25 AND A SMOKE-DEVELOPED INDEX OF NOT MORE THAN 450.


LEGEND

- 8" CMU WALL
- 1 HR FIRE RATED PARTITION ASSEMBLY
- GYPSUM WALLBOARD PARTITION
- EXISTING CONCRETE WALL/COLUMN TO REMAIN
- REFRIGERATOR
- STOREFRONT
- WINDOW
- DOOR TAG
- WINDOW TAG
- WALL TAG



REVISIONS:

**KEY WEST CITY HALL
AT GLYNN ARCHER**
PHASE 2
1300 WHITE STREET KEY WEST, FLORIDA
CITY OF KEY WEST



McHARRY ASSOCIATES
ARCHITECTURE / INTERIORS / RESTORATION
ARCHITECTS
2780 BY DOUGLAS ROAD, SUITE 202
MIAMI, FLORIDA 33156 305-446-6916
WWW.McHARRY.COM


410 Angela Street
Key West, Florida 33540
Telephone (305) 296-1347
Facsimile (305) 296-2727
Florida License AAC002022

Bender & Associates
ARCHITECTS
P.A.


Project No: 1305
1ST FLOOR PLAN - WING B
Date: 3/3/14

A2.1B
OF

60% CONSTRUCTION DOCUMENTS SUBMITTAL




1 OVERALL 2ND FLOOR PLAN
 A2.2 3/32" = 1'-0"



60% CONSTRUCTION DOCUMENTS SUBMITTAL

REVISIONS:

KEY WEST CITY HALL
 AT GLYNN ARCHER
 PHASE 2
 1300 WHITE STREET KEY WEST, FLORIDA
 CITY OF KEY WEST



MCHARRY ASSOCIATES
 ARCHITECTURE / INTERIORS / INTERIORS
 A/C002005 8/2008/08
 2780 SW DOUGLAS ROAD, SUITE 202
 MIAMI, FLORIDA 33135
 WWW.MCHARRY.COM

410 Angela Street
 Key West, Florida 33640
 Telephone (305) 296-1347
 Facsimile (305) 296-2727
 Florida License AAC002022


Bender & Associates
ARCHITECTS
 P.A.

Project No:	1305
OVERALL SECOND FLOOR PLAN	
Date:	3/3/14

A2.2
 OF

REVISIONS:

**KEY WEST CITY HALL
AT GLYNN ARCHER**
PHASE 2
1300 WHITE STREET KEY WEST, FLORIDA
CITY OF KEY WEST



MCHARRY ASSOCIATES
ARCHITECTURE / INTERIORS / RESTAURANTS

2780 SW DOUGLAS ROAD, SUITE 202
MIAMI, FLORIDA 33135 305-854-8100
WWW.MCHARRY.COM

410 Angela Street
Key West, Florida 33540
Telephone (305) 296-1347
Facsimile (305) 296-2727
Florida License AAC002022

Bender & Associates
ARCHITECTS
P.A.

Project No: 1305
2ND FLOOR PLAN - WING A
Date: 3/3/14




A2.2A
OF

GENERAL NOTES

- SOIL TREATMENT, PER FBC-B SECTION 1816.1:
1. TERMITE PROTECTION SHALL BE PROVIDED BY REGISTERED TERMINICIDES, INCLUDING SOIL APPLIED PESTICIDES, BAITING SYSTEMS, AND PESTICIDES APPLIED TO WOOD, OR OTHER APPROVED METHODS FOR TERMITE PROTECTION LABELED FOR USE AS A PREVENTATIVE TREATMENT TO NEW CONSTRUCTION. SEE FBC-B SECTION 202, REGISTERED TERMINICIDE. UPON COMPLETION OF THE APPLICATION OF THE TERMITE PROTECTIVE TREATMENT, A CERTIFICATE OF COMPLIANCE SHALL BE ISSUED TO THE BUILDING DEPARTMENT BY THE LICENSED PEST CONTROL COMPANY THAT CONTAINS THE FOLLOWING STATEMENT:
"THE BUILDING HAS RECEIVED A COMPLETE TREATMENT FOR THE PREVENTION OF SUBTERRANEAN TERMITES. TREATMENT IS IN ACCORDANCE WITH RULES AND LAWS ESTABLISHED BY THE FLORIDA DEPARTMENT OF AGRICULTURE AND CONSUMER SERVICES."
 2. ALL INTERIOR DIMENSIONS ARE SHOWN TO THE FACE OF FINISH SURFACES, UNLESS OTHERWISE NOTED.
 3. PER FBC-B SECTION 719: INSULATING MATERIALS, WHERE CONCEALED AS INSTALLED IN BUILDINGS OF ANY TYPE OF CONSTRUCTION, SHALL HAVE A FLAME SPREAD INDEX OF NOT MORE THAN 25 AND A SMOKE-DEVELOPED INDEX OF NOT MORE THAN 450.


LEGEND

- 8" CMU WALL
- 1 HR FIRE RATED PARTITION ASSEMBLY
- GYPSUM WALLBOARD PARTITION
- EXISTING CONCRETE WALL/COLUMN TO REMAIN
- REFRIGERATOR
- STOREFRONT
- WINDOW
- DOOR TAG
- WINDOW TAG
- WALL TAG



1 2ND FLOOR PLAN - WING A
A2.2A 1/8" = 1'-0"

60% CONSTRUCTION DOCUMENTS SUBMITTAL





1 2ND FLOOR PLAN - WING B
A2.2B 1/8" = 1'-0"

GENERAL NOTES

- SOIL TREATMENT, PER FBC-B SECTION 1816.1:
- TERMITE PROTECTION SHALL BE PROVIDED BY REGISTERED TERMITICIDES, INCLUDING SOIL APPLIED PESTICIDES, BAITING SYSTEMS, AND PESTICIDES APPLIED TO WOOD, OR OTHER APPROVED METHODS FOR TERMITE PROTECTION LABELED FOR USE AS A PREVENTATIVE TREATMENT TO NEW CONSTRUCTION. SEE FBC-B SECTION 202, REGISTERED TERMITICIDE. UPON COMPLETION OF THE APPLICATION OF THE TERMITICIDE PROTECTIVE TREATMENT, A CERTIFICATE OF COMPLIANCE SHALL BE ISSUED TO THE BUILDING DEPARTMENT BY THE LICENSED PEST CONTROL COMPANY THAT CONTAINS THE FOLLOWING STATEMENT:
"THE BUILDING HAS RECEIVED A COMPLETE TREATMENT FOR THE PREVENTION OF SUBTERRANEAN TERMITES. TREATMENT IS IN ACCORDANCE WITH RULES AND LAWS ESTABLISHED BY THE FLORIDA DEPARTMENT OF AGRICULTURE AND CONSUMER SERVICES."
 - ALL INTERIOR DIMENSIONS ARE SHOWN TO THE FACE OF FINISH SURFACES, UNLESS OTHERWISE NOTED.
 - PER FBC-B SECTION 719: INSULATING MATERIALS, WHERE CONCEALED AS INSTALLED IN BUILDINGS OF ANY TYPE OF CONSTRUCTION, SHALL HAVE A FLAME SPREAD INDEX OF NOT MORE THAN 25 AND A SMOKE-DEVELOPED INDEX OF NOT MORE THAN 450.


LEGEND

- 8" CMU WALL
- 1 HR FIRE RATED PARTITION ASSEMBLY
- GYPSUM WALLBOARD PARTITION
- EXISTING CONCRETE WALL/COLUMN TO REMAIN
- REFRIGERATOR
- STOREFRONT
- WINDOW
- DOOR TAG
- WINDOW TAG
- WALL TAG



REVISIONS:

KEY WEST CITY HALL
AT GLYNN ARCHER
PHASE 2
1300 WHITE STREET KEY WEST, FLORIDA
CITY OF KEY WEST



McHARRY ASSOCIATES
ARCHITECTS / INTERIORS / RESTAURANTS

2280 BY DOUGLAS ROAD, SUITE 202
MIAMI, FLORIDA 33146
WWW.MCHARRY.COM


410 Angela Street
Key West, Florida 33540
Telephone (305) 296-1347
Facsimile (305) 296-2727
Florida License AAC002022

Bender & Associates
ARCHITECTS
P.A.

Project No: 1305
2ND FLOOR PLAN - WING B
Date: 3/3/14


A2.2B
OF

60% CONSTRUCTION DOCUMENTS SUBMITTAL



1 OVERALL ROOF PLAN
A3.1


3/32" = 1'-0"



60% CONSTRUCTION DOCUMENTS SUBMITTAL

REVISION

**KEY WEST CITY HALL
AT GLYNN ARCHER**
PHASE 2
1300 WHITE STREET KEY WEST, FLORIDA
CITY OF KEY WEST



MCHARRY ASSOCIATES
ARCHITECTURE / INTERIORS / RESTAURANTS

AAC002015 EC0001045


2780 SW DOUGLAS ROAD, SUITE 202
MIAMI, FLORIDA 33135 305-854-0416
WWW.MCHARRY.COM

410 Angela Street
Key West, Florida 33540
Telephone (305) 296-1347
Facsimile (305) 296-2727
Florida License AAC002022

Bender & Associates
ARCHITECTS P.A.


Project No:	1306
OVERALL ROOF PLAN	
Date:	3/3/14

A3.1
OF



1 North Exterior Elevation

A5.1 1/8" = 1'-0"




2 South Exterior Elevation

A5.1 1/8" = 1'-0"

REVISIONS:

**KEY WEST CITY HALL
AT GLYNN ARCHIER**
PHASE 2
1300 WHITE STREET KEY WEST, FLORIDA
CITY OF KEY WEST



MCHARRY ASSOCIATES
ARCHITECTURE / INTERIORS / RESTORATION
ARCHITECTS
2780 SW DOUGLAS ROAD, SUITE 202
MIAMI, FLORIDA 33135 305-854-4610
WWW.MCHARRY.COM

410 Angela Street
Key West, Florida 33540
Telephone (305) 296-1347
Facsimile (305) 296-2727
Florida License AAC002022

Bender & Associates
ARCHITECTS
P.A.


Project No: 1305
BUILDING EXTERIOR ELEVATIONS
Date: 3/3/14

A5.1
OF

60% CONSTRUCTION DOCUMENTS SUBMITTAL

REVISIONS:

**KEY WEST CITY HALL
AT GLYNN ARCHER**
PHASE 2
1300 WHITE STREET KEY WEST, FLORIDA
CITY OF KEY WEST



McHARRY ASSOCIATES
ARCHITECTS / ENGINEERS / INTERIORS
A.A.C.O.P.C. 00000000
2780 SW DOUGLAS ROAD, SUITE 200
MIAMI, FLORIDA 33135 305-854-0000
WWW.McHARRY.COM


410 Angela Street
Key West, Florida 33540
Telephone (305) 296-1347
Facsimile (305) 296-2727
Florida License AAC002022

Bender & Associates
ARCHITECTS p.c.


Project No: 1305
BUILDING EXTERIOR ELEVATIONS
Date: 3/3/14

A5.2
OF


60% CONSTRUCTION DOCUMENTS SUBMITTAL




1 East (Front) Exterior Elevation
A5.2 1/8" = 1'-0"




2 West (Rear) Exterior Elevation
A5.2 1/8" = 1'-0"



3 Building A Rear (West) Exterior Elevation
A5.3 1/8" = 1'-0"




2 Building B Rear (East) Exterior Elevation
A5.3 1/8" = 1'-0"



1 Auditorium Rear (West) Exterior Elevation
A5.3 1/8" = 1'-0"

REVISIONS:

**KEY WEST CITY HALL
AT GLYNN ARCHER**
PHASE 2
1300 WHITE STREET KEY WEST, FLORIDA
CITY OF KEY WEST



MCHARRY ASSOCIATES
ARCHITECTURE / INTERIORS / INTERIORS
A5000000 00000000
2780 SW DOUGLAS ROAD, SUITE 202
MIAMI, FLORIDA 33155 305-441-4000
WWW.MCHARRY.COM


410 Angela Street
Key West, Florida 33540
Telephone (305) 296-1347
Facsimile (305) 296-2727
Florida License AAC002022

Bender & Associates
ARCHITECTS
P.A.

Project No: 1305
BUILDING EXTERIOR ELEVATIONS
Date: 3/3/14


A5.3
OF

60% CONSTRUCTION DOCUMENTS SUBMITTAL



2 BUILDING SECTION - NORTH BREEZEWAY

A6.1 1/8" = 1'-0"



1 BUILDING SECTION - AUDITORIUM


A6.1 1/8" = 1'-0"



REVISIONS:

--	--

**KEY WEST CITY HALL
AT GLYNN ARCHER**
PHASE 2
1300 WHITE STREET KEY WEST, FLORIDA
CITY OF KEY WEST



MCHARRY ASSOCIATES
ARCHITECTURE / INTERIORS / RESTAURANTS
A/CORPORATE B/COMMERCIAL
3780 SW DOUGLAS ROAD, SUITE 200
MIAMI, FLORIDA 33146
WWW.MCHARRY.COM

410 Angela Street
Key West, Florida 33540
Telephone (305) 296-1347
Facsimile (305) 296-2727
Florida License AAC002022

Bender & Associates
ARCHITECTS
P.A.


Project No: 1305

BUILDING SECTIONS


3/3/14

A6.1
OF


60% CONSTRUCTION DOCUMENTS SUBMITTAL



1 TRANSVERSE BUILDING SECTION WING A
A6.2 1/8" = 1'-0"




2 BUILDING SECTION - AUDITORIUM AND CHILLER
A6.2 1/8" = 1'-0"



REVISIONS:

**KEY WEST CITY HALL
AT GLYNN ARCHER**
PHASE 2
1300 WHITE STREET KEY WEST, FLORIDA
CITY OF KEY WEST



MCHARRY ASSOCIATES
ARCHITECTURE / INTERIORS / RESTORATION
410 ANGELA STREET
KEY WEST, FLORIDA 33640
TELEPHONE (305) 296-1347
FACSIMILE (305) 296-2727
FLORIDA LICENSE AAC002022


410 Angela Street
Key West, Florida 33640
Telephone (305) 296-1347
Facsimile (305) 296-2727
Florida License AAC002022

Bender & Associates
ARCHITECTS
P.A.

Project No: 1305
BUILDING SECTIONS
Date: 3/3/14


A6.2
OF

60% CONSTRUCTION DOCUMENTS SUBMITTAL




2 BUILDING SECTION - AUDITORIUM AT WING A

A6.3 1/8" = 1'-0"





1 TRANSVERSE BUILDING SECTION - WING B

A6.3 1/8" = 1'-0"



REVISIONS:

**KEY WEST CITY HALL
AT GLYNN ARCHER**
PHASE 2
1300 WHITE STREET KEY WEST, FLORIDA
CITY OF KEY WEST




410 Angela Street
Key West, Florida 33540
Telephone (305) 296-1347
Facsimile (305) 296-2727
Florida License ALC002022

Bender & Associates
ARCHITECTS
P.A.


Project No: 1305
BUILDING SECTIONS
Date: 3/3/14

A6.3
OF


60% CONSTRUCTION DOCUMENTS SUBMITTAL



21 EAST ELEVATION AT SOLAR ARRAY
 A17 1/4" = 1'-0"




14 SOUTH ELEVATION AT PARKING LOT SOLAR ARRAY
 A17 1/4" = 1'-0"



1 PLAN AT PARKING LOT SOLAR ARRAY (3 ARRAYS PROPOSED)
 A17 1/4" = 1'-0"

REVISIONS:

KEY WEST CITY HALL
 AT GLYNN ARCHER
 1300 WHITE STREET KEY WEST, FLORIDA
 CITY OF KEY WEST



MCHARRY ASSOCIATES
 ARCHITECTURE / ENGINEERING / INTERIORS
 AAC000784 EB0003643
 2780 SW DOUGLAS ROAD SUITE 102
 MIAMI, FLORIDA 33133 (305) 445-3745
 WWW.MCHARRY.COM


410 Angela Street
 Key West, Florida 33040
 Telephone (305) 296-1347
 Facsimile (305) 296-2727
 Florida License AAC002022

Bender & Associates
 ARCHITECTS p.c.

Project No: 1305
 SOLAR ARRAY
 DETAILS
 Date: 3/3/14

60% CONSTRUCTION DOCUMENTS SUBMITTAL


A17.1
 OF



1 UNITED STREET ELEVATION OF PARKING LOT SOLAR ARRAY
 A17.2 3/32" = 1'-0"

REVISIONS:

KEY WEST CITY HALL
 AT GLYNN ARCHER
 1300 WHITE STREET KEY WEST, FLORIDA
 CITY OF KEY WEST



MCHARRYASSOCIATES
 ARCHITECTURE / ENGINEERING / INTERIORS
 AAC000986 EB0003663
 2780 SW DOUGLAS ROAD, SUITE 302
 MIAMI, FLORIDA 33133 (305)445-3745
 WWW.MCHARRY.COM

410 Angela Street
 Key West, Florida 33040
 Telephone (305) 296-1347
 Facsimile (305) 296-2727
 Florida License AAC002022

Bender & Associates
ARCHITECTS p.a.


Project No: 1905
 SOLAR ARRAY
 DETAILS
 Date: 3/3/14

A17.2
 OF

60% CONSTRUCTION DOCUMENTS SUBMITTAL

REVISIONS:

KEY WEST CITY HALL
AT GLYNN ARCHER
1300 WHITE STREET KEY WEST, FLORIDA
CITY OF KEY WEST



MCHARRYASSOCIATES
ARCHITECTURE | ENGINEERING | INTERIORS

AAC000986 EB0003663

2780 SW DOUGLAS ROAD, SUITE 302
MIAMI, FLORIDA 33133 (305)445-3745
WWW.MCHARRY.COM


410 Angela Street
Key West, Florida 33040
Telephone (305) 296-1347
Facsimile (305) 296-2727
Florida License AAC002022

Bender & Associates p.c.
ARCHITECTS


Project No: 1305
SOLAR ARRAY
DETAILS
Date: 3/3/14

A17.2
OF

60% CONSTRUCTION DOCUMENTS SUBMITTAL




2 UNITED STREET ELEVATION OF SITE
A17.2 1/32" = 1'-0"



1 UNITED STREET ELEVATION OF PARKING LOT SOLAR ARRAY
A17.2 3/32" = 1'-0"

MATCHLINE SEE SHEET L-11

MATCHLINE SEE SHEET L-11



SHEET NOTES

1. ALL INTEGRAL COLOR CONCRETE ADMIXTURE BY L.M. SCOFIELD
www.scofield.com
1.800.800.9900
2. ALL PLANTER CURBS, STAIRS AND SEATWALLS TO BE SCOFIELD LIME-STONE INTEGRAL COLORED CONCRETE WITH SAND BLASTED FINISH UNLESS NOTED OTHERWISE.
3. ALL INTEGRAL COLORED CONCRETE SURFACES TO BE SEALED WITH SCOFIELD 'REPELLO' PENETRATING WATER AND OIL REPELLANT, PER MANUFACTURER'S SPECIFICATIONS.
4. ALL AGGREGATE TO BE 3/8" LIME-ROCK UNLESS OTHERWISE NOTED.
5. SEE ARCHITECTURE DRAWINGS FOR ALL BUILDINGS AND STRUCTURES.

SYMBOLS LEGEND

- EJ -EXPANSION JOINT
CJ -CONTROL JOINT
PLNTG-PLANTING (SEE PLANT. PLANS)
- MT /CLR/FIN
FINISH
COLOR
MATERIAL

MATERIAL

- A -ASPHALT
C4 -CONCRETE - 4" THICK
C6 -CONCRETE - 6" THICK
P1 -PAVER - 12" x 12"
P2 -PAVER - 24" x 24"
P3 -ADA PAVER

COLOR

- CH -CHARCOAL
CR -CORAL RED
CS -CORAL STONE
FG -FRENCH GRAY
LM -LIMESTONE
NG -NATURAL GRAY
SB -SPRING BEIGE
SM -SUMMER BEIGE

FINISH

- LB -LIGHT BROOM
NF -NATURAL FOSSIL
RS -ROCK SALT
SB -SAND BLAST; EXPOSED AGG.
SF -SPONGE FLOAT
SJ -SAW CUT JOINTS
ST -STEEL TROWEL
STMP -STAMPED
TJ -TOOLED JOINTS

- 1 NOT USED
2 18" WIDTH POURED CONCRETE SEATWALL -SEE DETAILS
3 12" WIDTH CONCRETE WALL -SEE DETAILS
4 PEDESTRIAN BENCH TBD
5 BIKE RACK LOCATIONS
6 ALUMINUM HANDRAIL -SEE DETAILS
7 RECYCLED CONCRETE GARDEN WALK - SEE DETAIL 5/L-41
8 PERVIOUS GRAVEL PAVING PARKING SURFACE - SEE CIVIL DRAWINGS
9 FLAGPOLE W/ FLAG (3) BY EDER FLAG MFG. COMPANY PH: 800.558.6044 www.ederflag.com -SEE DETAILS
10 PLANTER POTS (6) KORNEGAY-MASARU MS-27.5 W/ MATCHING SAUCER COLOR: MIAMI BUFF 5447
11 INTEGRAL COLOR CONCRETE COMPASS ROSE - SEE HARDSCAPE ENLARGEMENTS FOR SPECIFICATIONS
12 6" HT. CONCRETE PEDESTAL -SEE DETAILS
13 10'x10' "GABLE" SHADE STRUCTURE BY POLYGON STRUCTURES, AVAILABLE THRU: REP SERVICES, INC. PH: 407.831.9658 FX: 407.834.5366 www.repservices.com

REVISIONS:

60% CONSTRUCTION DOCUMENTS SUBMITTAL

KEY WEST CITY HALL
AT GLYNN ARCHER

1300 WHITE STREET
CITY OF KEY WEST
KEY WEST, FLORIDA

LANDSCAPE ARCHITECT

ESciences

LANDSCAPE ARCHITECTURE
ENGINEERING
ENVIRONMENTAL
ECOLOGICAL

34 EAST PINE STREET
ORLANDO, FLORIDA 32801

407 481 9006 PHONE
407 481 9627 FAX


www.esciencesinc.com


410 Angela Street
Key West, Florida 33040
Telephone (305) 296-1347
Facsimile (305) 296-2727
Florida License AAC02022

Bender & Associates
ARCHITECTS p.a.

Project No: 1305
SITE HARDSCAPE PLAN

Date: 03/03/14





LANDSCAPE ARCHITECT
ESciences
LANDSCAPE ARCHITECTURE
ENGINEERING
ENVIRONMENTAL
ECOLOGICAL
34 EAST PINE STREET
ORLANDO, FLORIDA 32801
407 481 9006 PHONE
407 481 9627 FAX
www.esciencesinc.com

410 Angela Street
Key West, Florida 33040
Telephone (305) 296-1347
Facsimile (305) 296-2727
Florida License AAC02022

Bender & Associates
ARCHITECTS p.a.

Project No: 1305
SITE HARDSCAPE
PLAN
Date: 03/03/14

SHEET NOTES

1. ALL INTEGRAL COLOR CONCRETE ADMIXTURE BY L.M. SCOFIELD
www.scofield.com
1.800.800.9900
2. ALL PLANTER CURBS, STAIRS AND SEATWALLS TO BE SCOFIELD LIME-STONE INTEGRAL COLORED CONCRETE WITH SAND BLASTED FINISH UNLESS NOTED OTHERWISE.
3. ALL INTEGRAL COLORED CONCRETE SURFACES TO BE SEALED WITH SCOFIELD 'REPELLO' PENETRATING WATER AND OIL REPELLANT, PER MANUFACTURER'S SPECIFICATIONS.
4. ALL AGGREGATE TO BE 3/8" LIME-ROCK UNLESS OTHERWISE NOTED.
5. SEE ARCHITECTURE DRAWINGS FOR ALL BUILDINGS AND STRUCTURES.

SYMBOLS LEGEND

- EJ -EXPANSION JOINT
CJ -CONTROL JOINT
PLNTG-PLANTING (SEE PLANT. PLANS)
MT /CLR/ FIN
FINISH
COLOR
MATERIAL

MATERIAL

- A -ASPHALT
C4 -CONCRETE - 4" THICK
C6 -CONCRETE - 6" THICK
P1 -PAVER - 12" x 12"
P2 -PAVER - 24" x 24"
P3 -ADA PAVER


COLOR

- CH -CHARCOAL
CR -CORAL RED
CS -CORAL STONE
FG -FRENCH GRAY
LM -LIMESTONE
NG -NATURAL GRAY
SB -SPRING BEIGE
SM -SUMMER BEIGE

FINISH

- LB -LIGHT BROOM
NF -NATURAL FOSSIL
RS -ROCK SALT
SB -SAND BLAST; EXPOSED AGG.
SF -SPONGE FLOAT
SJ -SAW CUT JOINTS
ST -STEEL TROWEL
STMP -STAMPED
TJ -TOOLED JOINTS


- 1 NOT USED
- 2 18" WIDTH POURED CONCRETE SEATWALL -SEE DETAILS
- 3 12" WIDTH CONCRETE WALL -SEE DETAILS
- 4 PEDESTRIAN BENCH TBD
- 5 BIKE RACK LOCATIONS
- 6 ALUMNUM HANDRAIL -SEE DETAILS
- 7 RECYCLED CONCRETE GARDEN WALK - SEE DETAIL 5/L-41
- 8 PERVIOUS GRAVEL PAVING PARKING SURFACE - SEE CIVIL DRAWINGS
- 9 FLAGPOLE W/ FLAG (3) BY EDER FLAG MFG. COMPANY PH: 800.558.6044 www.ederflag.com -SEE DETAILS
- 10 PLANTER POTS (6) KORNEGAY-MASARU MS-27.5 W/ MATCHING SAUCER COLOR: MIAMI BUFF 5447
- 11 INTEGRAL COLOR CONCRETE COMPASS ROSE - SEE HARDSCAPE ENLARGEMENTS FOR SPECIFICATIONS
- 12 6" HT. CONCRETE PEDESTAL -SEE DETAILS
- 13 10'x10' "GABLE" SHADE STRUCTURE BY POLIGON STRUCTURES, AVAILABLE THRU: REP SERVICES, INC. PH: 407.831.9658 FX: 407.834.5366 www.repservices.com



MATCHLINE SEE SHEET L-10


MATCHLINE SEE SHEET L-10

REFER TO ARCHITECTURAL DRAWINGS FOR SCREEN WALL DETAILS



REVISIONS:

--	--



LANDSCAPE ARCHITECT

ESciences

LANDSCAPE ARCHITECTURE
ENGINEERING
ENVIRONMENTAL
ECOLOGICAL

34 EAST PINE STREET
ORLANDO, FLORIDA 32801

407 481 9006 PHONE
407 481 9627 FAX

www.esciencesinc.com

410 Angela Street
Key West, Florida 33040
Telephone (305) 296-1347
Facsimile (305) 296-2727
Florida License JAC002022

Bender & Associates
ARCHITECTS

p.a.

Project No: 1305

SITE HARDSCAPE
DETAILS

Date: 12/16/13

L-43

FINISH SCHEDULE:

- A** D.C. KERCKHOFF CAP, TRIM & SURROUNDS
TYPE: CUSTOM, SEE DETAILS
COLOR: WHITE, S0010001
FINISH: ACID WASH
CONTACT: LAURA KERCKHOFF
PH. 239.597.7218
- B** STONE VENEER/CAP/TRIM SEALER
TYPE: LANCO CLEAR COAT SEALER
COLOR: N/A
FINISH: N/A
SOURCE: LANCO & HARRIS
PH. 407.240.4000


STRUCTURAL NOTES:
1.) SEE STRUCTURAL SHEETS X-XXX AND X-XXX FOR CONCRETE, REBAR, AND MASONRY REQUIREMENTS.
2.) SEE STRUCTURAL SHEET X-XXX FOR WIND PRESSURE CHART.

SHEET NOTES:


- ALL INTEGRAL COLORED CONCRETESURFACES TO BE SEALED WITH SCOFIELD 'REPELLO' PENETRATING WATER AND OIL REPELLANT, PER MANUFACTURER'S SPECIFICATIONS.
- ALL AGGREGATE TO BE 3/8" LIME- ROCK UNLESS OTHERWISE NOTED.
- REFER TO ARCHITECTURAL DRAWINGS FOR STRUCTURAL DETAILS.
- ALL EXPANSION JOINTS TO BE CAULKED, COLORED CAULK USED IN JOINTS TO MATCH ADJACENT PAVING. CONTRACTOR TO SUBMIT SAMPLE(S) TO OWNER/LANDSCAPE ARCHITECT FOR REVIEW & APPROVAL PRIOR TO INSTALLATION.
- EXPANSION JOINTS TO BE PROVIDED IN CONCRETE AT A MINIMUM DISTANCE OF 30'-0" ON CENTER.
- ALL DIMENSIONS TAKEN FROM FACE OF WALL/CURB UNLESS NOTED OTHERWISE ON PLAN.
- CONTRACTOR TO PROVIDE 4' X 4' MOCK-UP OF EACH HARDSCAPE FLATWORK ELEMENT. EACH MOCK-UP SHALL INCLUDE THE COLOR, FINISH, TYPICAL CONTROL AND EXPANSION JOINT PATTERN AND COLORED CAULK. ALL MOCK-UPS SHALL BE CONSIDERED A PART OF THE SUBMITTAL PROCESS AND REVIEWED AND APPROVED BY THE LANDSCAPE ARCHITECT AND OWNER, PRIOR TO INSTALLATION.
- SEE ARCHITECTURAL DRAWINGS FOR ALL DETAILS ASSOCIATED WITH DUMPSTER AREA SCREEN WALL & ACCESS GATES.
- REFER TO CIVIL ENGINEER'S DWG'S FOR GENERAL SITE GRADING INFORMATION.

HANDRAIL SPECS & NOTES:


- ALL HANDRAILS SHALL BE 316 MARINE GRADE S.S. WITH POWDER-COAT APPLIED CLEAR-COAT
- ALL HANDRAIL POSTS ARE TO BE INSTALLED IN DECK SURFACE WITH CORE-DRILL METHODS, CONTRACTOR TO PROVIDE NON-SHRINK GROUT, CLEAR CAULK TO BE APPLIED AT ALL LOCATIONS
- HANDRAILS FOR ALL STEPS SHALL COMPLY WITH SECTION 505 OF THE F.B.C.
- HEIGHT OF HANDRAILS SHALL BE BETWEEN 34"-38" MEASURED FROM TOP OF TREAD
- ALL HANDRAILS SHALL HAVE A CIRCULAR CROSS SECTION GRIPPING SURFACE WITH AN O.D. OF 1-1/4" MIN. - 2" MAX.
- ALL HANDRAILS SHALL EXTEND HORIZONTALLY ABOVE EACH TOP OF LANDING 12 INCHES MIN. BEYOND THE RISER NOSING OF THE LAST TREAD.
- HANDRAILS SHALL EXTEND AT THE SLOPE OF THE STAIR FLIGHT FOR A HORIZONTAL DISTANCE AT LEAST EQUAL TO ONE TREAD DEPTH BEYOND THE LAST RISER NOSING.



PRECAST DETAILS 3
SCALE: 3" = 1'-0" L43




SECTION THRU ADA RAMP 2
SCALE: 1/2" = 1'-0" L43



SECTION THRU ADA RAMP 1
SCALE: 1/2" = 1'-0" L43

GENERAL NOTE:
-DECORATIVE ALUM. POSTS & RAILING TO BE ALIGNED W/ CENTERLINE OF MASONRY COLUMN
-REFER TO STRUCTURAL ENGINEER'S DRAWINGS FOR ALL REINFORCEMENT DETAILS & NOTES



LANDSCAPE ARCHITECT

ESciences

LANDSCAPE ARCHITECTURE
ENGINEERING
ENVIRONMENTAL
ECOLOGICAL

34 EAST PINE STREET
ORLANDO, FLORIDA 32801

407 481 9006 PHONE
407 481 9627 FAX

www.esciencesinc.com

410 Angela Street
Key West, Florida 33040
Telephone (305) 296-1347
Facsimile (305) 296-2727
Florida License AAC002022

Bender & Associates
ARCHITECTS

p.a.

Project N^o 1305


SITE LANDSCAPE
PLAN

Date: 03/03/14


L-50

SHEET NOTES:
1. SEE PLANT LIST AND NOTES FOR ALL PLANT SPECIFICATIONS.

SYMBOLS LEGEND



- LOW GROUNDCOVER
- MEDIUM/LARGE SHRUBS
- NATIVE ORNAMENTAL GRASSES
- BUTTERFLY GARDEN PLANTS



UNITED STREET (HMDR) 895 LINEAR FT. BUFFERYARD TYPE (B) 5' WIDTH

REQ'D:
3 CANOPY TREES/100 LF = 26 TREES
1 UNDERSTORY TREES/100 LF = 4 TREES
10 SHRUBS/100 LF = 84 SHRUBS

PROVIDED:
26 CANOPY TREES, 3" DBH, 12' HT. MIN.
50 UNDERSTORY TREES, 5' HT. MIN.
200+ SHRUBS, 36" MIN.

PLANT UNIT CALCULATION- SECTION 108-347(c & d)

UNITED STREET BUFFERYARD- 895 LF TYPE (B) 5' WIDTH

REQ'D:
895 LF OF BUFFER / 100= 8.95 X 40 PLANT POINTS= 354 PLANT POINTS

PROVIDED:
26 CANOPY TREES @ 10 POINTS= 260 POINTS
50 UNDERSTORY TREES @ 5 POINTS= 250 POINTS
200 SHRUBS @ 1 POINT= 200 POINTS

GRAND TOTAL BUFFERYARD POINTS: 710 POINTS

3.0' MIN.-6.6' MAX. PLANTING AREA PROVIDED, POTENTIAL WAIVER REQUIRED

PLANTING AREA VARIES ALONG WHITE STREET, POTENTIAL WAIVER REQUIRED

SEMINARY STREET (HMDR) 453 L. FT. BUFFERYARD TYPE (B) 5' WIDTH

REQ'D:
3 CANOPY TREES/100 LF = 14 TREES
1 UNDERSTORY TREES/100 LF = 5 TREES
10 SHRUBS/100 LF = 46 SHRUBS

PROVIDED:
14 CANOPY TREES, 3" DBH, 12' HT. MIN.
10 UNDERSTORY TREES, 5' HT. MIN.
60+ SHRUBS, 36" HT. MIN.

PARKING LOT PERIMETER LANDSCAPING

BUILDING SITE SQ. FT. = 37,122
REQ'D 7.5' MIN. WIDTH
PROVIDED WIDTH 9.5'
REQ'D 1 CANOPY TREE AND 10 SHRUBS/35 LINEAR FT.
PROVIDED 1+ CANOPY TREES AND 10+ SHRUBS/35 LINEAR FT.

PLANT UNIT CALCULATION- SECTION 108-347(c & d)

SEMINARY STREET BUFFERYARD- 453 LF TYPE (B) 5' WIDTH

REQ'D:
453 LF OF BUFFER / 100= 4.53 X 40 PLANT POINTS= 181.2 PLANT POINTS

PROVIDED:
14 CANOPY TREES @ 10 POINTS= 140 POINTS
10 UNDERSTORY TREES @ 5 POINTS= 50 POINTS
60 SHRUBS @ 1 POINT= 60 POINTS

GRAND TOTAL BUFFERYARD POINTS: PROVIDED: 250 POINTS

SEMINARY STREET (HMDR) 453 L. FT. BUFFERYARD TYPE (B) 5' WIDTH

REQ'D:
3 CANOPY TREES/100 LF = 14 TREES
1 UNDERSTORY TREES/100 LF = 5 TREES
10 SHRUBS/100 LF = 46 SHRUBS

PROVIDED:
14 CANOPY TREES, 3" DBH, 12' HT. MIN.
10 UNDERSTORY TREES, 5' HT. MIN.
60+ SHRUBS, 36" HT. MIN.


WHITE STREET (HMDR) 187 LINEAR FT. BUFFERYARD TYPE (B) 5' WIDTH


REQ'D:
3 CANOPY TREES/100 LF = 5 TREES
1 UNDERSTORY TREES/100 LF = 2 TREES
10 SHRUBS/100 LF = 19 SHRUBS

PROVIDED:
5 CANOPY TREES, 3" DBH, 12' HT. MIN.
6 UNDERSTORY TREES, 5' HT. MIN.
60+ SHRUBS, 36" HT. MIN.

MATCHLINE SEE SHEET L-51

MATCHLINE SEE SHEET L-51





LANDSCAPE ARCHITECT

ESciences

LANDSCAPE ARCHITECTURE
ENGINEERING
ENVIRONMENTAL
ECOLOGICAL

34 EAST PINE STREET
ORLANDO, FLORIDA 32801

407 481 9006 PHONE
407 481 9627 FAX

www.esciencesinc.com

410 Angela Street
Key West, Florida 33040
Telephone (305) 296-1347
Facsimile (305) 296-2727
Florida License AAC02022

Bender & Associates
ARCHITECTS p.a.

Project No. 1305

LANDSCAPE
PLAN


Date: 03/03/14

L-51

SHEET NOTES:
1. SEE PLANT LIST AND NOTES FOR ALL PLANT SPECIFICATIONS.

SYMBOLS LEGEND

- 2 / QVI
PLANT SYMBOL
PLANT QUANTITY
- LOW GROUNDCOVER
- MEDIUM/LARGE SHRUBS
- NATIVE ORNAMENTAL GRASSES
- BUTTERFLY GARDEN PLANTS



PLANT UNIT CALCULATION- SECTION 108-347(c & d)
UNITED STREET BUFFERYARD- 835 LF TYPE (B) 5' WIDTH
REQ'D:
835 LF OF BUFFER / 100= 8.35 X 40 PLANT POINTS= 334 PLANT POINTS
PROVIDED:
26 CANOPY TREES @ 10 POINTS= 260 POINTS
50 UNDERSTORY TREES @ 5 POINTS= 250 POINTS
200+ SHRUBS @ 1 POINT= 200 POINTS
GRAND TOTAL BUFFERYARD POINTS PROVIDED: 710 POINTS

UNITED STREET (HMDR) 835 LINEAR FT. BUFFERYARD TYPE (B) 5' WIDTH
REQ'D:
3 CANOPY TREES/100 LF = 26 TREES
1 UNDERSTORY TREES/100 LF = 9 TREES
10 SHRUBS/100 LF = 84 SHRUBS
PROVIDED:
26 CANOPY TREES, 3" DBH, 12' HT. MIN.
50 UNDERSTORY TREES, 5' HT. MIN.
200+ SHRUBS, 36" HT. MIN.
PARKING LOT PERIMETER LANDSCAPING
BUILDING SITE SQ. FT. = 37,122
REQ'D 7.5' MIN. WIDTH
PROVIDED WIDTH 13'+
REQ'D 1 CANOPY TREE AND 10 SHRUBS/35 LINEAR FT.
PROVIDED 1+ CANOPY TREES AND 10+ SHRUBS/35 LINEAR FT.


GRINNELL STREET (HMDR) 93 LINEAR FT. BUFFERYARD TYPE (B) 5' WIDTH
REQ'D:
3 CANOPY TREES/100 LF = 3 TREES
1 UNDERSTORY TREES/100 LF = 1 TREES
10 SHRUBS/100 LF = 8 SHRUBS
PROVIDED:
3 CANOPY TREES, 3" DBH, 12' HT. MIN.
4 UNDERSTORY TREES, 5' HT. MIN.
40+ SHRUBS, 36" HT. MIN.

PLANT UNIT CALCULATION- SECTION 108-347(c & d)
GRINNELL STREET BUFFERYARD- 93 LF TYPE (B) 5' WIDTH
REQ'D:
93 LF OF BUFFER / 100= .93 X 40 PLANT POINTS= 37.2 PLANT POINTS
PROVIDED:
3 CANOPY TREES @ 10 POINTS= 30 POINTS
4 UNDERSTORY TREES @ 5 POINTS= 20 POINTS
40 SHRUBS @ 1 POINT= 40 POINTS
GRAND TOTAL BUFFERYARD POINTS PROVIDED: 90 POINTS


PROPERTY LINE ADJACENT TO EXISTING RESIDENTIAL (HMDR) 382 L. FT. BUFFERYARD TYPE (B) 5' WIDTH
REQ'D:
3 CANOPY TREES/100 LF = 12 TREES
1 UNDERSTORY TREES/100 LF = 4 TREES
10 SHRUBS/100 LF = 39 SHRUBS
PROVIDED:
19 CANOPY TREES, 3" DBH, 12' HT. MIN.
6 UNDERSTORY TREES, 5' HT. MIN.
70+ SHRUBS, 36" HT. MIN.
PARKING LOT PERIMETER LANDSCAPING
BUILDING SITE SQ. FT. = 37,122
REQ'D 7.5' MIN. WIDTH
PROVIDED WIDTH 7.5'
REQ'D 1 CANOPY TREE AND 10 SHRUBS/35 LINEAR FT.
PROVIDED 1+ CANOPY TREES AND 10+ SHRUBS/35 LINEAR FT.

PLANT UNIT CALCULATION- SECTION 108-347(c & d)
PROPERTY LINE ADJACENT TO EXISTING RESIDENTIAL BUFFERYARD- 382 LF TYPE (B) 5' WIDTH
REQ'D:
382 LF OF BUFFER / 100= 3.82 X 40 PLANT POINTS= 152.8 PLANT POINTS
PROVIDED:
19 CANOPY TREES @ 10 POINTS= 190 POINTS
6 UNDERSTORY TREES @ 5 POINTS= 30 POINTS
70 SHRUBS @ 1 POINT= 70 POINTS
GRAND TOTAL BUFFERYARD POINTS PROVIDED: 290 POINTS

SEMINARY STREET (HMDR) 463 L. FT. BUFFERYARD TYPE (B) 5' WIDTH
REQ'D:
3 CANOPY TREES/100 LF = 14 TREES
1 UNDERSTORY TREES/100 LF = 5 TREES
10 SHRUBS/100 LF = 46 SHRUBS
PROVIDED:
14 CANOPY TREES, 3" DBH, 12' HT. MIN.
10 UNDERSTORY TREES, 5' HT. MIN.
60+ SHRUBS, 36" HT. MIN.
PARKING LOT PERIMETER LANDSCAPING
BUILDING SITE SQ. FT. = 37,122
REQ'D 7.5' MIN. WIDTH
PROVIDED WIDTH 9.5'
REQ'D 1 CANOPY TREE AND 10 SHRUBS/35 LINEAR FT.
PROVIDED 1+ CANOPY TREES AND 10+ SHRUBS/35 LINEAR FT.







KEY WEST CITY HALL | EAST ELEVATION



KEY WEST CITY HALL | SOUTH ELEVATION



KEY WEST CITY HALL | WEST ELEVATION



KEY WEST CITY HALL | NORTH ELEVATION



View from United Street Looking East





Noticing

Public Meeting Notice

The Historic Architectural Review Commission will hold a public hearing at 5:30 p.m., April 24, 2014 at Old City Hall, 510 Greene Street, Key West, Florida. The purpose of the hearing will be to consider a request for:

MAJOR DEVELOPMENT PLAN-RENOVATION OF HISTORIC TWO STORY SCHOOL COMPLEX INTO NEW CITY HALL, WITH ALL ASSOCIATED LANDSCAPE AND SITEWORK.

FOR- #1300 WHITE STREET

Applicant- City of Key West/ Bender and Associates, Architect Application # H14-01-0580

If you wish to see the application or have any questions, you may visit the Planning Department during regular office hours at 3140 Flagler Avenue, call 809-3973 or visit our website at www.keywestcity.com.

THIS NOTICE CAN NOT BE REMOVED FROM THE SITE UNTIL HARC FINAL DETERMINATION

HARC POSTING AFFIDAVIT

STATE OF FLORIDA:
COUNTY OF MONROE:

BEFORE ME, the undersigned authority, personally appeared Enid Torregrosa, who, first being duly sworn, on oath, depose and says that the following statements are true and correct to the best of his/her knowledge and belief:

1. That a legal notice for Public Notice of Hearing of the Historic Architectural Review Commission (HARC) was placed on the following address: 1300 White Street (3 notices) on the 9 day of April, 2014.

This legal notice(s) contained an area of at least 8.5"x11".

The property was posted to notice a public hearing before the Key West Historic Architectural Review Commission to be held on April 24, 2014, 2014.

The legal notice(s) is/are clearly visible from the public street adjacent to the property.

The Certificate of Appropriateness number for this legal notice is H14-01-580

2. A photograph of that legal notice posted in the property is attached hereto.

Signed Name of Affiant:

[Signature]
Date: April 9, 2014
Address: 3140 Flagler Ave.
City: Key West
State, Zip: FL 33040

The forgoing instrument was acknowledged before me on this 9th day of April, 2014.

By (Print name of Affiant) Enid Torregrosa who is personally known to me or has produced [Signature] as identification and who did take an oath.

NOTARY PUBLIC

Sign Name: [Signature]

Print Name: Jo Bennett

Notary Public State of Florida (seal)

My Commission Expires: May 26, 2015





CHARLEY

Joppino
& SONS, INC.

KEY WEST

305-296-5606

Demolition - Site Work - Underground Utilities

RG 004536

Public Meeting Notice

THESE MEETINGS ARE REQUIRED BY THE FLORIDA DEPARTMENT OF TRANSPORTATION AND ARE OPEN TO THE PUBLIC. THE MEETINGS WILL BE HELD AT THE FOLLOWING LOCATION AND TIME:

DATE: 04/22/2010 TIME: 10:00 AM LOCATION: 1000 N. MIAMI AVENUE, SUITE 1000, MIAMI, FL 33136

NO TRESPASSING

CONSTRUCTION AREA

Joppino & Sons, Inc.



**Glynn Archer School/City Hall
Frank Butler Memorial Garden**

The public will have an opportunity to get plant cuttings or harvest plants from the memorial garden located along White Street. People are to bring their own tools and containers and access is from White Street only.

WHEN: Saturday, April 12, 2014

TIME: 8 a.m. to noon

For more information, contact Karen DeMara at 809-3768

Public Meeting Notice

The Mayor's Commission on new development will hold a public hearing at 9:00 a.m. April 24, 2014 at the City Hall, 418 Government Street, San Juan, Puerto Rico. The purpose of the hearing will be to receive a request for

MAJOR DEVELOPMENT PLAN-RENOVATION OF HISTORIC TWO STORY SCHOOL COMPLEX INTO NEW CITY HALL WITH ALL ASSOCIATED LANDSCAPE AND SITEWORK.

188-6130 WHITE STREET

Applicant: City of San Juan/Recher and Associates, Architects Application # 014-01-0000

If you wish to see the application or have any comments, you may visit the Planning Department during regular office hours at 3140 Ponce Avenue, call 809-3079 or visit our website at www.sanjuanpr.gov. BIDDING CAN ONLY BE REQUESTED FROM THE SITE OWNER. MUNICIPAL ORDINANCES.


Public Meeting Notice

WASTE DEVELOPMENT PLAN-RENOVATION OF HISTORIC TED STACY SCHOOL COMPLEX INTO SENIORS HALL WITH ALL ASSOCIATED LANDSCAPE AND SITE WORK.

THE CITY OF TAMPA

Department of City Staff, Planning and Community Development 408 North Franklin Street

If you have any questions or need more information, please contact the Planning Department at 813-274-2222. For more information on the project, please visit the project website at www.tampacity.com/planning.



**Property Appraiser
Information**



Scott P. Russell, CFA
Property Appraiser
Monroe County, Florida

Key West (305) 292-3420
Marathon (305) 289-2550
Plantation Key (305) 852-7130

The offices of the Property Appraiser will be closed Friday, April 18, 2014, in observance of Good Friday. Our offices will re-open Monday at 8am.

Website tested on
IE9 & Firefox.
Requires Adobe Flash
10.3 or higher

Property Record Card - Maps are now launching the new map application version.

Alternate Key: 1040827 Parcel ID: 00040100-000000


Ownership Details

Mailing Address:
CITY OF KEY WEST
PO BOX 1409
KEY WEST, FL 33041-1409

Property Details

PC Code: 89 - MUNICIPAL OTHER THAN (PC/LIST)
Millage Group: 10KW
Affordable Housing: No
Section-Township-Range: 05-68-25
Property Location: 1300 WHITE ST KEY WEST
Subdivision: George W Nichols Sub
Legal Description: SQR 1 TR 18 LTS 1 THRU 4 9-10-13-14-17-18-21-22-25-26-29-30-31-32; SQR 2 TR 18 PT LTS 3, 4 AND 10 AND ALL OF LTS 1, 2 9 AND 13; SQR 8 TR 18 LTS 1 THRU 4 KW GEORGE W NICHOLS SUB PB1-42 AND A PT OF WHALTON STREET A5-107/17 A1-368 F1-429 B2-556 F1-427 G46-35/36 G46-433/34 G43-319/20 G48-338/46 OR13-181 OR23-179/83 OR23-184/85 OR305-75 OR2642-2187/88

Click Map Image to open interactive viewer



Exemptions

Exemption	Amount
15 - MUNICIPAL LANDS	7,298,247.00

Land Details

Land Use Code	Frontage	Depth	Land Area
100E - COMMERCIAL EXEMPT	0	0	120,549.00 SF

Building Summary

Number of Buildings: 1
 Number of Commercial Buildings: 1
 Total Living Area: 34768
 Year Built: 1955

Building 1 Details

Building Type
 Effective Age 27
 Year Built 1955
 Functional Obs 0

Condition A
 Perimeter 1,608
 Special Arch 0
 Economic Obs 0

Quality Grade 350
 Depreciation % 35
 Grnd Floor Area 34,768

Inclusions:

Roof Type
 Heat 1
 Heat Src 1


Roof Cover
 Heat 2
 Heat Src 2

Foundation
 Bedrooms 0

Extra Features:

2 Fix Bath 0
 3 Fix Bath 0
 4 Fix Bath 0
 5 Fix Bath 0
 6 Fix Bath 0
 7 Fix Bath 0
 Extra Fix 20

Vacuum 0
 Garbage Disposal 0
 Compactor 0
 Security 0
 Intercom 0
 Fireplaces 0
 Dishwasher 0



Sections:

Nbr	Type	Ext Wall	# Stories	Year Built	Attic A/C	Basement %	Finished Basement %	Area
1	FLA		2	1984				8,343

2	FLA	1	1984	3,479
3	OUF	1	1984	2,215
4	FLA	2	1984	9,075
5	FLA	1	1984	13,871

Interior Finish:

Section Nbr	Interior Finish Nbr	Type	Area %	Sprinkler	A/C
	4816	CITY BLDGS D	100	N	N
	4817	CITY BLDGS D	100	N	N
	4818	OUF	100	N	N
	4819	CITY BLDGS D	100	N	N
	4820	CITY BLDGS D	100	N	N

Exterior Wall:

Interior Finish Nbr	Type	Area %
1299	C.B.S.	100

Appraiser Notes

PER OR2642-2187 W/D CONVEYING PARCEL TO THE CITY OF KEY WEST RETAINS A PORTION OF LOTS 3, 4 AND 10 FOR THE SCHOOL BOARD OF MONROE COUNTY, TRANSFER 11,587 SQ FT TO RE00040100-000100; DONE FOR THE 2013 TAX ROLL.

GLYNN ARCHER JR MIDDLE SCHOOL & 3 PORTABLES 2268 SF 1302 WHITE ST

Parcel Value History

Certified Roll Values.

[View Taxes for this Parcel.](#)

Roll Year	Total Bldg Value	Total Misc Improvement Value	Total Land Value	Total Just (Market) Value	Total Assessed Value	School Exempt Value	School Taxable Value
2013	5,965,898	0	2,713,076	8,678,974	8,678,974	8,678,974	0
2012	5,977,368	0	2,973,853	8,951,221	8,951,221	8,951,221	0
2011	6,235,125	0	2,973,853	9,208,978	9,208,978	9,208,978	0
2010	6,235,125	0	7,267,480	13,502,605	13,502,605	13,502,605	0
2009	6,578,802	0	15,525,980	22,104,782	22,104,782	22,104,782	0
2008	6,587,404	0	19,820,400	26,407,804	26,407,804	26,407,804	0
2007	4,465,552	0	19,820,400	24,285,952	24,285,952	24,285,952	0
2006	4,469,375	0	5,946,120	10,415,495	10,415,495	10,415,495	0
2005	4,475,109	0	5,946,120	10,421,229	10,421,229	10,421,229	0
2004	4,454,963	0	5,946,120	10,401,083	10,401,083	10,401,083	0
2003	4,454,963	0	1,816,870	6,271,833	6,271,833	6,271,833	0
2002	4,454,963	0	1,816,870	6,271,833	6,271,833	6,271,833	0
2001	4,454,963	0	3,435,536	7,890,499	7,890,499	7,890,499	0
2000	4,454,963	0	2,510,584	6,965,547	6,965,547	6,965,547	0

1999	4,454,963	0	2,510,584	6,965,547	6,965,547	6,965,547	0
1998	2,976,914	0	2,510,584	5,487,498	5,487,498	5,487,498	0
1997	2,976,914	0	2,246,312	5,223,226	5,223,226	5,223,226	0
1996	2,706,286	0	2,246,312	4,952,598	4,952,598	4,952,598	0
1995	2,706,286	0	2,246,312	4,952,598	4,952,598	4,952,598	0
1994	2,706,286	0	2,246,312	4,952,598	4,952,598	4,952,598	0
1993	2,706,286	0	2,246,312	4,952,598	4,952,598	4,952,598	0
1992	2,706,286	0	2,246,312	4,952,598	4,952,598	4,952,598	0
1991	2,706,286	0	2,246,312	4,952,598	4,952,598	4,952,598	0
1990	2,289,935	0	1,059,972	3,349,907	3,349,907	3,349,907	0
1989	2,289,935	0	1,041,376	3,331,311	3,331,311	3,331,311	0
1988	1,756,826	0	892,608	2,649,434	2,649,434	2,649,434	0
1987	1,729,885	0	331,009	2,060,894	2,060,894	2,060,894	0
1986	1,736,263	0	312,413	2,048,676	2,048,676	2,048,676	0
1985	1,704,570	0	296,592	2,001,162	2,001,162	2,001,162	0
1984	0	796,187	296,592	1,092,779	1,092,779	1,092,779	0
1983	0	796,187	296,592	1,092,779	1,092,779	1,092,779	0
1982	0	796,187	223,185	1,019,372	1,019,372	1,019,372	0

Parcel Sales History

NOTE: Sales do not generally show up in our computer system until about two to three months after the date of sale. If a recent sale does not show up in this list, please allow more time for the sale record to be processed. Thank you for your patience and understanding.

Sale Date	Official Records Book/Page	Price	Instrument	Qualification
8/1/2013	2642 / 2187	100	WD	11

This page has been visited 51,175 times.

Monroe County Property Appraiser
 Scott P. Russell, CFA
 P.O. Box 1176 Key West, FL 33041-1176