


BOAT BASIN



NOTES:

1. THE BATHYMETRY AND SURVEY DATA WAS PROVIDED BY AVIROM & ASSOCIATES, INC. AND SURVEYED ON 12/14/15 THROUGH 12/15/15.
2. THE PROPOSED SEAWALL WILL CONSIST OF A SHEETPILE WALL SPACED CLOSE TO THE EXISTING SEAWALL, WITH A CONCRETE CAP, AND TIE-BACKS SPACED AT 10' O.C., AS SHOWN IN THE CROSS-SECTIONS ON SHEETS [P005-P010].
3. A TURBIDITY CURTAIN SHALL BE UTILIZED TO PREVENT ANY CONSTRUCTION DEBRIS FROM ESCAPING OUTSIDE OF THE CONSTRUCTION ZONE.
4. ALL CONSTRUCTION ACTIVITIES WILL BE PERFORMED IN ACCORDANCE WITH THE NMFS SEA TURTLE AND SAWFISH CONSTRUCTION GUIDELINES/3MPS AND THE NMFS SECTION 7 CHECKLIST AND INSTRUCTIONS.



CITY OF KEY WEST
TRUMAN ANNEX SEAWALL RESTORATION

 PROPOSED SHEETPILE SEAWALL DESIGN

 KEY WEST, MONROE COUNTY, FLORIDA



TETRA TECH INC.
 759 SOUTH FEDERAL HWY
 SUITE 314
 STUART, FL 34994-2936
 TEL: (772) 781-3400
 FAX: (772) 781-3411
 CERTIFICATE OF AUTHORIZATION
 NO. 2429

Stuart E McGahee
 Florida PE No. 57536

Designed by:
 S. MCGAHEE
 Drawn By:
 F. MARTINEZ
 Checked By:

 Reviewed By:

 Design file no:
 TT-TRUMANSEAWALL_PART_2_V5.DWG
 Scale:
 AS SHOWN

Sheet Reference:
P-004
 Sheet 9 of -