# Transportation Report 8.2024

#### Communication

- June & July Social Media Reach
  50.4K (48.7K May)
- Request for Proposals issued for City-wide Comprehensive Safety Action Plan in support of Vision Zero
- Pictured: Crosswalk at Duval St and Petronia St Reach 21K



### Safety & Vision Zero

- Headlights, taillights, and bells are available at City Hall and the Monroe County Public Library
  - 400 distributed in June and July
- Safety Tent staffed by Interns during Fridays through the summer break
  - o Banners encouraged safe habits:
    - 15 MPH speed limit
    - Alert passing
    - Lights required at night
- City-wide Comprehensive Safety Action Plan:
  - Advertised August: 1, 2024
  - Evaluation Committee: September 11, 2024
  - o Tentative Award: October 10, 2024

## Bike Parking

Public map / Request more: http://bit.ly/kwracks

- 24 bike parking spaces installed:
  - Clinton Square temporary rack
  - o Fleming St, William St, United St, Grinnell St, Pine St
- 1 Bicycle Repair Stand (Fixit) installed:
  - Collaboration with the Key West Library
- Task Order issued for design services to install parking along Whitehead St
- 12 Racks refreshed / painted

#### Infrastructure Type Project Updates

Updates for projects found here: https://cityofkeywest-fl.gov/930/Active-Capital-Projects

- Final Mile Contractor is installing flagging stations, signage. Expected completion September 2024.
- **S Roosevelt Blvd** Construction underway. Staff is coordinating with sidewalk construction. Target completion date *Spring 2025*.
- Staples Ave Pedestrian Bridge <a href="http://bit.ly/staplesbridge">http://bit.ly/staplesbridge</a> Approach ramps and bridge installed. Railing and tide valves to be installed. Target completion *mid 2024*.
- Caroline St Bicycle infrastructure awaiting construction phase.
- South St Construction underway along South St. Plans include street trees and bicycle facilities.
- Southernmost Point Plaza TDC grant for Southernmost Point enhanced improvements. Public meeting TBD.
- Wickers 60% design. Cultural Resources Assessment suggests no adverse effect to historic property.
- North Roosevelt Blvd at Palm Ave (434684-4-52-01) awaiting final signalization installation.
- **North Roosevelt Blvd** (FM# <u>446011-1</u>): Safety Audit completed and a reduction of three crashes per year can be achieved by recommendations: access management, driveway width, LPI, etc.
- Salt Ponds Trails Concept feasibility assessment for Smathers Connector was completed and submitted to Monroe County per agreement. Feasibility for remaining connectors are pending.