

Historic Architectural Review Commission Staff Report for Item 9

To: Chairman Bryan Green and Historic Architectural Review

Commission Members

From: Enid Torregrosa, MSHP

Historic Preservation Planner

Meeting Date: July 25, 2017

Applicant: Pike Architects

Application Number: H17-03-0027

Address: #1119 Whitehead Street

Description of Work:

Renovations to historic house including new wood windows and new siding on side. Raising existing house 18" in order to meet FEMA minimum requirements. New rooflines on side and rear existing additions and renovations to additions. New 4'tall wood picket fence with gates at front of house and new driveway.

Site Facts:

The main structure in the site is a contributing resource to the historic district. The historic house, built circa 1923 is a one-story frame vernacular structure that has been altered on its rear and side elevations. The house sits second to the southeast corner of Whitehead and Angela streets and on an A/E 6 zone on the Flood Insurance Maps.

The house has an "L" shape floor plan configuration and the original portion of the house still preserves its roof form and its full wide front porch, however, the front porch does not preserve its original wooden materials. Several alterations have occurred to side and rear elevations and at this point different semi flat and shed roofs contrast with the original gable roof of the historic portion of the house. Although the Sanborn map from 1962 as well as a circa 1965 photograph depicts an addition done to the south side of the house, there is evidence that the actual volume located on the similar side has a different roofline as portrayed on the photograph. All historic window fenestrations on the north elevation have been border up.

In June 15, 2017, the Planning Board approved a variance for side and rear setbacks for changing roof forms on a non-conforming structure.

US Secretary of the Interior's Standards for Rehabilitation and Guidelines Cited in Review:

- USSOIS (pages 16-23), specifically Standard 1, 9, and 10.
- Building exteriors (page 24), first paragraph all guidelines.
- Roofing (page 26), specifically guidelines 3 and 4.
- Windows (pages 29 and 30), specifically guidelines 3 and 4.
- Additions and Alterations (pages 37a-37k), specifically third and fourth paragraph of page 37a for compatibility and elevating the house, guidelines 11, 12, and 13.
- Outbuildings (pages 40-41), specifically guideline 6.
- Fencing (pages 41-42), specifically guidelines 1, 2, and 3.

Staff Analysis

The Certificate of Appropriateness in review is for the construction of new gable roof forms over non-historic additions in order to give cohesion and better drainage to existing roofs. The plan also includes renovations to the house including re opening of two fenestrations on the north side and changes of non-historic doors to windows on the south side of the historic portion of the house. Due to the proximity of the historic portion of the house with its neighboring structure a one hour fire rated exterior wall is required by the CBO, therefore installation of new hardiboard siding is proposed on that portion of the house as well as on non-historic portions of the house. Also new impact windows on non-historic additions are annotated in the plans.

The house sits almost on grade and the owners are requesting to elevate the house 18" over the existing finish floor. Because of this request, the front porch floors railing will be changed in order to accommodate the new height. The design proposes a new wood deck over the existing concrete slab floor as well as new wood railings.

The plan also includes the removal of the existing 6-foot tall front fence and gatehouse in order to install a 4 feet tall wood picket fence with a gate. An off-street parking is proposed on the front side of the lot.

Consistency with Guidelines

It is staff's opinion that the proposed design is consistent with cited SOIS and HARC guidelines. The proposed new roofs over non-historic additions will be lower than the historic roof at the main house and their forms are more in keeping with surrounding buildings. The proposed opening of historic fenestrations at the north side of the house and the installation of wood windows will bring back the rhythm and solid vs void ratio on both sides of the house.

Staff finds the proposed changes on the front fence to be consistent with the guidelines; the actual 6-foot tall fence and its gatehouse are contrary to the guidelines. The proposed offstreet parking will not be in front of the historic house and will not obscure any historic structure or element found in the site. The new design is sensible to the scale, form and massing of the small historic house.

APPLICATION

Trans date: 6/21/17 Time: 8:48:49

COMBINATION APPLICATION: FLOODPLAIN, CONSTRUCTION AND HARC \$50.00 APPLICATION FEE NON-REFUNDABLE



City of Key West

1300 WHITE STREET KEY WEST, FLORIDA 33040

HARC PERMIT	300027	BUILDING PER	RMIT NUMBER	INITIAL & D	ATE
FLOODPLAIN P	PERMIT			REVISION #	ŧ
FLOOD ZONE	PANEL#	ELEV. L. FL.	SUBSTANTIA	L IMPROVEMEN	IT
			YES	NO	%

	ofkeywest-fl.gov	TANCE I	ELLY, E. T.	YESNO%
ADDRESS OF PROPOSED PROJECT:	1119 WHIEHEAD SI	REET KEV WE	55T, FC 330	940 #OF UNITS
RE # OR ALTERNATE KEY:	000 28260 - 000	/		
NAME ON DEED:	OBBAGY JOHN MAN JOINT TRUST 12		PHONE NUMBI	ER - 244 - 46 7 8
OWNER'S MAILING ADDRESS:	1309 WHITEHEAD S		TAKAN	john 66 eyahoo com
CONTRACTOR COMPANY MARK		ST, F1 33 HI	PHONE NUMBI	ER
CONTRACTOR COMPANY NAME:	T.B.D.		EMAIL	
CONTRACTOR'S CONTACT PERSON		,		
ARCHITECT / ENGINEER'S NAME:	PILE ARCHITECTS /	SETH NEAL	PHONE NUMBI	5-296-1692
ARCHITECT / ENGINEER'S ADDRESS	471 US HWY 1.	SUME 101	EMAIL Sethe	Dikearchitects com
	FEY WEST FI	1.33040		
HARC: PROJECT LOCATED IN HISTO			O (SEE PART C F	OR HARC APPLICATION.)
CONTRACT PRICE FOR PROJECT OF	RESTIMATED TOTAL FOR MAT	"L., LABOR & PROFIT:	T.B.	D.
FLORIDA STATUTE 837.06: WHOEVER KNOWI PERFORMANCE OF HIS OR HER OFFICIAL DU			NTENT TO MISLEAD A	PUBLIC SERVANT IN THE
PROJECT TYPE: SONE OR TWO I CHANGE OF US DEMOLITION	FAMILY MULTI-FAMILY SE / OCCUPANCY ADDIT SITE WORK MINTERIO	ON SIGNAGE	NEW □R WITHIN FLOO AFTER-THE-F	OD ZONE AE 6
DETAILED PROJECT DESCRIPTION I	NCLUDING QUANTITIES, SQUA	RE FOOTAGE ETC.,		REMOVAL / DE MO
OF BOOK BAKING FUK	THE DECIDENCE ARE	F AF (F) on o		/ "
OF ROOF. RAISING EXE		E AES TESOD	ZONE , 10 EZ	EVD(IOX) /-O.
RENOVATION TO THE EXIST	ING RESIDENCE.			
I'VE OBTAINED ALL NECESSARY APPROVALS OWNER PRINT NAME:	S FROM ASSOCIATIONS, GOV'T AGEN	CIES AND OTHER PARTIES QUALIFIER PRINT NAM PIKE ALCHITEC		COMPLETE THE DESCRIBED PROJECT:
OWNER SIGNATURE: 50		QUALIFIER SIGNATUR	2/1	104.1171-116
Notany Signature as to owner.	WORK TO MIN CONTROL OF THE CONTROL O	Notary Signature as to d		
STATE OF PLORIDA; COUNTY OF MONROE, S THIS DAY OF THE THE THIS DAY OF THE THIS DAY OF THE THIS DAY OF THE THIS DAY OF THE THIS	, 20			SWORN TO AND SCRIBED BEFORE ME 20
Fine Fine			Oper: KE Date: 5: 201	/21/17 53 Receipt no: 15743 7
Personally known or produced	as identification.	Personally known or produce		* BUILDING PERMITS AS Identification.
17 19 19 19 19 19 19 19 19 19 19 19 19 19			Trans non VM VISA/	

719-6865 - 12486-015

PART B: SUPPLEMENTARY PROJECT DETAILS TO AVOID DELAYS / CALL-BACKS PROPERTY STRUCTURES AFFECTED BY PROJECT: MAIN STRUCTURE ACCESSORY STRUCTURE SITE ACCESSORY STRUCTURES: GARAGE / CARPORT DECK FENCE OUTBUILDING / SHED FENCE STRUCTURES: 4 FT. 6 FT. SOLID 6 FT. / TOP 2 FT. 50% OPEN POOLS: INGROUND ABOVE GROUND SPA / HOT TUB PRIVATE PUBLIC PUBLIC POOLS REQUIRE BD. OF HEALTH LICENSE APPLICATION AT TIME OF CITY APPLICATION. PUBLIC POOLS REQUIRE BD. OF HEALTH LICENSE PRIOR TO RECEIVING THE CITY CERTIFICATE OF OCCUPANCY. ROOFING: NEW ROOF-OVER TEAR-OFF REPAIR AWNING 5 V METAL ASPLT. SHGLS. METAL SHGLS. BLT. UP TPO OTHER FLORIDA ACCESSIBILITY CODE: 20% OF PROJECT FUNDS INVESTED IN ACCESSIBILITY FEATURES. # OF SINGLE FACE # OF DOUBLE FACE REPLACE SKIN ONLY BOULEVARD ZONE POLE WALL PROJECTING AWNING HANGING WINDOW SQ. FT. OF EACH SIGN FACE: SUBCONTRACTORS / SPECIALTY CONTRACTORS SUPPLEMENTARY INFORMATION: MECHANICAL: DUCTWORK COMMERCIAL EXH. HOOD INTAKE / EXH. FANS LPG TANKS A / C: COMPLETE SYSTEM AIR HANDLER CONDENSER MINI-SPLIT ELECTRICAL: LIGHTING LRECEPTACLES HOOK-UP EQUIPMENT LOW VOLTAGE SERVICE: OVERHEAD UNDERGROUND 1 PHASE 3 PHASE PLUMBING: ONE SEWER LATERAL PER BLDG. INGROUND GREASE INTCPTRS. LPG TANKS RESTROOMS: MEN'S WOMEN'S UNISEX ACCESSIBLE PART C: HARC APPLICATION FOR A CERTIFICATE OF APPROPRIATENESS PAINTING SINGLE FAMILY: \$10 APPLICATION FEES: STAFF APPROVAL: \$50 COMMISSION REVIEW \$100 PLEASE ATTACH APPROPRIATE VARIANCES / RESOLUTIONS FROM HARC, PLANNING BOARD OR TREE COMMISSION. ATTENTION: NO BUILDING PERMITS WILL BE ISSUED PRIOR TO HARC APPROVAL PLEASE SEND ELECTRONIC SUBMISSIONS TO: harc@cityofkeywest-fl.gov INDICATE TYPE OF CERTIFICATE. OF APPROPRIATENESS: GENERAL DEMOLITION SIGN PAINTING OTHER

PROJECT SPECIFICATIONS: PLEASE PROVIDE		
ARCHITECTURAL FEATURES TO BE ALTERED:	ORIGINAL MATERIAL:	PROPOSED MATERIAL:
Roof	TPO/FLATROOF	NEW SAW POTHED ROST W.
EXTERIOR WALLS	WOOD / REPAIR + MARCY	WOOD / REPORT + MATCH
FRO 117 POACH	CONCRETE SLAB	WOOD DECK

DEMOLITION: PLEASE FILL OUT THE HARC APPENDIX FOR PROPOSED DEMOLITION.

DEMOLITION OF DISTORIC STRUCTURES IS NOT ENGAGED ASER BY THE WATER

DEMOLITION OF HIS	TORIC STRUCTURES IS NOT ENCOURAGED BY THE HISTORIC ARCHITECTURAL REVIEW COMMISSION.
SIGNAGE: (SEE PART B)	BUSINESS SIGN BRAND SIGN OTHER:
BUSINESS LICENSE #	IF FAÇADE MOUNTED, SQ. FT. OF FAÇADE

7		SIGN SPECIFICATIONS	
SIGN COPY:		PROPOSED MATERIALS:	SIGNS WITH ILLUMINATION:
			TYPE OF LTG.:
			LTG. LINEAL FTG.:
MAX. HGT. OF FONTS:			COLOR AND TOTAL LUMENS:
IF USING LIGHT FIXTUR	RES PLEASE INDICATE HOW MA	INCLUDE SPEC, SHEET WITH L	OCATIONS AND COLORS.
OFFICIAL USE ONL		HARC STAFF OR COMMISSION REVIEW	
HARC MEETING DATE:	NOT APPROVED	IDEFERRED FOR FUTURE CONSIDE HARC MEETING DATE:	RATION TABLED FOR ADD'L. INFO. [HARC MEETING DATE:
REASONS OR CONDITIO		THE MAN PARTY OF THE PARTY OF T	TIGHTO MEETING DIVIS
STAFF REVIEW COMME		in home is his	TED AS CONTRIBODING.
HARC PLANNER SIGNAT			ON SIGNATURE AND DATE:
PART D: FLORIDA STATUTE 713. IMPROVEMENTS TO YO BEFORE THE FIRST INS FLORIDA STATUTE 469: I AGREE THAT I WILL CO IN ADDITION TO THE RE PROPERTY THAT MAY E ENTITIES SUCH AS AQU	STATE OF FLOI STATE OF FLOI 135: WARNING TO OWNER: YOUR PROPERTY. A NOTICE OF COMPECTION. IF YOU INTEND TO OUT ABESTOS ABATEMENT. AS OWNER YOUR PROVISIONS OF THIS PERMIT BE FOUND IN THE PUBLIC RECOUNTY, FLORIDA DI	HARC CHAIRPERSO RIDA OFFICIAL NOTIFICATI FUR FAILURE TO RECORD A 'NOTICE OF COMM OMMENCEMENT MUST BE RECORDED WITH THE BTAIN FINANCING CONSULT WITH YOUR LEND VNER / CONTRACTOR / AGENT OF RECORD FOR F. S. 469.003 AND TO NOTIFY THE FLORIDA D. BE APPLICATION, THERE MAY BE DEED RESTRICT ORDS OF MONROE COUNTY AND THERE MAY BE	ON SIGNATURE AND DATE: ONS AND WARNINGS ENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR HE COUNTY RECORDER AND A COPY POSTED ON THE JOB SITE FOR OR AN ATTORNEY BEFORE RECORDING A NOTICE. OR THE CONSTRUCTION APPLIED FOR IN THIS APPLICATION, E. P. OF MY INTENT TO DEMOLISH / REMOVE ASBESTOS. TIONS AND / OR ADDITIONAL RESTRICTIONS APPLICABLE TO THIS BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENT IS OF ENGINEERS OR OTHER FEDERAL AGENCIES.
PART D: FLORIDA STATUTE 713. IMPROVEMENTS TO YOUR BEFORE THE FIRST INSITE AGREE THAT I WILL CONTROL TO THE REPROPERTY THAT MAY E ENTITIES SUCH AS AQUIRIFEDERAL LAW REQUIRE	STATE OF FLOI STATE OF FLOI 135: WARNING TO OWNER: YOUR PROPERTY. A NOTICE OF COMPECTION. IF YOU INTEND TO OUT ABESTOS ABATEMENT. AS OWNER YOUR PROVISIONS OF THIS PERMIT BE FOUND IN THE PUBLIC RECOUNTY, FLORIDA DI	HARC CHAIRPERSON RIDA OFFICIAL NOTIFICATI FUR FAILURE TO RECORD A 'NOTICE OF COMM OMMENCEMENT MUST BE RECORDED WITH THE BTAIN FINANCING CONSULT WITH YOUR LEND VNER / CONTRACTOR / AGENT OF RECORD FOR F. S. 469.003 AND TO NOTIFY THE FLORIDA D. BE APPLICATION, THERE MAY BE DEED RESTRICT DRDS OF MONROE COUNTY AND THERE MAY BE EP OR OTHER STATE AGENCIES; ARMY CORPSE ER THE STANDARDS OF THE USDEP ON STRUCT	ON SIGNATURE AND DATE: ONS AND WARNINGS ENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR HE COUNTY RECORDER AND A COPY POSTED ON THE JOB SITE FOR OR AN ATTORNEY BEFORE RECORDING A NOTICE. OR THE CONSTRUCTION APPLIED FOR IN THIS APPLICATION, E. P. OF MY INTENT TO DEMOLISH / REMOVE ASBESTOS. TIONS AND / OR ADDITIONAL RESTRICTIONS APPLICABLE TO THIS BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENT IS OF ENGINEERS OR OTHER FEDERAL AGENCIES.
PART D: FLORIDA STATUTE 713. IMPROVEMENTS TO YOUR BEFORE THE FIRST INSITE AGREE THAT I WILL CONTROL TO THE REPROPERTY THAT MAY E ENTITIES SUCH AS AQUIRIFEDERAL LAW REQUIRE	STATE OF FLO STATE OF FLO 135: WARNING TO OWNER: YO UR PROPERTY. A NOTICE OF C PECTION. IF YOU INTEND TO OR ABESTOS ABATEMENT. AS OW OMPLY WITH THE PROVISIONS EQUIREMENTS OF THIS PERMIT BE FOUND IN THE PUBLIC RECO JADUCT ATHORITY, FLORIDA DI ES LEAD PAINT ABATEMENT PE	HARC CHAIRPERSON RIDA OFFICIAL NOTIFICATION OUR FAILURE TO RECORD A 'NOTICE OF COMMONIMENCEMENT MUST BE RECORDED WITH THE BTAIN FINANCING CONSULT WITH YOUR LEND VINER / CONTRACTOR / AGENT OF RECORD FOR F. S. 469.003 AND TO NOTIFY THE FLORIDA D. E. APPLICATION, THERE MAY BE DEED RESTRICTORDS OF MONROE COUNTY AND THERE MAY BE DEED OR OTHER STATE AGENCIES; ARMY CORPSE THE STANDARDS OF THE USDEP ON STRUCTURE.	ON SIGNATURE AND DATE: ONS AND WARNINGS ENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR HE COUNTY RECORDER AND A COPY POSTED ON THE JOB SITE FOR OR AN ATTORNEY BEFORE RECORDING A NOTICE. OR THE CONSTRUCTION APPLIED FOR IN THIS APPLICATION, E. P. OF MY INTENT TO DEMOLISH / REMOVE ASBESTOS. TIONS AND / OR ADDITIONAL RESTRICTIONS APPLICABLE TO THIS SE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENT IS OF ENGINEERS OR OTHER FEDERAL AGENCIES. CTURES BUILT PRIOR TO 1978.
PART D: FLORIDA STATUTE 713. IMPROVEMENTS TO YOUR BEFORE THE FIRST INSITE 469: I AGREE THAT I WILL COUNTY ADDITION TO THE REPROPERTY THAT MAY BE ENTITIES SUCH AS AQUIFEDERAL LAW REQUIRED.	STATE OF FLO STATE OF FLO 135: WARNING TO OWNER: YO UR PROPERTY. A NOTICE OF C PECTION. IF YOU INTEND TO OR ABESTOS ABATEMENT. AS OV OMPLY WITH THE PROVISIONS EQUIREMENTS OF THIS PERMIT BE FOUND IN THE PUBLIC RECO JADUCT ATHORITY, FLORIDA DI ES LEAD PAINT ABATEMENT PE	HARC CHAIRPERSON RIDA OFFICIAL NOTIFICATION OUR FAILURE TO RECORD A 'NOTICE OF COMMONIMENCEMENT MUST BE RECORDED WITH THE BTAIN FINANCING CONSULT WITH YOUR LEND VINER / CONTRACTOR / AGENT OF RECORD FOR F. S. 469.003 AND TO NOTIFY THE FLORIDA D. E. APPLICATION, THERE MAY BE DEED RESTRICTORDS OF MONROE COUNTY AND THERE MAY BE DEED OR OTHER STATE AGENCIES; ARMY CORPSE THE STANDARDS OF THE USDEP ON STRUCTURE.	ON SIGNATURE AND DATE: ONS AND WARNINGS ENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR HE COUNTY RECORDER AND A COPY POSTED ON THE JOB SITE FOR OR AN ATTORNEY BEFORE RECORDING A NOTICE. IR THE CONSTRUCTION APPLIED FOR IN THIS APPLICATION, E. P. OF MY INTENT TO DEMOLISH / REMOVE ASBESTOS. TIONS AND / OR ADDITIONAL RESTRICTIONS APPLICABLE TO THIS OF ENGINEERS OR OTHER FEDERAL AGENCIES. CTURES BUILT PRIOR TO 1978.

CITY OF KEY WEST CERTIFICATE OF APPROPRIATENESS APENDIX FOR DEMOLITIONS APPLICATION NUMBER H- 17 03 = 027



This document applies only to those properties located within the City of Key West Historic Zoning Districts, properties outside the historic zoning districts which are listed as contributing in the Historic Architectural Survey and or properties listed in the National Register of Historic Places.

Applications must meet or exceed the requirements outlined by the Secretary of the Interior's Standards for Rehabilitation and Guidelines for Rehabilitation and the Key West's Historic Architectural Guidelines. Once submitted, the application shall be reviewed by staff for completeness and scheduled for presentation to the Historic Architectural Review Commission for the next available meeting, unless the demolition request is for a bona fide Code Compliance case, in which case staff may review and approve the demolition request. The applicant must be present at this meeting. Any person that makes changes to an approved Certificate of Appropriateness must submit a new application with such modifications.

The filing of this application does not ensure approval as submitted. Applications that do not possess the required submittals or documentation will be considered incomplete and will not be reviewed for approval.

CRITERIA FOR DEMOLITIONS

Before any Certificate of Appropriateness may be issued for a demolition request, the Historic Architectural Review Commission must find that the following requirements are met (please review and comment on each criterion that applies);

(1)	demoli	subject of the application is a contributing or historic building or structure, then it should not be ished unless its condition is irrevocably compromised by extreme deterioration or it does not meet the following criteria:
	(a)	The existing condition of the building or structure is irrevocably compromised by extreme deterioration.
OR THAT	гне вс	UILDING OR STRUCTURE;
	(a)	Embodies no distinctive characteristics of a type, period, or method of construction of aesthetic or historic significance in the city and is not a significant and distinguishable building entity whose components may lack individual distinction.
		M
	(b)	Is not specifically associated with events that have made a significant contribution to local, state, or national history.
		M

	NA
d)	Is not the site of a historic event with a significant effect upon society.
	NA
e)	Does not exemplify the cultural, political, economic, social, or historic heritage of the city.
	NA
1)	Does not portray the environment in an era of history characterized by a distinctive architectura style.
g)	If a part of or related to a square, park, or other distinctive area, nevertheless should not be developed or preserved according to a plan based on the area's historic, cultural, natural, or architectural motif.
	NA
1)	Does not have a unique location or singular physical characteristic which represents an established and familiar visual feature of its neighborhood or of the city, and does no exemplify the best remaining architectural type in a neighborhood.
	NA


CITY OF KEY WEST CERTIFICATE OF APPROPRIATENESS APENDIX FOR DEMOLITIONS APPLICATION NUMBER H-12-03-027




	(2) For a contributing historic or noncontributing building or structure, a complete construction plan for the site is approved by the Historic Architectural Review Commission.
	(a) A complete construction plan for the site is included in this application
	Yes Number of pages and date on plans 7 PAGES 6-19-2017 No Reason
	No Reason
Commission s	criteria will also be reviewed by the Historic Architectural Review Commission for proposed demolitions. The hall not issue a Certificate of Appropriateness that would result in the following conditions (please review on each criterion that applies);
	(1) Removing buildings or structures that are important in defining the overall historic character of a district or neighborhood so that the character is diminished.
	THE OVERALL HISTORIC CHARACTER OF THE NEIGHBORHOOD WILL BE ENHANCED BY THE NEW ROOF PROPOSED TO THE RESIDENCE.
	(2) Removing historic buildings or structures and thus destroying the historic relationship between buildings or structures and open space; and REMOVING APOLICIA OF THE EXISTING FREPLACING WITH A SAWIOSIM ROOF WILL NOT DESTROY THE RELATION SHIP BETWEEN THE BUILDING F OPEN SPICE
AND	
	(3) Removing an historic building or structure in a complex; or removing a building facade; or removing a significant later addition that is important in defining the historic character of a site or the surrounding district or neighborhood.
	ONLY REMOVING A PORTION OF EX. ROOF & KEEPING BUILDING FOOTPRINT
	(4) Removing buildings or structures that would otherwise qualify as contributing.

Nothing in this application is intended to alter the authority of the Building Official to condemn for demolition dangerous buildings, as provided in Section 102-218 of the Land Development Regulations and Chapter 14 of the Code of Ordinances.


proceeding with the work outlined above and that	the work shall conform to all applicable laws of this jurisdiction. By the work shall conform to all applicable laws of this jurisdiction. By the this project will require a Building Permit, approval PRIOR to the there will be a final inspection required under this application. I also ificate of Appropriateness must be submitted for review. Denise Obbagy DATE AND PRINT NAME:
OF	FFICE USE ONLY
BUIL	DING DESCRIPTION:
Contributing Year built Style Not listed Year built Comme	Total
Reviewed by Staff on Notice of hearing posted First reading meeting date Second Reading meeting date TWO YEAR EXPIRATION DATE	Staff Comments



1962 Sanborn Map



1948 Sanborn Map



1926 Sanborn Map

PROJECT PHOTOS



1119 Whitehead Street circa 1965




































THE SURVEY MAP (SHEET | OF 2) IS NOT COMPLETE AND VALID WITHOUT THE ATTACHED SURVEY REPORT (SHEET 2 OF 2)

CERTIFIED TO -

807 Elizabeth Street Trust; Stones & Cardenas; Old Republic National Title Insurance Co.; THE FOLLOWING IS A LIST OF ABBREVIATIONS THAT MAY BE FOUND ON THIS SHEET.

BFP = BACK-FLOW PREVENTER
BO = BLOW OUT
C \$ G = 2' CONCRETE CURB \$ GUTTER
CB = CONCRETE BLOCK
CBW = CONCRETE BLOCK WALL
CL = CENTERLINE
CLF = CHAININK FENCE

CB = CONCRETE BLOCK
CBW = CONCRETE BLOCK WALL
CL = CENTERLINE
CL = CHAINLINK FENCE
CM = CONCRETE MONUMENT
CONC = CONCRETE
CPP = CONCRETE
CVRD = COVERED
DELTA = CENTRAL ANGLE
DEASE = DRAINAGE EASEMENT
EL = ELEVATION
ENCL = ENCLOSURE
EP = EDGE OF PAVEMENT
FF = FINISHED FLOOR ELEVATION
FH = FIRE HYDRANT
FI = FENCE INSIDE
FND = FOUND
FO = FENCE OUTSIDE
FOL = FENCE OUTSIDE
FOL = FENCE ON LINE

GUY = GUY WIRE HB = HOSE BIB IP = IRON PIPE IR = IRON ROD L = ARC LENGTH LS = LANDSCAPING MB = MAILBOX MFAS = MFASIJEED MEAS = MEASURED MF = METAL FENCE MHWL = MEAN HIGH WATER LINE NGVD = NATIONAL VERTICAL DATUM (1929)

VERTICAL DATUM

NTS = NOT TO SCALE

OH = ROOF OVERHANG

OHW = OVERHEAD WIRES

PC = POINT OF CURVE

PM = PARKING METER PCC = POINT OF COMPOUND CURVE PCP = PERMANENT CONTROL POINT PK = PARKER KALON NAIL PI = POINT OF INTERSECTION

POC = POINT OF COMMENCEMENT PRC = POINT OF REVERSE CURVE PRM = PERMANENT REFERENCE MONUMENT
PT = POINT OF TANGENT
R = RADIUS
RW = RICHT OF WAY LINE
SSCO = SANITARY SEWER CLEAN-OUT SW = SIDE WALK TBM = TEMPORARY BENCHMARK TBM = TEMPORARY BEN
TOB = TOP OF BANK
TOS = TOE OF SLOPE
TS = TRAFFIC SIGN
TYP = TYPICAL
U/R = UNREADABLE
U/E = UTILITY EASEMENT
WD = WOOD DECK
WF = WOOD FENCE
WL = WOOD LANDING
WM = WATER METER
WPP = WOOD PENCE PVPP = WOOD POWER PC WPP = WOOD POWER POLE WRACK LINE = LINE OF DEBRIS ON SHORE WV = WATER VALVE

NOTE: LEGAL DESCRIPTIONS HAVE BEEN FURNISHED BY THE CLIENT OR HIS/HER REPRESENTATIVE, PUBLIC RECORDS HAVE NOT BEEN RESEARCHED BY THE SURVEYOR TO DETERMINE THE ACCURACY OF THESE PROHIBITED WITHOUT WRITTEN CONSENT OF THE SIGNING PARTY. THE BOLD LINE SHOWN HEREON REPRESENTS THE SURVEYORS OPINION OF THE DEED LINES. THE MEAN HIGH WATER LINE IS SHOWN FOR REFERENCE ONLY. PARENT MEAN HIGH WATER LINE IS SHOWN FOR REFERENCE ONLY.

101(1111)	OI	VLI, II	IL AII
SCALE:		1"=20	O'
FIELD WORK DATE	03	3/24/2	017
REVISION DATE	X	X/XX/X	(XX
SHEET	1	OF	2
DRAWN BY:		MPB	
CHECKED BY		EAI	
JOB NO.:		17-16	34

I HEREBY CERTIFY THAT THIS SURVEY WAS MADE UNDER MY RESPONSIBLE CHARGE AND MEETS THE STANDARDS OF PRACTICE AS SET FORTH BY THE FLORIDA BOARD OF PROFESSIONAL SURVEYORS AND MAPPERS IN CHAPTER 5J-17, FLORIDA ADMINISTRATIVE CODE, PURSUANT TO SECTION 472.027, FLORIDA STATUTES AND COMPLIES WITH CHAPTER 177, FLORIDA STATUTES.




NOT VALID WITHOUT THE SIGNATURE AND THE RAISED SEAL OF A FLORIDA SURVEYOR AND MAPPER



FLORIDA KEYS LAND SURVEYING

19960 OVERSEAS HIGHWAY SUGARLOAF KEY, FL 33042 PHONE: (305) 394-3690 EMAIL: FKLSemail@Gmail.com

REPORT OF BOUNDARY SURVEY



LOCATION MAP - NTS SEC. 06-T685-R25E

LEGAL DESCRIPTION:

On the Island of Key West, and known on William A. Whitehead's map of said Island delineated in February, A.D. 1829, as part of Tract Five (5). But better known and described according to L. Windsor Smith's diagram of part of Tract Five (5), recorded in Deed Book "E", Page 733, of Monroe County, Florida, records as Lot number Twenty-three (23) of said Tract Five (5), and having a front on Elizabeth Street of Fifty (50) feet and running thence at right angles there with a depth of One Hundred (100) feet.

AND ALSO

Together with a portion of Lot 29 more fully described as follows: COMMENCING at the Northwesterly comer of Lot 29 thence $520^{\circ}00'00''E$ (bearing base assumed) along the West line of said Lot 29, a distance of 81.36 feet, to the POINT OF BEGINNING; thence $520^{\circ}00'00''E$, a distance of 3.00 feet; thence 100.00''E, a distance of 100.00 feet to the Northeasterly corner of Lot 23; thence 100.00''E, a distance of 6.00 feet; thence 100.00''E, a distance of 50.00 feet; thence 100.00''E, a distance of 3.00 feet; thence 100.00''E

THE SURVEY REPORT (SHEET 2 OF 2) IS NOT COMPLETE AND VALID WITHOUT THE ATTACHED SURVEY MAP (SHEET | OF 2)

CERTIFIED TO -

807 Elizabeth Street Trust; Stones & Cardenas; Old Republic National Title Insurance Co.; NOTE: FOUNDATIONS BENEATH THE SURFACE ARE NOT SHOWN. MEASURED DIMENSIONS EQUAL PLATTED OR DESCRIBED DIMENSIONS UNLESS INDICATED OTHERWISE.
THE FOLLOWING IS A LIST OF ABBREVIATIONS THAT MAY BE FOUND ON THIS SHEET.

BFP = BACK-FLOW PREVENTER
BO = BLOW OUT
C \$ G = 2' CONCRETE CURB \$ GUTTER
CB = CONCRETE BLOCK
CBW = CONCRETE BLOCK WALL
CL = CENTERLINE
CL = CENTERLINE
CL = CENTERLINE
LS = LANDSCAPING

CVKD = COVERED
DELTA = CENTRAL ANGLE
DEASE = DRAINAGE EASEMENT
EL = ELEVATION
ENCL = ENCLOSURE
EP = EDGE OF PAVEMENT
FF = FINISHED FLOOR ELEVATION
FH = FIRE HYDRANT
FI = FENCE INSIDE
FND = FOUND
FO = FENCE OUTSIDE
FOL = FENCE ON LINE

BBREVIATIONS THAT MAY BE FOLGUY = GUY WIRE
HB = HOSE BIB
HP = IRON PIPE
IR = IRON ROD
L = ARC LENGTH
LS = LANDSCAPING
MB = MAILBOX
MEAS = MEASURED
MF = METAL FENCE
MHWL = MEAN HIGH WATER LINE
NGVD = NATIONAL GEODETIC
VERTICAL DATUM (1929)
NTS = NOT TO SCALE
OH = ROOF OVERHANG
OHW = OVERHANG
OHW = OVERHANG MIRES
PC = POINT OF CURVE
PM = PARKING METER
PCC = POINT OF COMPOUND CURVE
PCP = PERMANENT CONTROL POINT
PK = PARKER KALON NAIL
POB = POINT OF BEGINNING
PI = POINT OF DEGINNING
PI

JND ON THIS SHEET.

POC = POINT OF COMMENCEMENT PRC = POINT OF REVERSE CURVE PRM = PERMANENT REFERENCE MONUMENT
PT = POINT OF TANGENT R = RADIUS
RW = RIGHT OF WAY LINE
SSCO = SANITARY SEWER CLEAN-OUT
SW = SIDE WALK
TBM = TEMPORARY BENCHMARK
TOB = TOP OF BANK
TOS = TOE OF SLOPE
TS = TRAFFIC SIGN
TYP = TYPICAL
UR = UNERADABLE
U/E = UTILITY EASEMENT
WD = WOOD DECK
WF = WOOD FENCE
WL = WOOD LANDING
WM = WATER METER
WYP = WOOR POWER POLE
WRACK LINE = LINE OF DEBRIS ON SHORE
WV = WATER VALVE

NOTE: LEGAL DESCRIPTIONS HAVE BEEN FURNISHED BY THE CLIENT OR HIS/HER REPRESENTATIVE, PUBLIC RECORDS HAVE NOT BEEN RESEARCHED BY THE SURVEYOR TO DETERMINE THE ACCURACY OF THESE PROHIBITED WITHOUT WRITTEN CONSENT OF THE SIGNING PARTY. THE BOLD LINE SHOWN HEREON REPRESENTS THE SURVEYORS OPINION OF THE DEED LINES. THE MEAN HIGH WATER LINE WAS NOT DETERMINED FOR THIS SURVEY, THE APPARENT MEAN HIGH WATER LINE IS SHOWN FOR REFERENCE ONLY.

I HEREBY CERTIFY THAT THIS SURVEY WAS MADE UNDER MY RESPONSIBLE CHARGE AND MEETS THE STANDARDS OF PRACTICE AS SET FORTH BY THE FLORIDA BOARD OF PROFESSIONAL SURVEYORS AND MAPPERS IN CHAPTER 5J-17, FLORIDA ADMINISTRATIVE CODE, PURSUANT TO SECTION 472.027, FLORIDA STATUTES AND COMPLIES WITH CHAPTER 177, FLORIDA STATUTES.




NOT VALID WITHOUT THE SIGNATURE AND THE RAISED SEAL OF A FLORIDA SURVEYOR AND MAPPER




FLORIDA KEYS LAND SURVEYING

19960 OVERSEAS HIGHWAY SUGARLOAF KEY, FL 33042 PHONE: (305) 394-3690 EMAIL: FKLSemail@Gmail.com

PROPOSED DESIGN







17.10

SHEET #

07-14-17














4



EXISTING STREETSCAPE PHOTOS



DRAWING TITLE: STREETSCAPE PROJECT NUMBER: 17.10

SHEET #

PETER M. PIKE FLA. REGISTRATION # AROO15198

The Historic Architectural Review Commission will hold a public meeting at <u>5:30 p.m., July 25, 2017 at City</u> <u>Hall, 1300 White Street</u>, Key West, Florida. The purpose of the hearing will be to consider a request for:

RENOVATIONS TO HISTORIC HOUSE INCLUDING NEW WOOD WINDOWS AND NEW SIDING ON SIDE. RAISING EXISTING HOUSE 18" IN ORDER TO MEET FEMA MINIMUM REQUIREMENTS. NEW ROOFLINES ON SIDE AND REAR EXISTING ADDITIONS AND RENOVATIONS TO ADDITIONS. NEW 4'TALL WOOD PICKET FENCE WITH GATES AT FRONT OF HOUSE AND NEW DRIVEWAY. PARTIAL ROOF DEMOLITION.

#1119 WHITEHEAD STREET

Applicant – Pike Architects Application #17-03-027

If you wish to see the application or have any questions, you may visit the Planning Department during regular office hours at 1300 White Street, call 305-809-3973 or visit our website at www.citvofkevwest-fl.gov.


THIS NOTICE CAN NOT BE REMOVED FROM THE SITE UNTIL HARC FINAL DETERMINATION

ADA ASSISTANCE: It is the policy of the City of Key West to comply with all requirements of the Americans with Disabilities Act (ADA). Please call the TTY number at 800-955-8771 or 800-955-8770 (Voice) or the ADA Coordinator at 305-809-3811 at least five business days in advance for sign language interpreters, assistive listening devices, or materials in accessible format.


HARC POSTING AFFIDAVIT

Sign Name: Sepace Print Name:

REFORE ME 44	Tologo
BEFORE ME, the undersi	igned authority, personally appeared
oath, depose and says th	, who, first being duly sworn, on at the following statements are true and correct to the
est of his/her knowledge	and belief:
1. That a legal notice	for Public Notice of Hearing of the Historic Architectural
Review Commission	(HARC) was placed on the following address:
1119 white	Tuly , 20_17.
the 19 day of _	JULY , 20 17.
This legal notice(s) of	contained an area of at least 8.5"x11".
The property was p	oosted to notice a public hearing before the Key West
	ural Review Commission to be held on
- July a	5 , 20 17.
The local metics(s) is	
property.	s/are clearly visible from the public street adjacent to the
property.	
The Certificate of	Appropriateness number for this local notice is
	Appropriateness number for this legal notice is
The Certificate of $\frac{17-03}{000}$	
17-03-08	27
17-03-08	
17-03-08	t legal notice posted in the property is attached hereto.
17-03-08	27
17-03-08	t legal notice posted in the property is attached hereto.
17-03-08	t legal notice posted in the property is attached hereto. Signed Name of Affiant:
17-03-08	t legal notice posted in the property is attached hereto. Signed Name of Affiant:
17-03-08	t legal notice posted in the property is attached hereto. Signed Name of Affiant: Date: 7/19/17 Address: 1309 5. Whitehead Uni
17-03-08	t legal notice posted in the property is attached hereto. Signed Name of Affiant: Date: 7/19/17 Address: 1309 5. Whitehead United City: Key West Fl
17-03-08	t legal notice posted in the property is attached hereto. Signed Name of Affiant: Date: 7/19/17 Address: 1309 5. Whitehead Uni
17-03-08	t legal notice posted in the property is attached hereto. Signed Name of Affiant: Date: 7/19/17 Address: 1309 5. Whitehead United City: Key West Fl
17-03-08	t legal notice posted in the property is attached hereto. Signed Name of Affiant: Date: 7/19/17 Address: 1309 5. Whitehead United City: Key West Fl
17-03-03 2. A photograph of that	Signed Name of Affiant: Date: 7/19/17 Address: 13095. Whitehead Unit City: Key West Fl State, Zip: 33040
17-03-03 2. A photograph of that the forgoing instrument was	signed Name of Affiant: Date: 7/19/17 Address: 1309 5. Whitehead Uni City: Key West Fl State, Zip: 133040 as acknowledged before me on this 19 day of
17-03-03 2. A photograph of that the forgoing instrument was	Signed Name of Affiant: Date: 7/19/17 Address: 13095. Whitehead Unit City: Key West Fl State, Zip: 33040
2. A photograph of that	signed Name of Affiant: Date: 7/19/17 Address: 1309 5. Whitehead Uni City: Key West H State, Zip: 33040 as acknowledged before me on this 19 day of 1, 2017.
17-03-03 2. A photograph of that the forgoing instrument was	t legal notice posted in the property is attached hereto. Signed Name of Affiant: Date: 7/19/17 Address: 1309 5. Whitehead Uni City: Key West Flore State, Zip: 33040 as acknowledged before me on this 19 day of



PROPERTY APPRAISER INFORMATION



Summary

Parcel ID 00028260-000000
Account # 1029033
Millage Group 11KW

Millage Group 11KW 1119 WHITEHEAD ST, KEY WEST

Address

Legal KW PT SUBS 3-4 PT LT 4 SQR 6 TR 11 H1-472 OR991-765/71 OR998-

Description 444/447T/C OR1547-1481/83P/R OR2478-102/06R/S

(Note: Not to be used on legal documents)

Neighborhood 6021

Property Class SINGLE FAMILY RESID (0100)

Subdivision Sec/Twp/Rng Affordable Housing

06/68/25

e No



Owner

DEGRAEF JOHAN P 1119 Whitehead ST Key West FL 33040

PIPKIN JEFFREY R R/S 1119 Whitehead ST Key West FL 33040

Valuation

	2016	2015	2014	
+ Market Improvement Value	\$171.188		The state of the s	2013
+ Market Misc Value		\$178,841	\$171,118	\$159,451
+ Market Land Value	\$5,901	\$5,279	\$4,945	\$2,773
	\$311,895	\$231,130	\$189,269	\$225,320
= Just Market Value	\$488,984	\$415,250		
= Total Assessed Value			\$365,332	\$387,544
- School Exempt Value	\$318,670	\$316,455	\$313,943	\$309,303
	(\$25,000)	(\$25,000)	(\$25,000)	(\$25,000)
= School Taxable Value	\$293,670	\$291,455	\$288,943	\$284 303

Land

Land Use	Number of Units	Helt Toma			
RESIDENTIAL DRY (010D)	3,670.00	Unit Type	Frontage	Depth	
		Square Foot	0	0	

Buildings

Building ID 2191 **Exterior Walls** ABOVE AVERAGE WOOD Style Year Built 1923 **Building Type** S.F.R. - R1/R1 Foundation WD CONC PADS Gross Sq Ft 1952 Roof Type GABLE/HIP Finished Sq Ft 1521 Roof Coverage METAL Stories 2 Floor Flooring Type CONC S/B GRND Condition **AVERAGE** NONE with 0% NONE **Heating Type** Perimeter 224 Bedrooms **Functional Obs Full Bathrooms Economic Obs** Half Bathrooms 0 Depreciation % Grade 450 Interior Walls WALL BD/WD WAL Number of Fire PI Code Description Sketch Area Finished Area Perimeter OPX EXC OPEN PORCH 120 0 0 FLA FLOOR LIV AREA 1,521 1,521 0

0

1,521

311

1,952

Yard Items

OPF

TOTAL

OP PRCH FIN LL

Description	Year Built	Roll Year	0		
BRICK PATIO	1988		Quantity	Units	Grade
		1989	1	228 SF	2
FENCES	2012	2013	1		2
BRICK PATIO	2012		-	408 SF	2
	2012	2013	1	368 SF	2

0

0

Exemptions

Exemption \$
ADDL HOMESTEAD
HOMESTEAD R/S

Amount \$ \$25,000.00 \$25,000.00


Sales

Sale Date	Sale Price	Instrument	Instrument Number	Deed Book	Deed Page			
7/26/2010	\$350,000	W/	Dec.	Deed Book	Deed Page	Sale Qualification	Vacant or Improved	
	\$330,000	Warranty Deed		2478	102	02 - Qualified	Inches of	
12/1/1986	\$75,000	75,000 Warranty Deed	Warranty Deed				02 Qualified	Improved
	4.0,000			998	444	Q - Qualified	Improved	

Permits

Number	Date Issued	Date Completed ‡	Amount \$	Permit Type ‡	
13-0008	1/8/2013	3/21/2013	\$7,662	Residential	Notes ◆ REMOVE/REPLACE 3 COURTYARD WINDOWS, 1 SIDE YARD WINDOW & 1 ENTRY DOOR, REPLACE W/ FLORIDA BEST IMPACT WINDOW 6/6 LIGHT SINGLE HUNG & FLORIDA BEST SINGLE IMPACT DOO, SINGLE LIGHT
	1/7/2013	3/21/2013	\$6,000	Residential	REPAIR 14 LF OF EXISTING PICKET FENCE INSTALL 68 LF OF 6' HIGH SOLID PT PINE HEAVY DUTY STOCKADE FENCE ALONG S.E. PROPERT LINE
13-0023	1/4/2013	3/21/2013	\$1,800	Residential	ISNITALL 400 SO FT OF 5 YOUR DEVICE ALONG S.E. PROPERT LINE
12-3983	11/8/2012	1/17/2013	\$6,569	Residential	ISNTALL 600 SQ FT OF 5/8" CDX PLYWOOD ROOF SHEATING INSTALL 200 SQ. FT. (2 SQS.) OF GALVALUME VICTORIAN METAL SHINGLES ON THE FRONT PORCH ROOF. INSTALL 600 SQ. FT. (6 SQS.) OF 26 GALVALUME V-CRIMP METAL ROOF (TO REPLACE OF DV CRIMP) ON THE ORIGINAL OF STANDARD OF THE ORIGINAL OF SQL.
12-3858	10/23/2012	10/23/2012	\$1,500	Residential	ROOF (TO REPLACE OLD V-CRIMP) ON THE ORIGINAL MAIN ROOF. AFTER THE FACT* REMOVE WOOD DECKING & REPLACE W/BRICK PAVERS TO MATCH EXISTING BRICK PAVERS. APPROX. 250 SQ. FT.
10-1162	4/15/2010	9/30/2010	\$9,816		INISTALL 1200-SSINGLE PLACE APPROX. 250 SQ. FT.
					INSTALL 1200sf SINGLE PLY & 125sf VCRIMP METAL ROOF
	13-0008 13-0010 13-0023 12-3983	13-0008 1/8/2013 13-0010 1/7/2013 13-0023 1/4/2013 12-3983 11/8/2012 12-3858 10/23/2012	\$\bigspace{\pi}\$ Completed \$\pi\$ 13-0008 1/8/2013 3/21/2013 13-0010 1/7/2013 3/21/2013 13-0023 1/4/2013 3/21/2013 12-3983 11/8/2012 1/17/2013 12-3858 10/23/2012 10/23/2012	## Completed ## \$\frac{2}{2}	+ + Completed + + Permit Type + 13-0008 1/8/2013 3/21/2013 \$7,662 Residential 13-0010 1/7/2013 3/21/2013 \$6,000 Residential 13-0023 1/4/2013 3/21/2013 \$1,800 Residential 12-3983 11/8/2012 1/17/2013 \$6,569 Residential 12-3858 10/23/2012 10/23/2012 \$1,500 Residential

Sketches (click to enlarge)



Photos



 $\textbf{No data available for the following modules:} Commercial \ Buildings, \ Mobile \ Home \ Buildings.$