

MEMORANDUM FOR THE FILE

DATE: January 15, 2013

RE: **401 Margaret Street**

FROM: Paul Williams, Urban Forestry Manager, City of Key West

An application was received for the removal of **one (1) Wild Tamarind tree**. A site inspection was done on January 14, 2013 and documented the following:

Tree Species: **Wild Tamarind** (*Lysiloma bahamensis*)





Diameter: 13 inches dbh

Location: 40% - foundation issues

Species: 100% - on specially protected tree list

Condition: 60% - fair condition

Total Average Value = 67%

Value x Diameter = replacement caliper (dbh) inches

$.67 \times 13'' \text{dbh} = \underline{\mathbf{9}}$ replacement caliper (dbh) inches

Recommendations: Staff recommends **approval** of the removal.



AGENDA ITEM #

City of Key West Tree Commission

Tree Permit Application

6258

PO Box 1409
Key West, FL 33040
Phone: 305-809-3764
Fax: 305-809-3978

Home/Property Owner: Ken Weigman Date: 1/3/13

Mailing Address: 401 MARGARET ST K.W. FL 33040

Owner Signature: [Signature] Owner Ph#: 438031896

Represented by: _____ Rep. Ph#: () _____

Represented by mailing address: _____

Attendance at the Tree Commission meeting on the date when your request will be discussed is necessary in order to expedite the resolution of your application.

A letter of representation from the owner must accompany this application if the owner is unable to attend.

Letter of Representation ()

Tree(s) Address: 401 Margaret Cross/Corner Street: Eaton

Common Name(s): Mimosa Scientific Name(s): _____

Species Type(s) {check all that apply}: () Palm () Flowering () Fruit Shade

- Reason(s) for Application {check all that apply}:
- REMOVE () TRANSPLANT () HEAVY MAINTENANCE
 - () Tree Health () New Location () Branch Removal
 - () Safety () Same Property () Crown Cleaning/Thinning
 - () Other / Explain () Other / Explain () Crown Reduction

Reason(s) for request:
tree is erupting sidewalk


Replacement plant material must be Florida Grade #1. Replacement of a palm with a native palm is required. Replacement of a canopy tree with a native canopy tree is required. If you need assistance with replacements, please call the Landscape Department at 305-809-3764.



<<<< Sketch location of tree in this area including cross/corner Street >>>>

Provide access for viewing tree(s) prior to meeting
Identify tree(s) with colored tape

AGENDA ITEM #



PLEASE DO NOT WRITE BELOW THIS LINE – FOR OFFICE USE ONLY

Tree Species _____

Circumference _____ ÷ 3.14 = diameter _____

Location _____ % Species _____ % Condition _____ % Total Average Value _____ %

Avg. value _____ X _____ Diameter = _____

Replacement Inches

LOCATION: OLD CITY HALL, 510 GREENE STREET, 5:00 p.m.

FOR TREE COMMISSION USE ONLY.

() TABLED () APPROVED () DENIED () FURTHER ACTION

COMMENTS:

