

Historic Architectural Review Commission Staff Report for Item 9

To: Chairman Haven Burkee and Historic Architectural Review

Commission Members

From: Enid Torregrosa-Silva, MSHP

Historic Preservation Planner

Meeting Date: September 26, 2023

Applicant: K2M Design, Meghan Gregory, Architect

Application Number: H2023-0027

Address: 1500 Reynolds Street


Description of Work:

Demolition of non-historic chiller and fire pump structures.

Site Facts:

The site under review houses the Casa Marina Hotel, a Mediterranean Revival style hotel built between 1918-1920. The historic portion of the Casa Marina Hotel, designed by Carrere and Hastings is the only structure within the hotel site property that is listed as a contributing resource to the historic district. The 1979, 1984 additions and the chiller and pump structures within the hotel side site are not contributing resources in the local survey or the National Register of Historic Places.

On June 27, 2023, the Commission approved extensions to two elevator's shafts. On July 25, 2023, the Commission approved the design of two new accessory structures that will replace the Sun Sun restaurant buildings.



Casa Marina Resort under construction 1920. Monroe County Library

Active construction work is undergoing at the time of this report. Staff approved a Certificate of Appropriateness for exterior renovations for the historic building and its additions including the infill of one arch on the main elevation of the historic building to match its historical configuration, new windows, doors, spalling repairs, fascia boards repairs/ replacement, painting. Staff also approved a Certificate of Appropriateness for new decks at first floor level the 1984 building addition. Those decks are facing the sea.

The two non-historic structures under review were build adjacent to the east and south elevations of the historic boiler and pumps building, which is attached to the northeast portion of the hotel facing Seminole Avenue. It is staff understanding that both structures, the chillers and generator buildings were built during the 1984 hotel's expansion. By 1993 site plans depict structures in the same location.

Staff has met with the applicant and representatives to find appropriate alternatives including the relocation of the mechanical equipment, as these structures impact the historic building and are located on prominent areas within the site. According to the application the equipment needs to be larger due to capacities and elevated due to FEMA requirements. Staff discussed the alternative of relocation over flat roofs on non-historic buildings facing Seminole Avenue. The design team recommends keeping the mechanical structures at their current location.



Aerial photograph with 1962 Sanborn map highlighting the structures to be demolished.

Ordinance Cited on Review:

• Section 102-217 (2), demolition for non-contributing or non-historic structures of the Land Development Regulations.

Staff Analysis:

The Certificate of Appropriateness proposes the demolition of a structure containing a chiller unit, which faces Seminole Avenue, and a platform and enclosure of a generator/ pumps located behind the historic boiler and pumps building. It is staff believe that these structures were built during the 1984's hotel expansion. According to the applicant the demolition is needed to expand the air conditioning, generator, and fire pumps facilities and to to remediate flooding issues. These are issues that usually are found at early stages in design, but the project is right now under construction with a re-opening deadline of October/ December 2023. The applicant has submitted plans to replace the structures but finds the design inconsistent with many cited guidelines.

Since the structures under review are non-historic, the evaluation for this request shall be based on section 102-217 (b) of the Land Development Regulations, which requires the following criteria for demolitions:

The historic architectural review commission shall not issue permits that would result in:

(1) Removing buildings or structures that are important in defining the overall historic character of a district or neighborhood so that the character is diminished;

It is staff's opinion that both structures are not character defining features to the historic site. Nevertheless, the new design proposes structures that will obscure principal elevations of the historic fabric of Casa Marina. The new chiller structure will rise almost at the same height as the historic boiler building and will be setback only 5 feet from Seminole Avenue sidewalk.

(2) Removing historic buildings or structures and thus destroying the historic relationship between buildings or structures and open space;

The proposed elements to be demolished are not historic. Nevertheless, as the new buildings will partially obscure primary historic elevations, this will alter the view of currently exposed elevations.

(3) Removing an historic building or structure in a complex; or removing a building facade; or removing a significant later addition that is important in defining the historic character of a site or the surrounding district or neighborhood.

The structures under review are not historic.

(4) Removing buildings or structures that would otherwise qualify as contributing, as set forth in section 102-62(3).

It is staff's opinion that the structures under review will not qualify to be contributing to the district.

In conclusion, it is staff's opinion that the request for the demolition of the two non-historic structures meet the criteria for demolition. If the Commission finds that the proposed design meets the architectural design guidelines staff recommends the consideration of the request. If approved, this will be the only required reading for the demolition.

The historic Casa Marina Resort was the last structure built by Flagler's company in honor of his desire to have a first-class hotel in Key West. Unfortunately, he died 8 years before its inauguration. The architects in charge of the design, Carrere and Hastings, was a nationally renowned firm that designed buildings like the New York Public Library, the Standard Oil Building in New York and Ponce de Leon Hotel in St. Augustine, among many others. The historic portion of Casa Marina is significant to our city because of its architectural uniqueness, history and by association with Flagler's Company and the architectural firm of Carrer and Hastings. The historic boiler and pumps building may be the one of the first, if not the first power generator structure build for a private structure in Key West.

APPLICATION

MECRIVED AUG 2 # 2023

HARC MAJOR PROJECTS CERTIFICATE OF APPROPRIATENESS.

\$463.05 NON-REFUNDABLE BASE APPLICATION FEE - OTHER FEES MAY BE APPLICABLE Rev



ADDRESS OF PROPOSED PROJECT:

City of Key West

Key West, Florida 33040

HARC COA#	REVISION#	INITIAL & DATE
HARC 202	3-0027	TK 8/21/23
FLOOD ZONE	ZONING DISTRICT	BLDG PERMIT#

A PRE-APPLICATION MEETING WITH HARC STAFF IS REQUIRED PRIOR TO SUBMITTAL

1500 Reynolds Street

NAME ON DEED:	Casa Marina LLC / Park Hotels & Resorts	PHONE NUMBER
OWNER'S MAILING ADDRESS:	14100 Bonnet Creek Resort Lane, Orlando, FL 32821	EMAIL
APPLICANT NAME:	K2M Design - Meghann Gregory	PHONE NUMBER 304-641-7543
APPLICANT'S ADDRESS:		
	1150 Virginia Street, Key West, FL 33040	EMAIL mgregory@k2mdesign.com
APPLICANT'S SIGNATURE:	Mah S gry	DATE 05/30/2023
ANY PERSON THAT MAKES CHANG	ES TO AN APPROVED CERTIFICATE OF APPROPRIATENE KNOWINGLY MAKES A FALSE STATEMENT IN WRITING AN	SS MUST SUBMIT A NEW APPLICATION
PROJECT INCLUDES: REPLACEMENT PROJECT INVOLVES A CONTRIBUTION PROJECT INVOLVES A STRUCTURE TO DETAILED PROJECT DESCRIPORT OF THE PROJECT DESCRIPORT OF THE PROJECT CONSISTS OF TWO 20'-2). Existing generated the project consists of two 20'-2).	PTION INCLUDING MATERIALS, HEIGHT, DIMENSIONS, SQ parts: First, a Platform Enclosure to house an elevated ge or and platform (10'-0 H x 9'-10 x 22'-4) to be demolished	ELEVATION OF A STRUCTURE X ISTORIC STRUCTURE: YES NO TER: YES NO UARE FOOTAGE, LOCATION, ETC. Enerator and fire pump (16'-8 H x 20'-6 x
to mimic the existing in	nich will house two elevated chillers on an engineered plat in air structure (15'-8 H x 24'-0 x 31'-4) that houses cooling material and appearance, but will have a larger footprint (e new equipment (generator, fire pump, chillers) require co ation methods.	g towers, to be demolished. New work
MAIN BUILDING:		
No work to interfere with the	ne existing, historic structure.	
DEMOLITION (PLEASE FILL OUT AN	D ATTACH DEMOLITION APPENDIX): See Demolition	Appendix.
	Daniel - (10	

APPLICATIONS MUST BE SUBMITTED IN PERSON WITH HARD COPIES BY 3PM ON THE SCHEDULED DEADLINE PLEASE SEND AN ELECTRONIC COPY OF ALL DOCUMENTS CITY_HARC@CITYOFKEYWEST-FL.GOV

AVERS:			FENCES:	
ECKS:			PAINTING:	
SITE (INCLUDING GRADING	3, FILL, TREES, ET	rc):	POOLS (INCLUDING EQUIPMENT):	
ACCESSORY EQUIPMENT	(GAS, A/C, VENTS	i, ETC):	OTHER:	
OFFICIAL USE ONLY:		HARC CON	IMISSION REVIEW	EXPIRES ON:
MEETING DATE:	APPROVED .	NOT APPROVED _	DEFERRED FOR FUTURE CONSIDERATION	INITIAL:
MEETING DATE:	The second	A 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	DEFERRED FOR FUTURE CONSIDERATION	INITIAL:
				INITIAL:
MEETING DATE:	APPROVED .	NOT APPROVED _	DEFERRED FOR FUTURE CONSIDERATION	
MEETING DATE: REASONS OR CONDITIONS:	APPROVED .	NOT APPROVED .	DEFERRED FOR FUTURE CONSIDERATION	
MEETING DATE: REASONS OR CONDITIONS:	APPROVED .	NOT APPROVED .	DEFERRED FOR FUTURE CONSIDERATION	
MEETING DATE: REASONS OR CONDITIONS: STAFF REVIEW COMMENTS: FIRST READING FOR DEMO:	APPROVED .	NOT APPROVED .	DEFERRED FOR FUTURE CONSIDERATION SECOND READING FOR DEMO:	

THIS APPLICATION MAY BE REVIEWED BY PLANNING DEPARTMENT STAFF.

HARC CERTIFICATE OF APPROPRIATENESS: DEMOLITION APPENDIX



HARC COA#	INITIAL & DATE
H. 8023-0027	
ZONING DISTRICT	BLDG PERMIT#

1300 White St Key West, Flo		ZONING DISTRICT	BLDG PERMIT#
ADDRESS OF PROPOSED PROJECT:	1500 Reynolds Street		
PROPERTY OWNER'S NAME: Casa Marina Owner, LLC			
APPLICANT NAME:	K2M Design, Meghann Gregory		
Appropriateriess, i realize trial tris project	d and that the work shall conform to all ap t will require a Building Permit approval PRI dication. I also understand that any change	OR to proceeding with the w	carle autilizad above and that -
Carl Mayfiel (Aug 10, 2023 16:47 EDT)		Cam	Aug 10, 2023
PROPERTY OWNER'S SIGNATURE	Vice President		DATE AND PRINT NAME
	DETAILED PROJECT DESCRIPTION (OF DEMOLITION	
This project includes actions towa	rd storm remediation methods throu		areas:
	e pump) and the Chiller Facility (eleva		u. 545.
	atured within the attached supplement	- 22 B - 11 P R C P C - 1	
CRITERIA	FOR DEMOLITION OF CONTRIBUTING (OR HISTORIC STRUCTURES	
Before any Certificate of Appropriate	eness may be issued for a demolition r nents are met (please review and comm	request the Historia Archite	setural Daview Commission
If the subject of the application is a control irrevocably compromised by extrem	contributing or historic building or structure e deterioration or it does not meet any of the control of the c	e, then it should not be demol the following criteria:	ished unless its condition is
(a) The existing condition of	the building or structure is irrevocably con	npromised by extreme deterior	oration.
N/A			
(2) Or explain how the building or struct	ure meets the criteria below:		
		d of construction of another	bi-ti i in
city and is not a significan	characteristics of a type, period, or method t and distinguishable building entity whos	e components may lack indiv	or historic significance in the idual distinction.
N/A			

	(b)	provided in Section 102-218 of the Land Development Regulations and Chapter 14 of the Code of Ordinances. Is not specifically associated with events that have made a significant contribution to local, state, or national history.
N/A		succession to rocal, state, or national history.
	(c)	Has no significant character, interest, or value as part of the development, heritage, or cultural characteristics of the city, state or nation, and is not associated with the life of a person significant in the past.
N/A		
	(d)	Is not the site of a historic event with significant effect upon society.
WA		
	(e)	Does not exemplify the cultural, political, economic, social, or historic heritage of the city.
N/A	(9)	best net exemplify the cultural, political, economic, social, or historic nentage of the city.
	(f)	Does not portray the environment in an era of history characterized by a distinctive architectural style.
N/A		
	(g)	If a part of or related to a square, park, or other distinctive area, nevertheless should not be developed or preserved
V/A		according to a plan based on the area's historic, cultural, natural, or architectural motif.
W/A		
	(h)	Does not have a unique location or singular physical characteristic which represents an established and familiar visual
V/A		feature of its neighborhood or of the city, and does not exemplify the best remaining architectural type in a neighborhood.
W/A		

Nothing in this application is intended to alter the authority of the Building Official to condemn for demolition dangerous buildings, a provided in Section 102-218 of the Land Development Regulations and Chapter 14 of the Code of Ordinances.
(i) Has not yielded, and is not likely to yield, information important in history,
N/A
CRITERIA FOR DEMOLITION OF NON-CONTRIBUTING OR NON-HISTORIC STRUCTURES:
The following criteria will also be reviewed by the Historic Architectural Review Commission for proposed demolitions. The Commission shall not issue a Certificate of Appropriateness that would result in the following conditions (please review and comment on each criterion that applies):
(1) Removing buildings or structure that are important in defining the overall historic character of a district or neighborhood so that the character is diminished.
The areas for the proposed systems do not feature any defining historic character within the historic district. These areas a
currently hidden by existing vegetation growth.
(2) Removing historic buildings or structures and thus destroying the historic relationship between buildings or structures and open space.
The new platform and chiller facility will not destroy any physical relationship to the historic buildings.
The purpose is to provide FEMA recommended improvements for proactive storm remediation by elevating equipment above flood elevations. Possible visual interruption m
occur, but the areas of work are currently hidden by heavy vegetation, which will remain and any damage will be replante
(3) Removing an historic building or structure in a complex; or removing a building façade; or removing a significant later addition that is important in defining the historic character of a site or the surrounding district or neighborhood.
The Cooling Tower Enclosure (Chiller Facility) is a later open air addition. It is utilitarian in function and appearance. This structure will be demo'd and reconstructed to house two new elevated chillers. The appearance
of the new Facility will match the current appearance and contain existing replanted vegetation or new vegetation to match.
Exterior finishes will match existing adjacent / current.
(4) Removing buildings or structures that would otherwise qualify as contributing.
Both areas are outside of the original Casa Marina Hotel construction.



August 1, 2023

Historic Architectural Review Commission (HARC) Attn: Enid Torregrosa, Historic Preservation Planner City of Key West 1300 White Street Key West, FL 33040

Dear Enid,

I hope this letter finds you well. I am writing to follow up on the July 18, 2023, pre-application meeting concerning the Chiller addition for Casa Marina. During our meeting, we discussed several points, including the possibility of relocating to another area to preserve the historic façade or, if relocation is not feasible, simplifying the structure, studying enclosure proportions, incorporating landscaping considerations, and providing before-and-after views to showcase the design impact. Since then, we have made it a priority to create a revised presentation for your consideration.

Firstly, I want to draw your attention to our priority, which is a platform design for an elevated fire pump and generator near its current location. To aid your review, we have included drawings of the existing conditions in plan and elevations, along with relevant images, within the Fire Pump Presentation. Currently, the fire pump installation is obscured by vegetation and lacks prominent design features, making it blend seamlessly into the resort surroundings. Our proposed elevated platform design ensures storm remediation, allowing uninterrupted resort operations during potential outages, while still maintaining the existing aesthetic by effectively concealing these essential building features with strategic vegetation.

As for the chiller portion of the project, our architects and engineers have carefully considered the option of relocation to the area farther west on Seminole above the ballrooms in the "newer" section of the hotel. We have explored this option with the architecture and engineering colleagues. Below, I present professional opinions advocating for the current proposed location:

- The current location allows the new chillers to tie into the existing chilled water piping with minimal rework, as they are adjacent to the mechanical room housing the existing chillers. Moving the chillers elsewhere would significantly increase piping costs and complexity, possibly requiring external routing along the building.
- While sight lines and visibility of the chillers from the street and pool area are yet unknown, there are direct lines of sight to guestrooms if we relocate as suggested. This may necessitate the installation of a screen wall for visual concealment.
- Despite specifying chiller equipment to mitigate noise, some sound and vibration may still
 transmit through the roof structure to the ballroom space below and potentially reach nearby
 guestrooms. Conducting an acoustical analysis would be prudent to assess the impact at this
 location.
- 4. The current new chiller location requires an elevated mechanical room above the flood plain to accommodate chilled water pumps, other accessories, existing fuel tank, and existing domestic water heaters (note: domestic water heater relocation is not currently in scope). At the

BUILDING RELATIONSHIPS BASED ON TRUST AND RESULTS



- proposed location above the ballroom, a new mechanical room (likely a penthouse) would be necessary to house the chiller plant pumps and accessories near the chillers.
- Relocating the chillers to an existing roof poses structural risks, as the existing roof framing may not be designed to handle such a high load. Detailed investigations may lead to potential delays with no guarantee that the structure can be reasonably retrofitted to support the load.

I urge you to carefully review the findings presented in the attached documents. It is a privilege to present these options as we collectively work towards preserving the history and sustainability of this Key West landmark. Your feedback and guidance are invaluable to us. I eagerly await your response and the opportunity to further discuss our proposal.

Thank you for your time and consideration.

Sincerely,

Meghann S. Gregory Senior Project Architect

K2M Design



August 10, 2023

Historic Architectural Review Commission (HARC) City of Key West 1300 White Street Key West, FL 33040

To Whom It May Concern:

Per our follow-up pre-application meeting, it was mentioned that the proposed enclosures were problematic or not in compliance with HARC Guidelines 1, 5, 6, 7, 12, 21, 23. Please find our comments for the two portions of work: Platform Enclosure & Chiller Enclosure.

Guideline 1: Additions shall require no or minimal changes to the character defining features of a building and its site.

RESPONSE:

The current in-place utilities are being updated to meet current facility needs. The utilities were not updated after previous additions to the resort resulting in the need for larger equipment. Along with needing larger equipment, the new equipment needs to be elevated higher than previously due to the most current FEMA regulations and recommendations for storm / flooding remediation. Unfortunately, this guideline is impossible to meet while also meeting FEMA regulations for storm / flooding remediation. After numerous studies of where to locate the equipment, we found that there isn't a viable location for this equipment which doesn't affect the features of the building and its site.

Guideline 5: Additions to a building must be designed in a manner that if removed in the future, the essential character defining features and the integrity of the form of the building and its site will be unimpaired. Whenever possible it is preferable to create a small connector or use an existing non-historic rear addition to attach a new addition.

RESPONSE:

Our interpretation of the proposed design is that it complies with guideline 5. First, we see these structures as reconfigurations of the existing equipment enclosures, not "new" additions. Second, it is not possible to move the existing equipment to the rear of the building without creating new impacts to the historic structure that would be necessary to connect the equipment to the building.

Guideline 6: Any proposed addition shall be attached to less public elevations. Whenever possible, additions shall be attached to the rear or least conspicuous side of an existing building. On a corner lot, an addition shall be located to be unobtrusive when viewed from either adjoining streets.



RESPONSE:

Again, these reconfigurations of existing structures. Further, we believe that Casa Marina is a special case where Guideline 6 is impossible to meet. Casa Marina does not have a formal "front" or "rear" to the site, as all sides are exposed to either public streets or the ocean. The utilities that are designed and planned in the proposed areas are current and would create significant interference with the interior and exterior of the historic building if they are to be relocated.

Guideline 7: Additions proposed on the front of a contributing or historic structure are prohibited unless factual evidence for the building or structure in question proves the contrary. The Commission will make a determination if the addition is appropriate to the structure, its site, and surrounding context based on submitted evidence.

RESPONSE:

We believe that the design proposed is appropriate. Existing enclosures are currently visually hidden with vegetation, as the reconfigured structures will be. These enclosures are replacements of existing structures to accommodate today's code and utility demands as inconspicuously as possible.

Guideline 12: Additions shall not dominate neighboring properties.

RESPONSE:

We believe that the design is compliant with Guideline 12. Platform Enclosure is hidden from Seminole. Chiller Enclosure will match the previous enclosure in material, texture, and proportion but will be slightly larger in footprint to accommodate needed equipment and will be of the same height as the adjacent structures and not taller. Neither enclosure is more imposing than the hotel structure itself or the neighboring spa/gym building on the other side of Reynolds Street.

Guideline 21: Proposed additions that alter the existing proportions and rhythm of a contributing building are prohibited. The installation of bay or picture windows or the introduction of any architectural element that alters the rhythm and proportions of a contributing building is prohibited.

RESPONSE:

Proposed Platform Enclosure will feature site lines from adjacent historic resort as the existing enclosure does. The Proposed Chiller Enclosure will match the existing enclosure in material, texture and proportion and in concept takes the existing enclosure and enlarges it to accommodate the new needs. The enclosure mimics the existing site lines and heights of the adjacent utility extension.

Guideline 23: Additions at side elevations to contributing buildings are rarely appropriate since they alter the symmetry and balance of a historic building. If proposed, they shall be set back as far as possible from the street and shall not obscure original or historic walls, window fenestrations, or roofs, and should be no larger than 30% of the original floor area.

RESPONSE:

Proposed Platform Enclosure is on the inside face of the Casa Marina site and not visible from the main streets. Proposed Chiller Enclosure will be set back as required by planning and will include vegetation to screen the structure. No site lines to the historic property will be interrupted.

BUILDING RELATIONSHIPS BASED ON TRUST AND RESULTS




Please carefully review the findings presented in the attached documents. Admittedly, it can be a challenge to adapt to today's requirements for resilience and efficiency within the historic context, and we continue to work with the utmost respect for this historic asset and strongly believe we have achieved the best balance with this design. Your feedback and guidance, as usual, are invaluable to us. I eagerly await your response and the opportunity to further discuss our proposal.

Thank you for your time and consideration.


Sincerely,

Meghann S. Gregory Senior Project Architect


K2M Design



1926 Sanborn Map



1948 Sanborn Map



1962 Sanborn Map

PROJECT PHOTOS




Casa Marina 1920's. Wright Langley Collection. Monroe County Library.




Postcard of Casa Marina Hotel. The DeWolfe and Wood Collection. Monroe County Library.



Aerial photograph of Casa Marina circa 1950. Wright Langley Collection. Monroe County Library.



Aerial photograph of Casa Marina circa 1950. Wright Langley Collection. Monroe County Library.



Aerial photograph of Casa Marina circa 1978. Monroe County Library.



Aerial photograph of Casa Marina September 1, 1999. City of Key West.

- 1. 1.THE CERTIFICATE OF AUTHORIZATION NUMBER OF T2 UES, INC. IS LB-8336.
- 2. NO ABSTRACT OF TITLE OR TITLE INSURANCE COMMITMENT WAS REVIEWED AS PART OF THIS SURVEY.
- 3. THIS SURVEY IS SUBJECT TO ANY FACTS THAT MAY BE DISCLOSED BY A FULL AND ACCURATE TITLE SEARCH.
- 4. IMPROVEMENTS ON OR ADJACENT TO THE SUBJECT PARCEL HAVE NOT BEEN LOCATED EXCEPT AS SHOWN. NO SUB-SURFACE FOUNDATIONS HAVE BEEN LOCATED AS PART OF THIS SURVEY.
- 5. THERE ARE NO VISIBLE ENCROACHMENTS OTHER THAN ANY SHOWN.
- 6. THIS SURVEY DOES NOT MAKE ANY REPRESENTATIONS AS TO ZONING OR DEVELOPMENT RESTRICTIONS ON THE SUBJECT PARCEL.
- 7. ALL NOTED RECORDING REFERENCES ARE FROM THE PUBLIC RECORDS OF MONROE COUNTY
- 8. ALL HORIZONTAL SURVEY DATA IS REFERENCED TO THE FLORIDA STATE PLANE COORDINATE SYSTEM, EAST ZONE, NORTH AMERICAN DATUM OF 1983 (2011 ADJUSTMENT) BASED ON GPS RTK (REAL TIME KINEMATIC) CORRECTIONS RECEIVED FROM THE TRIMBLE VRS NETWORK. THE BASIS OF BEARING IS THE SOUTHWESTERLY RIGHT-OF-WAY LINE OF REYNOLDS STREET AS BEING S 33°36'24" E.
- 9. ALL DISTANCES ARE IN FEET AND DECIMALS THEREOF UNLESS OTHERWISE NOTED.
- 10. COORDINATES, ELEVATIONS, BEARINGS AND DISTANCES SHOWN ARE MEASURED OR CALCULATED FROM FIELD TIES UNLESS OTHERWISE NOTED.
- 11. DATE OF LAST FIELD WORK: 7-16-2022; FIELD BOOK 596, PAGE 16.
- 12. THIS SURVEY OR THE COPIES THEREOF ARE NOT VALID WITHOUT THE SIGNATURE AND THE ORIGINAL RAISED SEAL OR ELECTRONIC SIGNATURE AND SEAL OF A FLORIDA LICENSED SURVEYOR AND MAPPER. OTHERWISE THIS MAP IS FOR INFORMATIONAL PURPOSES
- 13. ADDITIONS OR DELETIONS TO SURVEY MAPS OR REPORTS BY OTHER THAN THE SIGNING PARTY OR PARTIES IS PROHIBITED WITHOUT THE WRITTEN CONSENT OF THE SIGNING PARTY OR PARTIES.
- 14. NO ENVIRONMENTAL AUDIT OR JURISDICTIONAL DELINEATION WAS MADE AS PART OF THIS SURVEY.
- 15. ANY ADJOINING DEED CITES ARE FOR "INFORMATIONAL PURPOSES ONLY"; NO SURVEY WAS MADE OF ADJOINING LANDS.
- 16. ELEVATIONS SHOWN HEREON ARE IN THE NATIONAL GEODETIC VERTICAL DATUM OF 1929 (NGVD29) AND BASED ON TIES TO NGS BENCHMARK "872 4557 TIDAL 5" (PID NO. AA0917), PUBLISHED ELEVATION OF 4.01 FEET (NGVD 29).
- 17. SURVEY PARCEL IS LOCATED IN FLOOD ZONE "AE" (EL. 6 FEET), FLOOD ZONE "AE" (EL. 8 FEET), FLOOD ZONE "AE" (EL. 9 FEET), FLOOD ZONE "VE" (EL. 10 FEET) AND FLOOD ZONE "VE" (EL. 12 FEET), BASED ON FLOOD INSURANCE RATE MAP COMMUNITY PANEL CITY OF KEY WEST 120168 1516K. MAP REVISED 2-18-2005. BASE FLOOD ELEVATIONS ARE IN NGVD 29.
- 18. BACKGROUND AERIAL IMAGE SHOWN IN THIS TOPOGRAPHIC SURVEY MAP WAS OBTAINED FROM THE FLORIDA DEPARTMENT OF TRANSPORTATION GIS WEBSITE, DATED 2018, RELATIVE POSITIONAL ACCURACY OF AERIAL IMAGERY WAS NOT FIELD VERIFIED. IMAGE IS FOR INFORMATIONAL PURPOSES ONLY.
- 19. THIS MAP IS INTENDED TO BE DISPLAYED AT A SCALE OF 1" = 40' OR SMALLER.

20. THE SCOPE OF THIS SURVEY INCLUDED THE FOLLOWING:

LEGAL DESCRIPTION (DEED BOOK 2115, PAGE 141)

AND BOUNDS AS FOLLOWS:

FEET BACK TO THE POINT OF BEGINNING.

a. COLLECT TOPOGRAPHIC DETAILS AND ELEVATIONS BETWEEN THE SOUTHERLY SIDE OF THE RESORT AND THE BEACH. THE FOCUS OF DETAIL IS THE EXISTING IMPROVEMENTS BETWEEN THE WALKWAYS ADJACENT TO THE BUILDINGS, THROUGHOUT THE POOL AREAS AND TO THE KITCHEN/BAR FACILITIES NEAR THE BEACH. TREES WERE ALSO LOCATED IN THIS AREA. DETAILS OF BUILDINGS AND INFORMATION ALONG THE PROPERTY BOUNDARY ARE LIMITED.

LEGEND:

—— FM —— FORCE MAIN

b. THE BOUNDARY SURVEY IS FOR PARCEL 1 AS DESCRIBED IN DEED BOOK 2115, PAGE 141.

ALL THAT LAND IN THE CITY OF KEY WEST, MONROE COUNTY, FLORIDA, LYING AND BEING SITUATE WITHIN

A TRIANGLE FORMED BY SEMINOLE AVENUE, REYNOLDS STREET AND THE LOW WATER MARK OF THE SHORE KNOWN AS SOUTH BEACH, THE SAID TRIANGLE EMBRACING BLOCKS 1, 2, 3, 4, 5 AND 6 AND THE

SPACE BETWEEN THEM FORMERLY LAID OUT AS STREETS, BUT HERETOFORE VACATED AS STREETS BY

THE CITY COUNCIL OF THE CITY OF KEY WEST, ALL SHOWN ON THE PLAT OF THE KEY WEST INVESTMENT COMPANY'S SUBDIVISION OF PART OF TRACT 17, RECORDED IN PLAT BOOK 1, AT PAGE 69 OF THE PUBLIC

RECORDS OF MONROE COUNTY, FLORIDA; AND ALSO ALL THE LAND UNDER WATER LYING IN FRONT OF

PORTION OF BLOCK 6 WHICH IS NOT INCLUDED IN PARCEL II DESCRIBED HEREIN AND ALL OF THE LAND

UNDER WATER LYING IN FRONT OF AND ALL RIPARIAN RIGHTS BELONGING OR APPURTENANT THERETO.

COMMENCING AT THE NORTHEAST CORNER OF BLOCK 40F KEY WEST INVESTMENT COMPANY'S

SUBDIVISION OF PART OF TRACT 17, KEY WEST, MONROE COUNTY, FLORIDA AND RECORDED IN PLAT

BOOK 1, AT PAGE 69 OF THE PUBLIC RECORDS OF MONROE COUNTY, FLORIDA, SAID CORNER IS ALSO

KNOWN AS THE POINT OF BEGINNING OF THE LAND HEREINAFTER DESCRIBED: FROM SAID POINT OF BEGINNING BEAR SOUTH 37°32'30" EAST FOR A DISTANCE OF 706.00 FEET, MORE OR LESS, TO THE SHORE

LINE OF SAID PLAT; THENCE MEANDER THE SHORELINE OF SAID PLAT IN A WESTERLY DIRECTION TO A

POINT WHICH IS 10.21 FEET MEASURED AT RIGHT ANGLES TO THE PRECEDING COURSE; THENCE BEAR

SOUTHEASTERLY PROPERTY LINE OF SEMINOLE AVENUE; SAID POINT ALSO BEARING SOUTH 52°00'00"

WEST FROM THE POINT OF BEGINNING; THENCE BEAR NORTH 52°00'00" EAST FOR A DISTANCE OF 17.81


BEARING NORTHWESTERLY FOR A DISTANCE OF 20.00 FEET, MORE OR LESS, TO A POINT ON THE

NORTH 37°32'30" WEST FOR A DISTANCE OF 678.00 FEET, MORE OR LESS, TO A POINT; THENCE CONTINUE

SUBJECT TO ENCROACHMENT BY REYNOLDS STREET BEING MORE PARTICULARLY DESCRIBED BY METES

AND ALL RIPARIAN RIGHTS BELONGING OR APPURTENANT TO THE SAID TRIANGLE; LESS, HOWEVER, THAT

BOUNDARY AND TOPOGRAPHIC SURVEY LYING IN KEY WEST SECTION 5, TOWNSHIP 68 SOUTH, RANGE 25 EAST MONROE COUNTY, FLORIDA



SHADE TREE (VARIOUS TYPE)

ARV	AIR RELEASE VALVE	FM ARV	FORCE MAIN AIR RELEASE VALVE	X □-	SECURITY SENSOR
\bigcirc	AUTO VACUUM	\square	GAS PIPELINE MARKER	SH	SHOWER
	BACKFLOW PREVENTER	GV	GAS VALVE	- 0-	SIGN SINGLE POST
-	BACTERIAL SAMPLE POINT	\otimes	GATE KEY PAD	- 0 0 -	SIGN DOUBLE POST
lack	BENCH MARK	X	GATE ARM ACTUATOR BOX	€	SPRINKLER
₿	BOLLARD	Ħ	GROUND LIGHT	0	STEEL POST
©	CABLE RISER	©	GREASE MANHOLE	T	TELEPHONE BOX OR VAULT
сту	CABLE TV BOX	• • • • •	GUARD RAIL	(t)	TELEPHONE CANISTER
СВ	CATCH BASIN	-3	GUY POLE		TELEPHONE (BURIED) MARKER POST
\mathcal{E}	CENTERLINE	(GUY WIRE	t	TELEPHONE MANHOLE
	CLEANOUT	Ŀ	HANDI-CAP PARKING	1	TELEPHONE RISER
001	COORDINATE NUMBER	НВ	HOSE BIB —	ТОЕ	TOE OF SLOPE
	CONCRETE POWER POLE	IRR	IRRIGATION BOX —	ТОВ	TOP OF BANK
	CONCRETE POST	IRR 	IRRIGATION VALVE		TRAFFIC SIGNAL BOX
(D)	DRAINAGE MANHOLE	⋫	LIGHT POLE	Ø	TRAFFIC SIGNAL POLE
EOW- — — —	EDGE OF WATER	Ø	MAIL BOX	Ð	TRAFFIC SIGNAL LIGHT
E	ELECTRICAL BOX		METAL POWER POLE	UU	UNDERGROUND UTILITIES
EO	ELECTRIC OUTLET		MITERED END SECTION	U	UNKNOWN UTILITY VAULT
Ē	ELECTRIC MANHOLE	(W)	WELL	(UNKNOWN UTILITY MANHOLE
ЕМ	ELECTRIC METER	—— OHP ——	OVERHEAD POWER LINE	w	WATER MAIN
ET	ELECTRIC TRANSFORMER W/ PAD	ОНТ	OVERHEAD TELEPHONE LINE	>	WATER LINE FLAG
—— E ———	ELECTRIC LINE	\triangle	PARKING PAY METER	WM	WATER METER
	ELECTRIC FLAG	D	POWER POLE	wv 	WATER VALVE
EV	ELECTRIC VAULT	æ	POWER POLE w/RISER	∅ ∅	WOOD POST
*0'00	EXISTING ELEVATION	P	PROPANE VALVE	-	WOOD SUPPORT POLE
- × ×	FENCE - BARBED WIRE —	RCW	RECLAIM WATER LINE	19	YARD DRAIN
	FENCE - CHAIN LINK / U.O.N.	RM	RECLAIM WATER METER	×w	CROSS WALK SIGNAL POLE
	FENCE - WOOD / U.O.N.	RCWV	RECLAIM WATER VALVE	⊡	CROSS WALK BUTTON POLE
	FIBER OPTIC MARKER / POST	R>	RECLAIM WATER LINE FLAG		BUSH
	FIBER OPTIC BOX	ROW	RIGHT-OF-WAY		CABBAGE PALM
***	FIRE HYDRANT	S >	SEWER LINE FLAG		OAK TREE
FV M	FIRE VALVE	ss	SANITARY SEWER LINE		PALM TREE
Þ	FLAG POLE	(\$)	SEWER MANHOLE	***	PINE TREE

SEWER VALVE

FOUND CONCRETE MONUMENT FOUND DRILL HOLE FOUND IRON ROD FOUND IRON ROD & CAP FOUND NAIL FOUND NAIL & DISK LIGHTER WOOD POST FOUND PARKER KALON NAIL FOUND PARKER KALON NAIL & DISK SET CONCRETE MONUMENT SET DRILL HOLE SET 5/8" IRON ROD & CAP "T2 LB 8336" U.O.N. SET MAG NAIL & DISK "T2 LB 8336" U.O.N. $\square \bigcirc \square$ SECTION CORNER CONCRETE

<u>ABBRE</u>	VIATIONS:		
AC.	= ACRE	МН	= MANHOLE
A.C.	= AIR CONDITIONER	MHWL	= MEAN HIGH WATER LINE
A.K.A.	= ALSO KNOWN AS	MISC.	= MISCELLANEOUS
ALTA	= AMERICAN LAND TITLE ASSOCIATION	MON	= MONUMENT
	= ALUMINUM		= NORTH AMERICAN DATUM
	= APPROXIMATE		= NORTH AMERICAN VERTICAL DATUM (198
	= ASPHALT		= NATIONAL GEODETIC SURVEY
	= AVENUE		= NATIONAL GEODETIC VERTICAL DATUM
	= BUILDING = BOULEVARD		= NUMBER - NATIONAL SOCIETY OF PROFESSIONAL S
	= BENCHMARK		= NATIONAL SOCIETY OF PROFESSIONAL S = NOT TO SCALE
	= BACK OF CURB		= NAIL & DISK
	= BACK OF WALK		= OVERHANG
	= BUREAU OF SURVEYING AND MAPPING		= ORDINARY HIGH WATER LINE
	= CALCULATED		= ORDINARY HIGH WATER MARK
` '	= CABLE TELEVISION		= OFFICIAL RECORD BOOK / PAGE
СВ	= CATCH BASIN	(P)	= PLAT
CBS	= CONCRETE BLOCK STRUCTURE	РВ	= PLAT BOOK
C.C.R.	= CERTIFIED CORNER RECORD	P.C.	= POINT OF CURVATURE
CDB	= CHORD BEARING	PCP	= PERMANENT CONTROL POINT
CH	= CHORD	PG (S).	= PAGE(S)
	= CHAIN LINK FENCE	P.I.	= POINT OF INTERSECTION
	= CONCRETE MONUMENT		= POINT IDENTIFIER
	= CORRUGATED METAL PIPE		= PARKER-KALON NAIL & DISK
	= CLEANOUT		= PARKWAY
	= CONCRETE		= PROPERTY LINE
	= CONTROL		= PROFESSIONAL LAND SURVEYOR
	= COVERED = CABBAGE PALM		= POINT OF BEGINNING = POINT OF COMMENCEMENT
	= CORRUGATED PLASTIC PIPE		= POINT OF COMMENCEMENT = POINT OF TERMINUS
	= CORNER		= POWER POLE
	= CORPORATION		= PERMANENT REFERENCE MONUMENT
	= CONTROL POINT		= PROPERTY
	= COUNTY ROAD		= PROFESSIONAL SURVEYOR AND MAPPER
	= COURT	PT.	= POINT
C.T.	= CABANA TENT	P.T.	= POINT OF TANGENCY
C.U.E.	= COUNTY UTILITY EASEMENT	P.U.E.	= PUBLIC UTILITY EASEMENT
(D)	= DEED	PVC	= POLY VINYL CHLORIDE
D.B.	= DECORATIVE BRICK	R	= RADIUS OR RIGHT
D.E.	= DRAINAGE EASEMENT	(R)	= RECORD
DEPT.	= DEPARTMENT	RCP	= REINFORCED CONCRETE PIPE
(DESC.)	= DESCRIPTION	RGE	= RANGE
DH	= DRILL HOLE	RLS	= REGISTERED LAND SURVEYOR
	= DIAMETER		= RAILROAD
	= DRIVE		= RIGHT
	= DRAWING		= RIGHT ANGLE
	= ELEVATION		= REAL TIME KINEMATIC
	= ELECTRIC = EDGE OF PAVEMENT		= RIGHT-OF-WAY
	= EDGE OF WATER		= SECTION = SQUARE FEET
	= ELLIPTICAL REINFORCED CONCRETE PIPE		= SOUTH FLORIDA WATER MANAGEMENT [
	= EASEMENT		= SHEET
	= EXISTING		= STATE ROAD
	= FIELD		= SANITARY SEWER
` '	= FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION		= STATION
FDOT	= FLORIDA DEPARTMENT OF TRANSPORTATION		= STREET
FEMA	= FEDERAL EMERGENCY MANAGEMENT AGENCY		= SOUTHWEST FLORIDA WATER MANAGEM
F.F.	= FINISHED FLOOR	• • • • • • • • • • • • • • • • • • • •	= TANGENT
FNC.	= FENCE	TEL	= TELEPHONE
FND	= FOUND	TIIF	= TRUSTEES OF THE INTERNAL IMPROVE
FPL OR FP&L	= FLORIDA POWER & LIGHT		THE STATE OF FLORIDA
F.S.	= FLORIDA STATUTES	TIITF	= BOARD OF TRUSTEES OF THE INTERNA
FT.	= FOOT / FEET		TRUST FUND OF THE STATE OF FLORID
GLO	= GENERAL LAND OFFICE	TOB	= TOP OF BANK
GPS	= GLOBAL POSITIONING SYSTEM	TOE	= TOE OF SLOPE
	= IDENTIFICATION	T.P.	= TRAVERSE POINT
	= IONA DRAINAGE DISTRICT	TRANS.	= TRANSITION
	= INCORPORATED		= TOWNSHIP
	= INSTRUMENT		= TYPICAL
	= INVERT		= UTILITY EASEMENT
	= IRON PIPE		= UNLESS OTHERWISE NOTED
	= IRON ROD (5/8" DIA. U.O.N.) = IRON ROD & CAP		= UNITED STATES GEOLOGICAL SURVEY
	= IRON ROD & CAP = IRRIGATION		= VIRTUAL REFERENCE STATION
	= LENGTH		= WITH - VARD DRAIN
	= LAND BOUNDARY INFORMATION SYSTEM (STATE OF FLORIDA)		= YARD DRAIN = DELTA ANGLE
	= LATITUDE	_	= DELTA ANGLE = MORE OR LESS
	= LICENSED BUSINESS		= NUMBER
	= LIMITED LIABILITY COMPANY		= STAMPING OF CAP OR DISK

МН	= MANHOLE
MHWL	= MEAN HIGH WATER LINE
MISC.	= MISCELLANEOUS
MON	= MONUMENT
NAD	= NORTH AMERICAN DATUM
N.A.V.D.	= NORTH AMERICAN VERTICAL DATUM (1988)
	= NATIONAL GEODETIC SURVEY
	= NATIONAL GEODETIC VERTICAL DATUM (1929)
	= NUMBER
	= NATIONAL SOCIETY OF PROFESSIONAL SURVEYORS
	= NOT TO SCALE = NAIL & DISK
	= OVERHANG
	= ORDINARY HIGH WATER LINE
O.H.W.M.	= ORDINARY HIGH WATER MARK
O.R.	= OFFICIAL RECORD BOOK / PAGE
(P)	= PLAT
РВ	= PLAT BOOK
P.C.	= POINT OF CURVATURE
	= PERMANENT CONTROL POINT
` '	= PAGE(S)
	= POINT OF INTERSECTION
	= POINT IDENTIFIER
	= PARKER-KALON NAIL & DISK = PARKWAY
	= PROPERTY LINE
	= PROFESSIONAL LAND SURVEYOR
	= POINT OF BEGINNING
	= POINT OF COMMENCEMENT
P.O.T.	= POINT OF TERMINUS
PP	= POWER POLE
P.R.M.	= PERMANENT REFERENCE MONUMENT
PROP.	= PROPERTY
	= PROFESSIONAL SURVEYOR AND MAPPER
	= POINT
	= POINT OF TANGENCY
	= PUBLIC UTILITY EASEMENT
	= POLY VINYL CHLORIDE = RADIUS OR RIGHT
	= RECORD
` ,	= REINFORCED CONCRETE PIPE
	= RANGE
	= REGISTERED LAND SURVEYOR
R.R.	= RAILROAD
RT	= RIGHT
RTA	= RIGHT ANGLE
	= REAL TIME KINEMATIC
	= RIGHT-OF-WAY
	= SECTION
	= SQUARE FEET
	= SOUTH FLORIDA WATER MANAGEMENT DISTRICT = SHEET
	= STATE ROAD
	= SANITARY SEWER
	= STATION
	= STREET
	= SOUTHWEST FLORIDA WATER MANAGEMENT DISTRICT
	= TANGENT
TEL	= TELEPHONE
TIIF	= TRUSTEES OF THE INTERNAL IMPROVEMENT FUND OF
	THE STATE OF FLORIDA
TIITF	= BOARD OF TRUSTEES OF THE INTERNAL IMPROVEMENT
	TRUST FUND OF THE STATE OF FLORIDA

TRUST FUND OF THE STATE OF FLORIDA



5670 Zip Drive Fort Myers, FL 33905 Tel: 239.277.0722 Fax: 239.277.7179

SCOTT R. URQUHART PROFESSIONAL SURVEYOR AND MAPPER FLORIDA CERTIFICATE NO. 6524 (FOR THE FIRM - LB 8336)

SIGNED THIS ___ DAY OF

LLC = LIMITED LIABILITY COMPANY

LS = LICENSED SURVEYOR


LN. = LANE LONG = LONGITUDE


LT = LEFT (M) = MEASURED MAG = MAGNETIC ME = MITERED END

" " = STAMPING OF CAP OR DISK

BOUNDARY AND TOPOGRAPHIC SURVEY

LYING IN KEY WEST SECTION 5, TOWNSHIP 68 SOUTH, RANGE 25 EAST MONROE COUNTY, FLORIDA










PROPOSED DESIGN

CASA MARINA RESORT





SEMINOLE STREET

EXISTING CHILLER ENCLOSURE LOCATION

PROPOSED CHILLER ENCLOSURE LOCATION



CHILLER PLANT RELOCATION

Submissions:


BUILDING RELATIONSHIPS BASED ON TRUST AND RESULTS
3121 Bridge Avenue Cleveland, Ohio 44113

P: 216.357.2794 F: 216.357.2796

©2023 by K2M Design, Inc.

1500 REYNOLDS STREET, KEY WEST, FL, 33040

No.	Description	Date



ARCHITECT:

K2M

Architecture, Engineering, Interior Design, Facility Asset Management

3121 Bridge Avenue Cleveland, Ohio 44113

www.k2mdesign.com

Building Relationships Based on Trust and Results

Cleveland | Indianapolis | Key Largo | Key West Marathon | Charlotte | Baltimore | Bentonville

RESORTS

AND

PARK HOTELS

TYSON, VIRGINIA, 22102

1775 TYSON BLVD,

CHILLER PLANT RELOCATION 1500 REYNOLDS STREET, KEY WEST, FL, 33040

Drawing Size Project #:
11X17 23014

Drawn By: Checked By:

DR Title:

AERIAL

Checker

Sheet Number:

P1.0.1

Date: 07/19/2023





VIEW OF CHILLER FROM SEMINOLE





INSIDE THE EXISTING CHILLER ENLOSURE





VIEW OF CHILLER FROM DRIVE



VIEW OF CHILLER FROM PARKING

ARCHITECT:

Architecture, Engineering, Interior Design, Facility Asset Management

3121 Bridge Avenue Cleveland, Ohio 44113

www.k2mdesign.com

Building Relationships Based on Trust and Results

Cleveland | Indianapolis | Key Largo | Key West Marathon | Charlotte | Baltimore | Bentonville

22102

TYSON, VIRGINIA,

1775 TYSON BLVD,

1500 REYNOLDS STREET, KEY WEST, FL, 33040 S RESORT AND S ARK HOTE Δ.

CHILLER PLANT RELOCATION

Drawing Size Project #: 11X17 23014 Drawn By: Checked By:


DR Checker

EXISTING CONDITIONS

Sheet Number:

P1.1.1

Date: 07/19/2023



K₂M₂

ARCHITECT:

Architecture, Engineering, Interior Design, Facility Asset Management

3121 Bridge Avenue Cleveland, Ohio 44113

www.k2mdesign.com

Building Relationships Based on Trust and Results

> Cleveland | Indianapolis | Key Largo | Key Wes Marathon | Charlotte | Baltimore | Bentonville

1500 REYNOLDS STREET, KEY WEST, FL, 33040
PARK HOTELS AND RESORTS
1775 TYSON BLVD, TYSON, VIRGINIA, 22102

Drawing Size Project #: 23014

Drawn By: Checked By: DR Checker

Title:

CHILLER


PLANT RELOCATION

CHILLER PLANS

Sheet Number:

P1.1.2

Date: 07/19/2023



K2M

ARCHITECT:

Architecture, Engineering, Interior Design, Facility Asset Management

> 3121 Bridge Avenue Cleveland, Ohio 44113

www.k2mdesign.com

Building Relationships Based on Trust and Results

Cleveland | Indianapolis | Key Largo | Key W

CHILLER PLANT RELOCATION

500 REYNOLDS STREET, KEY WEST, FL, 33040

PARK HOTELS AND RESORTS

1775 TYSON BLVD, TYSON, VIRGINIA, 22102

Drawing Size 11X17	Project #: 23014
Drawn By:	Checked By:
DR	Checker


Title:

CHILLER PLANS

Sheet Number:

P1.1.2A

Date: 07/19/2023



GENERAL MECHANICAL NOTES

1. THE CONTRACTOR SHALL PROVIDE ALL MISCELLANEOUS SUPPORTING STEEL, ETC. FOR THE PROPER INSTALLATION OF ALL MECHANICAL

THE CONTRACTOR SHALL COORDINATE FLOOR, WALL AND ROOF PENETRATIONS, LOUVER SIZES, ETC. WITH GENERAL TRADES. THE CONTRACTOR SHALL COORDINATE THE LOCATION OF CEILING GRILLES, REGISTERS AND DIFFUSERS WITH THE ARCHITECTURAL

REFLECTED CEILING PLANS. 4. ALL DUCTWORK AND PIPING SHALL NOT BE LOCATED OVER THE TOP OF

ANY ELECTRICAL PANELS OR EQUIPMENT. THE CONTRACTOR SHALL COORDINATE AND PROVIDE ACCESS DOORS IN HARD CEILINGS FOR ALL EQUIPMENT WHICH REQUIRES ACCESS.

ALL MECHANICAL EQUIPMENT, PIPING, VALVES, DAMPERS, ETC. WHICH REQUIRE ROUTINE MAINTENANCE OR INSPECTION SHALL BE INSTALLED WITHIN 2'-0" OF THE FINISHED CEILING HEIGHT. ALL DUCT BRANCHES AND RUNS TO BE PROVIDED WITH MANUAL

BALANCING DAMPER AND LOCKING QUADRANT WITH INTEGRAL POSITION INDICATOR.

ROUTE EXPOSED DUCTWORK AND PIPING IN STRUCTURE WHERE POSSIBLE. COORDINATE WITH OTHER DISCIPLINES

EXTEND FULL SIZE CONDENSATE PIPING TO DRAIN. ENSURE MINIMUM SLOPE OF 1/8" PER FOOT. 10. PROVIDE SERVICE VALVES AT ALL HYDRONIC EQUIPMENT.


ARCHITECT:

Architecture, Engineering, Interior Design, Facility Asset Management

3121 Bridge Avenue Cleveland, Ohio 44113

www.k2mdesign.com

Building Relationships Based on Trust and Results



CHILLER PLANT RELOCATION 1500 REYNOLDS STREET, KEY WEST, FL, 33040

CASA MARINA PARK HOTELS AND RESORTS


Drawing Size 24X36 Project #: 23014 Checked By: Checker Drawn By: Designer

ENLARGED ROOF CHILLER YARD MECHANICAL PLAN

Sheet Number: M2.1.1

Date: 09/12/2023 ©2023 by K2M Design, Inc.

ARCHITECT: Architecture, Engineering, Interior Design, Facility Asset Management 3121 Bridge Avenue Cleveland, Ohio 44113 www.k2mdesign.com **Building Relationships** Based on Trust and Results



CHILLER PLANT RELOCATION 1500 REYNOLDS STREET, KEY WEST, FL, 33040

CASA MARINA PARK HOTELS AND RESORTS


Drawing Size 24X36 Project #: 23014 Drawn By: Designer


MECHANICAL SECTIONS

Sheet Number:

M3.1.1


Date: 09/12/2023 ©2023 by K2M Design, Inc.





EXISTING ELEVATION OF REYNOLDS STREET

1/8" = 1'-0"



PROPOSED ELEVATION OF REYNOLDS STREET

PLANT RELOCATION S R ESOI $\overline{\mathbb{Z}}$ AND S ARK HOTE CHILLER

Architecture, Engineering, Interior Design, **Facility Asset Management** 3121 Bridge Avenue Cleveland, Ohio 44113 www.k2mdesign.com Building Relationships

ARCHITECT:

Based on Trust and Results Cleveland | Indianapolis | Key Largo | Key Wes

22102 TYSON, VIRGINIA, 1775 TYSON BLVD, Δ.

Drawing Size Project #: 11X17 23014 Drawn By: Checked By:


CHILLER **ENCLOSURE ELEVATIONS**

Checker


Sheet Number:

P1.1.4

Date: 07/19/2023



2 EXISTING ELEVATION OF INTERIOR PARKING 1/8" = 1'-0"



PROPOSED ELEVATION OF INTERIOR PARKING LOT

ARCHITECT:



Architecture, Engineering, Interior Design, Facility Asset Management

3121 Bridge Avenue Cleveland, Ohio 44113

www.k2mdesign.com

Building Relationships Based on Trust and Results

> Cleveland | Indianapolis | Key Largo | Key Wes Marathon | Charlotte | Baltimore | Bentonville

CHILLER PLANT RELOCATION 500 REYNOLDS STREET, KEY WEST, FL, 33040 PARK HOTELS AND RESORTS 1775 TYSON BLVD, TYSON, VIRGINIA, 22102

Drawing Size	Project #:
11X17	23014

Drawn By: Checked By: DR Checker

Title:

CHILLER ENCLOSURE ELEVATIONS

Sheet Number:


P1.1.5

Date: 07/19/2023

©2023 by K2M Design, Inc.

1

1/8" = 1'-0"



ARCHITECT:

K2M

Architecture, Engineering, Interior Design, Facility Asset Management

3121 Bridge Avenue Cleveland, Ohio 44113

www.k2mdesign.com

Building Relationships Based on Trust and Results

Cleveland | Indianapolis | Key Largo | Key West Marathon | Charlotte | Baltimore | Bentonville

AND RESORTS

PARK HOTELS

TYSON, VIRGINIA, 22102

1775 TYSON BLVD,

GENERATOR AND FIRE PUMP PLATFORM 1500 REYNOLDS STREET, KEY WEST, FL, 33040

Drawing Size Project #: 23014

Drawn By: Checked By:

DR Checker

Title:

AERIAL

Sheet Number:

PA1.0.

Date: 07/19/2023







VIEW OF GENERATOR AND PLATFORM FROM PARKING



INSIDE THE EXISTING GENERATOR ENLOSURE



EXISTING GENERATOR VENT



VIEW OF TRANSFORMER AND CISTERN FROM INSIDE BUILDING

ARCHITECT:

Architecture, Engineering, Interior Design, Facility Asset Management

3121 Bridge Avenue Cleveland, Ohio 44113

www.k2mdesign.com

Building Relationships Based on Trust and Results

Cleveland | Indianapolis | Key Largo | Key West Marathon | Charlotte | Baltimore | Bentonville

22102

TYSON, VIRGINIA,

1775 TYSON BLVD,

PLATFORM 1500 REYNOLDS STREET, KEY WEST, FL, 33040 S RESORT GENERATOR AND FIRE PUMP AND

PARK HOTE


Drawing Size 11X17	Project #: 23014
Drawn By:	Checked By:
DR	Checker

EXISTING CONDITIONS

Sheet Number:

PA1.1

Date: 07/19/2023



EXISTING CONDITIONS AND DEMO AT NEW PUMP/GEN

SCALE: 1/8" = 1'-0"

. . . .

ARCHITECT:

K2|V|

Architecture, Engineering, Interior Design, Facility Asset Management

3121 Bridge Avenue Cleveland, Ohio 44113

www.k2mdesign.com

Building Relationships Based on Trust and Results

> Cleveland | Indianapolis | Key Largo | Key Wes Marathon | Charlotte | Baltimore | Bentonville

GENERATOR AND FIRE PUMP
PLATFORM
500 REYNOLDS STREET, KEY WEST, FL, 33040
PARK HOTELS AND RESORTS
1775 TYSON BLVD, TYSON, VIRGINIA, 22102

Drawing Size Project #:
11X17 23014

Drawn By: Checked By:
DR Checker


Title:

PUMP/ GEN PLANS

Sheet Number:

PA1.2

Date: 07/19/2023



PROPOSED SITE LAYOUT FOR NEW PUMP/GEN

1/8" = 1'-0"

ARCHITECT:

Architecture, Engineering, Interior Design, Facility Asset Management

3121 Bridge Avenue Cleveland, Ohio 44113

www.k2mdesign.com

Building Relationships Based on Trust and Results

Cleveland | Indianapolis | Key Largo | Key Wes Marathon | Charlotte | Baltimore | Bentonville

GENERATOR AND FIRE PUMP PLATFORM 1500 REYNOLDS STREET, KEY WEST, FL, 33040 S 22102 RESORT TYSON, VIRGINIA, AND PARK HOTELS 1775 TYSON BLVD,


Drawing Size 11X17	Project #: 23014
Drawn By:	Checked By
DR	Checker

Title: PUMP/ GEN PLANS

Sheet Number:

PA1.3

Date: 07/19/2023





ARCHITECT:



Architecture, Engineering, Interior Design, Facility Asset Management

3121 Bridge Avenue Cleveland, Ohio 44113

www.k2mdesign.com

Building Relationships Based on Trust and Results

Cleveland | Indianapolis | Key Largo | Key West Marathon | Charlotte | Baltimore | Bentonville

CHILLER PLANT RELOCATION 1500 REYNOLDS STREET, KEY WEST, FL, 33040 PARK HOTELS AND RESORTS 1775 TYSON BLVD, TYSON, VIRGINIA, 22102

Drawing Size Project #: 23014

Drawn By: Checked By:

DR

Title:

PUMP/GEN SECTION

Checker

Sheet Number:

PA1.6

Date: 09/20/2023




EXISTING CONDITIONS AT GENERATOR LOCATION

SHRUBS, SMALL TREES AND GRASSES SIGNIFICANTLY SHIELD THIS AREA. ANY

VEGETATION IN THE NEW PLATFORM

AREA SHALL BE DUP UP AND RELOCATED TO SHIELD NEW



PROPOSED ELEVATION OF NEW FIRE PUMP/ GEN PLATFORM

1/16" = 1'-0"

K2M

ARCHITECT:

Architecture, Engineering, Interior Design, Facility Asset Management

> 3121 Bridge Avenue Cleveland, Ohio 44113

www.k2mdesign.com

Building Relationships Based on Trust and Results

> Cleveland | Indianapolis | Key Largo | Key Wes Marathon | Charlotte | Baltimore | Bentonville

PLATFORM
500 REYNOLDS STREET, KEY WEST, FL, 33040
PARK HOTELS AND RESORTS
1775 TYSON BLVD, TYSON, VIRGINIA, 22102

Drawing Size Project #: 23014

Drawn By: Checked By: Checker

Titlo


GENERATOR AND FIRE PUMP

PUMP/GEN ELEVATIONS


Sheet Number:

PA1.4


Date: 07/19/2023



EXISTING CONDITIONS AT GENERATOR LOCATION



PROPOSED FIRE PUMP/GEN ELEVATION INTERIOR



ARCHITECT:

K2M

Architecture, Engineering, Interior Design, Facility Asset Management

3121 Bridge Avenue Cleveland, Ohio 44113

www.k2mdesign.com

Building Relationships Based on Trust and Results

Cleveland | Indianapolis | Key Largo | Key West Marathon | Charlotte | Baltimore | Bentonville

PLATFORM 1500 REYNOLDS STREET, KEY WEST, FL, 33040 PARK HOTELS AND RESORTS 1775 TYSON BLVD, TYSON, VIRGINIA, 22102

Drawing Size 11X17	Project #: 23014
Drown By:	Chooked

Drawn By: Checked By: DR Checker

Title:

GENERATOR AND FIRE PUMP

PUMP/GEN ELEVATIONS

Sheet Number:

PA1.5

Date: 07/19/2023

The Historic Architectural Review Commission will hold a public meeting at <u>5:00 p.m.</u>, <u>September 26, 2023, at City Hall, 1300 White Street</u>, Key West, Florida. To view the live feed of the meeting, you can tune in to Comcast channel 77, AT&T U-verse channel 99. If you wish to participate virtually, please contact HARC staff at 305-809-3973. The purpose of the hearing will be to consider a request for:

NEW ACCESSORY STRUCTURES TO REPLACE EXISTING CHILLER AND FIRE PUMP / GENERATOR BUILDINGS DUE TO FLOOD REQUIREMENTS. DEMOLITION OF NON-HISTORIC CHILLER AND FIRE PUMP STRUCTURES

#1500 REYNOLDS STREET

Applicant – K2M Design Application #H2023-0027

If you wish to see the application or have any questions, you may visit the Planning Department during regular office hours at 1300 White Street, call 305-809-3973 or visit our website at www.citvofkevwest-fl.gov.

THIS NOTICE CAN NOT BE REMOVED FROM THE SITE UNTIL HARC FINAL DETERMINATION

ADA ASSISTANCE: It is the policy of the City of Key West to comply with all requirements of the Americans with Disabilities Act (ADA). Please call the TTY number at 800-955-8771 or 800-955-8770 (Voice) or the ADA Coordinator at 305-809-3811 at least five business days in advance for sign language interpreters, assistive listening devices, or materials in accessible format.

HARC POSTING AFFIDAVIT

STATE O	F FLORIDA:	
COUNTY	OF MONROE:	

BEFORE ME, the undersigned authority, personally appeared, who, first being duly sworn, on oath, depose and says that the following statements are true and correct to the best of his/her knowledge and belief:
1. That a legal notice for Public Notice of Hearing of the Historic Architectural Review Commission (HARC) was placed on the following address: Soo Reynolds Street
This legal notice(s) contained an area of at least 8.5"x11".
The property was posted to notice a public hearing before the Key West Historic Architectural Review Commission to be held on <u>September 24, 2023</u> , 20
The legal notice(s) is/are clearly visible from the public street adjacent to the property.
The Certificate of Appropriateness number for this legal notice is #H2023-0027.
2. A photograph of that legal notice posted in the property is attached hereto.
Date: Supple 20 2023 Address: 1314 Newfor Street City: Yey West State, Zip: 12 33040
The forgoing instrument was acknowledged before me on this Author day of By (Print name of Affiant)
NOTARY PUBLIC Sign Name: Print Name: Notary Public - State of Florida (seal) My Commission Expires: MIA CASTILLO My Commission#HH245427 EXPIRES: June 12, 2026









PROPERTY APPRAISER INFORMATION

Monroe County, FL

Disclaimer

The Monroe County Property Appraiser's office maintains data on property within the County solely for the purpose of fulfilling its responsibility to secure a just valuation for ad valorem tax purposes of all property within the County. The Monroe County Property Appraiser's office cannot guarantee its accuracy for any other purpose. Likewise, data provided regarding one tax year may not be applicable in prior or subsequent years. By requesting such data, you hereby understand and agree that the data is intended for ad valorem tax purposes only and should not be relied on for any other purpose.

By continuing into this site you assert that you have read and agree to the above statement.

Summary

00037160-000100 Parcel ID 8735677 Account# Property ID 8735677 Millage Group 10KW

Location 1500 REYNOLDS St, KEY WEST Address

Legal Description

103 G26-168 G37-65/67 G70-508/9 OR175-144/45 OR214-88/89 OR274-337/38 OR332-35 OR387-997/99 OR388-826/28 OR399-599/600 OR427-61/62 OR534-1098 OR660-860/887 OR695-8/9OR1033-627/632 OR1033-633/648 OR1033-649/664 OR1350-357/368(LEASE) OR1350-385/91-C OR1359-745/774(LEASE) OR1436-592/597OR1436-598/608 OR1437-275/278Q/C OR1624-743/763(LEASE) OR1624-764/779(LEASE) OR1701-931/932Q/C OR2115-141/147 OR2326-

1954/1959(REST) OR2347-648/666(II LEASE) OR2414-19/25(REST)

(Note: Not to be used on legal documents.)

Neighborhood 32100

Property Class HOTEL - LUXURY (3900) Subdivision Key West Investment Co's Sub

Sec/Twp/Rng 05/68/25 Affordable No Housing



Owner

CASA MARINA EQUITY HOLDINGS LLC

C/O HILTON WORLDWIDE LLC 7930 Jones Branch Dr McLean VA 22102

Valuation

	2023 Preliminary			
	Values	2022 Certified Values	2021 Certified Values	2020 Certified Values
+ Market Improvement Value	\$67,030,302	\$58,589,770	\$29,960,145	\$41,838,332
+ Market Misc Value	\$9,575,757	\$8,369,967	\$3,328,905	\$4,183,833
+ Market Land Value	\$114,909,088	\$100,439,606	\$33,289,049	\$37,654,499
= Just Market Value	\$191,515,147	\$167,399,343	\$66,578,099	\$83,676,664
= Total Assessed Value	\$80,559,498	\$73,235,908	\$66,578,099	\$79,356,879
- School Exempt Value	\$0	\$0	\$0	\$0
= School Taxable Value	\$191,515,147	\$167,399,343	\$66,578,099	\$83,676,664

Historical Assessments

Year	Land Value	Building Value	Yard Item Value	Just (Market) Value	Assessed Value	Exempt Value	Taxable Value	Maximum Portability
2022	\$100,439,606	\$58,589,770	\$8,369,967	\$167,399,343	\$73,235,908	\$0	\$167,399,343	\$0
2021	\$33,289,049	\$29,960,145	\$3,328,905	\$66,578,099	\$66,578,099	\$0	\$66,578,099	\$0
2020	\$37,654,499	\$41,838,332	\$4,183,833	\$83,676,664	\$79,356,879	\$0	\$83,676,664	\$0
2019	\$36,071,309	\$32,464,178	\$3,607,131	\$72,142,618	\$72,142,618	\$0	\$72,142,618	\$0
2018	\$35,657,925	\$32,092,132	\$3,565,792	\$71,315,849	\$71,315,849	\$0	\$71,315,849	\$0

The Maximum Portability is an estimate only and should not be relied upon as the actual portability amount. Contact our office to verify the actual portability amount.

Land

Land Use	Number of Units	Unit Type	Frontage	Depth
COMMERCIAL WATERFRON (100W)	290,110.00	Square Foot	0	0
COMMERCIAL DRY (100D)	83,000.00	Square Foot	0	0

Buildings

Building ID Exterior Walls MIN WOOD SIDING 44051

1901 Style Year Built **Building Type** WARFHOUSF/MARINA A / 48A EffectiveYearBuilt 1993

Building Name Gross Sq Ft Finished Sq Ft Stories Condition Perimeter Functional Obs Economic Obs Depreciation % Interior Walls Code De	11610 11610 3 Floor AVERAGE 918 0 0 38	Sketch Area	Finished Area	Foundation Roof Type Roof Coverage Flooring Type Heating Type Bedrooms Full Bathrooms Half Bathrooms Grade Number of Fire Pl	0 0 0 450 0
FLA FLO	OOR LIV AREA	11,610	11,610	0	
TOTAL		11,610	11,610	0	

Building ID Style Building Type Building Name	44052 HOTELS/MOTEL A / 39A			Exterior Walls Year Built EffectiveYearBuilt Foundation	REIN CONCRETE 1916 1995
Gross Sq Ft	79887			Roof Type	
Finished Sq Ft	66462			Roof Coverage	
Stories	3 Floor			Flooring Type	
Condition	AVERAGE			Heating Type	
Perimeter	3267			Bedrooms	0
Functional Obs				Full Bathrooms	0
Economic Obs	0			Half Bathrooms	0
Depreciation % Interior Walls	35			Grade Number of Fire Pl	450
		Cl. L. L. A.	Et atala at A		0
Code De	escription	Sketch Area	Finished Area	Perimeter	
CAN CA	ANOPY	448	0	0	
OPX EX	XC OPEN PORCH	10,667	0	0	
FLA FL	LOOR LIV AREA	66,462	66,462	0	
OUU O	P PR UNFIN UL	378	0	0	
PTX PA	ATIO CUSTOM	1,932	0	0	
TOTAL		79,887	66,462	0	

Building ID Style Building Type	44053 HOTELS/MOTEL A / 39A			Exterior Walls Year Built EffectiveYearBuilt	C.B.S. 1979 1995
Building Name Gross Sq Ft Finished Sq Ft	16406 13828			Foundation Roof Type Roof Coverage	
Stories Condition Perimeter Functional Obs Economic Obs Depreciation % Interior Walls	2 Floor AVERAGE 760 0 0 35			Flooring Type Heating Type Bedrooms Full Bathrooms Half Bathrooms Grade Number of Fire Pl	0 0 0 450
	scription	Sketch Area	Finished Area	Perimeter	-
OPX EX	C OPEN PORCH	2,526	0	0	
FLA FLO	OOR LIV AREA	13,828	13,828	0	
OPF OP	PRCH FIN LL	52	0	0	
TOTAL		16,406	13,828	0	

Building ID Style Building Type Building Name Gross Sq Ft Finished Sq Ft Stories Condition Perimeter Functional Obs Economic Obs Depreciation % Interior Walls	44054 HOTELS/MOTEL A / 39A 91116 74107 5 Floor AVERAGE 4371 0 0 35			Exterior Walls Year Built Effective Year Built Foundation Roof Type Roof Coverage Flooring Type Heating Type Bedrooms Full Bathrooms Half Bathrooms Grade Number of Fire Pl	C.B.S. 1979 1995
Code De	escription	Sketch Area	Finished Area	Perimeter	
OPX EX	C OPEN PORCH	13,252	0	0	
FLA FLO	OOR LIV AREA	74,107	74,107	0	
OPU OF	PR UNFIN LL	144	0	0	
OUU OF	DP PR UNFIN UL 1,264 0 0				
OPF OF	P PRCH FIN LL	108	0	0	
PTO PA	TIO	378	0	0	

Code	Description	Sketch Area	Finished Area	Perimeter
SBF	UTIL FIN BLK	1,863	0	0
TOTAL		91,116	74,107	0

Building ID Style	44055	44055 Exterior Walls Year Built								
Building Type Building Name	HOTELS/MOTEL A / 39	PA		EffectiveYearBuilt Foundation	1916 1995					
Gross Sq Ft	21615			Roof Type						
Finished Sq Ft	21576			Roof Coverage						
Stories	4 Floor			Flooring Type						
Condition	AVERAGE	AVERAGE Heating Type								
Perimeter	1392	1392 Bedrooms								
Functional Obs	0 Full Bathrooms									
Economic Obs	0			Half Bathrooms	0					
Depreciation %	35			Grade	450					
Interior Walls				Number of Fire PI	0					
Code De	escription	Sketch Area	Finished Area	Perimeter						
FLA FL	OOR LIV AREA	21,576	21,576	0						
OPF OI	P PRCH FIN LL	39	0	0						
TOTAL		21,615	21,576	0						

Building ID Style Building Type Building Name	44056 HOTELS/MOTEL A / 39A	Exterior Walls Year Built Effective Year Built Foundation	CUSTOM 1986 1995						
Gross Sq Ft Finished Sq Ft	334729			Roof Type Roof Coverage					
Stories	3 Floor			Flooring Type					
Condition	AVERAGE			Heating Type					
Perimeter	1364	1364 Bedrooms							
Functional Obs	0	0 Full Bathroom							
Economic Obs	0	0 Half							
Depreciation %	35			Grade	450				
Interior Walls				Number of Fire PI	0				
Code D	escription	Sketch Area	Finished Area	Perimeter					
EFD E	LEVATED FOUND	17,617	0	0					
FLA F	OOR LIV AREA 123,321 334,729 0								
OUU C	P PR UNFIN UL	PR UNFIN UL 279 0 0							
TOTAL		141,217	334,729	0					

Building ID Style	44057 Exterior Walls Year Built								
Building Type Building Name	1 STY STORE-A / 11A	1 STY STORE-A / 11A Effective Foundati							
Gross Sq Ft	1268			Roof Type					
Finished Sq Ft	576			Roof Coverage					
Stories	1 Floor	1 Floor Flooring Type							
Condition	AVERAGE Heating Type								
Perimeter	100 Bedrooms								
Functional Obs	0			Full Bathrooms	0				
Economic Obs	0			Half Bathrooms	0				
Depreciation %	35			Grade	450				
Interior Walls				Number of Fire PI	0				
Code De	escription	Sketch Area	Finished Area	Perimeter					
FLA FL	OOR LIV AREA	576	576	0					
OPF OF	P PRCH FIN LL	192	0	0					

0

576

500

1,268

TOTAL Yard Items

PTO

PATIO

Description	Year Built	Roll Year	Size	Quantity	Units	Grade
RW2	1969	1970	2 x 68	1	136 SF	4
CONC PATIO	1969	1970	0 x 0	1	440 SF	2
HOT TUB	1979	1980	0 x 0	1	1 UT	5
BRICK PATIO	1979	1980	0 x 0	1	13662 SF	2
ASPHALT PAVING	1979	1980	0 x 0	1	19311 SF	2
CONCRETE DOCK	1979	1980	14 x 167	1	2338 SF	5
BRICK PATIO	1979	1980	0 x 0	1	2762 SF	5
ASPHALT PAVING	1979	1980	0 x 0	1	49200 SF	2
TIKI	1979	1980	0 x 0	1	509 SF	4
RW2	1979	1980	4 x 180	1	720 SF	3

0

0

Description	Year Built	Roll Year	Size	Quantity	Units	Grade
ASPHALT PAVING	1985	1986	0 x 0	1	34240 SF	2
CONC PATIO	1985	1986	0 x 0	1	962 SF	2
CH LINK FENCE	1989	1990	6 x 60	1	360 SF	1
CH LINK FENCE	1993	1994	0 x 0	1	256 SF	3
WOOD DECK	1995	1996	0 x 0	1	3900 SF	2
WOOD DOCKS	2000	2001	26 x 26	1	676 SF	5
CONC PATIO	2000	2001	15 x 51	1	765 SF	2
FENCES	2001	2002	0 x 0	1	122 SF	2
FENCES	2001	2002	4 x 247	1	988 SF	4
BOAT LIFT	2003	2004	0 x 0	1	0.5 UT	2
WOOD DECK	2003	2004	10 x 20	1	200 SF	2
TIKI	2000	2001	0 x 0	1	94 SF	5
WOOD DOCKS	2000	2001	11 x 150	1	1650 SF	5
WOOD DOCKS	2000	2001	16 x 240	1	3840 SF	5
CUSTOM POOL	2007	2014	0 x 0	1	2500 SF	3
CUSTOM POOL	2007	2014	0 x 0	1	2500 SF	3

Sales

Sale Date	Sale Price	Instrument	Instrument Number	Deed Book	Deed Page	Sale Qualification	Vacant or Improved	Grantor	Grantee
2/17/2015	\$0	Notice of Chng of Ownshp or Control of NonHX Prope				11 - Unqualified	Improved	CASA MARINA OWNER LLC	
5/10/2005	\$104,316,200	Warranty Deed		2115	141	Q - Qualified	Improved		
12/1/1996	\$54,346,000	Warranty Deed		1436	0592	O - Unqualified	Improved		
11/1/1987	\$9,500,000	Warranty Deed		1033	640	M - Unqualified	Vacant		

Permits

23-0854

23-0855

23-0603

3339

2961

2962

BLD2022-

4/10/2023

4/10/2023

3/6/2023

11/18/2022 12/22/2022 \$35,000

BLD2022- 10/28/2022 12/28/2022 \$17,635

BLD2022- 10/28/2022 12/29/2022 \$17,635

\$10,000

\$5,000

\$1,000,000

Commercial

Commercial

Commercial

Commercial

Commercial

Commercial

Permits					
Number	Date Issued	Date Completed	Amount ♦	Permit Type ♦	Notes ♦
23-0537	7/26/2023		\$16,766,650	Commercial	Existing guest rooms are being renovated and updated per brand standards Revision#2 Under the guestrooms permit the Architect (K2M) has provided updated sheets in the file Revision 4. This revision addresses sprinklers and ceiling panel Details related to such. Revision #3 revision is to replace one existing window with a louver "Certificate of Appropriateness approved for the removal of the central window facing west at the cupola of the historic structure and its replacing with an aluminum louver painted white. No changes i the size of the existing fenestration. Revision #4 Sheets contained in this revision are: F2.1.6 - Added attic sheets for fire sprinkler installation at Mechanical Equipment M2.2.4A - Relocated OAU-M-02. Revised outside air ductwork and louver location. Revised outside air ductwork for OAU-M-03. Added TEF-M-05 within the attic. M2.2.4B - Revised outside air ductwork routing and louver location for OAU-M-01. M5.2.2 - Revised outside air resiers for the main building attic distribution. M7.0.1 - Added exhaust fan TEF-M-05 for the attic. E0.0.1 - Removed fixture type B and BE from the fixture schedule. E2.1.5 - Added duct smoke detector in the supply duct of DOAS-W-1. E2.1.6 - New sheet for attic floor plan - Electrical for attic mechanical scope of work. E2.2.3B - Revised power requirements for DOAS-M-1 and split into 3 separate units to be located in attic space. Removed partial attic floor plan layout- electrical. Removed keynotes 1, 2, 3, 6, 7. E2.3.4 - Added duct smoke detector in the supply duct of DOAS-S-1. Added keynote #4 E6.0.1 - Added power, disconnect switch, feeder and conduit for supply fan and heater OAU-M-1, OAU-M-2 and OAU-M-3 From panel AMF. Added circuit for GFI receptacle at attic mechanical from Panel GM-2W, GM-2C and GM-2E. Added circuit for GFI receptacle at attic mechanical from Panel GM-2W, GM-2C and GM-2E. Added circuit for GFI receptacle at attic mechanical from Panel GM-2W, GM-2C and GM-2E. Added
23-1799	7/12/2023		\$2,500	Commercial	New Roof Hatch Install
23-1911	7/5/2023		\$98,000	Commercial	Replacing existing tanks and lines bringing up to code
23-0860	5/26/2023		\$40,900	Commercial	Mechanical Work for Lower-Level Storage Buildout. Master #BLD2022-1544 Replacement of FCU and installation of Chiller Water Line
23-1514	5/23/2023		\$53,000	Commercial	Installation of 77 additional fire sprinkler heads in the Catacombs area
23-0975	5/17/2023		\$3,000,000	Commercial	RENOVATION OF THE EXISTING BEACH FRONT KITCHEN, BAR AND COVERED SEATING FACILITIES. THE RENOVATION WORK INCLUDES, CIVIL, LANDSCAPE, STRUCTURAL, ARCHITECTURAL
22-3642	4/25/2023		\$3,268,180	Commercial	Interior renovation of the public spaces at Casa Marina main hotel
23-0267	4/17/2023		\$175,000	Commercial	Construction of a new deck outside the suites building located at the southeast portion of the resort. The deck will provide an amenity for users of the 1st floor suites and will provide direct beach access

via stairs and accessible access

to be done in Storage area

renovated Cafeteria.

 $Replace\ corroded\ piping\ back\ to\ main.\ Repipe\ 14\ sprinkler\ heads\ to\ accommodate\ new\ ceilings.\ Work$

Relocate approx 14 sidewall sprinkler heads in soffits to accommodate and bring up to code in newly

Replacement of three chilled water fan coil units this is attached to a master permit number BLD 2022-

EXTERIOR CONCRETE REPAIRS TO BE PERFORMED AT ALL ELEVATIONS.

ADD 4 DEVICES TO EXISTING FIRE ALARM SYSTEM CATACOMBS

ADD 4 DEVICES TO EXISTING FIRE ALARM SYSTEM - CAFETERIA

Number ≑	Date Issued	Date Completed ♦	Amount ≑	Permit Type ≑	Notes ≑
BLD2022- 2022	8/1/2022		\$50,000	Commercial	This permit is for temporary office trailer while building is being repaired.
BLD2022- 1544	6/28/2022		\$50,000	Commercial	INTERIOR RENOVATION
BLD2022- 1463	6/16/2022	10/5/2022	\$56,294	Commercial	Remove and Replace generator - ATS
BLD2022- 1393	5/13/2022		\$181,000	Commercial	Interior Renovation and remodeling of existing employee cafeteria. Miscellaneous drywall and paitng and vct flooring NOC required to be filed with the county prior to first inspection Separate permits required for MEP's and Fire suppression
BLD2021- 2667	9/27/2021		\$20,000	Commercial	MODIFYING EXISTING EQUIPMENT ON COMMUNICATION TOWER. AT&T SITE SOUTH KEY WEST. ELECTRICAL PERMIT BLD2021-2668. **NOC REQUIRED** HARC INSPECTION REQUIRED
BLD2021- 2668	9/17/2021		\$2,000	Commercial	MODIFYING EXISTING EQUIPMENT ON COMMUNICATION TOWER. AT&T SITE SOUTH KEY WEST. BUILDING PERMIT #BLD2021-2667. **NOC REQUIRED** HARC INSPECTION REQUIRED
BLD2019- 2824	8/9/2019	8/27/2019	\$72,300	Commercial	Single Ply Membrane roofing restoration - 1400sf
17-5009	12/8/2017	4/30/2018	\$3,900	Commercial	INTERIOR REPLACE STORM DAMAGED FLOORS ADD CABINETS REPAIR SUB FLOOR AS NEEDED 3/4 CDX PLYWOOD 1200 SF 1/2 CDX PLYWOOD UNDERLAYMENT 1200 SF SHUTTER DATA VAPOR BARRIER 1200 SQ FT PORCELAIN TILE INSTALL NEW BASE CABINET/TOP MATCH EXISTING 450 LF WOOD BASE
17-2785	8/1/2017	8/3/2018	\$5,500	Commercial	Install new #5 steel into existing wall (approximately 6'). Install of form work. Install of 4000 psi concrete to formed area to repair damaged concrete wall. **noc RECEIVED 7.19.18** HARC INSPECTION REQUIRED ADDITION INF/CLARIFICATION SHEET: TREE PROTECTION FOR KAREN. GH July 18, 2017 12:18:59 PM KEYWGRC. 7/27/2017
16-4238	11/18/2016	4/15/2017	\$56,000	Commercial	TILE ROOF REPLACEMENT AS PER PLANS AND SPECIFICATIONS PROVIDED. N.O.C. REC'D 11/30/16. HARC INSPECTION REQUIRED.
14-5362	12/1/2014	5/14/2017	\$4,800		REMOVE 4 SPRINKLER HEADS AND ADD 10
14-5493	11/26/2014	F /4 4 /0047	\$0		RELOCATE SMOKE DETECTORS AND EXSISTINGS DEVICES AS NEEDED
14-3286	7/8/2014 7/8/2014	5/14/2017 7/8/2014	\$31,273 \$16,000	Commercial Commercial	RELOCATE 1-WATER COOLER ADDING 5-SHOWERS 5LVATORIES IN SPA 3-EXHAUST, 7-NEW SUPPLIES
14-3267	6/26/2014	5/13/2017	\$258,000	Commercial	RENOVATE APPOXIMATELY 1263SF OF EXISTING SPA, REMOVE EXISTING WALL FINISHES AND
111771	0,20,2011	3/10/2017	\$230,000	Commercial	FLOORING, BUILD NEW WALLS, DRYWALL, BASEBOARDS, INSTALL NEW ACT DROP CEILING AND FLOORING. INSTALL NEW INTERIOR DOORS AND CABINETS
10-3530	11/18/2010		\$30,000	Commercial	INSTALL WIRELESS TELECOMMUNICATION FACILITY ON EXISTING ROOF TOP.
103531	11/18/2010		\$15,000	Commercial	INSTALLATION OF 200 AMP SERVICE, DATA AND GROUNDING ON ROOF TOP FOR ANTENNAS AND ASSOCIATED EQUIPMENT
10-2776	8/24/2010 5/13/2010		\$6,000 \$2,500	Commercial	PICK UP AND RELAY BRICK PAVER DRIVEWAY APPROXIMATELY 3000SF NO NEW IMPERVIOUS AREAS WILL BE ADDED. AFTER THE FACT: REPLACE 1000 WATT POLE LIGHTS WITH 400 WATT LIGHTS. NEW LIGHTING
10-1081	3/13/2010		\$2,300	Commercial	ON EXISTING POLE. NEW LIGHTS TO MATCH EXISTING. SHIELDS TO BE INSTALLED AS NEEDED. LIGHT POST AND FIXTURES TO MATCH.
10-1232	4/20/2010		\$11,000	Commercial	ERECT REPLACEMENT OF TWO 3.5 TON CHILLER UNITS FOR HALLWAYS, MAIN BUILDING. UNIT REPLACEMENT OF IDENTICAL SIZE AND DESIGN, NO DUCT. RECONNECT TO EXISTING PIPING. UNITS LOCATED INSIDE BUILDING ABOVE LOBBY.
10-1042	4/10/2010		\$26,936	Commercial	CONSTRUCT ROADWAY ENTRANCE 360SF PAVE PREPARED SURFACE 13,500SF WITH HOT ASPHALT, STRIPE 124 PARKING SPACES, 13 COMPACT SPACES AND 5 HANDICAP SPACES AS PER CITY AND ADA SPECS, SUPPLY AND INSTALL 60 CONCRETE CAR STOPS
10-0584	2/25/2010		\$8,000	Commercial	INSTALL WIRELESS CELLULAR PHONE SYSTEM WITH INSIDE ANTENNAE PROVIDING SIGNAL.
06-4050	7/6/2009	7/6/2009	\$0	Commercial	RENOVATED STRUCTURE (20 DEED RESTRICTED EFFICIENCY UNITS) INCLUDING PLUMBING ELECTRIC, MECHANICAL AND ROOFING.
09-4523	7/6/2009	7/6/2009	\$0	Commercial	ISSUED C/O
08-4582	2/2/2009		\$3,500	Commercial	ADD/RELOCATE FIRE SPRINKLER HEADS
08-4583	2/2/2009		\$3,500	Commercial	ADD/RELOCATE FIRE SPRINKLER HEADS.
08-0658	3/19/2008		\$95,000 \$15,000	Commercial	COMMERICAL POOL RENOVATION.
08-0499 07-5496	2/26/2008 12/21/2007		\$15,000 \$15,000	Commercial Commercial	REPLACE EXISTING 1250 GAL GREASE TRAP SEAL-COAT FRONT MAIN PARKING LOT AND SUITE BUILDING PARKING LOT; STRIPE BACK PARKING LOT TO PLAN SPECIFICATIONS AND TO EXISTING STANDARDS (MAIN PARKING AND SUITE PARKING ONLY). ADA/HANDICAP SPACES TO BE INCLUDED PER PLANS. AND AUXILIERY LOT.
07-5200	12/19/2007		\$27,000	Commercial	REMOVE EXISTING 4 K TANK AND INSTALL ONE NEW 2 K FIREGARD TANK ON EXISTING CONCRETE REQ CONNECT TO EXISTING PIPING.
07-5128	11/28/2007		\$1,000	Commercial	REPLACE EXISTING GAS LINE TO OUTDOOR KITCHEN, REPLACE MAINFOLD IN OUTDOOR KITCHEN, HOOK APPLIANCES.
07-4822		11/22/2007	\$7,500	Commercial	COVER DUCT FIRST FLOOR DRYWALL & METAL STUDS
07-4803		11/22/2007	\$2,000	Commercial	INSTALL IRRIGATION SYSTEM
07-4402	10/11/2007		\$9,500	Commercial	ISNTALLATION OF CONDUITS, PULL BOXES FOR LOW VOLTAGE WIRING, BRANCH CIRCUITS, WIRING DEVICES AND CONNECTION AS INDICATED ON PLANS.
07-4413	10/10/2007		\$80,000	Commercial	INSTALL NEW CABINTRY FOR NEW LOBBY BAR TO INCLUDE PAINT AND INTERIOR FINISHES.
07-3942 07-3376	8/8/2007 7/6/2007		\$100,000 \$160,000	Commercial Commercial	DEMO ALL SIDEWALKS AND FRONT ENTRY INSTALL NEW HEADER CURBS AT SIDEWALK. ADD NEW PAVILLION ONTO EXISTING KITCHEN STRUCTURE OF 6X6 POST V-GROOVE CEILING WITH CEDAR SHAKE ROOF, NEW CONCRETE FLOOR AT SUN SUN BAR AND KITCHEN REPAIR
07-2519	5/30/2007		\$280,000	Commercial	ROOF AT SUN SUN BAR. CONSTRUCT NEW COMMERCIAL POOL


Number ♦	Date Issued ♦	Date Completed	Amount ♦	Permit Type ≑	Notes ≑
07-2034	4/24/2007		\$95,000	Commercial	REFLECTING FOUNTAIN
07-1636	4/9/2007		\$0	Commercial	TEMPORARY CONSTRUCTION TRAILERS
07-1557	4/2/2007		\$197,000	Commercial	DEMO OF POOL AREA 5500SF
07-1522	3/29/2007		\$54,740	Commercial	INSTALL 1600SF NEW ROOFING
07-0280	3/20/2007	4/15/2007	\$22,000	Commercial	REPLACE PLUMBING AT FLAGLER
07-0276	2/20/2007		\$40,000	Commercial	ADA ROOMS ONLY: APPLY NEW DRYWALL, PAINT AND FINISH INSTALLATION OF NEW VANITIES. INSTALLATION OF NEW FURNITURE.
07-0716	2/14/2007		\$587,000	Commercial	REPLACE CHILLED WATER FAN COILS IN GUEST ROOMS (195 ROOMS)
06-6802	2/2/2007		\$8,000	Commercial	REPLACE 5 WINDOWS AND 2 DOORS, ALL NEW GLASS IS LAMINATED IMPACT ROOM #402.
07-0498	2/1/2007		\$30,178	Commercial	REMOVE AND ROOF ON BUILDING 7,8,9,10. INSTALLING SARNAFIL G-410 ENERGY SMART ROOFING MEMBRANE
06-3951	1/16/2007		\$355,955	Commercial	
06-3951	1/16/2007	4/15/2007	\$355,955	Commercial	REMOVE OLD ROOF. REPLACE.5 WOOD FIBER OVER ISO SET IN HOT ASPHALT
06-6162	11/27/2006	4/15/2007	\$88,000	Commercial	DEMO 14,500 SF OF INTERIOR PUBLIC SPACE.THIS WILL INCLUDE BUILD BACK OF MENTIONED WORK
06-6161	11/21/2006	4/15/2007	\$4,000	Commercial	DEMO 4469 SF OF WOOD FLOORING IN BAR AND RESTAURANT AREA
06-5962	10/30/2006		\$6,000	Commercial	RELOCATION OF EXISTING FIRE SPRINKLER HEADS
06-5024	8/30/2006		\$20,000	Commercial	CARPET, FURNITURE, DRYWALL, DOORS AND RAILING DEMOLITION.
06-5031	8/30/2006		\$400,000	Commercial	REPLACE WATER CLOSETS, LAVATORIES, SHOWER AND SHOWER VALVES 981 AND 321 WATER LINES.
06-2897	6/15/2006		\$0	Commercial	
06/2582	4/25/2006		\$1,000	Commercial	EXTEND PERMIT FOR TEMPOARARY TRAILER THAT SITS ON CASA MARINA/ REACH PROPERTY
06-2336	4/17/2006		\$11,600	Commercial	REPLACE/INSTALL NEW 110LF OF 3 $\&4$ FT OF WOOD PICKET FENCING AROUND MANAGERS OFFICE.
06-1228	4/12/2006		\$33,000	Commercial	HURRICANE DAMAGE: REPAIRS TO A/C SYSTEMS.
06-0531	1/30/2006		\$1,000	Commercial	DEMO OF DRYWALL, WING WALLS TUB AND TRIM
06-0143	1/12/2006		\$10,000	Commercial	HURRICANE REPAIRS TO FENCEES
05-5739	12/16/2005		\$29,988	Commercial	HURRICANE REPAIRS: RELEVEL THE FRONT OF THE DECK AND REPLACE THE BOARDS ON IT. BUILD THE HANDRAILS BACK AT THE END OF THE PIER. 12' REPAIR THE HANDRAIL AT THE FRONT OF THE PIER. 9' MATERIAL IS ACQ WOOD TREATMENT. REPAIR MISSING BOARDS.
05-5740	12/16/2005		\$70,850	Commercial	HURRICANE REPAIRS TO PIER
05-2583	11/18/2005		\$2,400	Commercial	INSTALL TEMPORARY POWER FOR SIX SLEEPER TRAILER.
05-4328	10/12/2005		\$0	Commercial	REVISION TO EXISTING PERMIT (05-3348) REPLACE 100LF OF DAMAGES CHAIN LINK FENCE WITH ALUMINUM PICKET FENCE.
05-3347	8/17/2005		\$60,250	Commercial	REPAIR/REPLACE CHAINLINK FENCE FOOTING ON TEH EAST SIDE (100LF). REPAIR BLOCK WALL ON THE WEST SIDE 180SF. REPAIR DOCK AND SWIMMING PIER.
05-3348	8/14/2005		\$11,000	Commercial	ALL TEMPORARY CONSTRUCTION FENCES MUST BE SECURED IF KEY WEST IF PLACED UNDER A HURRICANE WATCH OR WARNING. REPAIR OF FENCING AROUND TENNIS COURTS (200LF/6' H)
05-3349	8/14/2005	12/11/2005	\$19,000	Commercial	REPAIR EXTERIOR LIGHTING IN COMMON AREAS,ALSO FANS .
05-3219	8/2/2005		\$700	Commercial	REPLACE 30SF OF EXISTING DECKING
05-1104	4/11/2005		\$30,000	Commercial	REHABILITATION OF EXISTING WOOD ROOF FRAMING IN THE SPORTS HUT
03-3806	11/3/2004	11/10/2003	\$21,000	Commercial	REPAIRED DECKING
04-2422	7/21/2004	12/17/2004	\$27,000	Commercial	REPLACE HALLWAY DOORS
03-3721	10/31/2003	11/8/2003	\$7,500	Commercial	REPAIRED ROOF DECK
03-2285	10/1/2003	10/8/2003	\$16,230	Commercial	INSTALLED NEW DECK 200SF
03-2406	9/26/2003	10/2/2003	\$20,350	Commercial	REPLACED PARTS A/C
03-3425	9/25/2003	10/2/2003	\$1,800	Commercial	INSTALLED NEW CEILING WOR
03-2912	9/24/2003	10/2/2003	\$25,900	Commercial	INSTALLED 15 PITCH PANS
03-3169	9/12/2003	9/18/2003	\$5,500	Commercial	REPLACED LIGHT FIXTURES
03-1400	4/21/2003	1/1/2004	\$61,000	Commercial	NEW ELECTRIC
02-1549	6/14/2002	9/18/2003	\$2,125	Commercial	INSTALLED NEW AWNING
02-0635	4/22/2002	9/18/2002	\$99,800	Commercial	ANTENNAS
02-0322	4/11/2002	9/18/2002	\$50,000	Commercial	SIDEWALK & DUCT
01-3978	12/14/2001	9/18/2002	\$22,000	Commercial	AWNING
9902959	9/10/1999	11/16/1999	\$20,500		REPAIRS DAMAGED WINDOWS
9903158	9/8/1999	11/16/1999	\$16,000		UPGRADE ELEVATOR
9902947	8/18/1999	11/16/1999	\$1,200		ELEVATOR REPAIRS
9901666	5/14/1999	11/16/1999	\$30,000		ELECTRICAL
9901433	5/3/1999	11/16/1999	\$5,500		REPLACE 14 SHUTTERS
9901181	4/14/1999	11/16/1999	\$500		REPAIR PIER
9901211	4/12/1999	11/16/1999	\$10,000		ELECTRICAL
9901148	4/1/1999	11/16/1999	\$1,200		REPAIR ROOF
9900663	2/25/1999	11/16/1999	\$175,000		ELECTRICAL
9900166	1/26/1999	11/16/1999	\$200,000		PLANT 200 COCONUT TREES
9804020	12/22/1998		\$30,000		ELECTRICAL
9804022	12/22/1998	11/16/1999	\$950,000		REPLACE ROOF


Number ♦	Date Issued	Date Completed	Amount ♦	Permit Type ≑	Notes ♦
9803578	12/2/1998	11/16/1999	\$10,000	1790 1	INSTALL AWNINGS
9803588	11/25/1998	1/1/1999	\$39,000	Commercial	POUR CONC SLAB
9803729		11/16/1999	\$22,275	Commercial	REPAIR ROOF
9803585	11/16/1998		\$22,000	Commercial	REPLACE 2 HANDLERS
9803108	10/30/1998	1/1/1999	\$200,000	Commercial	INSULATION/DRYWALL
9803338	10/29/1998	1/1/1999	\$48,000	Commercial	STORM DAMAGE
9803336	10/27/1778	1/1/1999	\$20,000	Commercial	REPLACE LIGHTS
9802633	8/28/1998	1/1/1999	\$15,000	Commercial	PLUMBING
9802461	8/20/1998	1/1/1999	\$157.000	Commercial	CONV 3 HANDICAP BATHROOM
9802544	8/20/1998	1/1/1999	\$8,600	Commercial	INSTALL 11 SQ ROOF
9801913	7/7/1998	1/1/1999	\$2,500	Commercial	CHANGE GAS BOILER LAUNDRY
9801653	7/2/1998	1/1/1999	\$7,500	Commercial	REPLACE SHINGLES ON DOCK
9801915	7/2/1998	1/1/1999	\$10,400	Commercial	REPLACE 3 HINGLES ON DOCK REPLACE 3 4 TON A C UNITS
9801913	6/24/1998	1/1/1999	\$250	Commercial	HOOK UP JOB TRAILER
	6/24/1998	1/1/1999	\$660		
9801958				Commercial	TEMP CONST TRAILER
9800974	4/1/1998	1/1/1999	\$140,000	Commercial	REPAIR ROOFING TILES
9704128	1/12/1998	1/1/1999	\$88,840	Commercial	INSTALL ALUMINUM GUTTERS
9704124	12/1/1997	12/1/1997	\$2,800		KITCHEN HOOD
9702980	9/1/1997	12/1/1997	\$2,000		ELECTYRICAL
9702986	9/1/1997	12/1/1997	\$10,000		A/C
9703090	9/1/1997	12/1/1997	\$20,000		ELECTRICAL
9703209	9/1/1997	12/1/1997	\$2,500		ELECTRICAL
9703213	9/1/1997	12/1/1997	\$1,000		FIRE SPRINKLERS
9703216	9/1/1997	12/1/1997	\$2,000		ELECTRICAL
9702704	8/1/1997	12/1/1997	\$6,000		PLUMBING
9702751	8/1/1997	12/1/1997	\$235,000		INTERIOR
9702931	8/1/1997	12/1/1997	\$2,000		ELECTRIC
9702267	7/1/1997	12/1/1997	\$66,868		ROOF
9702360	7/1/1997	12/1/1997	\$45,000		CONCRETE PILES
9702368	7/1/1997	12/1/1997	\$3,500		PLUMBING
9702568	7/1/1997	12/1/1997	\$44,815		A/C
9701845	6/1/1997	12/1/1997	\$8,000		INTERIOR
9701847	6/1/1997	12/1/1997	\$42,660		INTERIOR
9701903	6/1/1997	12/1/1997	\$11,200		PLUMBING
9702038	6/1/1997	12/1/1997	\$2,000		PLUMBING
9603331	8/1/1996	12/1/1996	\$36,250		PLUMBING
9603490	8/1/1996	12/1/1996	\$2,500		ELECTRICAL
9602835	7/1/1996	12/1/1996	\$120,000		RENOVATION
9602585	6/1/1996	12/1/1996	\$5,000		PAINTING
9601678	4/1/1996	12/1/1996	\$3,500		FENCE
B953642	10/1/1995	12/1/1996	\$15,000		INSTALL RAILINGS
E953559	10/1/1995	12/1/1996	\$24,000		ELECTRICAL
P953554	10/1/1995	12/1/1996	\$35,525		PLUMBING
B952619	8/1/1995	12/1/1995	\$21,200		REMOVE/REPLACE PATIO ROOF
B952752	8/1/1995	12/1/1995	\$76,010		3900 SF DECKING
B952837	8/1/1995	12/1/1996	\$122,500		REMODEL 49 ROOMS
E952488	8/1/1995	12/1/1995	\$2,000		ELECTRICAL
E952756	8/1/1995	12/1/1995	\$9,500		ELECTRICAL
B952395	7/1/1995	12/1/1995	\$1,500		REMOVE/REPLACE WALKWAY
B951852	6/1/1995	12/1/1995	\$20,000		CONCRETE REPAIRS TO DOCK
A951150	4/1/1995	12/1/1995	\$1,500		20 SQS TILE
B950468	2/1/1995	12/1/1995	\$18,500		REPAIR PIER
A950038	1/1/1995	12/1/1995	\$1,089		3 SQS SINGLE PLY ROOFING
B943946	12/1/1994	12/1/1995	\$15,000		REMODEL INTERIOR 404/406
B942228	7/1/1994	12/1/1996	\$150,000		NEW ELEVATOR TOWER
B942479	7/1/1994	12/1/1995	\$2,000		INSTALL 1.8 METER SATELIT
B942480	7/1/1994	12/1/1995	\$2,000		INSTALL 1.8 METER SATELIT
A940212	1/1/1994	12/1/1994	\$2,000		CHAIN LINK FENCE
B933583	12/1/1993	12/1/1994	\$15,000		TILE/NEW RAIL ON BALCONY
B933672	12/1/1993	12/1/1994	\$1,000		10X10 VENDING BOOTH
07-1899	1/1/1900		\$310,000	Commercial	NEW RETAINING WALLS, POOL AREA CONCRETE, ALL CONCRETE HARD SCAPES, INCLUDING
					FILL PLACEMENT


View Tax Info


View Taxes for this Parcel


Sketches (click to enlarge)

















Photos





Map



TRIM Notice

2023 TRIM Notice (PDF)

The Monroe County Property Appraiser's office maintains data on property within the County solely for the purpose of fulfilling its responsibility to secure a just valuation for ad valorem tax purposes of all property within the County. The Monroe County Property Appraiser's office cannot guarantee its accuracy for any other purpose. Likewise, data provided regarding one tax year may not be applicable in prior or subsequent years. By requesting such data, you hereby understand and agree that the

| User Privacy Policy | GDPR Privacy Notice Last Data Upload: 9/20/2023, 4:05:58 AM Contact Us

