

**TREE COMMISSION TREE REMOVAL REPORT
CITY of KEY WEST**

PROPERTY: 1110 Johnson St.

APPLICATION NUMBER: T2026-0056

REQUEST: The applicant is requesting removal of (1) Bottle Brush tree & (2) Silver Buttonwoods.

TREE ASSESSMENT and PHOTOS





Buttonwood # 1



Buttonwood #1



Buttonwood #2 on Left Buttonwood #1 on right















Bottle Brush Tree

Diameter: 36"

Location: 60%

Species: 50%

Condition: 80%

Value: 63.3%

Recommended Mitigation: 22.8 Caliper Inches

Silver Buttonwood #1

Diameter: 6"

Location: 50%

Species: 100%

Condition: 50%

Value: 66.6%

Recommended Mitigation: 4 Caliper Inches

Diameter: 3"

Location: 50%

Species: 100%

Condition: 50%

Value: 66.6%

Recommended Mitigation: 2 Caliper Inches

NOTES: The large tree sits in the middle of the backyard/patio. Its roots have affected the pavers. The tree is very old. The tree's canopy is not as significant as the trunk size and character would suggest. The tree is only appreciated by the homeowners and in this case the homeowners would appreciate its removal.

PREPARED BY:

***Brett Mayle* Urban Forestry Manager**

&

***Zach Bentley* Asst. Urban Forestry Manager**

**City of Key West
305-809-3957**