

THE CITY OF KEY WEST

Tree Commission

Post Office Box 1409 Key West, FL 33041-1409 Telephone: 305-809-3764

August 30, 2012

John Mumford PO Box 6371 Key West, FL 33041

Your request for Tree Commission ruling is being processed. The tree on the application has been measured and evaluated for tree replacement caliper inches as per **Sec. 110-324** Key West City code. This information which is listed below, has been submitted to the Tree Commission for their consideration at the **September 10, 2012** meeting.

Key West City code **Sec.110-323 Application of criteria.** The Tree Commission shall determine whether to approve each tree removal permit application by weighing its findings made pursuant to sections 110-327, 110-328, and 110-329. Determinations of equivalency shall include evaluation of the species, age, condition, historical significance, dimension and setting of the tree.*

This request will be considered at the **September 10, 2012,** Tree Commission Meeting, 5:00 pm, Old City Hall, 510 Greene Street. **Your attendance is required.**

You can use the following link to review the **September 10, 2012** Tree Commission package under the Tree Commission Calendar http://keywest.legistar.com/Calendar.aspx

Agenda Item #3

1119 Varela Street

1-Buttonwood 2-Gumbo Limbo

Value x Diameter = replacement caliper (dbh) inches

Green Buttonwood – 80% x 7.8 inches dbh = 6.2 replacement inches Gumbo Limbo Tree # 1- 67% x 10.8 inches dbh = 7.2 replacement inches 73% x 11.6 inches dbh = 8.5 replacement inches

Total replacement caliper inches = 21.9 replacement caliper inches

Tree replacements will be planted in area of choice within the property line of tree address.

If you have any questions please call the office at (305) 809-3768.

Paul Williams

Urban Forestry Manager pwilliams@keywestcity.com

^{*} Tree Commission will make final determination. The values charged may be different than what is expressed herein the preliminary worksheet.