

MEMORANDUM FOR THE FILE

DATE: December 26, 2012

RE: **1017 Southard Street**

FROM: Paul Williams, Urban Forestry Manager, City of Key West

An application was received for the removal **of one (1) Gumbo Limbo tree**. A site inspection was done on December 26, 2012 and documented the following:

Tree Species: Gumbo Limbo (*Bursera simaruba*)







Diameter: 13 inches dbh

Location: 40% - Foundation issues

Species: 100% - On protected list

Condition: 60 % - Fair condition

Total Average Value = 67%

Value x Diameter = replacement caliper (dbh) inches

$.67 \times 13'' \text{dbh} = \underline{\mathbf{9}}$ replacement caliper (dbh) inches

Recommendations: **Staff recommends approval of the removal.**



AGENDA ITEM #

6248

City of Key West Tree Commission

Tree Permit Application

PO Box 1409
Key West, FL 33040
Phone: 305-809-3764
Fax: 305-809-3978

OK
Paw
12/26/12

Home/Property Owner: Stephen Hendrickson Date: 12-15-12

Mailing Address: 1017 Southard

Owner Signature: [Signature] Owner Ph#: ()

Represented by: Native Landscape Design Rep. Ph#: (305) 509-7882
Rob 305-304-3144

Represented by mailing address: _____

Attendance at the Tree Commission meeting on the date when your request will be discussed is necessary in order to expedite the resolution of your application.
A letter of representation from the owner must accompany this application if the owner is unable to attend.

Letter of Representation ()

Tree(s) Address: 1023/1017 Southard St Cross/Corner Street: FRANCES

Common Name(s): Gumbo Limbo Scientific Name(s): Bursera Simaruba

Species Type(s) {check all that apply}: () Palm () Flowering () Fruit (X) Shade

- Reason(s) for Application {check all that apply}:
- (X) REMOVE () TRANSPLANT () HEAVY MAINTENANCE
 - () Tree Health () New Location () Branch Removal
 - () Safety () Same Property () Crown Cleaning/Thinning
 - (X) Other / Explain () Other / Explain () Crown Reduction


Reason(s) for request:
The tree was planted in a raised planter very close to a CBS wall, and it's starting to crack.

Replacement plant material must be Florida Grade #1. Replacement of a palm with a native palm is required. Replacement of a canopy tree with a native canopy tree is required. If you need assistance with replacements, please call the Landscape Department at 305-809-3764.

<<<<< Sketch location of tree in this area including cross/corner Street >>>>>

Provide access for viewing tree(s) prior to meeting
Identify tree(s) with colored tape

AGENDA ITEM #

Tree Species Gumbo Limbo

Circumference _____ ÷ 3.14 = diameter 13" dbh

12/26/12
R6W

Location 40 % Species 100 % Condition 60 % Total Average Value .67 %

Avg. value .67 X 13" Diameter = 9
Replacement Inches

LOCATION: OLD CITY HALL, 510 GREENE STREET, 5:00 p.m.

FOR TREE COMMISSION USE ONLY.

() TABLED () APPROVED () DENIED () FURTHER ACTION

COMMENTS:

CHAIRPERSONS SIGNATURE/DATE

City Engineer comments if required:

ENGINEER'S SIGNATURE/DATE





THE CITY OF KEY WEST
TREE COMMISSION

Post Office Box 1409, Key West, FL 33041-1409 (305) 809-3764

AUTHORIZATION LETTER

STEPHEN HENDRICKSON

1017 + 1023 SOUTHARD

KEY WEST FL 33040

Print clearly, name, address

Dear Tree Commissioners:

This letter is authorization and confirmation that I, STEPHEN HENDRICKSON,
(owner name, print)

have retained Native Landscape Design, PO Box 2847 Key West FL
(representative name, address and phone number, print) 33045
305-509-7882

to represent me in the matter of obtaining a permit from the City of Key West Tree Commission for my
property at: 1017/1023 Southard St.
(tree address, print)

You may contact me at 978-766-5901. Thank you.
(telephone number)

[Handwritten Signature]
Signature

1-2-13
Date