



2840 Center Port Circle  
Pompano, Bch, FL. 33064



PURCHASER: KEY WEST CITY OF \_\_\_\_\_

DATE: 10/4/2018 \_\_\_\_\_

ADDRESS: \_\_\_\_\_

PHONE: \_\_\_\_\_

CITY: KEY WEST FL. \_\_\_\_\_

ATTN: RICHARD SARVER \_\_\_\_\_

BASE MODEL: SPEC 13 FREIGHTLINER M2 FLORIDA SHERIFFS CONTRACT	PRICE: \$35,750
OPTION # DLR-16CD 16 FT CONTRACTORS DUMP	PRICE: \$19,900
OPTION # 4 CORNER STROBES SEE ABOVE OPTION DLR-16CD	PRICE: \$1,290
OPTION # 24" SIDES (REMOVABLE) SEE DLR-16CD	PRICE: \$2,950
OPTION # BACKUP CAMERA INCLUDED	PRICE: _____
OPTION # 33-120 33,000# GVW PACK WITH 120 CA	PRICE: \$29,900
OPTION # INCLUDES ALL OPTIONS IN FREIGHTLINER PRINT OUT...	PRICE: _____
OPTION # _____	PRICE: _____
OPTION # _____	PRICE: _____
OPTION # FSA18-VEH16.0 FLORIDA SHERIFFS CONTRACT 2018/19	PRICE: _____
OPTION # SPEC 13	PRICE: _____
OPTION # _____	PRICE: _____
OPTION # _____	PRICE: _____
OPTION # TOTAL PRICE	PRICE: \$89,790

### Budget Challenges?

Daimler Truck Financial offers special municipal financing programs to help fund the purchase of needed vehicles and other equipment.

**TOTAL PRICE: \$0.00** \_\_\_\_\_

**\*MTHLY PAYMENT: \$0.00** \_\_\_\_\_

- Monthly, annual, semi-annual or quarterly payment options
- Flexible repayment terms (tied to your budget)

\*Actual rate, terms, down payment, and program eligibility will be determined by DTF credit team based upon credit worthiness and experience of customer.

**KEY WEST CITY OF**  
**16 FT FLATBED DUMP**  
**QUOTATION**

**M2 106 CONVENTIONAL CHASSIS**

SET BACK AXLE - TRUCK  
 CUM B6.7 260 HP @ 2400 RPM, 2600 GOV, 660 LB/FT @  
 1600 RPM  
 ALLISON 3500 RDS AUTOMATIC TRANSMISSION WITH  
 PTO PROVISION  
 RS-21-160 21,000# R-SERIES SINGLE REAR AXLE  
 21,000# 52 INCH VARIABLE RATE MULTI-LEAF SPRING  
 REAR SUSPENSION

DETROIT DA-F-12.0-3 12,000# FF1 71.5 KPI/3.74 DROP  
 SINGLE FRONT AXLE  
 12,000# MONO TAPERLEAF FRONT SUSPENSION  
 106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL  
 CAB  
 4825MM (190 INCH) WHEELBASE  
 11/32X3-1/2X10-15/16 INCH STEEL FRAME  
 (8.73MMX277.8MM/0.344X10.94 INCH) 120KSI  
 1600MM (63 INCH) REAR FRAME OVERHANG

	TOTAL # OF UNITS (1)	PER UNIT	TOTAL
VEHICLE PRICE	\$	\$	
EXTENDED WARRANTY	\$	\$	
DEALER INSTALLED OPTIONS	\$	\$	
<b>CUSTOMER PRICE BEFORE TAX</b>	<b>\$</b>	<b>\$</b>	

**TAXES AND FEES**

FEDERAL EXCISE TAX (FET)	\$	\$	
TAXES AND FEES	\$	\$	
OTHER CHARGES	\$	\$	

**TRADE-IN**

<b>TRADE-IN ALLOWANCE</b>	\$	(0)	\$	(0)	
<b>BALANCE DUE</b>	<b>(LOCAL CURRENCY)</b>	<b>\$</b>	<b>89,790</b>	<b>\$</b>	<b>89,790</b>

COMMENTS:  
 Projected delivery on \_\_\_ / \_\_\_ / \_\_\_ provided the order is received before \_\_\_ / \_\_\_ / \_\_\_.

APPROVAL:  
 Please indicate your acceptance of this quotation by signing below:

Customer: X \_\_\_\_\_ Date: \_\_\_ / \_\_\_ / \_\_\_.



2018/19 FLORIDA SHERIFFS  
CONTRACT SPEC 13  
LOU BACHRODT/SBL FREIGHTLINER  
LOW BID ON THIS SPEC

Prepared by:  
Drew Ellison  
LOU BACHRODT FREIGHTLINER  
2840 CENTER PORT CIRCLE  
POMPANO BEACH, FL 33064  
Phone: 407-886-6704

Daimler Truck Financial

Financing that works for you.

See your local dealer for a competitive quote from Daimler Truck Financial, or contact us at [Information@dtfoffers.com](mailto:Information@dtfoffers.com).

Daimler Truck Financial offers a variety of finance, lease and insurance solutions to fit your business needs. For more information about our products and services, visit our website at [www.daimler-truckfinancial.com](http://www.daimler-truckfinancial.com).



## SPECIFICATION PROPOSAL

### Description

#### Price Level

M2 PRL-18M (EFF:04/17/18)

#### Data Version

SPECPRO21 DATA RELEASE VER 023

#### Vehicle Configuration

M2 106 CONVENTIONAL CHASSIS  
2019 MODEL YEAR SPECIFIED  
SET BACK AXLE - TRUCK  
TRAILER TOWING PROVISION AT END OF  
FRAME FOR TRUCK  
LH PRIMARY STEERING LOCATION

#### General Service

TRUCK/TRAILER CONFIGURATION  
DOMICILED, USA (EXCLUDING CALIFORNIA AND  
CARB OPT-IN STATES)  
PICKUP AND DELIVERY/SHORT HAUL SERVICE  
GOVERNMENT BUSINESS SEGMENT  
FIXED LOAD COMMODITY  
TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN  
TRANSIT, IS SPENT ON PAVED ROADS  
MAXIMUM 8% EXPECTED GRADE  
SMOOTH CONCRETE OR ASPHALT PAVEMENT -  
MOST SEVERE IN-TRANSIT (BETWEEN SITES)  
ROAD SURFACE  
MEDIUM TRUCK WARRANTY  
EXPECTED FRONT AXLE(S) LOAD : 12000.0 lbs  
EXPECTED REAR DRIVE AXLE(S) LOAD :  
21000.0 lbs  
EXPECTED GROSS VEHICLE WEIGHT CAPACITY  
: 33000.0 lbs



**Description**

EXPECTED GROSS COMBINATION WEIGHT :  
45000.0 lbs

**Truck Service**

FLATBED/PLATFORM/STAKE BODY  
GODWIN MANUFACTURING COMPANY  
EXPECTED BODY/PAYLOAD CG HEIGHT ABOVE  
FRAME "XX" INCHES : 32.0 in

**Tractor Service**

VAN TRAILER  
SINGLE (1) TRAILER

**Engine**

CUM B6.7 260 HP @ 2400 RPM, 2600 GOV, 660  
LB/FT @ 1600 RPM

**Electronic Parameters**

75 MPH ROAD SPEED LIMIT  
CRUISE CONTROL SPEED LIMIT SAME AS ROAD  
SPEED LIMIT  
PTO MODE BRAKE OVERRIDE - SERVICE  
BRAKE APPLIED  
PTO RPM WITH CRUISE SET SWITCH - 700 RPM  
PTO RPM WITH CRUISE RESUME SWITCH - 800  
RPM  
PTO MODE CANCEL VEHICLE SPEED - 5 MPH  
PTO GOVERNOR RAMP RATE - 250 RPM PER  
SECOND  
PTO MINIMUM RPM - 700  
REGEN INHIBIT SPEED THRESHOLD - 5 MPH

**Engine Equipment**

2016 ONBOARD DIAGNOSTICS/2010  
EPA/CARB/FINAL GHG17 CONFIGURATION  
NO 2008 CARB EMISSION CERTIFICATION  
STANDARD OIL PAN  
ENGINE MOUNTED OIL CHECK AND FILL  
ONE PIECE VALVE COVER  
SIDE OF HOOD AIR INTAKE WITH FIREWALL  
MOUNTED DONALDSON AIR CLEANER  
DR 12V 160 AMP 28-SI QUADRAMOUNT PAD  
ALTERNATOR WITH REMOTE BATTERY VOLT  
SENSE

**Description**

---

(2) DTNA GENUINE, FLOODED STARTING, MIN 2250CCA, 390RC, THREADED STUD BATTERIES  
BATTERY BOX FRAME MOUNTED  
STANDARD BATTERY JUMPERS  
SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB  
WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN  
NON-POLISHED BATTERY BOX COVER  
CAB AUXILIARY POWER CABLE  
CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE  
STANDARD MECHANICAL AIR COMPRESSOR GOVERNOR  
AIR COMPRESSOR DISCHARGE LINE  
ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM  
RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH HORIZONTAL TAILPIPE  
ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH  
STANDARD EXHAUST SYSTEM LENGTH  
RH STANDARD HORIZONTAL TAILPIPE  
6 GALLON DIESEL EXHAUST FLUID TANK  
100 PERCENT DIESEL EXHAUST FLUID FILL  
LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION  
STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING  
STANDARD DIESEL EXHAUST FLUID TANK CAP  
AIR POWERED ON/OFF ENGINE FAN CLUTCH  
AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED  
CUMMINS SPIN ON FUEL FILTER  
FULL FLOW OIL FILTER  
700 SQUARE INCH ALUMINUM RADIATOR  
ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT

---

**Description**

GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT  
CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES  
RADIATOR DRAIN VALVE  
LOWER RADIATOR GUARD  
ALUMINUM FLYWHEEL HOUSING  
ELECTRIC GRID AIR INTAKE WARMER  
DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH

**Transmission**

ALLISON 3500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION

**Transmission Equipment**

ALLISON VOCATIONAL PACKAGE 223 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, HS, MH AND TRV  
ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES  
PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY  
SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY  
PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE  
SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE  
PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE  
SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE  
ENGINE BRAKE RANGE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE

---

**Description**

ENGINE BRAKE RANGE ALTERNATE  
PRESELECT RECOMMENDED BY DTNA AND  
ALLISON, THIS DEFINED BY ENGINE AND  
VOCATIONAL USAGE

LOAD BASED SHIFT SCHEDULE AND VEHICLE  
ACCELERATION CONTROL RECOMMENDED BY  
DTNA AND ALLISON, THIS DEFINED  
VOCATIONAL USAGE

NEUTRAL AT STOP - DISABLED, FUELSense -  
DISABLED

DRIVER SWITCH INPUT - DEFAULT - NO  
SWITCHES

VEHICLE INTERFACE WIRING CONNECTOR  
WITHOUT BLUNT CUTS, AT BACK OF CAB

ELECTRONIC TRANSMISSION CUSTOMER  
ACCESS CONNECTOR FIREWALL MOUNTED

CUSTOMER INSTALLED CHELSEA 277 SERIES  
PTO

PTO MOUNTING, LH SIDE OF MAIN  
TRANSMISSION

MAGNETIC PLUGS, ENGINE DRAIN,  
TRANSMISSION DRAIN, AXLE(S) FILL AND  
DRAIN

PUSH BUTTON ELECTRONIC SHIFT CONTROL,  
DASH MOUNTED

TRANSMISSION PROGNOSTICS - ENABLED 2013

WATER TO OIL TRANSMISSION COOLER, IN  
RADIATOR END TANK

TRANSMISSION OIL CHECK AND FILL WITH  
ELECTRONIC OIL LEVEL CHECK

SYNTHETIC TRANSMISSION FLUID (TES-295  
COMPLIANT)

**Front Axle and Equipment**

DETROIT DA-F-12.0-3 12,000# FF1 71.5 KPI/3.74  
DROP SINGLE FRONT AXLE

MERITOR 15X4 Q+ CAM FRONT BRAKES

NON-ASBESTOS FRONT BRAKE LINING

CONMET CAST IRON FRONT BRAKE DRUMS

FRONT BRAKE DUST SHIELDS

FRONT OIL SEALS

VENTED FRONT HUB CAPS WITH WINDOW,  
CENTER AND SIDE PLUGS - OIL

STANDARD SPINDLE NUTS FOR ALL AXLES



**Description**

MERITOR AUTOMATIC FRONT SLACK  
ADJUSTERS  
TRW THP-60 POWER STEERING  
POWER STEERING PUMP  
2 QUART SEE THROUGH POWER STEERING  
RESERVOIR  
SYNTHETIC 75W-90 FRONT AXLE LUBE

**Front Suspension**

12,000# MONO TAPERLEAF FRONT  
SUSPENSION  
MAINTENANCE FREE RUBBER BUSHINGS -  
FRONT SUSPENSION  
FRONT SHOCK ABSORBERS

**Rear Axle and Equipment**

RS-21-160 21,000# R-SERIES SINGLE REAR  
AXLE  
5.63 REAR AXLE RATIO  
IRON REAR AXLE CARRIER WITH STANDARD  
AXLE HOUSING  
MXL 17T MERITOR EXTENDED LUBE MAIN  
DRIVELINE WITH HALF ROUND YOKES  
MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR  
BRAKES, DOUBLE ANCHOR, FABRICATED  
SHOES  
NON-ASBESTOS REAR BRAKE LINING  
BRAKE CAMS AND CHAMBERS ON FORWARD  
SIDE OF DRIVE AXLE(S) WITH AUXILIARY  
SUPPORT BRACKETS  
CONMET CAST IRON REAR BRAKE DRUMS  
REAR BRAKE DUST SHIELDS  
REAR OIL SEALS  
WABCO TRISTOP D LONGSTROKE 1-DRIVE  
AXLE SPRING PARKING CHAMBERS  
MERITOR AUTOMATIC REAR SLACK  
ADJUSTERS  
SYNTHETIC 75W-90 REAR AXLE LUBE

**Rear Suspension**

21,000# 52 INCH VARIABLE RATE MULTI-LEAF  
SPRING REAR SUSPENSION  
SPRING SUSPENSION - NO AXLE SPACERS

**Description**

STANDARD AXLE SEATS IN AXLE CLAMP  
GROUP

**Brake System**

AIR BRAKE PACKAGE  
WABCO 4S/4M ABS  
REINFORCED NYLON, FABRIC BRAID AND WIRE  
BRAID CHASSIS AIR LINES  
FIBER BRAID PARKING BRAKE HOSE  
STANDARD BRAKE SYSTEM VALVES  
STANDARD AIR SYSTEM PRESSURE  
PROTECTION SYSTEM  
STD U.S. FRONT BRAKE VALVE  
RELAY VALVE WITH 5-8 PSI CRACK PRESSURE,  
NO REAR PROPORTIONING VALVE  
BW AD-9 BRAKE LINE AIR DRYER WITH HEATER  
AIR DRYER FRAME MOUNTED  
STEEL AIR BRAKE RESERVOIRS  
CLEAR FRAME RAILS FROM BACK OF CAB TO  
FRONT REAR SUSPENSION BRACKET, BOTH  
RAILS OUTBOARD  
BW DV-2 AUTO DRAIN VALVE WITHOUT HEATER  
ON ALL TANK(S)

**Trailer Connections**

AIR CONNECTIONS TO END OF FRAME WITH  
GLAD HANDS FOR TRUCK AND NO DUST  
COVERS  
PRIMARY CONNECTOR/RECEPTACLE WIRED  
FOR COMBINATION STOP/TURN, CENTER PIN  
ABS  
SAE J560 7-WAY PRIMARY TRAILER CABLE  
RECEPTACLE MOUNTED END OF FRAME  
UPGRADED CHASSIS MULTIPLEXING UNIT  
UPGRADED BULKHEAD MULTIPLEXING UNIT

**Wheelbase & Frame**

4825MM (190 INCH) WHEELBASE  
11/32X3-1/2X10-15/16 INCH STEEL FRAME  
(8.73MMX277.8MM/0.344X10.94 INCH) 120KSI  
1600MM (63 INCH) REAR FRAME OVERHANG  
FRAME OVERHANG RANGE: 61 INCH TO 70  
INCH

**Description**

CALC'D BACK OF CAB TO REAR SUSP C/L (CA) :  
124.45 in  
CALCULATED EFFECTIVE BACK OF CAB TO  
REAR SUSPENSION C/L (CA) : 121.45 in  
CALC'D FRAME LENGTH - OVERALL : 291.97  
CALC'D SPACE AVAILABLE FOR DECKPLATE :  
124.45 in  
CALCULATED FRAME SPACE LH SIDE : 104.84  
in  
CALCULATED FRAME SPACE RH SIDE : 104.81  
in  
SQUARE END OF FRAME  
FRONT CLOSING CROSSMEMBER  
STANDARD WEIGHT ENGINE CROSSMEMBER  
STANDARD CROSSMEMBER BACK OF  
TRANSMISSION  
STANDARD MIDSHIP #1 CROSSMEMBER(S)  
STANDARD REARMOST CROSSMEMBER  
STANDARD SUSPENSION CROSSMEMBER

**Chassis Equipment**

THREE-PIECE 14 INCH STEEL CENTER BUMPER  
WITH FLEXIBLE PLASTIC ENDS  
FRONT TOW HOOKS - FRAME MOUNTED  
BUMPER MOUNTING FOR SINGLE LICENSE  
PLATE  
FENDER AND FRONT OF HOOD MOUNTED  
FRONT MUDFLAPS  
GRADE 8 THREADED HEX HEADED FRAME  
FASTENERS

**Fuel Tanks**

50 GALLON/189 LITER SHORT RECTANGULAR  
ALUMINUM FUEL TANK - LH  
RECTANGULAR FUEL TANK(S)  
PLAIN ALUMINUM/PAINTED STEEL  
FUEL/HYDRAULIC TANK(S) WITH PAINTED  
BANDS  
FUEL TANK(S) FORWARD  
PLAIN STEP FINISH  
FUEL TANK CAP(S)  
DETROIT FUEL/WATER SEPARATOR WITH  
WATER IN FUEL SENSOR AND HAND PRIMER

**Description**

EQUIFLO INBOARD FUEL SYSTEM  
NO NATURAL GAS VEHICLE FUEL TANK VENT  
LINE/STACK  
HIGH TEMPERATURE REINFORCED NYLON  
FUEL LINE

**Tires**

HANKOOK DL11 11R22.5 14 PLY RADIAL FRONT  
TIRES  
HANKOOK DL11 11R22.5 14 PLY RADIAL REAR  
TIRES

**Hubs**

CONMET PRESET PLUS PREMIUM IRON FRONT  
HUBS  
CONMET PRESET PLUS PREMIUM IRON REAR  
HUBS

**Wheels**

ACCURIDE 42644 ACCU-LITE 22.5X8.25 10-HUB  
PILOT 5.72 INSET ALUMINUM DISC FRONT  
WHEELS  
ACCURIDE 42644 ACCU-LITE 22.5X8.25 10-HP  
ALUMINUM DISC REAR WHEELS  
FRONT WHEEL MOUNTING NUTS  
REAR WHEEL MOUNTING NUTS

**Cab Exterior**

106 INCH BBC FLAT ROOF ALUMINUM  
CONVENTIONAL CAB  
AIR CAB MOUNTING  
LH AND RH GRAB HANDLES  
PAINTED PLASTIC GRILLE  
ARGENT SILVER HOOD MOUNTED AIR INTAKE  
GRILLE  
FIBERGLASS HOOD  
SINGLE 14 INCH ROUND HADLEY AIR HORN  
UNDER LH DECK  
DUAL ELECTRIC HORNS  
SINGLE HORN SHIELD  
DOOR LOCKS AND IGNITION SWITCH KEYED  
THE SAME WITH (4) KEYS  
REAR LICENSE PLATE MOUNT END OF FRAME  
INTEGRAL HEADLIGHT/MARKER ASSEMBLY

---

**Description**

(5) AMBER MARKER LIGHTS  
DAYTIME RUNNING LIGHTS  
INTEGRAL STOP/TAIL/BACKUP LIGHTS  
STANDARD FRONT TURN SIGNAL LAMPS  
DUAL WEST COAST BRIGHT FINISH HEATED  
MIRRORS WITH LH AND RH REMOTE  
DOOR MOUNTED MIRRORS  
102 INCH EQUIPMENT WIDTH  
LH AND RH 8 INCH BRIGHT FINISH CONVEX  
MIRRORS MOUNTED UNDER PRIMARY  
MIRRORS  
STANDARD SIDE/REAR REFLECTORS  
DUAL LEVEL CAB ENTRY STEPS ON BOTH  
SIDES  
63X14 INCH TINTED REAR WINDOW  
TINTED DOOR GLASS LH AND RH WITH TINTED  
NON-OPERATING WING WINDOWS  
RH AND LH ELECTRIC POWERED WINDOWS,  
PASSENGER SWITCHES ON DOOR(S)  
TINTED WINDSHIELD  
2 GALLON WINDSHIELD WASHER RESERVOIR  
WITHOUT FLUID LEVEL INDICATOR, FRAME  
MOUNTED

**Cab Interior**

OPAL GRAY VINYL INTERIOR  
MOLDED PLASTIC DOOR PANEL  
MOLDED PLASTIC DOOR PANEL  
BLACK MATS WITH SINGLE INSULATION  
FORWARD ROOF MOUNTED CONSOLE WITH  
UPPER STORAGE COMPARTMENTS WITHOUT  
NETTING  
IN DASH STORAGE BIN  
(2) CUP HOLDERS LH AND RH DASH  
GRAY/CHARCOAL FLAT DASH  
HEATER, DEFROSTER AND AIR CONDITIONER  
STANDARD HVAC DUCTING  
MAIN HVAC CONTROLS WITH RECIRCULATION  
SWITCH  
STANDARD HEATER PLUMBING

---

**Description**

DENSO HEAVY DUTY AIR CONDITIONER  
COMPRESSOR  
BINARY CONTROL, R-134A  
STANDARD INSULATION  
SOLID-STATE CIRCUIT PROTECTION AND  
FUSES  
12V NEGATIVE GROUND ELECTRICAL SYSTEM  
DOME LIGHT WITH 3-WAY SWITCH ACTIVATED  
BY LH AND RH DOORS  
LH AND RH ELECTRIC DOOR LOCKS  
(1) 12 VOLT POWER SUPPLY IN DASH  
BASIC HIGH BACK NON SUSPENSION DRIVER  
SEAT WITH FORE AND AFT ADJUSTMENT  
BASIC HIGH BACK AIR SUSPENSION  
PASSENGER SEAT WITH MECHANICAL LUMBAR  
AND INTEGRATED CUSHION EXTENSION  
LH AND RH INTEGRAL DOOR PANEL ARMRESTS  
VINYL WITH VINYL INSERT DRIVER SEAT  
VINYL WITH VINYL INSERT PASSENGER SEAT  
BLACK SEAT BELTS  
ADJUSTABLE TILT AND TELESCOPING  
STEERING COLUMN  
4-SPOKE 18 INCH (450MM) STEERING WHEEL  
DRIVER AND PASSENGER INTERIOR SUN  
VISORS

**Instruments & Controls**

GRAY DRIVER INSTRUMENT PANEL  
GRAY CENTER INSTRUMENT PANEL  
BLACK GAUGE BEZELS  
LOW AIR PRESSURE INDICATOR LIGHT AND  
AUDIBLE ALARM  
2 INCH PRIMARY AND SECONDARY AIR  
PRESSURE GAUGES  
INTAKE MOUNTED AIR RESTRICTION  
INDICATOR WITHOUT GRADUATIONS  
97 DB BACKUP ALARM  
ELECTRONIC CRUISE CONTROL WITH  
SWITCHES IN LH SWITCH PANEL  
KEY OPERATED IGNITION SWITCH AND  
INTEGRAL START POSITION; 4 POSITION  
OFF/RUN/START/ACCESSORY

---

**Description**

ICU3S, 132X48 DISPLAY WITH DIAGNOSTICS, 28 LED WARNING LAMPS AND DATA LINKED

HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH

2 INCH ELECTRIC FUEL GAUGE

PROGRAMMABLE RPM CONTROL - ELECTRONIC ENGINE

ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE

TRANSMISSION OIL TEMPERATURE INDICATOR LIGHT

ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY

(1) DASH MOUNTED PTO SWITCH WITH INDICATOR LAMP

ELECTRIC ENGINE OIL PRESSURE GAUGE

AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH AND USB AND AUXILIARY INPUTS, J1939

DASH MOUNTED RADIO

(2) RADIO SPEAKERS IN CAB

AM/FM ANTENNA MOUNTED ON FORWARD LH ROOF

ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER

STANDARD VEHICLE SPEED SENSOR

ELECTRONIC 3000 RPM TACHOMETER

IDLE LIMITER, ELECTRONIC ENGINE

TWO ON/OFF ROCKER SWITCHES IN THE DASH WITH INDICATOR LIGHTS AND WIRE ROUTED TO CHASSIS AT BACK OF CAB, LABEL OPT

BW TRACTOR PROTECTION VALVE

TRAILER HAND CONTROL BRAKE VALVE

DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY

SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY

MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH

TWO VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR

**Description**

SELF CANCELING TURN SIGNAL SWITCH WITH  
 DIMMER, WASHER/WIPER AND HAZARD IN  
 HANDLE  
 INTEGRAL ELECTRONIC TURN SIGNAL  
 FLASHER WITH HAZARD LAMPS OVERRIDING  
 STOP LAMPS

**Design**

PAINT: ONE SOLID COLOR

**Color**

CAB COLOR A: N0006EA WHITE ELITE SS  
 BLACK, HIGH SOLIDS POLYURETHANE CHASSIS  
 PAINT  
 BUMPER PAINT: FP24812 ARGENT SILVER  
 DUPONT FLEX  
 STANDARD E COAT/UNDERCOATING

**Certification / Compliance**

U.S. FMVSS CERTIFICATION, EXCEPT SALES  
 CABS AND GLIDER KITS

**Secondary Factory Options**

CORPORATE PDI CENTER IN-SERVICE ONLY

**Extended Warranty**

TOWING: 1 YEAR/UNLIMITED MILES/KM EXTENDED TOWING  
 COVERAGE \$550 CAP FEX APPLIES

**Dealer Installed Options**

	Weight Front	Weight Rear
16 FLATBED DUMP CAB SHIELD, BACKUP ALARM AND MUD FLAPS WITH PINTLE HITCH . ELECTRIC FOR TRAILER.	0	0
PINTLE HITCH	0	0
BACKUP CAMERA AND REMOVABLE STEEL SIDES AND DROP DOWN GATE	0	0





2018/19 FLORIDA SHERIFFS  
CONTRACT SPEC 13  
LOU BACHRODT/SBL FREIGHTLINER  
LOW BID ON THIS SPEC

Prepared by:  
Drew Ellison  
LOU BACHRODT FREIGHTLINER  
2840 CENTER PORT CIRCLE  
POMPANO BEACH, FL 33064  
Phone: 407-886-6704

Total Dealer Installed Options                      0 lbs                      0 lbs

