

**Prepared for:**  
DREW TERPEK  
FLORIDA SHERIFFS ASSOCIATION  
PO BOX 12519  
TALLAHASSEE, FL 32317  
Phone: 8002268226

KEYWEST CITY OF  
16 Ft FLATBED DUMP  
FSA 25 VEH 23.0 ITEM 59 LOW BID SBL  
FREIGHTLINER

**Prepared by:**  
Drew Ellison  
SBL FREIGHTLINER  
2840 CENTER PORT CIRCLE  
POMPANO BEACH, FL 33064  
Phone: 407-375-3304

## Q U O T A T I O N

### M2 106 PLUS CONVENTIONAL CHASSIS

SET BACK AXLE - TRUCK  
CUM B6.7 300 HP @ 2600 RPM, 2600 GOV, 660 LB-FT @  
1600 RPM  
ALLISON 3500 RDS AUTOMATIC TRANSMISSION WITH  
PTO PROVISION  
MERITOR RS-23-160 23,000# R-SERIES SINGLE REAR  
AXLE  
23,000# 52 INCH VARIABLE RATE MULTI-LEAF SPRING  
REAR SUSPENSION WITH LEAF SPRING  
HELPER

DETROIT DA-F-12.0-3 12,000# FF1 71.5 KPI/3.74 DROP  
SINGLE FRONT AXLE  
12,000# MONO TAPERLEAF FRONT SUSPENSION  
106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL  
CAB  
4800MM (189 INCH) WHEELBASE  
NO FIFTH WHEEL  
11/32X3-1/2X10-15/16 INCH STEEL FRAME  
(8.73MMX277.8MM/0.344X10.94 INCH) 120KSI  
1600MM (63 INCH) REAR FRAME OVERHANG

	PER UNIT	TOTAL
VEHICLE PRICE	\$	\$
EXTENDED WARRANTY	\$	\$
DEALER INSTALLED OPTIONS	\$	\$
<b>CUSTOMER PRICE BEFORE TAX</b>	<b>\$</b>	<b>\$</b>

### TAXES AND FEES

FEDERAL EXCISE TAX (FET)	\$	\$
TAXES AND FEES	\$	\$
OTHER CHARGES	\$	\$

### TRADE-IN

<b>TRADE-IN ALLOWANCE</b>	\$	(0)	\$	(0)
<b>BALANCE DUE</b>	<b>(LOCAL CURRENCY)</b>	<b>\$</b>	<b>152,530</b>	<b>\$</b>

### COMMENTS:

Projected delivery on \_\_\_\_ / \_\_\_\_ / \_\_\_\_ provided the order is received before \_\_\_\_ / \_\_\_\_ / \_\_\_\_.

### APPROVAL:

Please indicate your acceptance of this quotation by signing below:

Customer: X \_\_\_\_\_ Date: \_\_\_\_ / \_\_\_\_ / \_\_\_\_.

**Prepared for:**  
DREW TERPEK  
FLORIDA SHERIFFS ASSOCIATION  
PO BOX 12519  
TALLAHASSEE, FL 32317  
Phone: 8002268226

KEYWEST CITY OF  
16 Ft FLATBED DUMP  
FSA 25 VEH 23.0 ITEM 59 LOW BID SBL  
FREIGHTLINER

**Prepared by:**  
Drew Ellison  
SBL FREIGHTLINER  
2840 CENTER PORT CIRCLE  
POMPANO BEACH, FL 33064  
Phone: 407-375-3304

## S P E C I F I C A T I O N P R O P O S A L

<b>Description</b>	
<b>Price Level</b>	M2 PRL-30M (EFF:MY27 ORDERS)
<b>Data Version</b>	SPECPRO21 DATA RELEASE VER 007
<b>Vehicle Configuration</b>	<p>M2 106 PLUS CONVENTIONAL CHASSIS 2027 MODEL YEAR SPECIFIED SET BACK AXLE - TRUCK TRAILER TOWING PROVISION AT END OF FRAME WITH SAE J560 LH PRIMARY STEERING LOCATION</p>
<b>General Service</b>	<p>TRUCK/TRAILER CONFIGURATION DOMICILED, USA 50 STATES (EPA CLEAN IDLE LABEL OR NO CLEAN IDLE REQUIRED) EPA CLEAN IDLE LABEL - (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD OF DRIVER DOOR) CONSTRUCTION SERVICE GOVERNMENT BUSINESS SEGMENT DIRT/SAND/ROCK COMMODITY TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS MAXIMUM 8% EXPECTED GRADE SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE MEDIUM TRUCK WARRANTY EXPECTED FRONT AXLE(S) LOAD : 12000.0 lbs EXPECTED REAR DRIVE AXLE(S) LOAD : 23000.0 lbs</p>

Application Version 12.0.404  
Data Version PRL-30M.007  
KEY WEST CITY OF 16 FT FLATBED



09/30/2025 10:19 AM

Page 3 of 16

**Prepared for:**  
DREW TERPEK  
FLORIDA SHERIFFS ASSOCIATION  
PO BOX 12519  
TALLAHASSEE, FL 32317  
Phone: 8002268226

KEYWEST CITY OF  
16 Ft FLATBED DUMP  
FSA 25 VEH 23.0 ITEM 59 LOW BID SBL  
FREIGHTLINER

**Prepared by:**  
Drew Ellison  
SBL FREIGHTLINER  
2840 CENTER PORT CIRCLE  
POMPANO BEACH, FL 33064  
Phone: 407-375-3304

#### Description

EXPECTED GROSS VEHICLE WEIGHT CAPACITY

: 35000.0 lbs

EXPECTED GROSS COMBINATION WEIGHT :

80000.0 lbs

#### Truck Service

FLATBED/PLATFORM/STAKE BODY

3-V DISTRIBUTING INC

EXPECTED BODY/PAYLOAD CG HEIGHT ABOVE  
FRAME "XX" INCHES : 32.0 in

#### Engine

CUM B6.7 300 HP @ 2600 RPM, 2600 GOV, 660  
LB-FT @ 1600 RPM

#### Electronic Parameters

75 MPH ROAD SPEED LIMIT

CRUISE CONTROL SPEED LIMIT SAME AS ROAD  
SPEED LIMIT

ONE REMOTE PTO SPEED

PTO SPEED 1 SETTING - 800 RPM

PTO MINIMUM RPM - 700

REGEN INHIBIT SPEED THRESHOLD - 5 MPH

PTO 1, DASH SWITCH, STATIONARY  
OPERATION

ENGINE MOUNT PTO, NO SWITCH, TEM  
SUPPLIED REQUEST, DRIVING INTERLOCKS

#### Engine Equipment

EPA 2010/GHG 2024 CONFIGURATION

STANDARD OIL PAN

ENGINE MOUNTED OIL CHECK AND FILL

SIDE OF HOOD AIR INTAKE WITH FIREWALL  
MOUNTED DONALDSON AIR CLEANER

DR 12V 180 AMP 28-SI QUADRAMOUNT PAD  
ALTERNATOR WITH REMOTE BATTERY VOLT  
SENSE

(2) DTNA GENUINE, FLOODED STARTING, MIN  
2000CCA, 370RC, THREADED STUD BATTERIES

BATTERY BOX FRAME MOUNTED

STANDARD BATTERY JUMPERS

SINGLE BATTERY BOX FRAME MOUNTED LH  
SIDE UNDER CAB

WIRE GROUND RETURN FOR BATTERY CABLES  
WITH ADDITIONAL FRAME GROUND RETURN

NON-POLISHED BATTERY BOX COVER

**Prepared for:**  
DREW TERPEK  
FLORIDA SHERIFFS ASSOCIATION  
PO BOX 12519  
TALLAHASSEE, FL 32317  
Phone: 8002268226

KEYWEST CITY OF  
16 Ft FLATBED DUMP  
FSA 25 VEH 23.0 ITEM 59 LOW BID SBL  
FREIGHTLINER

**Prepared by:**  
Drew Ellison  
SBL FREIGHTLINER  
2840 CENTER PORT CIRCLE  
POMPANO BEACH, FL 33064  
Phone: 407-375-3304

---

**Description**

---

NON-ESSENTIAL POSITIVE LOAD DISCONNECT,  
LOCKING IN CAB CONTROL SWITCH MOUNTED  
OUTBOARD OF DRIVER SEAT  
PROGRESSIVE LOW VOLTAGE DISCONNECT AT  
12.3 VOLTS FOR DESIGNATED CIRCUITS  
CUMMINS TURBOCHARGED 18.7 CFM AIR  
COMPRESSOR WITH INTERNAL SAFETY VALVE  
STANDARD MECHANICAL AIR COMPRESSOR  
GOVERNOR  
AIR COMPRESSOR DISCHARGE LINE  
ELECTRONIC ENGINE INTEGRAL SHUTDOWN  
PROTECTION SYSTEM  
CUMMINS ENGINE INTEGRAL BRAKE WITH  
VARIABLE GEOMETRY TURBO ON/OFF WITH  
BRAKE LAMPS  
RH OUTBOARD UNDER STEP MOUNTED  
HORIZONTAL AFTERTREATMENT SYSTEM  
ASSEMBLY WITH RH HORIZONTAL TAILPIPE  
ENGINE AFTERTREATMENT DEVICE,  
AUTOMATIC OVER THE ROAD REGENERATION  
AND VIRTUAL REGENERATION REQUEST  
SWITCH IN CLUSTER  
STANDARD EXHAUST SYSTEM LENGTH  
RH STANDARD HORIZONTAL TAILPIPE  
6 GALLON DIESEL EXHAUST FLUID TANK  
100 PERCENT DIESEL EXHAUST FLUID FILL  
LH MEDIUM DUTY STANDARD DIESEL EXHAUST  
FLUID TANK LOCATION  
STANDARD DIESEL EXHAUST FLUID PUMP  
MOUNTING  
STANDARD DIESEL EXHAUST FLUID TANK CAP  
NO MUFFLER/TAILPIPE SHIELD  
AIR POWERED ON/OFF ENGINE FAN CLUTCH  
AUTOMATIC FAN CONTROL WITHOUT DASH  
SWITCH, NON ENGINE MOUNTED  
CUMMINS SPIN ON FUEL FILTER  
FULL FLOW OIL FILTER  
NO COOLANT FILTER  
700 SQUARE INCH ALUMINUM RADIATOR  
ANTIFREEZE TO -34F, OAT (NITRITE AND  
SILICATE FREE) EXTENDED LIFE COOLANT  
GATES BLUE STRIPE COOLANT HOSES OR  
EQUIVALENT  
CONSTANT TENSION HOSE CLAMPS FOR  
COOLANT HOSES

**Prepared for:**  
DREW TERPEK  
FLORIDA SHERIFFS ASSOCIATION  
PO BOX 12519  
TALLAHASSEE, FL 32317  
Phone: 8002268226

KEYWEST CITY OF  
16 Ft FLATBED DUMP  
FSA 25 VEH 23.0 ITEM 59 LOW BID SBL  
FREIGHTLINER

**Prepared by:**  
Drew Ellison  
SBL FREIGHTLINER  
2840 CENTER PORT CIRCLE  
POMPANO BEACH, FL 33064  
Phone: 407-375-3304

#### Description

RADIATOR DRAIN VALVE  
LOWER RADIATOR GUARD  
ALUMINUM FLYWHEEL HOUSING  
ELECTRIC GRID AIR INTAKE WARMER  
DELCO 12V 29MT STARTER WITH INTEGRATED  
MAGNETIC SWITCH

#### Transmission

ALLISON 3500 RDS AUTOMATIC TRANSMISSION  
WITH PTO PROVISION

#### Transmission Equipment

ALLISON VOCATIONAL PACKAGE 223 -  
AVAILABLE ON 3000/4000 PRODUCT FAMILIES  
WITH VOCATIONAL MODELS RDS, HS, MH AND  
TRV

ALLISON VOCATIONAL RATING FOR HIGHWAY  
APPLICATIONS AVAILABLE WITH ALL PRODUCT  
FAMILIES

PRIMARY MODE GEARS, LOWEST GEAR 1,  
START GEAR 1, HIGHEST GEAR 6, AVAILABLE  
FOR 3000/4000 PRODUCT FAMILIES ONLY

SECONDARY MODE GEARS, LOWEST GEAR 1,  
START GEAR 1, HIGHEST GEAR 6, AVAILABLE  
FOR 3000/4000 PRODUCT FAMILIES ONLY

PRIMARY SHIFT SCHEDULE RECOMMENDED BY  
DTNA AND ALLISON, THIS DEFINED BY ENGINE  
AND VOCATIONAL USAGE

SECONDARY SHIFT SCHEDULE  
RECOMMENDED BY DTNA AND ALLISON, THIS  
DEFINED BY ENGINE AND VOCATIONAL USAGE

PRIMARY SHIFT SPEED RECOMMENDED BY  
DTNA AND ALLISON, THIS DEFINED BY ENGINE  
AND VOCATIONAL USAGE

SECONDARY SHIFT SPEED RECOMMENDED BY  
DTNA AND ALLISON, THIS DEFINED BY ENGINE  
AND VOCATIONAL USAGE

ENGINE BRAKE RANGE PRESELECT  
RECOMMENDED BY DTNA AND ALLISON, THIS  
DEFINED BY ENGINE AND VOCATIONAL USAGE

ENGINE BRAKE RANGE ALTERNATE  
PRESELECT RECOMMENDED BY DTNA AND  
ALLISON, THIS DEFINED BY ENGINE AND  
VOCATIONAL USAGE

FUEL SENSE 2.0 DISABLED - PERFORMANCE -  
TABLE BASED

DRIVER SWITCH INPUT - DEFAULT - NO  
SWITCHES

**Prepared for:**  
DREW TERPEK  
FLORIDA SHERIFFS ASSOCIATION  
PO BOX 12519  
TALLAHASSEE, FL 32317  
Phone: 8002268226

KEYWEST CITY OF  
16 FT FLATBED DUMP  
FSA 25 VEH 23.0 ITEM 59 LOW BID SBL  
FREIGHTLINER

**Prepared by:**  
Drew Ellison  
SBL FREIGHTLINER  
2840 CENTER PORT CIRCLE  
POMPANO BEACH, FL 33064  
Phone: 407-375-3304

#### Description

QUICKFIT BODY LIGHTING CONNECTOR AT  
END OF FRAME, WITH CAP  
ELECTRONIC TRANSMISSION WIRING TO  
CUSTOMER INTERFACE CONNECTOR  
CUSTOMER INSTALLED CHELSEA 281 SERIES  
PTO  
PTO MOUNTING, LH SIDE OF MAIN  
TRANSMISSION ALLISON  
MAGNETIC PLUGS, ENGINE DRAIN,  
TRANSMISSION DRAIN, AXLE(S) FILL AND  
DRAIN  
PUSH BUTTON ELECTRONIC SHIFT CONTROL,  
DASH MOUNTED  
TRANSMISSION PROGNOSTICS - ENABLED 2013  
WATER TO OIL TRANSMISSION COOLER, IN  
RADIATOR END TANK  
TRANSMISSION OIL CHECK AND FILL WITH  
ELECTRONIC OIL LEVEL CHECK  
ATF-SYNTHETIC AUTOMATIC TRANSMISSION  
FLUID

#### Front Axle and Equipment

DETROIT DA-F-12.0-3 12,000# FF1 71.5 KPI/3.74  
DROP SINGLE FRONT AXLE  
MERITOR 15X4 Q+ CAM FRONT BRAKES  
NON-ASBESTOS FRONT BRAKE LINING  
CAST IRON OUTBOARD FRONT BRAKE DRUMS  
FRONT OIL SEALS  
VENTED FRONT HUB CAPS WITH WINDOW,  
CENTER AND SIDE PLUGS - OIL  
STANDARD SPINDLE NUTS FOR ALL AXLES  
MERITOR AUTOMATIC FRONT SLACK  
ADJUSTERS  
TRW THP-60 POWER STEERING  
POWER STEERING PUMP  
2 QUART SEE THROUGH POWER STEERING  
RESERVOIR  
MINERAL SAE 80/90 FRONT AXLE LUBE

#### Front Suspension

12,000# MONO TAPERLEAF FRONT  
SUSPENSION  
MAINTENANCE FREE RUBBER BUSHINGS -  
FRONT SUSPENSION  
FRONT SHOCK ABSORBERS

**Prepared for:**  
DREW TERPEK  
FLORIDA SHERIFFS ASSOCIATION  
PO BOX 12519  
TALLAHASSEE, FL 32317  
Phone: 8002268226

KEYWEST CITY OF  
16 Ft FLATBED DUMP  
FSA 25 VEH 23.0 ITEM 59 LOW BID SBL  
FREIGHTLINER

**Prepared by:**  
Drew Ellison  
SBL FREIGHTLINER  
2840 CENTER PORT CIRCLE  
POMPANO BEACH, FL 33064  
Phone: 407-375-3304

#### Description

#### Rear Axle and Equipment

MERITOR RS-23-160 23,000# R-SERIES SINGLE  
REAR AXLE  
6.14 REAR AXLE RATIO  
IRON REAR AXLE CARRIER WITH STANDARD  
AXLE HOUSING  
MXL 176T MERITOR EXTENDED LUBE MAIN  
DRIVELINE WITH HALF ROUND YOKES  
DRIVER CONTROLLED TRACTION  
DIFFERENTIAL - SINGLE REAR AXLE  
(1) DRIVER CONTROLLED DIFFERENTIAL LOCK  
REAR VALVE FOR SINGLE DRIVE AXLE  
INDICATOR LIGHT FOR EACH DIFFERENTIAL  
LOCKOUT SWITCH  
MERITOR 16.5X7 Q+ CAST SPIDER HEAVY DUTY  
CAM REAR BRAKES, DOUBLE ANCHOR,  
FABRICATED SHOES  
NON-ASBESTOS REAR BRAKE LINING  
BRAKE CAMS AND CHAMBERS ON FORWARD  
SIDE OF DRIVE AXLE(S)  
CAST IRON OUTBOARD REAR BRAKE DRUMS  
REAR OIL SEALS  
WABCO TRISTOP D LONGSTROKE 1-DRIVE  
AXLE SPRING PARKING CHAMBERS  
MERITOR AUTOMATIC REAR SLACK  
ADJUSTERS  
CURRENT AVAILABLE SYNTHETIC 75W-90 REAR  
AXLE LUBE

#### Rear Suspension

23,000# 52 INCH VARIABLE RATE MULTI-LEAF  
SPRING REAR SUSPENSION WITH LEAF  
SPRING HELPER  
SPRING SUSPENSION - 1.00" AXLE SPACER  
STANDARD AXLE SEATS IN AXLE CLAMP  
GROUP

#### Pusher / Tag Equipment

NO PUSHER/TAG BRAKE DUST SHIELDS

#### Brake System

AIR BRAKE PACKAGE  
WABCO 4S/4M ABS WITH TRACTION CONTROL  
REINFORCED NYLON, FABRIC BRAID AND WIRE  
BRAID CHASSIS AIR LINES  
FIBER BRAID PARKING BRAKE HOSE

**Prepared for:**  
DREW TERPEK  
FLORIDA SHERIFFS ASSOCIATION  
PO BOX 12519  
TALLAHASSEE, FL 32317  
Phone: 8002268226

KEYWEST CITY OF  
16 Ft FLATBED DUMP  
FSA 25 VEH 23.0 ITEM 59 LOW BID SBL  
FREIGHTLINER

**Prepared by:**  
Drew Ellison  
SBL FREIGHTLINER  
2840 CENTER PORT CIRCLE  
POMPANO BEACH, FL 33064  
Phone: 407-375-3304

#### Description

STANDARD BRAKE SYSTEM VALVES  
STANDARD AIR SYSTEM PRESSURE  
PROTECTION SYSTEM  
STD U.S. FRONT BRAKE VALVE  
RELAY VALVE WITH 5-8 PSI CRACK PRESSURE,  
NO REAR PROPORTIONING VALVE  
WABCO SYSTEM SAVER HP WITH INTEGRAL  
AIR GOVERNOR AND HEATER  
AIR DRYER FRAME MOUNTED  
STEEL AIR BRAKE RESERVOIRS  
PULL CABLE ON WET TANK, PETCOCK DRAIN  
VALVES ON ALL OTHER AIR TANKS

#### Trailer Connections

NO TRAILER AIR HOSE  
NO AIR HOSE HANGER  
AIR CONNECTIONS TO END OF FRAME WITH  
GLAD HANDS FOR TRUCK AND NO DUST  
COVERS  
PRIMARY CONNECTOR/RECEPTACLE WIRED  
FOR SEPARATE STOP/TURN, ABS CENTER PIN  
POWERED THROUGH IGNITION  
SAE J560 7-WAY PRIMARY TRAILER CABLE  
RECEPTACLE MOUNTED END OF FRAME  
NO TRAILER ELECTRICAL CABLE

#### Wheelbase & Frame

4800MM (189 INCH) WHEELBASE  
11/32X3-1/2X10-15/16 INCH STEEL FRAME  
(8.73MMX277.8MM/0.344X10.94 INCH) 120KSI  
1600MM (63 INCH) REAR FRAME OVERHANG  
FRAME OVERHANG RANGE: 61 INCH TO 70  
INCH  
CALC'D BACK OF CAB TO REAR SUSP C/L (CA) :  
123.43 in  
CALCULATED EFFECTIVE BACK OF CAB TO  
REAR SUSPENSION C/L (CA) : 120.43 in  
CALC'D FRAME LENGTH - OVERALL : 290.94 in  
CALCULATED FRAME SPACE LH SIDE : 93.77 in  
CALCULATED FRAME SPACE RH SIDE : 45.83 in  
CALC'D SPACE AVAILABLE FOR DECKPLATE :  
0.0 in  
SQUARE END OF FRAME  
FRONT CLOSING CROSMEMBER  
STANDARD WEIGHT ENGINE CROSMEMBER

**Prepared for:**  
DREW TERPEK  
FLORIDA SHERIFFS ASSOCIATION  
PO BOX 12519  
TALLAHASSEE, FL 32317  
Phone: 8002268226

KEYWEST CITY OF  
16 Ft FLATBED DUMP  
FSA 25 VEH 23.0 ITEM 59 LOW BID SBL  
FREIGHTLINER

**Prepared by:**  
Drew Ellison  
SBL FREIGHTLINER  
2840 CENTER PORT CIRCLE  
POMPANO BEACH, FL 33064  
Phone: 407-375-3304

#### Description

STANDARD CROSMEMBER BACK OF  
TRANSMISSION  
STANDARD MIDSHIP #1 CROSMEMBER(S)  
STANDARD REARMOST CROSMEMBER  
STANDARD SUSPENSION CROSMEMBER

#### Chassis Equipment

THREE-PIECE 14 INCH STEEL CENTER BUMPER  
WITH FLEXIBLE PLASTIC ENDS  
SINGLE LICENSE PLATE BUMPER MOUNTING  
ON LH SIDE  
NO MUDFLAP BRACKETS  
NO REAR MUDFLAPS  
FENDER AND FRONT OF HOOD MOUNTED  
FRONT MUDFLAPS  
GRADE 8 THREADED HEX HEADED FRAME  
FASTENERS  
EXTERIOR HARNESSES WRAPPED IN  
ABRASION TAPE

#### Fifth Wheel

NO FIFTH WHEEL

#### Fuel Tanks

50 GALLON/189 LITER RECTANGULAR  
ALUMINUM FUEL TANK - RH  
50 GALLON/189 LITER SHORT RECTANGULAR  
ALUMINUM FUEL TANK - LH  
RECTANGULAR FUEL TANK(S)  
PLAIN ALUMINUM/PAINTED STEEL  
FUEL/HYDRAULIC TANK(S) WITH PAINTED  
BANDS  
LH FUEL TANK MOUNTED FORWARD, RH FUEL  
TANK MOUNTED AFT  
PLAIN STEP FINISH  
FUEL TANK CAP(S)  
DETROIT FUEL/WATER SEPARATOR WITH  
WATER IN FUEL SENSOR AND HAND PRIMER  
EQUIFLO INBOARD FUEL SYSTEM  
HIGH TEMPERATURE REINFORCED NYLON  
FUEL LINE

#### Tires

CONTINENTAL INTELLIGENT HSC3 11R22.5 16  
PLY RADIAL FRONT TIRES  
CONTINENTAL HDW2 11R22.5 16 PLY RADIAL  
REAR TIRES

## SBL FREIGHTLINER OPTIONS LIST ITEM 37 OPTIONS FSA 23 VEH 21.0

CODE	ALL FACTORY OPTIONS INCLUDE A 10 PERCENT MSRP DISCOUNT VENDER INSTALLED COST PLUS 20-30%	PRICE
1	CUMMINS 6.7 250 HP ALLISON 3500 101-21U	\$8,700
2	CUMMINS 6.7 280 HP ALLISON 3500 101-21W	\$10,980
3	CUMMINS 6.7 300 HP ALLISON 3500 101-21X	\$11,700
4	CUMMINS L9 260 HP ALLISON 3500 101-3BK	\$15,300
5	DD 7.7 260 HP	\$6,900
6	DUAL 50 GALLON FUEL TANKS 205-192 206-192	\$590
7	ALUMINUM WHEELS FRONT AND REAR	\$900
8	TWO MAN PASS SEAT	\$280
9	CREW CAB 829-079	\$11,900
10	SUPER CAB 829-075	\$6,900
11	AIR HORN	\$90
12	BACKUP ALARM	\$80
13	MUD FLAPS IF NOT INCLUDED WITH BODY	\$790
14	SAFETY KIT FIRE EXT AND TRIANGLES	\$490
15	TOW PACK WITH AIR AND ELECTRIC AND PINTLE HITCH	\$3,900
16	FULL SIZE SPARE TIRE AND WHEEL	\$900
17	NEW WAY VIPER 11RL REAR LOADER	\$85,000
18	12 FT STAKE BODY FOR STAKE SIDES ADD \$4,650	\$16,900
19	14 FT STAKE BODY FOR STAKE SIDE ADD \$4,650	\$17,900
20	12 FT CONTRACTORS BODY FOR 24 TO 35" SIDES ADD \$3,650	\$25,500
21	2/3 YD DUMP BODY	\$21,500
22	EAM 1500 ALUM WATER TANKER, SS IN LIEU OF ALUM ADD \$4500, PAINT TANK ADD \$6200	\$79,000
23	EAM ALUM HOSE TRAY, SELF LOAD SYSTEM ADD \$2200, TOOL BOX ADD \$1600	\$1,800
24	EAM EXTEND REAR SILLS, LED WORKLIGHTS ADD \$380, TOP STROBE ADD \$590.	\$900
25	EAM B4Z PUMP. MINI STROBES ADD 300 EACH, TRAFFIC ADVISION 37 ADD \$1200	\$1,900
26	EAM ADDITIONAL SPRAY HEADS EACH, WHELEN TRAFFIC ADVISOR ADD \$3500	\$1,200
27	EAM AKRON WATER MONITOR AND JOYSTICK, BACKUP CAMERA ADD \$1400	\$11,700
28	EAM STANDARD HYDRAULIC DRIVE SYSTEM	\$8,500
29	EAM PRESSURE COMPENSATED HYDRULIC DRIVE SYSTEM , CONSTANT PUMP SPEED	\$21,000
30	PETERSEN TL -2 LOADER AND TRASH BODY	\$99,000
31	PI UPGRADE BODY TO 1820 HDX	\$11,900
32	PI BODY LADDER	\$500
33	PI ELECTRIC TARP	\$2,900
34	PI MANUAL TARP	\$1,900
35	PI SINGLE DOOR	\$1,900
36	PI CAMERA	\$2,400
37	PI SINGLE STROBE	\$500
38	PI BRUSH GUARD	\$300
39	PI STROBES IN CORNER POST	\$550
40	PI SMART LIGHT SYSTEM	\$1,400
41	PI WORK LIGHT 2	\$500
42	PTO FOR AUTO TRANS	\$2,600
43	PAC MAC MINI REAR LOADER	\$67,900
44	PAC MAC KNUCKLE BOOM LOADER WITH1820 BODY	\$99,500
45	LABRIE MINI MAX HELPING HAND	\$159,000
46	LEACH MINI REAR LOADER	\$119,000
47	JERR DAN ROLL BACK WRECKER 10K WINCH and work lights	\$68,500
48	CURBTENDER QUANTUM 6 YD	\$79,500
49	CURBTENDER QUANTUM 11 YD	\$89,500
50	CURBTENDER PUP 7 YD	\$76,500

60	CURBTENDER TOMCAT 6 YD SIDE LOADER	\$89,500
61	TIPPERS	\$8,500
62	AUTO LUBE	\$10,000
63	AUTO CRANE 60K 11 FT SERVICE BODY HC 10 CRANE AND COMPRESSOR	\$159,500
64	AUTO CRANE 60K 14 FT SERVICE BODY HC 10 CRANE AND COMPRESSOR	\$162,500
65		
66	AUTO CRANE HC 7X HYDRAULIC CRANE IN LIEU OF HC-5	\$6,800.00
67	AUTO CRANE HC 8X HYDRAULIC CRANE IN LIEU OF HC-5	\$9,400.00
68	STELLAR TMAX-11 SERVICE BODY, 10630 CRANE AND COMPRESSOR	\$144,500.00
69	RIELZER CRAWLER CAMERA KIT	\$98,500.00
70	16 FT CHIPPER BODY ALUM	\$28,550.00
71	TOOL BOX 48X18X18	\$1,960.00

# Florida Sheriffs Contract

FSA-23; VEH 21.0

**SBL Freightliner, LLC**  
2840 Center Port Circle  
Pompano Beach, Florida 33064  
Florida Sheriff Assoc.

Purchaser: KEYWEST CITY OF Date: 10/14/2025  
Address: \_\_\_\_\_ Phone: \_\_\_\_\_  
City: KEYWEST FL Attn: RICHARD

<b>Base Model</b>	<b>ITEM 59 FSA 25 VEH 23 LOW BID</b>	<b>Price</b>
Option #	400-1AB 35K GVW PACK	14400
Option #	TOW TOW PACK WITH PINTLE	4900
Option #	MUD MUD FLAPS	890
Option #	280 HP 280 HP CUMMINS	5800
Option #	FDUMP 16 FT DUMP FLATBED	35800
Option #	DIFF DIFF LOCK AXLE	650
Option #	STROBES 4 CORNER STROBES	2450
Option #	CAM BACKUP CAM AND ALARM	3860
Option #		Price _____
		<b>Total Price</b> <u>\$152,150</u>