

# **Historic Architectural Review Commission**

# Staff Report Item 3

**Meeting Date:** February 26, 2013

**Applicant:** Carl Gilley

**Application Number:** H13-01-0141

**Address:** #1207 Grinnell Street

Description of Work: Demolish rear shed addition and build new open porch and

enclosed cook house. Demolish existing carport and build new carport at a further distance from the historic house, all per

plans.

**Building Facts:** The house is listed as a contributing resource. The one and one-

half story frame vernacular house was built in 1889. The house has one saw tooth and a shed-roofed addition. The house immediately to the left is also listed as contributing. The lot is

located in an X .2% flood zone for FEMA purposes.

Guidelines and Ordinance Cited in Review:

LDR's, specific Section 122-1182: An open carport may be

erected adjacent to interior lot lines within one foot of the front

and side property lines.

HARC Guidelines: Additions, alterations and new construction

(pages 36-38a), specifically guidelines 3, 4, 5 and 8.


### **Staff Analysis**

The Certificate of Appropriateness for review is a request to replace an existing non-contributing addition with an open porch and an enclosed "cook house" and to replace and move an existing carport. The plans show that the proposed construction will comply with setback and building and impervious coverage requirements for the HMDR zoning district. The proposed cook house will have board and batten siding, tongue and groove zee-brace shutters (no windows) and metal v crimp as the roof finish. The porch will have wood columns, rafters and decking and metal v-crimp as the roof finish. The carport will be located in line with the front porch of the building and constructed in a similar manner to not detract.

# **Consistency with Guidelines**

It is staff's opinion that the proposed one-story rear porch and cook house are in proper scale with the existing and surrounding structures:

The proposed porch and cook house addition and carport structure will be in proportion to the existing structure. The design is compatible and in keeping with Key West architectural character. And the materials proposed are of similar appearance to what is prevalent in the historic zone, particularly the board and batten siding on the proposed cook house.





# HISTORIC ARCHITECTURAL REVIEW APPLICATION



# CITY OF KEY WEST

CERTIFICATE OF APPROPR APPL		<b>S</b> - <b>H</b> 13 <b>-</b> 100141
OWNER'S NAME:	DATE:	Jan. 19,2013
OWNER'S ADDRESS: 1207 Grinnell Street	PHONE #	305-304-1032
APPLICANT'S NAME: Same	PHONE #	
APPLICANT'S ADDRESS:		
ADDRESS OF CONSTRUCTION: 1207 Grinnell Street		# OF UNITS 1
THERE WILL BE A FINAL INSPECTION REQUIRE		
DETAILED DESCRIPTION OF WORK: Demolish rear shed addition and build new rear open porch a plans. Demo existing carport and rebuild smaller new carport from historic house as per plans. All new work to be painted thouse.  Chapter 837.06 F.SFalse Official Statements — Whoever knowingly may with the intent to mislead a public servant in the performance of his or his	t in adjacent lo white to match akes a false statement are official duty shall	existing historic
a misdemeanor of the second degree punishable as provided for in s. 775		*********
This application for Certificate of Appropriateness must	Require	ed Submittals
precede applications for building permits, right of way permits, variances, and development review approvals.  Applications must meet or exceed the requirements	OF FL	ETS OF SCALED DRAWINGS OOR PLAN, SITE PLAN AND XTERIOR ELEVATIONS ew buildings and additions)
outlined by the Secretary of the Interior's Standards for	TREE RE	MOVAL PERMIT (if applicable)
Rehabilitation and Key West's Historic Architectural Guidelines.		TOGRAPHS OF EXISTING (repairs, rehabs, or expansions)
Once completed, the application shall be reviewed by staff		OGRAPHS OF ADJACENT BUILDINGS v buildings and additions)
or completeness and either approved or scheduled for presentation to the Historic Architectural Review Commission at the next available meeting. The applicant must be present at this meeting. The filing of this	PRODUCT SHUTTERS,	ONS OF MANUFACTURED S TO BE USED SUCH AS DOORS, WINDOWS, PAINT IPS, AND AWNING FABRIC SAMPLES
application does not ensure approval as submitted.		Staff Use Only
Applications that do not possess the required Submittals will be considered incomplete and will not be reviewed for approximation.	val	te:
Date: JAN 23, 2013	Sta	ff Approval:
Applicant's Signature:	Fee	Due:\$





PACKER

CATHARINE


CATHARINE

GRINNELL

WATSON 13


SANDBORN 1912








SANDBORN 1948 SANDBORN 1962

























Neighbor to left, 1002 Catherine St.

Neighbor to right, 1209-1221 Grinnel St.

Neighbor across the street, 930 Catherine St.





OCATION Part of Sq. 9, Tract 13, City of Key West

LEGAL DESCRIPTION:

On the Island of Key west, known on Wm. A. Whitehead's map delineated in February 1829, as period Tract thirteen (13), but now better known as Lot four (4) in Square Nine (9), Tract Thirteen (13), according to a diagram duly recorded in Monroe county, Florida, Public Records; Commencing at a point on Grinnell Street distant Fifty three (53) feet from the corner of Grinnell and Catherine and running thence along Crimnell Street in a Southeasterly direction Fifty three (53) feet and four (4) inches; thence at right angles in a Northeasterly direction one hundred eight (108) feet and six (6) inches; thence at right angles in a Northwesterly direction fifty three (53) feet and four inches; thence at right angles in a Southwesterly direction one hundred eight (108) feet and six (6) inches to the Place of Beginning

### SURVEYOR'S NOTES:

North arrow based on assumed mederion Reference Bearing: R/W Truman Avenue

3.4 denotes existing elevation

Elevations based on N.G.V.D. 1929 Datum Elevation: 14.324 Bench Mark No.: Basic

Sty: = Story

Abbreviations:

8.M. = Bench Mark

N.T.S. = Not to Scale R/W = Right-of-WayC = Centerline fd. = Found Elev. = Elevation

F.W. = Fire Well wd. = Wood A/C = Air Conditioner

w.m. = Water Meter

Boi. = Baicony

Field Work performed on: 1/26/04 Monumentation:

 $\Theta = \text{set } 1/2$ " Iron Pipe, P.L.S. No. 2749

Found 1/2" Iron Pipe • = Found 1/2" Iron Bar

★ = fd. spike

m. = Measured

P.O.C = Point of Commence P.O.B. = Point of Beginning

conc. = concrete

I.P. = Iron Pipe o/h = Overhead

u/q = Underground

F.FL = Finish Floor Elevation

C.B.S. = Concrete Black Stucco

cov'd. = Covered

CERTIFICATION:

I HEREBY CERTIFY that the attached BOUNDARY SURVEY is true and correct to the best of my knowledge and belief; that it meets the minimum technical standards adopted by the Florida Board of Land Surveyors, Chapter 61G17-6, \$27, and the American land Title Association, and that Florida Statue Section there are no visibly mments unless shown hereon.


FREDERICK H HALDE


Professional Land Surveyor & Mapper No. 2749

Professional Engineer No. 36810

State of Florida


NOT VALID UNLESS EMBOSSED WITH RAISED SEAL & SIGNATURE






FREDERICK H. HILDEBRANDT ENGREER PLANNER SUR/EYOR

> 3:52 Hombside Drive Suite 201 Rey West, Fi 33040 (305) 293-0456 Fax (305) 293-0237





# DRAWING INDEX

A-1 SITE PLAN

A-2 ELEVATIONS A-3 FRAMING & FOUNDATION PLAN

A-4 SECTION: PORCH

A-5 COOKHOUSE DETAILS & SECTION

A-6 MECHANICAL

A-7 CARPORT PLAN

# SITE DATA

FLOOD ZONE: X
CITY ZONE: HMDR
LOT SIZE: 5,760.00 S.F.

# STORM WATER CALCULATION

BUILDING SIZE (EXIST): 1,561.5 S.F.

BUILDING SIZE (PROPOSED): 1,718.5 S.F.

PATIO SIZE (EXIST): 156 S.F.

LOT COVERAGE: (EXIST): 1,561.5 S.F. (27.1 %)

LOT COVERAGE: (PROPOSED): 1,718.5 S.F. (29.8 %)

IMPERVIOUS COVERAGE (EXIST): 1,717.0 S.F. (29.8 %)

IMPERVIOUS COVERAGE (PROPOSED): 2,126.0 S.F. (36.9 %)

ADDITIONAL IMPERVIOUS COVERAGE: 409 S.F.

SWALE SIZE: 32 C.F. (9" X 3' X 14')


# WINDLOAD INFORMATION


BASIC WINDSPEED: 150 MPH
WIND IMPORTANCE FACTOR: 1.0
INTERNAL PRESSURE QU-EFFICIENT: +/~ 0.18
PRESSURES ON COMPONENTS & CLADDING
ROOFS (WORST CASE) + 23.3 PSF, -78.2 PSF
WALLS (WORST CASE) + 40.5 PSF, -54.2 PSF

# NOTES


ALL WORK DEPICTED IN THESE DRAWINGS SHALL CONFORM TO THE REQUIREMENTS OF THE FOLLOWING CODES:

FLORIDA BUILDING CODE, 2004 EDITION
NATIONAL ELECTRICAL CODE, 1999 EDITION











1/4" = 1'-0"

1/4" = 1'-0"


# WEST ELEVATION




NORTH ELEVATION




SOUTH ELEVATION



AS



FOUNDATION & FLOOR FRAMING PLAN





BACK PORCH SECTION

11/2" = 1'-0"

A.A

1"=1'-0"





FLOOR PLAN · ELECTRICAL

# SYMBOL KEY

# SYMBOL . DESCRIPTION

DUPLEX CONV. OUTLET

WEATHERPROOF DUPLEX CONV. OUTLET

G.F.I. DUPLEX CONV. OUTLET SINGLE POLE SWITCH


RHEOSTAT SWITCH THREE-WAY SWITCH

INCANDESANT CEILING FIXTURE


ABOVE OR UNDER CABINET LIGHTING HUNTER ORIGINAL, 52", 3 SPEED

CEILING FAN

TELEPHONE JACK HANGING FIXTURE





1/4" = 1' - 0" FLOOR PLAN · PLUMBING





MTS


PLUMBING RISER

















SCALE:1/4"=1'-0"

FLOOR PLAN · FIRST FLOOR



SECOND FLOOR






# HARC POSTING AFFIDAVIT

# STATE OF FLORIDA: COUNTY OF MONROE: BEFORE ME, the undersigned authority, personally appeared \_\_\_\_\_\_, who, first being duly sworn, on oath,

depose and says that the following statements are true and correct to the best of his/her knowledge and belief:
1. That a legal notice for Public Notice of Hearing of the Historic Architectural Review Commission (HARC) was placed on the following address:  On the
20 day of FEDUREY, 2013.
This legal notice(s) contained an area of at least 8.5"x11".
The property was posted to notice a public hearing before the Key West Historic Architectural Review Commission to be held on PFS 26, 2013, 20
The legal notice(s) is/are clearly visible from the public street adjacent to the property.
The Certificate of Appropriateness number for this legal notice is 13-01-
2. A photograph of that legal notice posted in the property is attached hereto.
Signed Name of Affiant:  Date: FEB 20, 2013  Address: 1207 ERWNBLU SK.  City: FEB WESK  State, Zip: FLORIDA 33040
The forgoing instrument was acknowledged before me on this 20th day of forgoing instrument was acknowledged before me on this 20th day of By (Print name of Affiant) Call Gilley who is
personally known to me or has producedas
identification and who did take an oath.
NOTARY PUBLIC Sign Name:
Print Name: 15 40 (Seal)
My Commission Expires: 1015 JO BENNETT Commission # EE 097995 Expires May 26, 2015 Bonded Thru Troy Fail Insurance 800.385.7010





# Scott P. Russell, CFA Property Appraiser Monroe County, Florida

Key West (305) 292-3420 Marathon (305) 289-2550 Plantation Key (305) 852-7130

# Property Record Card - Map portion under construction.

Alternate Key: 1033022 Parcel ID: 00032240-000000

# **Ownership Details**

**Mailing Address:** 

GILLEY CARL P 1207 GRINNELL ST KEY WEST, FL 33040

# **Property Details**

PC Code: 01 - SINGLE FAMILY

Millage Group: 10KW


Affordable
Housing:

Section-Township-Range: 05-68-25

Property Location: 1207 GRINNELL ST KEY WEST

Legal Description: KW G G WATSON SUB I-209 LOT 4 SQR 9 TR 13 G22-118 CO JUDGES DOCKET 12-149A OR530-425L/E

OR838-1208D/C OR995-287L/E OR1485-571/572 OR1691-2056/59-E OR2192-1866//67





Show Parcel Map that can launch map - Must have Adobe Flash Player 10.3 or higher

# **Exemptions**

Exemption	Amount
44 - ADDL HOMESTEAD	25,000.00
39 - 25000 HOMESTEAD	25,000.00

# **Land Details**

Land Use Code	Frontage	Depth	Land Area
010D - RESIDENTIAL DRY	53	109	5,786.00 SF

# **Building Summary**

Number of Buildings: 1
Number of Commercial Buildings: 0
Total Living Area: 96

Total Living Area: 962 Year Built: 1938


# **Building 1 Details**


Building Type R1Condition AQuality Grade 550Effective Age 18Perimeter 126Depreciation % 24Year Built 1938Special Arch 0Grnd Floor Area 962Functional Obs 0Economic Obs 0

Inclusions: R1 includes 1 3-fixture bath and 1 kitchen.

Roof Type GABLE/HIP Roof Cover METAL Foundation WD CONC PADS
Heat 1 FCD/AIR DUCTED Heat 2 NONE Bedrooms 2
Heat Src 1 ELECTRIC Heat Src 2 NONE

**Extra Features:** 





## Sections:

Nbr Type	Ext Wall	# Stories	Year Built	Attic A/C	Basement %	Finished Basement %	Area
0 DCF		1	1984				260
1 <u>FLA</u>	12:ABOVE AVERAGE WOOD	1	1937	N Y	0.00	0.00	962
2 <u>OPX</u>		1	1937		0.00	0.00	182
3 <u>FHS</u>	12:ABOVE AVERAGE WOOD	1	1937	N Y	0.00	0.00	494

# **Misc Improvement Details**

Nbr	Туре	# Units	Length	Width	Year Built	Roll Year	Grade	Life
1	PT3:PATIO	60 SF	0	0	1959	1960	2	50
2	UB2:UTILITY BLDG	70 SF	0	0	1974	1975	1	50
3	PT2:BRICK PATIO	77 SF	0	0	1979	1980	3	50
4	FN2:FENCES	48 SF	12	4	2000	2001	2	30
5	FN2:FENCES	192 SF	32	6	2006	2007	2	30
		.02 0.						_

# **Appraiser Notes**

CHGED SQFT FROM 5812 TO 5786 PER OR2192-1866 AND GIS

(UNRECORDED D/C ON FILE - DIAZ NORBERTO JR)

TPP 9009276 - THRINAX INC

# **Building Permits**

Bldg	Number	Date Issued	<b>Date Completed</b>	Amount	Description	Notes
1	97-4345	01/06/1998	12/31/1998	1,200	Residential	UPGRADE SERV TO 200 AMP
2	98-0372	02/10/1998	12/31/1998	1,500	Residential	INSTALL V-CRMIP ROOF
3	99-2272	06/29/1999	11/05/1999	700	Residential	ROOFING
4	99-3365	09/28/1999	11/08/2000	2,500	Residential	FENCE
5	00-2402	08/17/2000	11/08/2000	3,000	Residential	CENTRAL AC
7	05-6002	01/03/2006	10/30/2006	450	Residential	REPLACE ROTTEN SIDING
6	05-3173	08/02/2005	10/30/2006	500	Residential	REPLACE 32 SF OF 6 ' H FENCING
8	07-0080	01/16/2007	07/06/2007	5,000	Residential	REPLACE CONCRETE PORCH WITH NEW WOOD WITH PIERS

# **Parcel Value History**

Certified Roll Values.

View Taxes for this Parcel.

Roll Year	Total Bldg Value	Total Misc Improvement Value	Total Land Value	Total Just (Market) Value	Total Assessed Value	School Exempt Value	School Taxable Value
2012	129,262	1,359	296,284	426,905	426,905	25,000	401,905
2011	134,234	1,393	319,366	454,993	417,725	25,000	392,725
2010	137,548	1,418	272,586	411,552	411,552	25,000	386,552
2009	152,973	1,457	348,834	503,264	503,264	25,000	478,264
2008	143,801	1,505	542,476	687,782	687,782	25,000	662,782
2007	211,497	1,544	601,744	814,785	814,785	25,000	789,785
2006	337,082	892	462,880	800,854	800,854	0	800,854
2005	236,591	1,985	494,105	732,681	732,681	0	732,681
2004	193,848	2,052	360,406	556,306	556,306	0	556,306
2003	182,445	2,116	133,699	318,260	318,260	0	318,260
2002	210,114	2,185	133,699	345,998	345,998	0	345,998
2001	178,063	2,251	133,699	314,013	314,013	0	314,013
2000	173,811	2,730	98,821	275,362	275,362	0	275,362
1999	166,941	2,700	98,821	268,462	268,462	0	268,462
1998	131,490	2,284	98,821	232,595	232,595	0	232,595
1997	104,609	2,113	87,195	193,917	165,365	25,500	139,865
1996	75,551	1,567	87,195	164,312	160,549	25,500	135,049
1995	71,483	1,522	87,195	160,199	156,634	25,500	131,134
1994	63,928	1,395	87,195	152,517	152,517	25,500	127,017

1993	64,777	106	87,195	152,077	152,077	25,500	126,577
1992	64,777	107	87,195	152,079	152,079	25,500	126,579
1991	64,777	108	87,195	152,080	152,080	25,500	126,580
1990	36,342	109	59,583	96,034	96,034	25,500	70,534
1989	32,047	100	58,130	90,277	90,277	25,500	64,777
1988	26,748	101	46,504	73,353	73,353	25,500	47,853
1987	23,468	102	31,390	54,960	54,960	25,500	29,460
1986	23,572	103	31,390	55,065	55,065	25,500	29,565
1985	22,992	105	20,797	43,894	43,894	25,500	18,394
1984	21,747	106	20,797	42,650	42,650	25,500	17,150
1983	21,747	107	20,797	42,651	42,651	25,000	17,651
1982	22,092	108	18,024	40,224	40,224	0	40,224

# **Parcel Sales History**

NOTE: Sales do not generally show up in our computer system until about two to three months after the date of sale. If a recent sale does not show up in this list, please allow more time for the sale record to be processed. Thank you for your patience and understanding.

Sale Date	Official Records Book/Page	Price	Instrument	Qualification
2/7/2006	2192 / 1866	462,500	WD	<u>H</u>
11/1/1997	1485 / 0571	250,000	WD	Q

This page has been visited 302,327 times.

Monroe County Monroe County Property Appraiser Scott P. Russell, CFA P.O. Box 1176 Key West, FL 33041-1176