

MEMORANDUM FOR THE FILE

DATE: November 27, 2012

RE: **504 Simonton Street**

FROM: Paul Williams, Urban Forestry Manager, City of Key West

An application was received for the removal **of one (1) Avocado tree.**
A site inspection was done on November 27, 2012 and documented the following:

Tree Species: Avocado (*Persea Americana*)





Diameter: **14.5 inches dbh**

Location: 40% - foundation issues

Species: 100% - On protected tree list

Condition: 60% - Fair health

Total Average Value = 67%

Value x Diameter = replacement caliper (dbh) inches

.67 x 14.5" dbh = **10 replacement caliper (dbh) inches**

Recommendations: **Staff recommends approval of the removal.**



AGENDA ITEM #

City of Key West Tree Commission

Tree Permit Application

6195

PO Box 1409
Key West, FL 33040
Phone: 305-809-3764
Fax: 305-809-3978

OK
Rw
11/27/12

Home/Property Owner: X Ngan Cheng Date: 10-31-12

Mailing Address: X 3327 Riviera Dr.

Owner Signature: [Signature] Owner Ph#: (305) 923-3372

Represented by: LARRIE BUSLOFF Rep. Ph#: (305) 304-1581

Represented by mailing address: 410 AU "C", KW, FL 33040

Attendance at the Tree Commission meeting on the date when your request will be discussed is necessary in order to expedite the resolution of your application.

A letter of representation from the owner must accompany this application if the owner is unable to attend.

Letter of Representation (X)

Tree(s) Address: 504 SIMONTON Cross/Corner Street: FLEMING

Common Name(s): AU CADU Scientific Name(s): PERSEA AMERICANA

Species Type(s) {check all that apply}: () Palm () Flowering (X) Fruit (X) Shade

Reason(s) for Application {check all that apply}:

- (X) REMOVE () TRANSPLANT () HEAVY MAINTENANCE
- (X) Tree Health () New Location () Branch Removal
- () Safety () Same Property () Crown Cleaning/Thinning
- (X) Other / Explain () Other / Explain () Crown Reduction

Reason(s) for request:


THE TREE IS RIGHT AGAINST THE BUILDING,
AND IS PREVENTING NEEDED REPAIR WORK TO
SAFETY. SORRY! SADLY!

Replacement plant material must be Florida Grade #1. Replacement of a palm with a native palm is required. Replacement of a canopy tree with a native canopy tree is required. If you need assistance with replacements, please call the Landscape Department at 305-809-3764.

<<<< Sketch location of tree in this area including cross/corner Street >>>>

Provide access for viewing tree(s) prior to meeting
Identify tree(s) with colored tape

AGENDA ITEM #



Tree Species Avocado

Circumference _____ ÷ 3.14 = diameter 14.5" dbh

Location 40 % Species 100 % Condition 60 % Total Average Value 67 %

Avg. value .67 X 14.5" Diameter = 10
Replacement Inches

PLW
11/27/12

PLW
11/27/12

LOCATION: OLD CITY HALL, 510 GREENE STREET, 5:00 p.m.

FOR TREE COMMISSION USE ONLY.

() TABLED () APPROVED () DENIED () FURTHER ACTION

COMMENTS:

CHAIRPERSONS SIGNATURE/DATE

City Engineer comments if required:

ENGINEER'S SIGNATURE/DATE



THE CITY OF KEY WEST
TREE COMMISSION

Post Office Box 1409, Key West, FL 33041-1409 (305) 809-3764

AUTHORIZATION LETTER

Ngan Cheng
3327 Riviera Dr
Key West, FL 33040
Print clearly, name, address

Dear Tree Commissioners:

This letter is authorization and confirmation that I, Ngan Cheng,
(owner name, print)

have retained LARRIE BUSLOFF 304-1581
(representative name, address and phone number, print)

to represent me in the matter of obtaining a permit from the City of Key West Tree Commission for my
property at: _____
(tree address, print)

You may contact me at ~~X~~ 305-923-3372 Thank you.
~~(telephone number)~~

Ngan Cheng
Signature

Date