

**TREE COMMISSION TREE REMOVAL REPORT
CITY of KEY WEST**

PROPERTY: 67 Golf Club Dr

APPLICATION NUMBER: T2025-0260

REQUEST: The applicant is requesting removal of the Mahogany tree.

TREE ASSESSMENT and PHOTO



Mahogany Tree has severe lean into the road. 11' 8" height above the road. This height is not a safe recommended height for school buses, emergency vehicles, etc.







The Canopy of this tree will not be missed as it shares its space with competing Mahogany Trees. Its removal will be appreciated by the adjacent trees.



The trees stem has been struck many times. This is harmful to the tree and potentially harmful to both drivers and pedestrians.





Diameter: 15"

Location: 50% Should not be planted so close to other Mahogany Trees, and in such a small planter.

Species: 100%

Condition: 25% Tree has poor structure. Roots are girdled. Canopy is chlorotic.

Value: 58.3%

Recommended Mitigation: 8.75 Caliper Inches

NOTES: Aggressive landscape designs offer instant gratification and short term gains. Trees should be planted using foresight that allows them to thrive throughout a normal urban life span.

PREPARED BY:

***Brett Mayle* Urban Forestry Manager**

&

***Zach Bentley* Asst. Urban Forestry Manager**

City of Key West

305-809-3957