



**THE CITY OF KEY WEST
TREE COMMISSION
P.O. BOX 1409
KEY WEST, FL 33041-1409**

February 1, 2012

Mr. and Mrs. Shreck
2911 Fogarty Avenue
Key West, FL 33040

Dear Mr. and Mrs. Shreck,

Your request for tree commission ruling is being processed. The tree(s) on the application will be measured and evaluated for tree replacement caliper inches as per **Sec. 110-324** Key West City code.

Key West City code **Sec. 110-330 Application of criteria**. The tree commission shall determine whether to approve each tree removal permit application by weighing its findings made pursuant to sections 110-327, 110-328, and 110-329. Determinations of equivalency shall include evaluation of the species, age, condition, historical significance, dimension and setting of the tree.*

This request will be considered at the **February 13, 2012**, Tree Commission Meeting, 5:00pm, Old City Hall, 510 Greene Street. **Your attendance is required.**

Agenda item #

Tree Address

12

2911 Fogarty Avenue

Tree Species:	Mahogany	(DBH) 28"
Location	60%	
Species	100%	
Condition	60%	
Avg. value	73%	

Avg. value .73 x Diameter (DBH) 28" = **20 Replacement inches**

Total Diameter Inch Replacement = 20

Tree replacements will be planted in area of choice within the property line of tree address.

* Tree Commission will make final determination. The values charged may be different than what is expressed here in the preliminary worksheet

Paul Williams
Urban Forestry Manager
pwilliams@keywestcity.com

If you have any questions please call the office at (305) 809-3768 or 809-3764.